

Robert J Kurman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11042551/robert-j-kurman-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

265
papers

32,986
citations

105
h-index

179
g-index

272
ext. papers

36,307
ext. citations

5.9
avg, IF

7.19
L-index

#	Paper	IF	Citations
265	Risk of specific types of ovarian cancer after borderline ovarian tumors in Denmark: A nationwide study. <i>International Journal of Cancer</i> , 2020 , 147, 990-995	7.5	2
264	Two types of primary mucinous ovarian tumors can be distinguished based on their origin. <i>Modern Pathology</i> , 2020 , 33, 722-733	9.8	13
263	Nine-valent HPV vaccine efficacy against related diseases and definitive therapy: comparison with historic placebo population. <i>Gynecologic Oncology</i> , 2019 , 154, 110-117	4.9	32
262	Comprehensive Surgical Staging in Stage 1 Clear Cell and Endometrioid Ovarian Carcinomas: Is it Necessary?. <i>International Journal of Gynecological Pathology</i> , 2019 , 38, 241-246	3.2	5
261	Endometrial Carcinoma 2019 , 473-533		5
260	Epithelial Tumors of the Ovary 2019 , 841-966		6
259	Gestational Trophoblastic Tumors and Related Tumorlike Lesions 2019 , 1307-1375		
258	Diseases of the Vagina 2019 , 131-191		2
257	Precursors of Endometrial Carcinoma 2019 , 439-472		2
256	Clinicopathologic and Molecular Features of Paired Cases of Metachronous Ovarian Serous Borderline Tumor and Subsequent Serous Carcinoma. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1462-1472	6.7	15
255	Genomic landscape and evolutionary trajectories of ovarian cancer precursor lesions. <i>Journal of Pathology</i> , 2019 , 248, 41-50	9.4	44
254	Endometrial Carcinoma 2019 , 261-332		2
253	Precursors of Endometrial Carcinoma 2019 , 225-259		1
252	Mesenchymal Tumors and Other Rare Neoplasms 2019 , 333-361		
251	Pregnancy, Abortion, and Ectopic Pregnancy 2019 , 39-73		
250	Evaluation of liquid from the Papanicolaou test and other liquid biopsies for the detection of endometrial and ovarian cancers. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	110
249	Epithelial Tumors of the Ovary 2018 , 1-128		

248	Atypical Proliferative (Borderline) Serous Tumor in the Brain: A Case Report. <i>International Journal of Gynecological Pathology</i> , 2018 , 37, 52-56	3.2	1
247	Endometrial Carcinoma 2018 , 1-62		
246	Diseases of the Vagina 2018 , 1-63		
245	Precursors of Endometrial Carcinoma 2018 , 1-34		
244	Epithelial Tumors of the Ovary 2018 , 1-128		
243	Gestational Trophoblastic Tumors and Related Tumorlike Lesions 2018 , 1-71		
242	Parity, infertility, oral contraceptives, and hormone replacement therapy and the risk of ovarian serous borderline tumors: A nationwide case-control study. <i>Gynecologic Oncology</i> , 2017 , 144, 571-576	4.9	19
241	Steroid hormone synthesis by the ovarian stroma surrounding epithelial ovarian tumors: a potential mechanism in ovarian tumorigenesis. <i>Modern Pathology</i> , 2017 , 30, 563-576	9.8	30
240	Long-term Behavior of Serous Borderline Tumors Subdivided Into Atypical Proliferative Tumors and Noninvasive Low-grade Carcinomas: A Population-based Clinicopathologic Study of 942 Cases. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 725-737	6.7	37
239	Molecular analysis of high-grade serous ovarian carcinoma with and without associated serous tubal intra-epithelial carcinoma. <i>Nature Communications</i> , 2017 , 8, 990	17.4	109
238	A nationwide study of ovarian serous borderline tumors in Denmark 1978-2002. Risk of recurrence, and development of ovarian serous carcinoma. <i>Gynecologic Oncology</i> , 2017 , 144, 174-180	4.9	28
237	CCNE1 amplification and centrosome number abnormality in serous tubal intraepithelial carcinoma: further evidence supporting its role as a precursor of ovarian high-grade serous carcinoma. <i>Modern Pathology</i> , 2016 , 29, 1254-61	9.8	54
236	Molecular Alterations of TP53 are a Defining Feature of Ovarian High-Grade Serous Carcinoma: A Rereview of Cases Lacking TP53 Mutations in The Cancer Genome Atlas Ovarian Study. <i>International Journal of Gynecological Pathology</i> , 2016 , 35, 48-55	3.2	110
235	The Dualistic Model of Ovarian Carcinogenesis: Revisited, Revised, and Expanded. <i>American Journal of Pathology</i> , 2016 , 186, 733-47	5.8	506
234	Diagnostic potential of tumor DNA from ovarian cyst fluid. <i>ELife</i> , 2016 , 5,	8.9	25
233	Seromucinous Tumors of the Ovary. What's in a Name?. <i>International Journal of Gynecological Pathology</i> , 2016 , 35, 78-81	3.2	43
232	Two types of ovarian cortical inclusion cysts: proposed origin and possible role in ovarian serous carcinogenesis. <i>International Journal of Gynecological Pathology</i> , 2015 , 34, 3-8	3.2	45
231	Loss of ALDH1A1 expression is an early event in the pathogenesis of ovarian high-grade serous carcinoma. <i>Modern Pathology</i> , 2015 , 28, 437-45	9.8	14

230	Clonality analysis of combined Brenner and mucinous tumours of the ovary reveals their monoclonal origin. <i>Journal of Pathology</i> , 2015 , 237, 146-51	9.4	36
229	Re: Article by Natalie Banet and Robert J. Kurman: Two types of ovarian cortical inclusion cysts: proposed origin and possible role in ovarian serous carcinogenesis; Int. J. Gynecol. Pathol. 2015;34:3-8. <i>International Journal of Gynecological Pathology</i> , 2015 , 34, 304-5	3.2	1
228	Molecular analysis of ovarian mucinous carcinoma reveals different cell of origins. <i>Oncotarget</i> , 2015 , 6, 22949-58	3.3	14
227	A genetically engineered ovarian cancer mouse model based on fallopian tube transformation mimics human high-grade serous carcinoma development. <i>Journal of Pathology</i> , 2014 , 233, 228-37	9.4	93
226	The pathogenesis of atypical proliferative Brenner tumor: an immunohistochemical and molecular genetic analysis. <i>Modern Pathology</i> , 2014 , 27, 231-7	9.8	24
225	Origin and pathogenesis of pelvic (ovarian, tubal, and primary peritoneal) serous carcinoma. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2014 , 9, 27-45	34	113
224	Pathologic features associated with resolution of complex atypical hyperplasia and grade 1 endometrial adenocarcinoma after progestin therapy. <i>Gynecologic Oncology</i> , 2014 , 132, 33-7	4.9	28
223	Corrigendum to "Trophoblastic disease" [Int J Gynecol Obstet 2012 119(Suppl. 2) S130]. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 125, 93-93	4	1
222	A nationwide study of serous "borderline" ovarian tumors in Denmark 1978-2002: centralized pathology review and overall survival compared with the general population. <i>Gynecologic Oncology</i> , 2014 , 134, 267-73	4.9	46
221	Mutational analysis of BRAF and KRAS in ovarian serous borderline (atypical proliferative) tumours and associated peritoneal implants. <i>Journal of Pathology</i> , 2014 , 232, 16-22	9.4	42
220	Ki-67 index as an ancillary tool in the differential diagnosis of proliferative endometrial lesions with secretory change. <i>International Journal of Gynecological Pathology</i> , 2014 , 33, 114-9	3.2	8
219	BRAF mutation is associated with a specific cell type with features suggestive of senescence in ovarian serous borderline (atypical proliferative) tumors. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 1603-11	6.7	42
218	Discovery of a cell: reflections on the checkered history of intermediate trophoblast and update on its nature and pathologic manifestations. <i>International Journal of Gynecological Pathology</i> , 2014 , 33, 339-47	3.2	16
217	Evaluation of microinvasion and lymph node involvement in ovarian serous borderline/atypical proliferative serous tumors: a morphologic and immunohistochemical analysis of 37 cases. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 743-55	6.7	28
216	Characterization of the immune cell repertoire in the normal fallopian tube. <i>International Journal of Gynecological Pathology</i> , 2014 , 33, 581-91	3.2	27
215	New Views of Ovarian Carcinoma Types: How Will This Change Practice? 2014 , 29-38		1
214	Ovarian Brenner tumour: a morphologic and immunohistochemical analysis suggesting an origin from fallopian tube epithelium. <i>European Journal of Cancer</i> , 2013 , 49, 3839-49	7.5	52
213	Fallopian tube precursors of ovarian low- and high-grade serous neoplasms. <i>Histopathology</i> , 2013 , 62, 44-58	7.3	190

212	Molecular Pathology of Ovarian Cancer 2013 , 129-149		1
211	A binary histologic grading system for ovarian serous carcinoma is an independent prognostic factor: a population-based study of 4317 women diagnosed in Denmark 1978-2006. <i>Gynecologic Oncology</i> , 2012 , 125, 655-60	4.9	33
210	TP53 mutations in serous tubal intraepithelial carcinoma and concurrent pelvic high-grade serous carcinoma--evidence supporting the clonal relationship of the two lesions. <i>Journal of Pathology</i> , 2012 , 226, 421-6	9.4	252
209	Low-grade serous carcinomas of the ovary contain very few point mutations. <i>Journal of Pathology</i> , 2012 , 226, 413-20	9.4	154
208	Ovarian Cancer Is an Imported Disease: Fact or Fiction?. <i>Current Obstetrics and Gynecology Reports</i> , 2012 , 1, 1-9	0.6	91
207	Ki-67 labeling index as an adjunct in the diagnosis of serous tubal intraepithelial carcinoma. <i>International Journal of Gynecological Pathology</i> , 2012 , 31, 416-22	3.2	38
206	Validation of an algorithm for the diagnosis of serous tubal intraepithelial carcinoma. <i>International Journal of Gynecological Pathology</i> , 2012 , 31, 243-53	3.2	95
205	Loss of ARID1A expression is an early molecular event in tumor progression from ovarian endometriotic cyst to clear cell and endometrioid carcinoma. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 1310-5	3.5	113
204	The diagnostic and biological implications of laminin expression in serous tubal intraepithelial carcinoma. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1826-34	6.7	39
203	Survival rates for international federation of gynecology and obstetrics stage III ovarian carcinoma by cell type: a study of 262 unselected patients with uniform pathologic review. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 367-71	3.5	35
202	Surface Epithelial Tumors of the Ovary 2011 , 679-784		36
201	Somatic mutations of PPP2R1A in ovarian and uterine carcinomas. <i>American Journal of Pathology</i> , 2011 , 178, 1442-7	5.8	72
200	Molecular pathogenesis and extraovarian origin of epithelial ovarian cancer--shifting the paradigm. <i>Human Pathology</i> , 2011 , 42, 918-31	3.7	767
199	Mutation and loss of expression of ARID1A in uterine low-grade endometrioid carcinoma. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 625-32	6.7	206
198	The fallopian tube-peritoneal junction: a potential site of carcinogenesis. <i>International Journal of Gynecological Pathology</i> , 2011 , 30, 4-11	3.2	80
197	Papillary tubal hyperplasia: the putative precursor of ovarian atypical proliferative (borderline) serous tumors, noninvasive implants, and endosalpingiosis. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1605-14	6.7	116
196	Diagnosis of serous tubal intraepithelial carcinoma based on morphologic and immunohistochemical features: a reproducibility study. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1766-75	6.7	116
195	Immunohistochemical staining patterns of p53 can serve as a surrogate marker for TP53 mutations in ovarian carcinoma: an immunohistochemical and nucleotide sequencing analysis. <i>Modern Pathology</i> , 2011 , 24, 1248-53	9.8	317

194	Telomere length in different histologic types of ovarian carcinoma with emphasis on clear cell carcinoma. <i>Modern Pathology</i> , 2011 , 24, 1139-45	9.8	25
193	Gestational Trophoblastic Tumors and Related Tumor-Like Lesions 2011 , 1075-1135		10
192	Diseases of the Vagina 2011 , 105-154		5
191	Precancerous Lesions of the Cervix 2011 , 193-252		17
190	Precursor Lesions of Endometrial Carcinoma 2011 , 359-391		11
189	Endometrial Carcinoma 2011 , 394-452		10
188	Precursor lesions of high-grade serous ovarian carcinoma: morphological and molecular characteristics. <i>Journal of Oncology</i> , 2010 , 2010, 126295	4.5	54
187	Lack of a y-chromosomal complement in the majority of gestational trophoblastic neoplasms. <i>Journal of Oncology</i> , 2010 , 2010, 364508	4.5	13
186	DNA copy numbers profiles in affinity-purified ovarian clear cell carcinoma. <i>Clinical Cancer Research</i> , 2010 , 16, 1997-2008	12.9	76
185	The origin and pathogenesis of epithelial ovarian cancer: a proposed unifying theory. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 433-43	6.7	1235
184	Characterization and comparison of precursors of ovarian and endometrial carcinoma: parts I and II. <i>International Journal of Surgical Pathology</i> , 2010 , 18, 181S-189S	1.2	9
183	Impact of human papillomavirus (HPV)-6/11/16/18 vaccine on all HPV-associated genital diseases in young women. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 325-39	9.7	422
182	Are all pelvic (nonuterine) serous carcinomas of tubal origin?. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 1407-16	6.7	333
181	Shortened telomeres in serous tubal intraepithelial carcinoma: an early event in ovarian high-grade serous carcinogenesis. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 829-36	6.7	102
180	Precursors of endometrial and ovarian carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010 , 456, 1-12	5.1	24
179	Distinct DNA methylation profiles in ovarian serous neoplasms and their implications in ovarian carcinogenesis. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 584.e1-22	6.4	37
178	Analysis of DNA copy number alterations in ovarian serous tumors identifies new molecular genetic changes in low-grade and high-grade carcinomas. <i>Cancer Research</i> , 2009 , 69, 4036-42	10.1	143
177	The impact of quadrivalent human papillomavirus (HPV; types 6, 11, 16, and 18) L1 virus-like particle vaccine on infection and disease due to oncogenic nonvaccine HPV types in generally HPV-naive women aged 16-26 years. <i>Journal of Infectious Diseases</i> , 2009 , 199, 926-35	7	445

176	Ovarian low-grade and high-grade serous carcinoma: pathogenesis, clinicopathologic and molecular biologic features, and diagnostic problems. <i>Advances in Anatomic Pathology</i> , 2009 , 16, 267-82	5.1	403
175	The impact of quadrivalent human papillomavirus (HPV; types 6, 11, 16, and 18) L1 virus-like particle vaccine on infection and disease due to oncogenic nonvaccine HPV types in sexually active women aged 16-26 years. <i>Journal of Infectious Diseases</i> , 2009 , 199, 936-44	7	221
174	Systematic review of human papillomavirus prevalence in invasive penile cancer. <i>Cancer Causes and Control</i> , 2009 , 20, 449-57	2.8	291
173	Trophoblastic neoplasms express fatty acid synthase, which may be a therapeutic target via its inhibitor C93. <i>American Journal of Pathology</i> , 2009 , 175, 2618-24	5.8	15
172	Defining the cut point between low-grade and high-grade ovarian serous carcinomas: a clinicopathologic and molecular genetic analysis. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1220-4	6.7	68
171	Cystic and adenofibromatous clear cell carcinomas of the ovary: distinctive tumors that differ in their pathogenesis and behavior: a clinicopathologic analysis of 122 cases. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 844-53	6.7	106
170	Human papillomavirus type-distribution in vulvar and vaginal cancers and their associated precursors. <i>Obstetrics and Gynecology</i> , 2009 , 113, 917-924	4.9	176
169	Pathogenesis of ovarian cancer: lessons from morphology and molecular biology and their clinical implications. <i>International Journal of Gynecological Pathology</i> , 2008 , 27, 151-60	3.2	329
168	HSD3B1 as a novel trophoblast-associated marker that assists in the differential diagnosis of trophoblastic tumors and tumorlike lesions. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 236-42	6.7	45
167	Subdividing ovarian and peritoneal serous carcinoma into moderately differentiated and poorly differentiated does not have biologic validity based on molecular genetic and in vitro drug resistance data. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 1667-74	6.7	38
166	Low-grade serous carcinoma of the ovary displaying a macropapillary pattern of invasion. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 1800-6	6.7	24
165	Early detection and treatment of ovarian cancer: shifting from early stage to minimal volume of disease based on a new model of carcinogenesis. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 351-6	6.4	157
164	Amplicon profiles in ovarian serous carcinomas. <i>International Journal of Cancer</i> , 2007 , 120, 2613-7	7.5	104
163	The development of high-grade serous carcinoma from atypical proliferative (borderline) serous tumors and low-grade micropapillary serous carcinoma: a morphologic and molecular genetic analysis. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 1007-12	6.7	126
162	Histologic alterations in endometrial hyperplasia and well-differentiated carcinoma treated with progestins. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 988-98	6.7	142
161	Interobserver and intraobserver variability of a two-tier system for grading ovarian serous carcinoma. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 1168-74	6.7	128
160	Immunohistochemistry of choriocarcinoma: an aid in differential diagnosis and in elucidating pathogenesis. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 1726-32	6.7	71
159	Ovarian Serous Carcinogenesis: A Proposed Model 2007 , 17-28		

158	Pathogenesis of Gestational Trophoblastic Lesions 2007 , 157-166		3
157	Clinical significance of Her-2/neu overexpression in uterine serous carcinoma. <i>Gynecologic Oncology</i> , 2006 , 100, 139-44	4.9	44
156	Pathological characteristics of cervical adenocarcinoma in a multi-center US-based study. <i>Gynecologic Oncology</i> , 2006 , 103, 541-6	4.9	36
155	Sequence mutations and amplification of PIK3CA and AKT2 genes in purified ovarian serous neoplasms. <i>Cancer Biology and Therapy</i> , 2006 , 5, 779-85	4.6	149
154	A BTB/POZ protein, NAC-1, is related to tumor recurrence and is essential for tumor growth and survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 18739-44	11.5	104
153	Notch3 gene amplification in ovarian cancer. <i>Cancer Research</i> , 2006 , 66, 6312-8	10.1	236
152	Expression of Rsf-1, a chromatin-remodeling gene, in ovarian and breast carcinoma. <i>Human Pathology</i> , 2006 , 37, 1169-75	3.7	35
151	Immunologic responses following administration of a vaccine targeting human papillomavirus Types 6, 11, 16, and 18. <i>Vaccine</i> , 2006 , 24, 5571-83	4.1	299
150	Cyclin E and p16 immunoreactivity in epithelioid trophoblastic tumor--an aid in differential diagnosis. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 1105-10	6.7	69
149	Prophylactic quadrivalent human papillomavirus (types 6, 11, 16, and 18) L1 virus-like particle vaccine in young women: a randomised double-blind placebo-controlled multicentre phase II efficacy trial. <i>Lancet Oncology</i> , 2005 , 6, 271-8	21.7	1185
148	Nuclear size distinguishes low- from high-grade ovarian serous carcinoma and predicts outcome. <i>Human Pathology</i> , 2005 , 36, 1049-54	3.7	26
147	Diagnosis of Endometrial Biopsies and Curettings 2005 ,		17
146	Synchronous and Metachronous Endocervical and Ovarian Neoplasms: A Different Interpretation of HPV Data. <i>American Journal of Surgical Pathology</i> , 2005 , 29, 1687-1689	6.7	5
145	Patterns of p53 mutations separate ovarian serous borderline tumors and low- and high-grade carcinomas and provide support for a new model of ovarian carcinogenesis: a mutational analysis with immunohistochemical correlation. <i>American Journal of Surgical Pathology</i> , 2005 , 29, 218-24	6.7	336
144	HLA-G expression in effusions is a possible marker of tumor susceptibility to chemotherapy in ovarian carcinoma. <i>Gynecologic Oncology</i> , 2005 , 96, 42-7	4.9	83
143	Inactivation of the mitogen-activated protein kinase pathway as a potential target-based therapy in ovarian serous tumors with KRAS or BRAF mutations. <i>Cancer Research</i> , 2005 , 65, 1994-2000	10.1	108
142	Amplification of a chromatin remodeling gene, Rsf-1/HBXAP, in ovarian carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 14004-9	11.5	119
141	Molecular pathogenesis of ovarian borderline tumors: new insights and old challenges. <i>Clinical Cancer Research</i> , 2005 , 11, 7273-9	12.9	113

140	Methods of Endometrial Evaluation 2005 , 275-287		
139	Other Tumors 2005 , 249-274		
138	Endometrial Carcinoma 2005 , 208-248		1
137	Pregnancy, Abortion, and Ectopic Pregnancy 2005 , 34-66		2
136	Endometrial Hyperplasia, Endometrial Intraepithelial Carcinoma, and Epithelial Cytoplasmic Change 2005 , 178-207		5
135	Mutations of BRAF and KRAS precede the development of ovarian serous borderline tumors. <i>Cancer Research</i> , 2004 , 64, 6915-8	10.1	160
134	Characterization of active mitogen-activated protein kinase in ovarian serous carcinomas. <i>Clinical Cancer Research</i> , 2004 , 10, 6432-6	12.9	103
133	Molecular genetic analysis of ovarian serous cystadenomas. <i>Laboratory Investigation</i> , 2004 , 84, 778-84	5.9	40
132	Ovarian tumorigenesis: a proposed model based on morphological and molecular genetic analysis. <i>American Journal of Pathology</i> , 2004 , 164, 1511-8	5.8	951
131	p63 expression is useful in the distinction of epithelioid trophoblastic and placental site trophoblastic tumors by profiling trophoblastic subpopulations. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1177-83	6.7	128
130	The histologic type and stage distribution of ovarian carcinomas of surface epithelial origin. <i>International Journal of Gynecological Pathology</i> , 2004 , 23, 41-4	3.2	376
129	Mutations in BRAF and KRAS characterize the development of low-grade ovarian serous carcinoma. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 484-6	9.7	668
128	Noninvasive and invasive micropapillary (low-grade) serous carcinoma of the ovary: a clinicopathologic analysis of 135 cases. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 725-36	6.7	120
127	Primary and metastatic mucinous adenocarcinomas in the ovaries: incidence in routine practice with a new approach to improve intraoperative diagnosis. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 985-93	6.7	321
126	Mutational analysis of K-ras segregates ovarian serous carcinomas into two types: invasive MPSC (low-grade tumor) and conventional serous carcinoma (high-grade tumor). <i>International Journal of Gynecological Pathology</i> , 2003 , 22, 37-41	3.2	101
125	Pathology of ovarian carcinoma. <i>Hematology/Oncology Clinics of North America</i> , 2003 , 17, 909-25, vii	3.1	52
124	HLA-G is a potential tumor marker in malignant ascites. <i>Clinical Cancer Research</i> , 2003 , 9, 4460-4	12.9	130
123	Intrauterine progesterone treatment of early endometrial cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 651-7	6.4	180

122	Pathology of borderline (low malignant potential) ovarian tumours. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2002 , 16, 499-512	4.6	32
121	Use of human papillomavirus DNA testing to compare equivocal cervical cytologic interpretations in the United States, Scandinavia, and the United Kingdom. <i>Cancer</i> , 2002 , 96, 14-20	6.4	40
120	Molecular basis of gestational trophoblastic diseases. <i>Current Molecular Medicine</i> , 2002 , 2, 1-12	2.5	61
119	Assessment of plasma DNA levels, allelic imbalance, and CA 125 as diagnostic tests for cancer. <i>Journal of the National Cancer Institute</i> , 2002 , 94, 1697-703	9.7	102
118	Diagnostic criteria and behavior of ovarian seromucinous (endocervical-type mucinous and mixed cell-type) tumors: atypical proliferative (borderline) tumors, intraepithelial, microinvasive, and invasive carcinomas. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 1529-41	6.7	137
117	Salpingitis, salpingoliths, and serous tumors of the ovaries: is there a connection?. <i>International Journal of Gynecological Pathology</i> , 2002 , 21, 101-7	3.2	43
116	HLA-G immunoreactivity is specific for intermediate trophoblast in gestational trophoblastic disease and can serve as a useful marker in differential diagnosis. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 914-20	6.7	109
115	Cytokeratins 7 and 20, Dpc4, and MUC5AC in the distinction of metastatic mucinous carcinomas in the ovary from primary ovarian mucinous tumors: Dpc4 assists in identifying metastatic pancreatic carcinomas. <i>International Journal of Gynecological Pathology</i> , 2002 , 21, 391-400	3.2	152
114	p16INK4a immunohistochemistry improves interobserver agreement in the diagnosis of cervical intraepithelial neoplasia. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 1389-99	6.7	374
113	Diverse tumorigenic pathways in ovarian serous carcinoma. <i>American Journal of Pathology</i> , 2002 , 160, 1223-8	5.8	280
112	Molecular genetic analysis of placental site trophoblastic tumors and epithelioid trophoblastic tumors confirms their trophoblastic origin. <i>American Journal of Pathology</i> , 2002 , 161, 1033-7	5.8	53
111	Micropapillary serous carcinoma of the ovary has distinct patterns of chromosomal imbalances by comparative genomic hybridization compared with atypical proliferative serous tumors and serous carcinomas. <i>Human Pathology</i> , 2002 , 33, 47-59	3.7	43
110	The pathology of intermediate trophoblastic tumors and tumor-like lesions. <i>International Journal of Gynecological Pathology</i> , 2001 , 20, 31-47	3.2	224
109	Patients with pseudomyxoma peritonei associated with disseminated peritoneal adenomucinosis have a significantly more favorable prognosis than patients with peritoneal mucinous carcinomatosis. <i>Cancer</i> , 2001 , 92, 85-91	6.4	275
108	Placental site trophoblastic tumor--past as prologue. <i>Gynecologic Oncology</i> , 2001 , 82, 413-4	4.9	12
107	Cervical HPV DNA detection as a predictor of a recurrent SIL diagnosis among untreated women. <i>Journal of Lower Genital Tract Disease</i> , 2001 , 5, 138-43	3.6	1
106	Refined diagnostic criteria for implants associated with ovarian atypical proliferative serous tumors (borderline) and micropapillary serous carcinomas. <i>American Journal of Surgical Pathology</i> , 2001 , 25, 419-32	6.7	124
105	Is Well-Differentiated Endometrioid Carcinoma of the Ovary Indeed an Invasive Carcinoma?. <i>American Journal of Surgical Pathology</i> , 2001 , 25, 1341-1342	6.7	

104	Norethindrone Acetate and Estradiol-Induced Endometrial Hyperplasia. <i>Obstetrics and Gynecology</i> , 2000 , 96, 373-379	4.9	
103	Introduction to the ISGYP Symposium on Endometrial Hyperplasia. <i>International Journal of Gynecological Pathology</i> , 2000 , 19, 299-300	3.2	1
102	A clinicopathologic analysis of atypical proliferative (borderline) tumors and well-differentiated endometrioid adenocarcinomas of the ovary. <i>American Journal of Surgical Pathology</i> , 2000 , 24, 1465-79	6.7	95
101	Minimal uterine serous carcinoma: diagnosis and clinicopathologic correlation. <i>American Journal of Surgical Pathology</i> , 2000 , 24, 797-806	6.7	181
100	Antigen-specific cancer immunotherapy using a GM-CSF secreting allogeneic tumor cell-based vaccine. <i>International Journal of Cancer</i> , 2000 , 86, 725-30	7.5	56
99	Ovarian serous borderline tumors: a critical review of the literature with emphasis on prognostic indicators. <i>Human Pathology</i> , 2000 , 31, 539-57	3.7	308
98	Norethindrone acetate and estradiol-induced endometrial hyperplasia. <i>Obstetrics and Gynecology</i> , 2000 , 96, 373-9	4.9	44
97	Ovarian serous borderline tumors: the citadel defended. <i>Human Pathology</i> , 2000 , 31, 1439-42	3.7	15
96	Identifying women with cervical neoplasia: using human papillomavirus DNA testing for equivocal Papanicolaou results. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1605-10	27.4	383
95	Placental site nodule and characterization of distinctive types of intermediate trophoblast. <i>Human Pathology</i> , 1999 , 30, 687-94	3.7	93
94	Atypical glandular cells of undetermined significance (AGUS): cytopathologic features, histopathologic results, and human papillomavirus DNA detection. <i>Human Pathology</i> , 1999 , 30, 816-25	3.7	134
93	Histopathologic features of ovaries at increased risk for carcinoma. A case-control analysis. <i>International Journal of Gynecological Pathology</i> , 1999 , 18, 151-7	3.2	44
92	Immunohistochemical localization of inhibin-alpha in the placenta and gestational trophoblastic lesions. <i>International Journal of Gynecological Pathology</i> , 1999 , 18, 144-50	3.2	97
91	Protocol for the examination of specimens from patients with carcinomas of the cervix: a basis for checklists. Cancer Committee, College of American Pathologists. <i>Archives of Pathology and Laboratory Medicine</i> , 1999 , 123, 55-61	5	30
90	Evaluation of diagnostic criteria and behavior of ovarian intestinal-type mucinous tumors: atypical proliferative (borderline) tumors and intraepithelial, microinvasive, invasive, and metastatic carcinomas. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 617-35	6.7	211
89	Fatty acid synthase expression in endometrial carcinoma. <i>Cancer</i> , 1998 , 83, 528-537	6.4	122
88	Intraepithelial carcinoma of the cervix: reflections on half a century of progress. <i>Cancer</i> , 1998 , 83, 2243-6.4	6.4	9
87	Antigen-specific immunotherapy for murine lung metastatic tumors expressing human papillomavirus type 16 E7 oncoprotein. <i>International Journal of Cancer</i> , 1998 , 78, 41-5	7.5	105

86	Clear cell carcinoma of the endometrium is characterized by a distinctive profile of p53, Ki-67, estrogen, and progesterone receptor expression. <i>Human Pathology</i> , 1998 , 29, 551-8	3.7	193
85	Ki-67 labeling index in the differential diagnosis of exaggerated placental site, placental site trophoblastic tumor, and choriocarcinoma: a double immunohistochemical staining technique using Ki-67 and Mel-CAM antibodies. <i>Human Pathology</i> , 1998 , 29, 27-33	3.7	112
84	Micropapillary serous carcinoma of the ovary: an immunohistochemical and mutational analysis of p53. <i>International Journal of Gynecological Pathology</i> , 1998 , 17, 54-60	3.2	37
83	Reproducibility of the diagnosis of endometrial hyperplasia, atypical hyperplasia, and well-differentiated carcinoma. <i>American Journal of Surgical Pathology</i> , 1998 , 22, 1012-9	6.7	224
82	Epithelioid trophoblastic tumor: a neoplasm distinct from choriocarcinoma and placental site trophoblastic tumor simulating carcinoma. <i>American Journal of Surgical Pathology</i> , 1998 , 22, 1393-403	6.7	268
81	Borderline Ovarian Tumors. <i>American Journal of Surgical Pathology</i> , 1998 , 22, 905-906	6.7	
80	Antigen-specific immunotherapy for murine lung metastatic tumors expressing human papillomavirus type 16 E7 oncoprotein 1998 , 78, 41		3
79	Cofactors with human papillomavirus in a population-based study of vulvar cancer. <i>Journal of the National Cancer Institute</i> , 1997 , 89, 1516-23	9.7	134
78	Immunohistochemical evidence supporting the appendiceal origin of pseudomyxoma peritonei in women. <i>International Journal of Gynecological Pathology</i> , 1997 , 16, 1-9	3.2	193
77	Progestin treatment of atypical hyperplasia and well-differentiated carcinoma of the endometrium in women under age 40. <i>Obstetrics and Gynecology</i> , 1997 , 90, 434-40	4.9	329
76	Detection of the Human Cytomegalovirus 2.0-kb Immediate Early Gene 1 Transcripts in Permissive and Nonpermissive Infections by RNA in situ Hybridization. <i>Journal of Biomedical Science</i> , 1997 , 4, 19-27 ^{13.3}		
75	The morphologic spectrum of ovarian metastases of appendiceal adenocarcinomas: a clinicopathologic and immunohistochemical analysis of tumors often misinterpreted as primary ovarian tumors or metastatic tumors from other gastrointestinal sites. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 1144-55	6.7	142
74	Heterogeneous etiology of squamous carcinoma of the vulva. <i>Obstetrics and Gynecology</i> , 1996 , 87, 59-64.9	4.9	131
73	Human papillomavirus-specific serologic response in vulvar neoplasia. <i>Gynecologic Oncology</i> , 1996 , 63, 200-3	4.9	24
72	Pathologic models to predict outcome for women with endometrial adenocarcinoma: The importance of the distinction between surgical stage and clinical stage--A gynecologic oncology group study 1996 , 77, 1115-1121		128
71	Micropapillary serous carcinoma of the ovary. A distinctive low-grade carcinoma related to serous borderline tumors. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 1319-30	6.7	275
70	Subclassification of serous borderline tumors of the ovary into benign and malignant types. A clinicopathologic study of 65 advanced stage cases. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 1331-45	6.7	260
69	Pathologic models to predict outcome for women with endometrial adenocarcinoma: The importance of the distinction between surgical stage and clinical stage--A gynecologic oncology group study 1996 , 77, 1115		17

68	Endometrial Hyperplasia and Epithelial Cytoplasmic Change 1995 , 160-183		1
67	Endometrial intraepithelial carcinoma: a distinctive lesion specifically associated with tumors displaying serous differentiation. <i>Human Pathology</i> , 1995 , 26, 1260-7	3.7	251
66	p53 in endometrial cancer and its putative precursors: evidence for diverse pathways of tumorigenesis. <i>Human Pathology</i> , 1995 , 26, 1268-74	3.7	295
65	Pseudomyxoma peritonei in women: a clinicopathologic analysis of 30 cases with emphasis on site of origin, prognosis, and relationship to ovarian mucinous tumors of low malignant potential. <i>Human Pathology</i> , 1995 , 26, 509-24	3.7	225
64	Human papillomavirus testing by hybrid capture appears to be useful in triaging women with a cytologic diagnosis of atypical squamous cells of undetermined significance. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 172, 946-54	6.4	349
63	Disseminated peritoneal adenomucinosis and peritoneal mucinous carcinomatosis. A clinicopathologic analysis of 109 cases with emphasis on distinguishing pathologic features, site of origin, prognosis, and relationship to "pseudomyxoma peritonei". <i>American Journal of Surgical Pathology</i> , 1995 , 19, 1389-1400	6.7	634
62	The utility of the revised International Federation of Gynecology and Obstetrics histologic grading of endometrial adenocarcinoma using a defined nuclear grading system. A Gynecologic Oncology Group study. <i>Cancer</i> , 1995 , 75, 81-6	6.4	153
61	Endometrial cancer chemoprevention: implications of diverse pathways of carcinogenesis. <i>Journal of Cellular Biochemistry</i> , 1995 , 23, 160-4	4.7	38
60	Methods of Endometrial Evaluation 1995 , 244-253		
59	Endometrial Carcinoma 1995 , 184-218		1
58	Other Tumors 1995 , 219-243		1
57	Pregnancy, Abortion, and Ectopic Pregnancy 1995 , 33-62		1
56	Interim Guidelines for Management of Abnormal Cervical Cytology. <i>JAMA - Journal of the American Medical Association</i> , 1994 , 271, 1866	27.4	290
55	Endometrial Carcinoma 1994 , 439-486		56
54	Toward objective quality assurance in cervical cytopathology. Correlation of cytopathologic diagnoses with detection of high-risk human papillomavirus types. <i>American Journal of Clinical Pathology</i> , 1994 , 102, 182-7	1.9	175
53	Benign Diseases of the Endometrium 1994 , 367-409		19
52	Endometrial Hyperplasia and Related Cellular Changes 1994 , 411-437		25
51	Gestational Trophoblastic Disease and Related Lesions 1994 , 1049-1093		24

50	Diseases of the Vagina 1994 , 131-183		8
49	Precancerous Lesions of the Cervix 1994 , 229-277		38
48	Carcinoma and Other Tumors of the Cervix 1994 , 279-326		31
47	Basaloid and warty carcinomas of the vulva. Distinctive types of squamous cell carcinoma frequently associated with human papillomaviruses. <i>American Journal of Surgical Pathology</i> , 1993 , 17, 133-45	6.7	203
46	The behavior of serous tumors of low malignant potential: are they ever malignant?. <i>International Journal of Gynecological Pathology</i> , 1993 , 12, 120-7	3.2	138
45	Cytogenetic profile of uterine sarcomas. <i>Cancer</i> , 1993 , 71, 1283-8	6.4	69
44	Human papillomavirus and the pathogenesis of vulvar carcinoma. <i>Current Opinion in Obstetrics and Gynecology</i> , 1992 , 4, 582-585	2.4	17
43	Uterine serous carcinoma. A morphologically diverse neoplasm with unifying clinicopathologic features. <i>American Journal of Surgical Pathology</i> , 1992 , 16, 600-10	6.7	290
42	Human papillomavirus infection of the cervix: relative risk associations of 15 common anogenital types. <i>Obstetrics and Gynecology</i> , 1992 , 79, 328-37	4.9	708
41	In situ and invasive vulvar cancer incidence trends (1973 to 1987). <i>American Journal of Obstetrics and Gynecology</i> , 1992 , 166, 1482-5	6.4	165
40	Identification of patients with stage I uterine endometrioid adenocarcinoma at high risk of recurrence by DNA ploidy, myometrial invasion, and vascular invasion. <i>Gynecologic Oncology</i> , 1992 , 45, 235-9	4.9	49
39	Combined assessment of vascular and myometrial invasion as a model to predict prognosis in stage I endometrioid adenocarcinoma of the uterine corpus. <i>Cancer</i> , 1992 , 69, 1424-31	6.4	83
38	Probable nonpapillomavirus etiology of squamous cell carcinoma of the vulva in older women: a clinicopathologic study using in situ hybridization and polymerase chain reaction. <i>International Journal of Gynecological Pathology</i> , 1991 , 10, 107-25	3.2	162
37	Possible etiologic heterogeneity of vulvar intraepithelial neoplasia. A correlation of pathologic characteristics with human papillomavirus detection by in situ hybridization and polymerase chain reaction. <i>Cancer</i> , 1991 , 67, 1599-607	6.4	83
36	Relationship between surgical-pathological risk factors and outcome in clinical stage I and II carcinoma of the endometrium: a Gynecologic Oncology Group study. <i>Gynecologic Oncology</i> , 1991 , 40, 55-65	4.9	1077
35	The morphology, biology, and pathology of intermediate trophoblast: a look back to the present. <i>Human Pathology</i> , 1991 , 22, 847-55	3.7	95
34	Placental site nodules and plaques. A clinicopathologic analysis of 20 cases. <i>American Journal of Surgical Pathology</i> , 1990 , 14, 1001-9	6.7	84
33	Vacuolated cytotrophoblast: a subpopulation of trophoblast in the chorion laeve. <i>Placenta</i> , 1989 , 10, 429-38	3.4	33

32	Possible prognostic significance of human papillomavirus type in cervical cancer. <i>Gynecologic Oncology</i> , 1988 , 29, 267-73	4.9	128
31	Analysis of individual human papillomavirus types in cervical neoplasia: a possible role for type 18 in rapid progression. <i>American Journal of Obstetrics and Gynecology</i> , 1988 , 159, 293-6	6.4	181
30	Choriocarcinoma and Placental Site Trophoblastic Tumor. <i>CPOBGYN Clinical Perspectives in Obstetrics and Gynecology</i> , 1987 , 45-68		6
29	Endometrial Hyperplasia and Metaplasia 1987 , 322-337		7
28	Endometrial Carcinoma 1987 , 338-372		23
27	Human papillomavirus deoxyribonucleic acid in cervical carcinoma from primary and metastatic sites. <i>American Journal of Obstetrics and Gynecology</i> , 1986 , 154, 115-9	6.4	127
26	The role of human papillomaviruses in the pathogenesis and histologic classification of precancerous lesions of the cervix. <i>Human Pathology</i> , 1986 , 17, 552-9	3.7	55
25	Papillomaviruses in Anogenital Neoplasms 1986 , 153-183		6
24	The behavior of endometrial hyperplasia. A long-term study of "untreated" hyperplasia in 170 patients. <i>Cancer</i> , 1985 , 56, 403-12	6.4	1000
23	Detection of papillomavirus common antigens in lesions of skin and mucosa. <i>Clinics in Dermatology</i> , 1985 , 3, 56-63	3	24
22	Intermediate trophoblast: a distinctive form of trophoblast with specific morphological, biochemical and functional features. <i>Placenta</i> , 1984 , 5, 349-69	3.4	201
21	Secretion of human chorionic gonadotropin and alpha-fetoprotein by an ovarian germ cell tumor of apparent yolk sac origin. <i>Gynecologic Oncology</i> , 1984 , 18, 240-6	4.9	4
20	Immunocytochemical localization of placental lactogen and chorionic gonadotropin in the normal placenta and trophoblastic tumors, with emphasis on intermediate trophoblast and the placental site trophoblastic tumor. <i>International Journal of Gynecological Pathology</i> , 1984 , 3, 101-21	3.2	168
19	Contributions of Immunocytochemistry to Gynaecological Pathology. <i>Clinics in Obstetrics and Gynaecology</i> , 1984 , 11, 5-23		3
18	Germ Cell Tumors of the Ovary: Pathology, Behavior and Treatment. <i>Cancer Treatment and Research</i> , 1983 , 103-153	3.5	2
17	Recent Advances in the Pathology of Ovarian Cancer. <i>Clinics in Obstetrics and Gynaecology</i> , 1983 , 10, 155-185		5
16	Evaluation of criteria for distinguishing atypical endometrial hyperplasia from well-differentiated carcinoma. <i>Cancer</i> , 1982 , 49, 2547-59	6.4	272
15	Benign Diseases of the Endometrium 1982 , 279-310		7

14	Endometrial Neoplasia: Hyperplasia and Carcinoma 1982 , 311-351		12
13	Immunoperoxidase localization of papillomavirus antigens in cervical dysplasia and vulvar condylomas. <i>American Journal of Obstetrics and Gynecology</i> , 1981 , 140, 931-5	6.4	130
12	Abnormalities of the genital tract following stilbestrol exposure in utero. <i>Recent Results in Cancer Research</i> , 1979 , 66, 161-74	1.5	2
11	An immunohistological study of steroid localization in Sertoli-Leydig tumors of the ovary and testis. <i>Cancer</i> , 1978 , 42, 1772-83	6.4	66
10	The potential value of immunohistologic techniques in the classification of ovarian and testicular tumors. <i>Human Pathology</i> , 1978 , 9, 417-27	3.7	29
9	Malignant germ cell tumors of the ovary. <i>Human Pathology</i> , 1977 , 8, 551-64	3.7	135
8	Cellular localization of alpha-fetoprotein and human chorionic gonadotropin in germ cell tumors of the testis using and indirect immunoperoxidase technique. <i>Cancer</i> , 1977 , 40, 2136-51	6.4	208
7	Clear cell carcinoma of the endometrium: an analysis of 21 cases. <i>Cancer</i> , 1976 , 37, 872-82	6.4	139
6	Mesenchymal tumors of the uterus. VI. Epithelioid smooth muscle tumors including leiomyoblastoma and clear-cell leiomyoma: a clinical and pathologic analysis of 26 cases. <i>Cancer</i> , 1976 , 37, 1853-65	6.4	153
5	Trophoblastic pseudotumor of the uterus: an exaggerated form of "syncytial endometritis" simulating a malignant tumor. <i>Cancer</i> , 1976 , 38, 1214-26	6.4	174
4	Endodermal sinus tumor of the ovary: a clinical and pathologic analysis of 71 cases. <i>Cancer</i> , 1976 , 38, 2404-19	6.4	383
3	Embryonal carcinoma of the ovary: a clinicopathologic entity distinct from endodermal sinus tumor resembling embryonal carcinoma of the adult testis. <i>Cancer</i> , 1976 , 38, 2420-33	6.4	196
2	The incidence and histogenesis of vaginal adenosis. An autopsy study. <i>Human Pathology</i> , 1974 , 5, 265-76	3.7	57
1	Clear-cell adenocarcinoma of the genital tract in young females. Registry report. <i>New England Journal of Medicine</i> , 1972 , 287, 1259-64	59.2	186