

# Pierre Blier

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/11044346/pierre-blier-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

210  
papers

14,494  
citations

63  
h-index

114  
g-index

218  
ext. papers

16,217  
ext. citations

4.8  
avg, IF

6.63  
L-index

#	Paper	IF	Citations
210	Electrophysiological correlates and predictors of the antidepressant response to repeated ketamine infusions in treatment-resistant depression.. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2021</b> , 115, 110507	5.5	1
209	Repeated but Not Single Administration of Ketamine Prolongs Increases of the Firing Activity of Norepinephrine and Dopamine Neurons. <i>International Journal of Neuropsychopharmacology</i> , <b>2021</b> , 24, 570-579	5.8	2
208	The Canadian Network for Mood and Anxiety Treatments (CANMAT) Task Force Recommendations for the Use of Racemic Ketamine in Adults with Major Depressive Disorder: Recommendations Du Groupe De Travail Du Réseau Canadien Pour Les Traitements De L'humeur Et De L'anxiété (Canmat)	4.8	15
207	A randomized, crossover comparison of ketamine and electroconvulsive therapy for treatment of major depressive episodes: a Canadian biomarker integration network in depression (CAN-BIND) study protocol. <i>BMC Psychiatry</i> , <b>2020</b> , 20, 268	4.2	9
206	Triple reuptake inhibition of serotonin, norepinephrine, and dopamine increases the tonic activation of $\beta$ adrenoceptors in the rat hippocampus and dopamine levels in the nucleus accumbens. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2020</b> , 103, 109987	5.5	2
205	Serotonin-2B receptor antagonism increases the activity of dopamine and glutamate neurons in the presence of selective serotonin reuptake inhibition. <i>Neuropsychopharmacology</i> , <b>2020</b> , 45, 2098-2105	8.7	4
204	The CINP Guidelines on the Definition and Evidence-Based Interventions for Treatment-Resistant Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , <b>2020</b> , 23, 230-256	5.8	11
203	Single and repeated ketamine infusions for reduction of suicidal ideation in treatment-resistant depression. <i>Neuropsychopharmacology</i> , <b>2020</b> , 45, 606-612	8.7	30
202	Long-term administration of cariprazine increases locus coeruleus noradrenergic neurons activity and serotonin receptor neurotransmission in the hippocampus. <i>Journal of Psychopharmacology</i> , <b>2020</b> , 34, 1143-1154	4.6	0
201	Single, Repeated, and Maintenance Ketamine Infusions for Treatment-Resistant Depression: A Randomized Controlled Trial. <i>Focus (American Psychiatric Publishing)</i> , <b>2020</b> , 18, 236-243	1.1	1
200	Efficacy of Esketamine Nasal Spray Plus Oral Antidepressant Treatment for Relapse Prevention in Patients With Treatment-Resistant Depression: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 893-903	14.5	238
199	Single, Repeated, and Maintenance Ketamine Infusions for Treatment-Resistant Depression: A Randomized Controlled Trial. <i>American Journal of Psychiatry</i> , <b>2019</b> , 176, 401-409	11.9	145
198	Switching medication products during the treatment of psychiatric illness. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2019</b> , 23, 2-13	2.4	6
197	Efficacy and Safety of Fixed-Dose Esketamine Nasal Spray Combined With a New Oral Antidepressant in Treatment-Resistant Depression: Results of a Randomized, Double-Blind, Active-Controlled Study (TRANSFORM-1). <i>International Journal of Neuropsychopharmacology</i> , <b>2019</b> , 22, 616-630	5.8	205
196	Ketamine for chronic depression: two cautionary tales. <i>Journal of Psychiatry and Neuroscience</i> , <b>2019</b> , 44, 384-385	4.5	7
195	Synergistic effect of aripiprazole and escitalopram in increasing serotonin but not norepinephrine neurotransmission in the rat hippocampus. <i>Neuropharmacology</i> , <b>2019</b> , 146, 12-18	5.5	6
194	Functional Recovery in Major Depressive Disorder: Providing Early Optimal Treatment for the Individual Patient. <i>International Journal of Neuropsychopharmacology</i> , <b>2018</b> , 21, 128-144	5.8	43

193	Pre-treatment EEG signal variability is associated with treatment success in depression. <i>NeuroImage: Clinical</i> , <b>2018</b> , 17, 368-377	5.3	23
192	The comparative effectiveness of electroencephalographic indices in predicting response to escitalopram therapy in depression: A pilot study. <i>Journal of Affective Disorders</i> , <b>2018</b> , 227, 542-549	6.6	46
191	Partial inhibition of catecholamine activity and enhanced responsiveness to NMDA after sustained administration of vortioxetine. <i>Neuropharmacology</i> , <b>2018</b> , 128, 425-432	5.5	5
190	Optimized regimens of combined medications for the treatment of major depressive disorder: a double-blind, randomized-controlled trial. <i>Neuropsychiatric Disease and Treatment</i> , <b>2018</b> , 14, 3209-3218	3.1	2
189	Involvement of 5-HT and 5-HT Receptors but Not -Adrenoceptors in the Acute Electrophysiological Effects of Cariprazine in the Rat Brain In Vivo. <i>Molecular Pharmacology</i> , <b>2018</b> , 94, 1363-1370	4.3	5
188	Progress on the Neuroscience-Based Nomenclature (NbN) for Psychotropic Medications. <i>Neuropsychopharmacology</i> , <b>2017</b> , 42, 1927-1928	8.7	5
187	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 2: Review, Grading of the Evidence, and a Precise Algorithm. <i>International Journal of Neuropsychopharmacology</i> , <b>2017</b> , 20, 121-179	5.8	61
186	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 1: Background and Methods of the Development of Guidelines. <i>International Journal of Neuropsychopharmacology</i> , <b>2017</b> , 20, 98-120	5.8	19
185	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 4: Unmet Needs in the Treatment of Bipolar Disorder and Recommendations for Future Research. <i>International Journal of Neuropsychopharmacology</i> , <b>2017</b> , 20, 196-205	5.8	36
184	Effects of levomilnacipran ER on noradrenergic symptoms, anxiety symptoms, and functional impairment in adults with major depressive disorder: Post hoc analysis of 5 clinical trials. <i>Journal of Affective Disorders</i> , <b>2017</b> , 210, 273-279	6.6	4
183	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 3: The Clinical Guidelines. <i>International Journal of Neuropsychopharmacology</i> , <b>2017</b> , 20, 180-195	5.8	102
182	The separate and combined effects of monoamine oxidase A inhibition and nicotine on resting state EEG. <i>Journal of Psychopharmacology</i> , <b>2016</b> , 30, 56-62	4.6	4
181	The noradrenergic paradox: implications in the management of depression and anxiety. <i>Neuropsychiatric Disease and Treatment</i> , <b>2016</b> , 12, 541-57	3.1	31
180	Altered monoamine system activities after prenatal and adult stress: A role for stress resilience?. <i>Brain Research</i> , <b>2016</b> , 1642, 409-418	3.7	8
179	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder: Section 3. Pharmacological Treatments. <i>Canadian Journal of Psychiatry</i> , <b>2016</b> , 61, 540-60	4.8	469
178	Effects of acute and sustained administration of vortioxetine on the serotonin system in the hippocampus: electrophysiological studies in the rat brain. <i>Psychopharmacology</i> , <b>2015</b> , 232, 2343-52	4.7	24
177	Asenapine alters the activity of monoaminergic systems following its subacute and long-term administration: an in vivo electrophysiological characterization. <i>European Neuropsychopharmacology</i> , <b>2015</b> , 25, 531-43	1.2	14
176	A Prospective, Longitudinal Study of the Effect of Remission on Cortical Thickness and Hippocampal Volume in Patients with Treatment-Resistant Depression. <i>International Journal of Neuropsychopharmacology</i> , <b>2015</b> , 18,	5.8	80

175	A review of the current nomenclature for psychotropic agents and an introduction to the Neuroscience-based Nomenclature. <i>European Neuropsychopharmacology</i> , <b>2015</b> , 25, 2318-25	1.2	89
174	Long-term administration of the antidepressant vilazodone modulates rat brain monoaminergic systems. <i>Neuropharmacology</i> , <b>2015</b> , 99, 696-704	5.5	11
173	The separate and combined effects of monoamine oxidase A inhibition and nicotine on the mismatch negativity event related potential. <i>Pharmacology Biochemistry and Behavior</i> , <b>2015</b> , 137, 44-52	3.9	5
172	Antidepressant drug development: Focus on triple monoamine reuptake inhibition. <i>Journal of Psychopharmacology</i> , <b>2015</b> , 29, 526-44	4.6	27
171	Brexipiprazole Alters Monoaminergic Systems following Repeated Administration: an in Vivo Electrophysiological Study. <i>International Journal of Neuropsychopharmacology</i> , <b>2015</b> , 19, pyv111	5.8	6
170	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , <b>2015</b> , 29, 459-525	4.6	381
169	Report of the WPA section of pharmacopsychiatry on the relationship of antiepileptic drugs with suicidality in epilepsy. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2015</b> , 19, 158-67	2.4	17
168	Combination antidepressant therapy for major depressive disorder: speed and probability of remission. <i>Journal of Psychiatric Research</i> , <b>2014</b> , 52, 7-14	5.2	25
167	Canadian clinical practice guidelines for the management of anxiety, posttraumatic stress and obsessive-compulsive disorders. <i>BMC Psychiatry</i> , <b>2014</b> , 14 Suppl 1, S1	4.2	396
166	Restoration of serotonin neuronal firing following long-term administration of bupropion but not paroxetine in olfactory bulbectomized rats. <i>International Journal of Neuropsychopharmacology</i> , <b>2014</b> , 18,	5.8	10
165	Acute effects of brexpiprazole on serotonin, dopamine, and norepinephrine systems: an in vivo electrophysiological characterization. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2014</b> , 351, 585-95	4.7	32
164	Rational site-directed pharmacotherapy for major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , <b>2014</b> , 17, 997-1008	5.8	17
163	Examining relations between alpha power as well as anterior cingulate cortex-localized theta activity and response to single or dual antidepressant pharmacotherapies. <i>Journal of Psychopharmacology</i> , <b>2014</b> , 28, 587-95	4.6	11
162	Response prediction to antidepressants using scalp and source-localized loudness dependence of auditory evoked potential (LDAEP) slopes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2013</b> , 44, 100-7	5.5	39
161	Serotonin and beyond: therapeutics for major depression. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2013</b> , 368, 20120536	5.8	149
160	Monoamine neurocircuitry in depression and strategies for new treatments. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2013</b> , 45, 54-63	5.5	313
159	Electrophysiological effects of repeated administration of agomelatine on the dopamine, norepinephrine, and serotonin systems in the rat brain. <i>Neuropsychopharmacology</i> , <b>2013</b> , 38, 275-84	8.7	60
158	Electrophysiological and neurochemical effects of long-term vagus nerve stimulation on the rat monoaminergic systems. <i>International Journal of Neuropsychopharmacology</i> , <b>2013</b> , 16, 459-70	5.8	95

157	Effects of repeated electroconvulsive shocks on catecholamine systems: electrophysiological studies in the rat brain. <i>Synapse</i> , <b>2013</b> , 67, 716-27	2.4	10
156	Modulation of the antidepressant-like effects of sustained administration of carisbamate and lamotrigine on monoaminergic systems: electrophysiological studies in the rat brain. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2013</b> , 347, 487-96	4.7	12
155	Executive summary of the report by the WPA section on pharmacopsychiatry on general and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2012</b> , 262, 13-22	5.1	17
154	Electrophysiological impact of trazodone on the dopamine and norepinephrine systems in the rat brain. <i>European Neuropsychopharmacology</i> , <b>2012</b> , 22, 518-26	1.2	20
153	Power, asymmetry and anterior cingulate cortex activity in depressed males and females. <i>Journal of Psychiatric Research</i> , <b>2012</b> , 46, 1483-91	5.2	129
152	A framework to avoid irrational polypharmacy in psychiatry. <i>Journal of Psychopharmacology</i> , <b>2012</b> , 26, 1507-11	4.6	8
151	On the safety and benefits of repeated intravenous injections of ketamine for depression. <i>Biological Psychiatry</i> , <b>2012</b> , 72, e11-2	7.9	48
150	Novel attempts to optimize vagus nerve stimulation parameters on serotonin neuronal firing activity in the rat brain. <i>Brain Stimulation</i> , <b>2012</b> , 5, 422-429	5.1	14
149	Efficacy of pharmacotherapy in bipolar disorder: a report by the WPA section on pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2012</b> , 262 Suppl 1, 1-48	5.1	93
148	Long-term administration of the dopamine D3/2 receptor agonist pramipexole increases dopamine and serotonin neurotransmission in the male rat forebrain. <i>Journal of Psychiatry and Neuroscience</i> , <b>2012</b> , 37, 113-21	4.5	26
147	Effects of sustained administration of quetiapine alone and in combination with a serotonin reuptake inhibitor on norepinephrine and serotonin transmission. <i>Neuropsychopharmacology</i> , <b>2012</b> , 37, 1717-28	8.7	28
146	Altered response to the selective serotonin reuptake inhibitor escitalopram in mice heterozygous for the serotonin transporter: an electrophysiological and neurochemical study. <i>International Journal of Neuropsychopharmacology</i> , <b>2012</b> , 15, 349-61	5.8	15
145	An enhancement of the firing activity of dopamine neurons as a common denominator of antidepressant treatments?. <i>International Journal of Neuropsychopharmacology</i> , <b>2012</b> , 15, 551-3; author reply 555-7	5.8	3
144	Strategies to achieve clinical effectiveness: refining existing therapies and pursuing emerging targets. <i>Journal of Affective Disorders</i> , <b>2011</b> , 132 Suppl 1, S21-8	6.6	13
143	The noradrenergic symptom cluster: clinical expression and neuropharmacology. <i>Neuropsychiatric Disease and Treatment</i> , <b>2011</b> , 7, 15-20	3.1	28
142	Brain regional [ <sup>11</sup> C]methyl-L-tryptophan trapping in medication-free patients with obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 732-41		19
141	Neurobiological bases and clinical aspects of the use of aripiprazole in treatment-resistant major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2011</b> , 128 Suppl 1, S3-10	6.6	42
140	General and comparative efficacy and effectiveness of antidepressants in the acute treatment of depressive disorders: a report by the WPA section of pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2011</b> , 261 Suppl 3, 207-45	5.1	29

139	Enhancement of serotonergic and noradrenergic neurotransmission in the rat hippocampus by sustained administration of bupropion. <i>Psychopharmacology</i> , <b>2011</b> , 217, 61-73	4.7	26
138	Characterization of the electrophysiological properties of triple reuptake inhibitors on monoaminergic neurons. <i>International Journal of Neuropsychopharmacology</i> , <b>2011</b> , 14, 211-23	5.8	19
137	Pharmacological blockade of 5-HT <sub>7</sub> receptors as a putative fast acting antidepressant strategy. <i>Neuropsychopharmacology</i> , <b>2011</b> , 36, 1275-88	8.7	99
136	Sustained administration of trazodone enhances serotonergic neurotransmission: in vivo electrophysiological study in the rat brain. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2010</b> , 335, 197-206	4.7	18
135	Effects of acute and sustained administration of the catecholamine reuptake inhibitor nomifensine on the firing activity of monoaminergic neurons. <i>Journal of Psychopharmacology</i> , <b>2010</b> , 24, 1223-35	4.6	24
134	Combination of antidepressant medications from treatment initiation for major depressive disorder: a double-blind randomized study. <i>American Journal of Psychiatry</i> , <b>2010</b> , 167, 281-8	11.9	222
133	Altered function of the serotonin 1A autoreceptor and the antidepressant response. <i>Neuron</i> , <b>2010</b> , 65, 1-2	13.9	41
132	Relevance of norepinephrine-dopamine interactions in the treatment of major depressive disorder. <i>CNS Neuroscience and Therapeutics</i> , <b>2010</b> , 16, e1-17	6.8	93
131	Reply to Smith Letter. <i>American Journal of Psychiatry</i> , <b>2010</b> , 167, 995-996	11.9	
130	Long-term administration of monoamine oxidase inhibitors alters the firing rate and pattern of dopamine neurons in the ventral tegmental area. <i>International Journal of Neuropsychopharmacology</i> , <b>2009</b> , 12, 475-85	5.8	20
129	Electrophysiological studies in the rat brain on the basis for aripiprazole augmentation of antidepressants in major depressive disorder. <i>Psychopharmacology</i> , <b>2009</b> , 206, 335-44	4.7	38
128	Electrophysiological characterization of the effects of asenapine at 5-HT <sub>1A</sub> , 5-HT <sub>2A</sub> , alpha <sub>2</sub> -adrenergic and D <sub>2</sub> receptors in the rat brain. <i>European Neuropsychopharmacology</i> , <b>2009</b> , 19, 177-87	1.2	43
127	Optimization of vagus nerve stimulation parameters using the firing activity of serotonin neurons in the rat dorsal raphe. <i>European Neuropsychopharmacology</i> , <b>2009</b> , 19, 250-5	1.2	30
126	Mirtazapine and paroxetine in major depression: a comparison of monotherapy versus their combination from treatment initiation. <i>European Neuropsychopharmacology</i> , <b>2009</b> , 19, 457-65	1.2	101
125	Prospect of a dopamine contribution in the next generation of antidepressant drugs: the triple reuptake inhibitors. <i>Current Drug Targets</i> , <b>2009</b> , 10, 1069-84	3	57
124	Brain norepinephrine system as a target for antidepressant and mood stabilizing medications. <i>Current Drug Targets</i> , <b>2009</b> , 10, 1061-8	3	16
123	Optimal use of antidepressants: when to act?. <i>Journal of Psychiatry and Neuroscience</i> , <b>2009</b> , 34, 80	4.5	5
122	Effects of sustained serotonin reuptake inhibition on the firing of dopamine neurons in the rat ventral tegmental area. <i>Journal of Psychiatry and Neuroscience</i> , <b>2009</b> , 34, 223-9	4.5	69

121	Enhancement of the function of rat serotonin and norepinephrine neurons by sustained vagus nerve stimulation. <i>Journal of Psychiatry and Neuroscience</i> , <b>2009</b> , 34, 272-80	4.5	110
120	Neurokinin-1 receptor antagonists modulate brain noradrenaline and serotonin interactions. <i>European Journal of Pharmacology</i> , <b>2008</b> , 600, 64-70	5.3	13
119	Functional interactions between dopamine, serotonin and norepinephrine neurons: an in-vivo electrophysiological study in rats with monoaminergic lesions. <i>International Journal of Neuropsychopharmacology</i> , <b>2008</b> , 11, 625-39	5.8	198
118	Sustained administration of bupropion alters the neuronal activity of serotonin, norepinephrine but not dopamine neurons in the rat brain. <i>Neuropharmacology</i> , <b>2008</b> , 55, 1191-8	5.5	45
117	Cross-talk between dopaminergic and noradrenergic systems in the rat ventral tegmental area, locus ceruleus, and dorsal hippocampus. <i>Molecular Pharmacology</i> , <b>2008</b> , 74, 1463-75	4.3	103
116	Clinical evidence and potential neurobiological underpinnings of unresolved symptoms of depression. <i>Journal of Clinical Psychiatry</i> , <b>2008</b> , 69, 246-58	4.6	103
115	Noradrenergic augmentation of escitalopram response by risperidone: electrophysiologic studies in the rat brain. <i>Biological Psychiatry</i> , <b>2007</b> , 61, 671-8	7.9	77
114	Distinct electrophysiological effects of paliperidone and risperidone on the firing activity of rat serotonin and norepinephrine neurons. <i>Psychopharmacology</i> , <b>2007</b> , 194, 63-72	4.7	52
113	Effects of different doses of venlafaxine on serotonin and norepinephrine reuptake in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , <b>2007</b> , 10, 41-50	5.8	33
112	Which antidepressants have demonstrated superior efficacy? A review of the evidence. <i>International Clinical Psychopharmacology</i> , <b>2007</b> , 22, 323-9	2.2	103
111	Differential physiological effects of a low dose and high doses of venlafaxine in major depression. <i>International Journal of Neuropsychopharmacology</i> , <b>2007</b> , 10, 51-61	5.8	82
110	Effect of long-term administration of the antidepressant drug milnacipran on serotonergic and noradrenergic neurotransmission in the rat hippocampus. <i>Life Sciences</i> , <b>2007</b> , 81, 166-76	6.8	5
109	Neurokinin 1 receptor antagonism requires norepinephrine to increase serotonin function. <i>European Neuropsychopharmacology</i> , <b>2007</b> , 17, 328-38	1.2	42
108	The importance of serotonin and noradrenaline in anxiety. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2007</b> , 11 Suppl 2, 16-23	2.4	10
107	Preventing recurrent depression: long-term treatment for major depressive disorder. <i>Journal of Clinical Psychiatry</i> , <b>2007</b> , 68, e06	4.6	15
106	Mechanisms of action of current and potential pharmacotherapies of obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2006</b> , 30, 362-73	5.5	105
105	Pharmacotherapies in the management of obsessive-compulsive disorder. <i>Canadian Journal of Psychiatry</i> , <b>2006</b> , 51, 417-30	4.8	32
104	Catecholaminergic strategies for the treatment of major depression. <i>Current Drug Targets</i> , <b>2006</b> , 7, 149-58	5.4	54

103	Physiologic mechanisms underlying the antidepressant discontinuation syndrome. <i>Journal of Clinical Psychiatry</i> , <b>2006</b> , 67 Suppl 4, 8-13	4.6	13
102	Effect of neurokinin-1 receptor antagonists on serotonergic, noradrenergic and hippocampal neurons: comparison with antidepressant drugs. <i>Peptides</i> , <b>2005</b> , 26, 1383-93	3.8	61
101	Responsiveness of 5-HT(1A) and 5-HT2 receptors in the rat orbitofrontal cortex after long-term serotonin reuptake inhibition. <i>Journal of Psychiatry and Neuroscience</i> , <b>2005</b> , 30, 268-74	4.5	29
100	Electrophysiological evidence for the tonic activation of 5-HT(1A) autoreceptors in the rat dorsal raphe nucleus. <i>Neuropsychopharmacology</i> , <b>2004</b> , 29, 1800-6	8.7	67
99	A double-blind, placebo-controlled trial of olanzapine addition in fluoxetine-refractory obsessive-compulsive disorder. <i>Biological Psychiatry</i> , <b>2004</b> , 55, 553-5	7.9	117
98	Effects of sustained gamma-hydroxybutyrate treatments on spontaneous and evoked firing activity of locus coeruleus norepinephrine neurons. <i>Biological Psychiatry</i> , <b>2004</b> , 55, 934-9	7.9	27
97	In-vivo modulation of central 5-hydroxytryptamine (5-HT1A) receptor-mediated responses by the cholinergic system. <i>International Journal of Neuropsychopharmacology</i> , <b>2004</b> , 7, 391-9	5.8	16
96	Measurement of brain regional alpha-[11C]methyl-L-tryptophan trapping as a measure of serotonin synthesis in medication-free patients with major depression. <i>Archives of General Psychiatry</i> , <b>2004</b> , 61, 556-63		98
95	Impact of substance P receptor antagonism on the serotonin and norepinephrine systems: relevance to the antidepressant/anxiolytic response. <i>Journal of Psychiatry and Neuroscience</i> , <b>2004</b> , 29, 208-18	4.5	42
94	Enhancing action of LSD on neuronal responsiveness to serotonin in a brain structure involved in obsessive-compulsive disorder. <i>International Journal of Neuropsychopharmacology</i> , <b>2003</b> , 6, 13-21	5.8	8
93	Neurochemical and psychotropic effects of bupropion in healthy male subjects. <i>Journal of Clinical Psychopharmacology</i> , <b>2003</b> , 23, 233-9	1.7	36
92	. <i>Journal of Clinical Psychopharmacology</i> , <b>2003</b> , 23, 233-239	1.7	11
91	Is there a role for 5-HT1A agonists in the treatment of depression?. <i>Biological Psychiatry</i> , <b>2003</b> , 53, 193-203		454
90	The pharmacology of putative early-onset antidepressant strategies. <i>European Neuropsychopharmacology</i> , <b>2003</b> , 13, 57-66	1.2	177
89	Toward optimal treatments for major depression. <i>CNS Spectrums</i> , <b>2002</b> , 7, 148-50, 153-4	1.8	2
88	Modification of serotonin neuron properties in mice lacking 5-HT1A receptors. <i>European Journal of Pharmacology</i> , <b>2002</b> , 435, 195-203	5.3	55
87	Serotonin 1A receptor activation and hypothermia in humans: lack of evidence for a presynaptic mediation. <i>Neuropsychopharmacology</i> , <b>2002</b> , 27, 301-8	8.7	44
86	Effects of serotone receptors agonists, TFMPP and CGS12066B, on regional serotonin synthesis in the rat brain: an autoradiographic study. <i>Journal of Neurochemistry</i> , <b>2002</b> , 80, 788-98	6	35



85	Effects of serotonin (5-hydroxytryptamine, 5-HT) reuptake inhibition plus 5-HT(2A) receptor antagonism on the firing activity of norepinephrine neurons. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2002</b> , 302, 983-91	4.7	73
84	Neurokinin-1 receptors are decreased in major depressive disorder. <i>NeuroReport</i> , <b>2002</b> , 13, 1223-7	1.7	50
83	Selecting methodologies for the evaluation of differences in time to response between antidepressants. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63, 694-9	4.6	31
82	Modification of norepinephrine and serotonin, but not dopamine, neuron firing by sustained bupropion treatment. <i>Psychopharmacology</i> , <b>2001</b> , 155, 52-7	4.7	126
81	Effect of the selective noradrenergic reuptake inhibitor reboxetine on the firing activity of noradrenaline and serotonin neurons. <i>European Journal of Neuroscience</i> , <b>2001</b> , 13, 2077-87	3.5	84
80	Serotonin (1A) receptor ligands act on norepinephrine neuron firing through excitatory amino acid and GABA(A) receptors: a microiontophoretic study in the rat locus coeruleus. <i>Synapse</i> , <b>2001</b> , 42, 203-12 <sup>2.4</sup>	2.4	66
79	Enhancement of serotonergic function - a sometimes insufficient cause of antidepressant action. <i>Human Psychopharmacology</i> , <b>2001</b> , 16, 23-27	2.3	10
78	Reduction in serotonin synthesis following acute and chronic treatments with paroxetine, a selective serotonin reuptake inhibitor, in rat brain: an autoradiographic study with alpha-[14C]methyl-L-tryptophan(2). <i>Biochemical Pharmacology</i> , <b>2001</b> , 62, 1481-9	6	25
77	Functional and pharmacological characterization of the modulatory role of serotonin on the firing activity of locus coeruleus norepinephrine neurons. <i>Brain Research</i> , <b>2001</b> , 922, 9-20	3.7	114
76	Effects of the selective norepinephrine reuptake inhibitor reboxetine on norepinephrine and serotonin transmission in the rat hippocampus. <i>Neuropsychopharmacology</i> , <b>2001</b> , 25, 845-57	8.7	49
75	Brain Regional alpha-[11C]methyl-L-tryptophan trapping in impulsive subjects with borderline personality disorder. <i>American Journal of Psychiatry</i> , <b>2001</b> , 158, 775-82	11.9	201
74	Sustained blockade of neurokinin-1 receptors enhances serotonin neurotransmission. <i>Biological Psychiatry</i> , <b>2001</b> , 50, 191-9	7.9	69
73	Effects of chronic antidepressant drug administration and electroconvulsive shock on locus coeruleus electrophysiologic activity. <i>Biological Psychiatry</i> , <b>2001</b> , 50, 644-6	7.9	6
72	Response of the norepinephrine system to antidepressant drugs. <i>CNS Spectrums</i> , <b>2001</b> , 6, 679-84	1.8	23
71	Effect of neurokinin-I receptor antagonists on the function of 5-HT and noradrenaline neurons. <i>NeuroReport</i> , <b>2000</b> , 11, 1323-7	1.7	47
70	Role of cholinergic and GABAergic systems in the feedback inhibition of dorsal raphe 5-HT neurons. <i>NeuroReport</i> , <b>2000</b> , 11, 3397-401	1.7	21
69	Effect of the beta-adrenoceptor agonist fleroxolol on serotonin synthesis in the rat brain. <i>Biochemical Pharmacology</i> , <b>2000</b> , 59, 673-9	6	4
68	Progressive attenuation of the firing activity of locus coeruleus noradrenergic neurons by sustained administration of selective serotonin reuptake inhibitors. <i>International Journal of Neuropsychopharmacology</i> , <b>2000</b> , 3, 1-11	5.8	93

67	Effects of sustained administration of the serotonin and norepinephrine reuptake inhibitor venlafaxine: I. in vivo electrophysiological studies in the rat. <i>Neuropharmacology</i> , <b>2000</b> , 39, 1800-12	5.5	47
66	Effects of sustained administration of the serotonin and norepinephrine reuptake inhibitor venlafaxine: II. In vitro studies in the rat. <i>Neuropharmacology</i> , <b>2000</b> , 39, 1813-22	5.5	16
65	Effects of the co-administration of mirtazapine and paroxetine on serotonergic neurotransmission in the rat brain. <i>European Neuropsychopharmacology</i> , <b>2000</b> , 10, 177-88	1.2	62
64	Effects of acute and chronic administration of the serotonin1A agonist buspirone on serotonin synthesis in the rat brain. <i>Journal of Neurochemistry</i> , <b>1999</b> , 72, 2022-31	6	64
63	Modulation of noradrenergic neuronal firing by selective serotonin reuptake blockers. <i>British Journal of Pharmacology</i> , <b>1999</b> , 126, 568-71	8.6	83
62	Electrophysiological examination of the effects of sustained flibanserin administration on serotonin receptors in rat brain. <i>British Journal of Pharmacology</i> , <b>1999</b> , 126, 627-38	8.6	16
61	Serotonin and drug-induced therapeutic responses in major depression, obsessive-compulsive and panic disorders. <i>Neuropsychopharmacology</i> , <b>1999</b> , 21, 91S-98S	8.7	212
60	Venlafaxine: discrepancy between in vivo 5-HT and NE reuptake blockade and affinity for reuptake sites. <i>Synapse</i> , <b>1999</b> , 32, 198-211	2.4	51
59	Assessment of the serotonin reuptake blocking property of YM992: electrophysiological studies in the rat hippocampus and dorsal raphe. <i>Synapse</i> , <b>1999</b> , 34, 277-89	2.4	10
58	Effect of sustained administration of the 5-HT1A receptor agonist flesinoxan on rat 5-HT neurotransmission. <i>European Neuropsychopharmacology</i> , <b>1999</b> , 9, 427-40	1.2	28
57	Effect of long-term administration of antidepressant treatments on serotonin release in brain regions involved in obsessive-compulsive disorder. <i>Biological Psychiatry</i> , <b>1999</b> , 45, 164-74	7.9	54
56	Modulation of the firing activity of rat serotonin and noradrenaline neurons by (+/-)pindolol. <i>Biological Psychiatry</i> , <b>1999</b> , 45, 1163-9	7.9	27
55	Venlafaxine in treatment-resistant major depression: a Canadian multicenter, open-label trial. <i>Journal of Clinical Psychopharmacology</i> , <b>1999</b> , 19, 401-6	1.7	55
54	Possible serotonergic mechanisms underlying the antidepressant and anti-obsessive-compulsive disorder responses. <i>Biological Psychiatry</i> , <b>1998</b> , 44, 313-23	7.9	158
53	Effect of acute, short- and long-term milnacipran administration on rat locus coeruleus noradrenergic and dorsal raphe serotonergic neurons. <i>Neuropharmacology</i> , <b>1998</b> , 37, 905-18	5.5	62
52	Blockade of 5-hydroxytryptamine and noradrenaline uptake by venlafaxine: a comparative study with paroxetine and desipramine. <i>British Journal of Pharmacology</i> , <b>1998</b> , 125, 526-32	8.6	43
51	Acute and long-term actions of the antidepressant drug mirtazapine on central 5-HT neurotransmission. <i>Journal of Affective Disorders</i> , <b>1998</b> , 51, 255-66	6.6	44
50	Effect of ergotamine on serotonin-mediated responses in the rodent and human brain. <i>Neuropsychopharmacology</i> , <b>1998</b> , 19, 365-80	8.7	15

49	In vivo electrophysiological assessment of the agonistic properties of flibanserin at pre- and postsynaptic 5-HT1A receptors in the rat brain. <i>Synapse</i> , <b>1998</b> , 29, 392-405	2.4	13
48	Effect of long-term administration of duloxetine on the function of serotonin and noradrenaline terminals in the rat brain. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1998</b> , 357, 600-10	3.4	23
47	Effect of the reversible monoamine oxidase-A inhibitor befloxatone on the rat 5-hydroxytryptamine neurotransmission. <i>European Journal of Pharmacology</i> , <b>1998</b> , 343, 179-92	5.3	26
46	Augmentation strategies in treatment resistant depression: Preclinical and clinical aspects. <i>European Psychiatry</i> , <b>1998</b> , 13, 207S-207S	6	
45	Long-term antidepressant treatments result in a tonic activation of forebrain 5-HT1A receptors. <i>Journal of Neuroscience</i> , <b>1998</b> , 18, 10150-6	6.6	285
44	Early onset of therapeutic action in depression and greater efficacy of antidepressant treatments: are they related?. <i>International Clinical Psychopharmacology</i> , <b>1997</b> , 12 Suppl 3, S21-8	2.2	17
43	Modulation of the firing activity of noradrenergic neurones in the rat locus coeruleus by the 5-hydroxytryptamine system. <i>British Journal of Pharmacology</i> , <b>1997</b> , 120, 865-75	8.6	113
42	Selective activation of postsynaptic 5-HT1A receptors induces rapid antidepressant response. <i>Neuropsychopharmacology</i> , <b>1997</b> , 16, 333-8	8.7	132
41	The effect of tryptophan depletion on mood in medication-free, former patients with major affective disorder. <i>Neuropsychopharmacology</i> , <b>1997</b> , 16, 294-7	8.7	40
40	Effect of acute and repeated versus sustained administration of the 5-HT1A receptor agonist ipsapirone: electrophysiological studies in the rat hippocampus and dorsal raphe. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1997</b> , 356, 303-11	3.4	52
39	Effects of long-term treatment with the alpha 2-adrenoceptor antagonist mirtazapine on 5-HT neurotransmission. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1997</b> , 355, 20-9	3.4	47
38	Functional characterization of 5-HT1D autoreceptors on the modulation of 5-HT release in guinea-pig mesencephalic raphe, hippocampus and frontal cortex. <i>British Journal of Pharmacology</i> , <b>1996</b> , 118, 681-9	8.6	27
37	Acceleration of the effect of selected antidepressant drugs in major depression by 5-HT1A antagonists. <i>Trends in Neurosciences</i> , <b>1996</b> , 19, 378-83	13.3	581
36	Autoregulatory properties of dorsal raphe 5-HT neurons: possible role of electrotonic coupling and 5-HT1D receptors in the rat brain. <i>Synapse</i> , <b>1996</b> , 22, 54-62	2.4	39
35	Pre- and post-synaptic effects of the 5-HT3 agonist 2-methyl-5-HT on the 5-HT system in the rat brain. <i>Synapse</i> , <b>1995</b> , 20, 54-67	2.4	33
34	Alteration of serotonin release in the guinea pig orbito-frontal cortex by selective serotonin reuptake inhibitors. Relevance to treatment of obsessive-compulsive disorder. <i>Neuropsychopharmacology</i> , <b>1995</b> , 13, 117-27	8.7	87
33	5-HT1D receptors regulate 5-HT release in the rat raphe nuclei. In vivo voltammetry and in vitro superfusion studies. <i>Neuropsychopharmacology</i> , <b>1995</b> , 13, 249-60	8.7	59
32	Effect of acute and prolonged tianeptine administration on the 5-HT transporter: electrophysiological, biochemical and radioligand binding studies in the rat brain. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1995</b> , 351, 111-8	3.4	25

31	Effect of prolonged administration of tianeptine on 5-HT neurotransmission: an electrophysiological study in the rat hippocampus and dorsal raphe. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1995</b> , 351, 119-25	3.4	23
30	The Effects of Mirtazapine on the Interactions between Central Noradrenergic and Serotonergic Systems. <i>CNS Drugs</i> , <b>1995</b> , 4, 13-17	6.7	22
29	Blier and de Montigny reply. <i>Trends in Pharmacological Sciences</i> , <b>1995</b> , 16, 17	13.2	
28	Effectiveness of pindolol with selected antidepressant drugs in the treatment of major depression. <i>Journal of Clinical Psychopharmacology</i> , <b>1995</b> , 15, 217-22	1.7	237
27	Electrophysiologic evidence for desensitization of alpha 2-adrenoceptors on serotonin terminals following long-term treatment with drugs increasing norepinephrine synaptic concentration. <i>Neuropsychopharmacology</i> , <b>1994</b> , 10, 41-51	8.7	75
26	Effect of long-term administration of antidepressant drugs on the 5-HT <sub>3</sub> receptors that enhance the electrically evoked release of [3H]noradrenaline in the rat hippocampus. <i>European Journal of Pharmacology</i> , <b>1994</b> , 271, 121-9	5.3	22
25	Activation of 5-HT <sub>3</sub> receptors enhances the electrically evoked release of [3H]noradrenaline in rat brain limbic structures. <i>European Journal of Pharmacology</i> , <b>1994</b> , 256, 269-79	5.3	46
24	Current advances and trends in the treatment of depression. <i>Trends in Pharmacological Sciences</i> , <b>1994</b> , 15, 220-6	13.2	958
23	Modulation of 5-HT release in the guinea-pig brain following long-term administration of antidepressant drugs. <i>British Journal of Pharmacology</i> , <b>1994</b> , 113, 485-95	8.6	93
22	Functional characterization of a 5-HT <sub>3</sub> receptor which modulates the release of 5-HT in the guinea-pig brain. <i>British Journal of Pharmacology</i> , <b>1993</b> , 108, 13-22	8.6	56
21	5-HT <sub>3</sub> receptors which modulate [3H]5-HT release in the guinea pig hypothalamus are not autoreceptors. <i>Synapse</i> , <b>1993</b> , 15, 143-8	2.4	23
20	In vivo electrophysiological evidence for tonic activation by endogenous noradrenaline of alpha 2-adrenoceptors on 5-hydroxytryptamine terminals in the rat hippocampus. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1993</b> , 347, 266-72	3.4	80
19	Effect of repeated electroconvulsive shocks on serotonergic neurons. <i>European Journal of Pharmacology</i> , <b>1992</b> , 211, 365-73	5.3	35
18	Terminal serotonin autoreceptor function in the rat hippocampus is not modified by pertussis and cholera toxins. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1991</b> , 344, 160-6	3.4	19
17	Flerobuterol, a beta-adrenoceptor agonist, enhances serotonergic neurotransmission: an electrophysiological study in the rat brain. <i>Psychopharmacology</i> , <b>1991</b> , 103, 357-65	4.7	10
16	Differential responsiveness of the rat dorsal and median raphe 5-HT systems to 5-HT <sub>1</sub> receptor agonists and p-chloroamphetamine. <i>Synapse</i> , <b>1990</b> , 5, 120-33	2.4	116
15	The benzodiazepine receptor inverse agonist DMCM decreases serotonergic transmission in rat hippocampus: an in vivo electrophysiological study. <i>Synapse</i> , <b>1990</b> , 6, 175-8	2.4	6
14	Differential effect of gepirone on presynaptic and postsynaptic serotonin receptors: single-cell recording studies. <i>Journal of Clinical Psychopharmacology</i> , <b>1990</b> , 10, 13S-20S	1.7	54

13	Electrophysiological Investigation of the Effects of Antidepressant Treatments on Serotonin Receptors <b>1990</b> , 499-504		6
12	Frequency-dependence of serotonin autoreceptor but not alpha 2-adrenoceptor inhibition of [3H]-serotonin release in rat hypothalamic slices. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1989</b> , 339, 60-4	3.4	26
11	Diurnal variation in the function of serotonin terminals in the rat hypothalamus. <i>Journal of Neurochemistry</i> , <b>1989</b> , 52, 453-9	6	22
10	Electrophysiological assessment of putative antagonists of 5-hydroxytryptamine receptors: a single-cell study in the rat dorsal raphe nucleus. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>1989</b> , 67, 98-105	2.4	46
9	Long-term 5-HT reuptake blockade, but not monoamine oxidase inhibition, decreases the function of terminal 5-HT autoreceptors: an electrophysiological study in the rat brain. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1988</b> , 337, 246-54	3.4	134
8	Modifications of the Serotonin System by Antidepressant Treatments. <i>Journal of Clinical Psychopharmacology</i> , <b>1987</b> , 7, 365	1.7	255
7	Short-term lithium treatment enhances responsiveness of postsynaptic 5-HT <sub>1A</sub> receptors without altering 5-HT autoreceptor sensitivity: an electrophysiological study in the rat brain. <i>Synapse</i> , <b>1987</b> , 1, 225-32	2.4	69
6	Modification of 5-HT neuron properties by sustained administration of the 5-HT <sub>1A</sub> agonist gepirone: electrophysiological studies in the rat brain. <i>Synapse</i> , <b>1987</b> , 1, 470-80	2.4	400
5	Effects of a selective 5-HT reuptake blocker, citalopram, on the sensitivity of 5-HT autoreceptors: electrophysiological studies in the rat brain. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1986</b> , 333, 342-8	3.4	259
4	Effect of repeated amiflamine administration on serotonergic and noradrenergic neurotransmission: electrophysiological studies in the rat CNS. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1986</b> , 334, 253-60	3.4	25
3	Short-term lithium administration enhances serotonergic neurotransmission: electrophysiological evidence in the rat CNS. <i>European Journal of Pharmacology</i> , <b>1985</b> , 113, 69-77	5.3	77
2	Effects of the two antidepressant drugs mianserin and indalpine on the serotonergic system: single-cell studies in the rat. <i>Psychopharmacology</i> , <b>1984</b> , 84, 242-9	4.7	91
1	Effect of chronic tricyclic antidepressant treatment on the serotonergic autoreceptor: a microiontophoretic study in the rat. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1980</b> , 314, 123-8	3.4	56