
## Fabrizio Di Pasquale

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11050327/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Simplex-coded BOTDA fiber sensor with 1 m spatial resolution over a 50 km range. Optics Letters, 2010, 35, 259.	3.3	284
2	Long-range simplex-coded BOTDA sensor over 120km distance employing optical preamplification. Optics Letters, 2011, 36, 232.	3.3	107
3	Analysis of distributed temperature sensing based on Raman scattering using OTDR coding and discrete Raman amplification. Measurement Science and Technology, 2007, 18, 3211-3218.	2.6	97
4	Raman-based distributed temperature sensor with 1 m spatial resolution over 26 km SMF using low-repetition-rate cyclic pulse coding. Optics Letters, 2011, 36, 2557.	3.3	96
5	Optimization of long-range BOTDA sensors with high resolution using first-order bi-directional Raman amplification. Optics Express, 2011, 19, 4444.	3.4	95
6	Analysis of pulse modulation format in coded BOTDA sensors. Optics Express, 2010, 18, 14878.	3.4	87
7	Dynamic phase extraction in a modulated double-pulse i•-OTDR sensor using a stable homodyne demodulation in direct detection. Optics Express, 2018, 26, 687.	3.4	75
8	A Cost-Effective Distributed Acoustic Sensor Using a Commercial Off-the-Shelf DFB Laser and Direct Detection Phase-OTDR. IEEE Photonics Journal, 2016, 8, 1-10.	2.0	71
9	Analysis of optical pulse coding in spontaneous Brillouin-based distributed temperature sensors. Optics Express, 2008, 16, 19097.	3.4	65
10	Simplex-Coded BOTDA Sensor Over 120-km SMF With 1-m Spatial Resolution Assisted by Optimized Bidirectional Raman Amplification. IEEE Photonics Technology Letters, 2012, 24, 1823-1826.	2.5	62
11	Optimization of a DPP-BOTDA sensor with 25 cm spatial resolution over 60 km standard single-mode fiber using Simplex codes and optical pre-amplification. Optics Express, 2012, 20, 6860.	3.4	61
12	Integrated TE and TM optical circulators on ultra-low-loss silicon nitride platform. Optics Express, 2013, 21, 5041.	3.4	60
13	Brillouin-Based Distributed Temperature Sensor Employing Pulse Coding. IEEE Sensors Journal, 2008, 8, 225-226.	4.7	50
14	Long-range Brillouin optical time-domain analysis sensor employing pulse coding techniques. Measurement Science and Technology, 2010, 21, 094024.	2.6	47
15	Impact of Loss Variations on Double-Ended Distributed Temperature Sensors Based on Raman Anti-Stokes Signal Only. Journal of Lightwave Technology, 2012, 30, 1215-1222.	4.6	45
16	Design and Implementation of an Integrated Reconfigurable Silicon Photonics Switch Matrix in IRIS Project. IEEE Journal of Selected Topics in Quantum Electronics, 2016, 22, 155-168.	2.9	44
17	Current Status and Future Trends of Photonic-Integrated FBG Interrogators. Journal of Lightwave Technology, 2018, 36, 946-953.	4.6	36
18	Hybrid distributed acoustic and temperature sensor using a commercial off-the-shelf DFB laser and direct detection. Optics Letters, 2016, 41, 587.	3.3	34

FABRIZIO DI PASQUALE

#	Article	IF	CITATIONS
19	Integrated FBG Sensors Interrogation Using Active Phase Demodulation on a Silicon Photonic Platform. Journal of Lightwave Technology, 2017, 35, 3374-3379.	4.6	34
20	Distributed Optical Fiber Radiation Sensing in a Mixed-Field Radiation Environment at CERN. Journal of Lightwave Technology, 2017, 35, 3303-3310.	4.6	34
21	Application of Raman and Brillouin Scattering Phenomena in Distributed Optical Fiber Sensing. Frontiers in Physics, 2019, 7, .	2.1	33
22	Raman Distributed Temperature Sensing at CERN. IEEE Photonics Technology Letters, 2015, 27, 2182-2185.	2.5	32
23	Dynamic phase extraction in high-SNR DAS based on UWFBGs without phase unwrapping using scalable homodyne demodulation in direct detection. Optics Express, 2019, 27, 10644.	3.4	30
24	Advanced Coding Techniques for Long-Range Raman/BOTDA Distributed Strain and Temperature Measurements. Journal of Lightwave Technology, 2016, 34, 342-350.	4.6	29
25	Fiber-Optic Distributed Sensor Based on Hybrid Raman and Brillouin Scattering Employing Multiwavelength Fabry–PÉrot Lasers. IEEE Photonics Technology Letters, 2009, 21, 1523-1525.	2.5	27
26	Long-range accelerated BOTDA sensor using adaptive linear prediction and cyclic coding. Optics Letters, 2014, 39, 5411.	3.3	25
27	Monitoring Large Railways Infrastructures Using Hybrid Optical Fibers Sensor Systems. IEEE Transactions on Intelligent Transportation Systems, 2020, 21, 5177-5188.	8.0	22
28	Analysis and Design of Microring-Based Switching Elements in a Silicon Photonic Integrated Transponder Aggregator. Journal of Lightwave Technology, 2013, 31, 3943-3955.	4.6	20
29	Design of transverse electric ring isolators for ultra-low-loss Si_3N_4waveguides based on the finite element method. Optics Letters, 2011, 36, 4599.	3.3	19
30	Hybrid Raman/fiber Bragg grating sensor for distributed temperature and discrete dynamic strain measurements. Optics Letters, 2012, 37, 4434.	3.3	18
31	Integrated Dynamic Wavelength Division Multiplexed FBG Sensor Interrogator on a Silicon Photonic Chip. Journal of Lightwave Technology, 2019, 37, 4770-4775.	4.6	18
32	Ring Versus Bus: A Theoretical and Experimental Comparison of Photonic Integrated NoC. Journal of Lightwave Technology, 2015, 33, 4870-4877.	4.6	17
33	Optimized Hybrid Raman/Fast-BOTDA Sensor for Temperature and Strain Measurements in Large Infrastructures. IEEE Sensors Journal, 2014, 14, 4297-4304.	4.7	14
34	High Performance Time Domain FBG Dynamic Interrogation Scheme Based on Pulse Coding. IEEE Photonics Technology Letters, 2013, 25, 460-463.	2.5	13
35	Simultaneous distributed strain and temperature sensing based on combined Raman–Brillouin scattering using Fabry–Perot lasers. Measurement Science and Technology, 2010, 21, 094025.	2.6	12
36	Integrated hybrid Raman/fiber Bragg grating interrogation scheme for distributed temperature and point dynamic strain measurements. Applied Optics, 2012, 51, 7268.	1.8	12

FABRIZIO DI PASQUALE

#	Article	IF	CITATIONS
37	On the integration of FBG sensing technology into robotic grippers. International Journal of Advanced Manufacturing Technology, 2020, 111, 1173-1185.	3.0	12
38	High-Speed FBG Interrogation With Electro-Optically Tunable Sagnac Loops. Journal of Lightwave Technology, 2020, 38, 4513-4519.	4.6	12
39	Design of 980 nm-Pumped Waveguide Laser for Continuous Wave Operation in Ion Implanted \${m Er}{:}{m LiNbO}_{3}\$. IEEE Journal of Quantum Electronics, 2011, 47, 526-533.	1.9	11
40	Advanced cyclic coding technique for long-range Raman DTS systems with meter-scale spatial resolution over standard SMF. , 2011, , .		11
41	Evanescent Multimode Longitudinal Pumping Scheme for Si-Nanocluster Sensitized Er\$^{3+}\$-Doped Waveguide Amplifiers. Journal of Lightwave Technology, 2008, 26, 3584-3591.	4.6	10
42	Hybrid BOTDA/FBG sensor for discrete dynamic and distributed static strain/temperature measurements. , 2012, , .		8
43	Study of Raman amplification in DPP-BOTDA sensing employing Simplex coding for sub-meter scale spatial resolution over long fiber distances. Measurement Science and Technology, 2013, 24, 094018.	2.6	8
44	Unrepeated WDM Transmission Systems Based on Advanced First-Order and Higher Order Raman-Copumping Technologies. Journal of Lightwave Technology, 2007, 25, 3519-3527.	4.6	7
45	Effect of Si-nc to \${hbox {Er}}^{3+}\$ Coupling Ratio in EDWAs Longitudinally Pumped by Visible Broad-Area Lasers. Journal of Lightwave Technology, 2009, 27, 3342-3350.	4.6	6
46	Bidirectional Crosstalk and Back-Reflection Free WDM Active Optical Interconnects. IEEE Photonics Technology Letters, 2013, 25, 1973-1976.	2.5	6
47	High performance distributed acoustic sensor using cyclic pulse coding in a direct detection coherent-OTDR. , 2015, , .		5
48	Distributed Raman Sensing. , 2018, , 1-55.		4
49	Fast FBG Interrogator on Chip Based on Silicon on Insulator Ring Resonator Add/Drop Filters. Journal of Lightwave Technology, 2022, 40, 5328-5336.	4.6	4
50	Long-range BOTDA sensing using optical pulse coding and single source bi-directional distributed Raman amplification. , 2011, , .		3
51	BOTDA sensor with 2-m spatial resolution over 120 km distance using bi-directional distributed Raman amplification. , 2011, , .		3
52	Numerical study of high-index-contrast Er:LiNbO <sub>3</sub> photonic wire lasers optically pumped at 980Ânm. Applied Optics, 2013, 52, 4438.	1.8	3
53	Enhanced distributed hybrid sensor based on Brillouin and Raman scattering combining Fabry-Perot lasers and optical pulse coding. , 2010, , .		2
54	Integrated bidirectional optical amplifier for crosstalk-free WDM communication. , 2013, , .		2

4

FABRIZIO DI PASQUALE

#	Article	IF	CITATIONS
55	Raman distributed temperature sensor for oil leakage detection in soil: a field trial and future trends. , 2014, , .		2
56	Fiber Bragg Grating Sensors for Dynamic Strain Measurements in Gasoline Direct Injectors. IEEE Transactions on Vehicular Technology, 2021, 70, 5658-5668.	6.3	2
57	Stable dynamic phase demodulation in a DAS based on double-pulse Ï•-OTDR using homodyne demodulation and direct detection. , 2018, , .		2
58	Integrated FBG Sensor Interrogator in SOI Platform using Passive Phase Demodulation. , 2016, , .		2
59	Mach-Zehnder-based $1 ilde{A}$ —16 multiplexer in SOI and analysis of phase noise properties. , 2018, , .		2
60	Raman-assisted DPP-BOTDA sensor employing Simplex coding with sub-meter scale spatial resolution over 93 km standard SMF. , 2012, , .		1
61	Cyclic pulse coding for hybrid fast BOTDA/Raman sensor. , 2014, , .		1
62	Fast FBG sensor interrogation method based on silicon microring resonators. , 2020, , .		1
63	A Novel Pulse Compression Scheme in Coherent OTDR Using Direct Digital Synthesis and Nonlinear Frequency Modulation. Lecture Notes in Electrical Engineering, 2021, , 173-181.	0.4	1
64	Fast Brillouin Optical Time Domain Analysis Sensor based on Adaptive Linear Prediction and Cyclic Pulse Coding. , 2014, , .		1
65	Integrated, scalable and reconfigurable Silicon Photonics based optical switch for colorless, directionless and contentionless operation. , 2018, , .		1
66	Use of Fabry-PÃÃ,©rot lasers for simultaneous distributed strain and temperature sensing based on hybrid Raman and Brillouin scattering. Proceedings of SPIE, 2009, , .	0.8	0
67	Performance improvement in Brillouin-based simultaneous strain and temperature sensors employing pulse coding in coherent detection schemes. , 2009, , .		0
68	Impact of the pulse modulation format on distributed BOTDA sensors based on Simplex coding. Proceedings of SPIE, 2010, , .	0.8	0
69	Distributed optical fiber temperature sensor using only anti-Stokes Raman scattering light in a loop configuration. , 2011, , .		0
70	RAMAN BASED DISTRIBUTED OPTICAL FIBER TEMPERATURE SENSORS: INDUSTRIAL APPLICATIONS AND FUTURE DEVELOPMENTS. , 2013, , 88-113.		0
71	Raman distributed temperature measurement at CERN high energy accelerator mixed field radiation test facility (CHARM). Proceedings of SPIE, 2015, , .	0.8	0
72	High performance fiber optic sensor based on self referenced FBGs and high-speed dual-wavelength pulse coding. Proceedings of SPIE, 2015, , .	0.8	0

#	Article	IF	CITATIONS
73	Enhanced-performance BOTDA sensing through optimized pulse coding and low-RIN bidirectional Raman amplification. , 2012, , .		0
74	Micro-interferometers on chip for sensing applications. , 2019, , .		0
75	Distributed Raman Sensing. , 2019, , 1609-1662.		0
76	A High-SNR Distributed Acoustic Sensor Based on Ï•-OTDR Using a Scalable Phase Demodulation Scheme Without Phase Unwrapping. Lecture Notes in Electrical Engineering, 2020, , 233-241.	0.4	0