

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11052522/aj-afolayan-publications-by-citations.pdf>
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48 papers	2,077 citations	25 h-index	45 g-index
48 ext. papers	2,297 ext. citations	3.4 avg, IF	4.96 L-index

#	Paper	IF	Citations
48	Comparative evaluation of the antibacterial activities of the essential oils of <i>Rosmarinus officinalis</i> L. obtained by hydrodistillation and solvent free microwave extraction methods. <i>Food Chemistry</i> , 2010 , 120, 308-312	8.5	242
47	The antimicrobial activity of 3,5,7-trihydroxyflavone isolated from the shoots of <i>Helichrysum aureonitens</i> . <i>Journal of Ethnopharmacology</i> , 1997 , 57, 177-81	5	148
46	Effects of drying methods on the quality and quantity of the essential oil of <i>Mentha longifolia</i> L. subsp. <i>Capensis</i> . <i>Food Chemistry</i> , 2007 , 101, 995-998	8.5	102
45	Antiviral activity of galangin isolated from the aerial parts of <i>Helichrysum aureonitens</i> . <i>Journal of Ethnopharmacology</i> , 1997 , 56, 165-9	5	100
44	Bioactive sesquiterpene lactones from the leaves of <i>Vernonia amygdalina</i> . <i>Journal of Ethnopharmacology</i> , 2006 , 106, 117-20	5	99
43	The suitability of wild vegetables for alleviating human dietary deficiencies. <i>South African Journal of Botany</i> , 2006 , 72, 492-497	2.9	92
42	An ethnobotanical study of plants used for the treatment of sexually transmitted diseases (njovhera) in Guruve District, Zimbabwe. <i>Journal of Ethnopharmacology</i> , 2001 , 77, 5-9	5	91
41	Antibacterial activity of some indigenous plants used for the treatment of wounds in the Eastern Cape, South Africa. <i>Journal of Ethnopharmacology</i> , 1999 , 66, 103-6	5	88
40	Phytochemical analysis and antioxidants activities of aqueous stem bark extract of <i>Schotia latifolia</i> Jacq. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2012 , 2, 118-24	1.4	76
39	Extracts from the Shoots of <i>Arctotis arctotoides</i> Inhibit the Growth of Bacteria and Fungi. <i>Pharmaceutical Biology</i> , 2003 , 41, 22-25	3.8	72
38	An ethnobotanical study of plants used for the treatment of wounds in the Eastern Cape, South Africa. <i>Journal of Ethnopharmacology</i> , 1999 , 67, 327-32	5	72
37	Antimicrobial Activity of <i>Solanum aculeastrum</i> .. <i>Pharmaceutical Biology</i> , 2006 , 44, 283-286	3.8	70
36	Chemical Composition and Antibacterial Activity of the Essential Oil of <i>Centella asiatica</i> . Growing in South Africa. <i>Pharmaceutical Biology</i> , 2005 , 43, 249-252	3.8	67
35	Antibacterial activity of <i>Helichrysum aureonitens</i> (Asteraceae). <i>Journal of Ethnopharmacology</i> , 1995 , 47, 109-11	5	63
34	Comparison of the nutritional value and biological activities of the acetone, methanol and water extracts of the leaves of <i>Solanum nigrum</i> and <i>Leonotis leonorus</i> . <i>Food and Chemical Toxicology</i> , 2010 , 48, 964-71	4.7	61
33	Antimicrobial activity of some plants used for the treatment of livestock disease in the Eastern Cape, South Africa. <i>Journal of Ethnopharmacology</i> , 2002 , 83, 129-34	5	57
32	An Ethnobotanical Study of Plants Used for the Treatment of Livestock Diseases in the Eastern Cape Province, South Africa. <i>Pharmaceutical Biology</i> , 2003 , 41, 16-21	3.8	56

31	Inhibition of herpes simplex virus type 1 by aqueous extracts from shoots of <i>Helichrysum aureonitens</i> (Asteraceae). <i>Journal of Ethnopharmacology</i> , 1996 , 52, 41-3	5	44
30	Evaluation of Antimicrobial Activity of Extracts from South African <i>Usnea barbata</i> . <i>Pharmaceutical Biology</i> , 2003 , 41, 199-202	3.8	43
29	Nutritional Analysis of the South African Wild Vegetable <i>Corchorus olitorius</i> L.. <i>Asian Journal of Plant Sciences</i> , 2008 , 7, 615-618	0.6	43
28	Antioxidant Constituents in <i>Vernonia amygdalina</i> . Leaves. <i>Pharmaceutical Biology</i> , 2007 , 45, 195-199	3.8	39
27	Evaluation of the medicinal potentials of the methanol extracts of the leaves and stems of <i>Halleria lucida</i> . <i>Bioresource Technology</i> , 2008 , 99, 4158-63	11	37
26	The leaves of <i>Pelargonium sidoides</i> may substitute for its roots in the treatment of bacterial infections. <i>Biological Conservation</i> , 2006 , 128, 582-584	6.2	30
25	Comparative study of the essential oil composition and antimicrobial activity of <i>Leonotis leonurus</i> and <i>L. ocymifolia</i> in the Eastern Cape, South Africa. <i>South African Journal of Botany</i> , 2005 , 71, 114-116	2.9	29
24	GC-MS evaluation of <i>Cymbopogon citratus</i> (DC) Stapf oil obtained using modified hydrodistillation and microwave extraction methods. <i>Food Chemistry</i> , 2016 , 209, 262-6	8.5	26
23	The antibacterial, phytochemicals and antioxidants evaluation of the root extracts of <i>Hydnora africana</i> Thunb. used as antidiarrheic in Eastern Cape Province, South Africa. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 307	4.7	25
22	Ethnobotanical study of medicinal plants used as anti-obesity remedies in Nkonkobe Municipality of South Africa. <i>Pharmacognosy Journal</i> , 2010 , 2, 368-373	1.6	25
21	In vitro antifungal activity of some South African medicinal plants. <i>South African Journal of Botany</i> , 2002 , 68, 72-76	2.9	22
20	Chemical composition profiling and antifungal activity of the essential oil and plant extracts of <i>Mesembryanthemum edule</i> (L.) bolus leaves. <i>Tropical Journal of Obstetrics and Gynaecology</i> , 2014 , 11, 19-30	0.3	16
19	Extracts from <i>Pelargonium sidoides</i> . Inhibit the Growth of Bacteria and Fungi. <i>Pharmaceutical Biology</i> , 2006 , 44, 279-282	3.8	16
18	In vitro and in vivo Antioxidant Activity of Aqueous Leaves Extract of <i>Leonotis leonurus</i> (L.) R. Br.. <i>International Journal of Pharmacology</i> , 2011 , 7, 248-256	0.7	16
17	Medicinal Potential of the Root of <i>Arctotis arctotoides</i> .. <i>Pharmaceutical Biology</i> , 2007 , 45, 486-493	3.8	14
16	In vitro antifungal activity of some South African medicinal plants. <i>South African Journal of Botany</i> , 2002 , 68, 72-76	2.9	14
15	Effect of leaf extracts of <i>Vernonia amygdalina</i> on glucose utilization in Chang-liver, C2C12 muscle and 3T3-L1 cells. <i>Pharmaceutical Biology</i> , 2009 , 47, 175-181	3.8	13
14	Phytochemical and antioxidant investigations of a <i>Clausena anisata</i> hook, a South African medicinal plant. <i>Tropical Journal of Obstetrics and Gynaecology</i> , 2015 , 12, 28	0.3	12

13	Antimicrobial Activity of Extracts from Felicia muricata Thunb. <i>Journal of Biological Sciences</i> , 2008 , 8, 1062-1066	0.4	10
12	Antioxidant and Antibacterial Properties of Lecaniodiscus cupanioides. <i>Research Journal of Microbiology</i> , 2008 , 3, 91-98	0.1	10
11	Antifungal Activity of Solanum pseudocapsicum. <i>Journal of Botany (Faisalabad)</i> , 2006 , 1, 129-133	0	8
10	Antimicrobial activity of Alepidea amatymbica. <i>Pharmaceutical Biology</i> , 2009 , 47, 436-439	3.8	6
9	The prevalence and perceived efficacy of medicinal plants used for stomach ailments in the Amathole District Municipality, Eastern Cape, South Africa. <i>South African Journal of Botany</i> , 2017 , 108, 144-148	2.9	5
8	Effects of Drying Methods on the Chemical Composition of Essential Oil from Felicia muricata Leaves. <i>Asian Journal of Plant Sciences</i> , 2008 , 7, 603-606	0.6	5
7	An inventory of indigenous plants used as anthelmintics in Amathole district municipality of the Eastern Cape province, South Africa. <i>Tropical Journal of Obstetrics and Gynaecology</i> , 2015 , 12, 112	0.3	4
6	Chemical analysis and antimicrobial activity of essential oil extracted from Helichrysum aureonitens. <i>South African Journal of Botany</i> , 2005 , 71, 250-252	2.9	4
5	The antibacterial activity of Clausena anisata hook, a South African medicinal plant. <i>Tropical Journal of Obstetrics and Gynaecology</i> , 2015 , 12, 23	0.3	3
4	Antimicrobial activity of Hermannia incana. <i>Pharmaceutical Biology</i> , 2009 , 47, 615-619	3.8	1
3	Antimicrobial activity of Hippobromus pauciflorus: A medicinal plant used for the treatment of eye infections in the Eastern Cape, South Africa. <i>Pharmaceutical Biology</i> , 2009 , 47, 309-313	3.8	1
2	Effect of Administration of the Essential Oil from Tagetes minuta L. Leaves in Wistar Rats. <i>Journal of Biological Sciences</i> , 2008 , 8, 1067-1071	0.4	0
1	Comparative Evaluation of Essential Oils of Helichrysum petiolare Hilliard & B.L. Burt Obtained from Solvent-Free Microwave and Hydrodistillation Extraction Methods. <i>Asian Journal of Chemistry</i> , 2020 , 32, 3227-3238	0.4	