A R Shakoori

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11053765/publications.pdf Version: 2024-02-01



A R SHAKOORI

#	Article	IF	CITATIONS
1	Hexavalent chromium reduction by a dichromate-resistant gram-positive bacterium isolated from effluents of tanneries. Applied Microbiology and Biotechnology, 2000, 53, 348-351.	1.7	142
2	Phenotypic transcription factors epigenetically mediate cell growth control. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 6632-6637.	3.3	86
3	Effects of Sublethal Doses of Fenvalerate (A Synthetic Pyrethroid) Administered Continuously for Four Weeks on the Blood, Liver, and Muscles of a Freshwater Fish, Ctenopharyngodon idella. Bulletin of Environmental Contamination and Toxicology, 1996, 57, 487-494.	1.3	64
4	Formulation of novel chitosan guargum based hydrogels for sustained drug release of paracetamol. International Journal of Biological Macromolecules, 2018, 108, 324-332.	3.6	64
5	Short communication effects of six months' feeding of cypermethrin on the blood and liver of albino rats. Journal of Biochemical Toxicology, 1988, 3, 59-71.	0.5	54
6	Multiple Metal Resistance in the Ciliate Protozoan, Vorticella microstoma, Isolated from Industrial Effluents and Its Potential in Bioremediation of Toxic Wastes. Bulletin of Environmental Contamination and Toxicology, 2004, 72, 1046-51.	1.3	41
7	Transcriptional corepressor TLE1 functions with Runx2 in epigenetic repression of ribosomal RNA genes. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 4165-4169.	3.3	41
8	Heavy metal resistant Distigma proteus (Euglenophyta) isolated from industrial effluents and its possible role in bioremediation of contaminated wastewaters. World Journal of Microbiology and Biotechnology, 2007, 23, 753-758.	1.7	35
9	Heavy Metal Resistance Chlorella spp., Isolated from Tannery Effluents, and Their Role in Remediation of Hexavalent Chromium in Industrial Waste Water. Bulletin of Environmental Contamination and Toxicology, 2001, 66, 542-547.	1.3	33
10	Copper-resistant bacteria from industrial effluents and their role in remediation of heavy metals in wastewater. Folia Microbiologica, 2002, 47, 43-50.	1.1	30
11	The integrated activities of IRF-2 (HiNF-M), CDP/cut (HiNF-D) and H4TF-2 (HiNF-P) regulate transcription of a cell cycle controlled human histone H4 gene: mechanistic differences between distinct H4 genes. Molecular Biology Reports, 1998, 25, 1-12.	1.0	27
12	Cytokine induction of proliferation and expression of CDC2 and cyclin a in FDC-P1 myeloid hematopoietic progenitor cells: Regulation of ubiquitous and cell cycle-dependent histone gene transcription factors. Journal of Cellular Biochemistry, 1995, 59, 291-302.	1.2	22
13	Chromium-tolerant bacteria isolated from industrial effluents and their use in detoxication of hexavalent chromium. Folia Microbiologica, 1999, 44, 50-54.	1.1	21
14	Heavy Metal Resistance Chlorella spp., Isolated from Tannery Effluents, and Their Role in Remediation of Hexavalent Chromium in Industrial Waste Water. Bulletin of Environmental Contamination and Toxicology, 2001, 66, 542-547.	1.3	20
15	Heavy Metal Resistant Ciliate, Euplotes mutabilis, Isolated from Industrial Effluents Can Decontaminate Wastewater of Heavy Metals. Bulletin of Environmental Contamination and Toxicology, 2006, 76, 907-913.	1.3	18
16	Uptake of Lead by a Ciliate, Stylonychia mytilus, Isolated from Industrial Effluents: Potential Use in Bioremediation of Wastewater. Bulletin of Environmental Contamination and Toxicology, 2005, 75, 290-296.	1.3	17
17	Uptake of heavy metals by Stylonychia mytilus and its possible use in decontamination of industrial wastewater. World Journal of Microbiology and Biotechnology, 2008, 24, 47-53.	1.7	17
18	Heavy Metal Uptake by Euplotes mutabilis and its Possible Use in Bioremediation of Industrial Wastewater. Bulletin of Environmental Contamination and Toxicology, 2009, 83, 130-135.	1.3	17

A R Shakoori

#	Article	IF	CITATIONS
19	Effect of dichromate on population and growth of various protozoa isolated from industrial effluents. Folia Microbiologica, 2000, 45, 275-278.	1.1	11
20	Permethrin- and malathion-induced macromolecular abnormalities in adultTribolium castaneum (herbst). Archives of Insect Biochemistry and Physiology, 1987, 5, 45-55.	0.6	10
21	Biochemical effects of sublethal doses of cypermethrin on the sixth-instar larvae ofTribolium castaneum (Herbst.). Archives of Insect Biochemistry and Physiology, 1986, 3, 447-455.	0.6	9
22	Effect of topical application of antioxidants and free radical scavengers on protection of hairless mouse skin exposed to chronic doses of ultraviolet B. Skin Research and Technology, 1998, 4, 200-204.	0.8	7
23	Growth and survival of protozoa isolated from a tannery effluent. Folia Microbiologica, 1998, 43, 109-112.	1.1	6
24	Multiple Metal Resistance and Uptake by a Ciliate, Stylonychia mytilus, Isolated from Industrial Effluents and its Possible Use in Wastewater Treatment. Bulletin of Environmental Contamination and Toxicology, 2007, 79, 410-414.	1.3	6
25	Effect of prolonged administration of insecticide (Cyhalothrin/Karate) on the blood and liver of rabbits. Folia Biologica, 1992, 40, 91-9.	0.1	5
26	Insecticidal Activity of Bacillus spp. from Soil Samples in Pakistan against the House Fly, Musca domestica. International Journal of Tropical Insect Science, 1998, 18, 301-306.	0.4	1
27	Effect of mercuric chloride on the activities of some hepatic enzymes of regenerating rabbit liver following partial hepatectomy. Acta Physiologica, Pharmacologica Et Therapeutica Latinoamericana: órgano De La Asociación Latinoamericana De Ciencias Fisiológicas Y [de] La Asociación Latinoamericana De FarmacologÃa, 1995, 45, 177-84	0.0	1
28	Biocidal activity of Bacillus species for Anopheles larvae. Folia Biologica, 1999, 47, 143-8.	0.1	1