Achille Gaspardone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11053976/publications.pdf

Version: 2024-02-01

64 papers 2,870 citations

28 h-index

185998

53 g-index

64 all docs

64 docs citations

64 times ranked 2355 citing authors

#	Article	IF	CITATIONS
1	Immediate angioplasty versus standard therapy with rescue angioplasty after thrombolysis in the Combined Abciximab REteplase Stent Study in Acute Myocardial Infarction (CARESS-in-AMI): an open, prospective, randomised, multicentre trial. Lancet, The, 2008, 371, 559-568.	6.3	371
2	A Comparison of Coronary-Artery Stenting with Angioplasty for Isolated Stenosis of the Proximal Left Anterior Descending Coronary Artery. New England Journal of Medicine, 1997, 336, 817-822.	13.9	272
3	Immunosuppressive therapy for the prevention of restenosis after coronary artery stent implantation (IMPRESS study). Journal of the American College of Cardiology, 2002, 40, 1935-1942.	1.2	209
4	Predictive value of C-reactive protein after successful coronary-artery stenting in patients with stable angina. American Journal of Cardiology, 1998, 82, 515-518.	0.7	196
5	Anatomic Basis and Physiological Rationale of Distal Radial Artery Access for Percutaneous Coronary and Endovascular Procedures. JACC: Cardiovascular Interventions, 2018, 11, 2113-2119.	1.1	116
6	Predictive value of C-reactive protein in patients with unstable angina pectoris undergoing coronary artery stent implantation. American Journal of Cardiology, 2000, 85, 92-95.	0.7	97
7	Effects of naloxone on myocardial ischemic preconditioning in humans. Journal of the American College of Cardiology, 1999, 33, 1863-1869.	1.2	95
8	A Prospective Randomized Trial Comparing Stenting to Internal Mammary Artery Grafting for Proximal, Isolated De Novo Left Anterior Coronary Artery Stenosis: The SIMA Trial. Mayo Clinic Proceedings, 2000, 75, 1116-1123.	1.4	91
9	Coronary artery stent placement in patients with variant angina refractory to medical treatment. American Journal of Cardiology, 1999, 84, 96-98.	0.7	89
10	Coronary Stenting and Inflammation. American Journal of Cardiology, 2005, 96, 65-70.	0.7	88
11	Mechanisms of cardiac pain during coronary angioplasty. Journal of the American College of Cardiology, 1993, 22, 1892-1896.	1.2	75
12	Unstable Angina and Elevated C-Reactive Protein Levels Predict Enhanced Vasoreactivity of the Culprit Lesion. Circulation, 2001, 104, 1471-1476.	1.6	72
13	Hypertriglyceridemia and the apolipoprotein CIII gene locus: lack of association with the variant insulin response element in Italian school children. Human Genetics, 1996, 98, 557-566.	1.8	55
14	Muscular and cardiac adenosine-induced pain is mediated by A1receptors. Journal of the American College of Cardiology, 1995, 25, 251-257.	1.2	47
15	Enhanced activity of sodium–lithium countertransport in patients with cardiac syndrome X. Journal of the American College of Cardiology, 1998, 32, 2031-2034.	1.2	45
16	Novel percutaneous suture-mediated patent foramen ovale closure technique: early results of the NobleStitch EL Italian Registry. EuroIntervention, 2018, 14, e272-e279.	1.4	45
17	Phentolamine Prevents Adaptation to Ischemia During Coronary Angioplasty. Circulation, 1997, 96, 2171-2177.	1.6	44
18	Relation between stimulation site of cardiac afferent nerves by adenosine and distribution of cardiac pain: Results of a study in patients with stable angina. Journal of the American College of Cardiology, 1992, 20, 1498-1502.	1.2	43

#	Article	IF	CITATIONS
19	Usefulness of Transcatheter Patent Foramen Ovale Closure in Migraineurs With Moderate to Large Right-to-Left Shunt and Instrumental Evidence of Cerebrovascular Damage. American Journal of Cardiology, 2009, 104, 434-439.	0.7	43
20	Endothelial Activation in Patients With Cardiac Syndrome X. Circulation, 2000, 102, 2359-2364.	1.6	41
21	Prevention of restenosis after stenting: the emerging role of inflammation. Coronary Artery Disease, 2004, 15, 307-311.	0.3	41
22	Atorvastatin Efficacy in the Primary and Secondary Prevention of Cardiovascular Events. Drugs, 2007, 67, 29-42.	4.9	41
23	C-Reactive Protein, Clinical Outcome, and Restenosis Rates After Implantation of Different Drug-Eluting Stents. American Journal of Cardiology, 2006, 97, 1311-1316.	0.7	40
24	Real-world outcome of coronary bifurcation lesions in the drug-eluting stent era: Results from the 4,314-patient Italian Society of Invasive Cardiology (SICI-GISE) Italian Multicenter Registry on Bifurcations (I-BIGIS). American Heart Journal, 2010, 160, 535-542.e1.	1,2	40
25	Analgesic effect of bamiphylline on pain induced by intradermal injection of adenosine. Pain, 1993, 53, 199-204.	2.0	37
26	New Look to an Old Symptom: Angina Pectoris. Circulation, 1997, 96, 3766-3773.	1.6	36
27	Catheter ablation of idiopathic ventricular tachycardia without the use of fluoroscopy. International Journal of Cardiology, 2015, 190, 338-343.	0.8	33
28	Exercise-induced myocardial ischemia triggers the early phase of preconditioning but not the late phase. American Journal of Cardiology, 1999, 83, 586-588.	0.7	29
29	Substance P potentiates the algogenic effects of intraarterial infusion of adenosine. Journal of the American College of Cardiology, 1994, 24, 477-482.	1.2	28
30	Acute left ventricular failure after transcatheter closure of a secundum atrial septal defect in a patient with coronary artery disease: A critical reappraisal. Catheterization and Cardiovascular Interventions, 2002, 55, 97-99.	0.7	28
31	Feasibility and safety of transcatheter closure of atrial septal defects with deficient posterior rim. Catheterization and Cardiovascular Interventions, 2013, 81, 1180-1187.	0.7	27
32	Risk factors in schoolchildren associated with a family history of unheralded myocardial infarction or uncomplicated stable angina in male relatives. Journal of the American College of Cardiology, 1994, 23, 1472-1478.	1.2	26
33	Chest pain after coronary artery stent implantation. American Journal of Cardiology, 2002, 89, 500-504.	0.7	26
34	Effect of atorvastatin (80 mg) initiated at the time of coronary artery stent implantation on C-reactive protein and six-month clinical events. American Journal of Cardiology, 2002, 90, 786-789.	0.7	26
35	Predictors of Residual Right-to-Left Shunt After Percutaneous Suture-Mediated Patent Fossa Ovalis Closure. JACC: Cardiovascular Interventions, 2020, 13, 2112-2120.	1.1	23
36	Differences of regional coronary flow reserve assessed by adenosine thallium-201 scintigraphy early and six months after successful percutaneous transluminal coronary angioplasty or stent implantation. American Journal of Cardiology, 1996, 78, 1097-1102.	0.7	22

#	Article	IF	CITATIONS
37	From nearâ€zero to zero fluoroscopy catheter ablation procedures. Journal of Cardiovascular Electrophysiology, 2019, 30, 2397-2404.	0.8	22
38	Management of patients with patent foramen ovale and cryptogenic stroke: A collaborative, multidisciplinary, position paper. Catheterization and Cardiovascular Interventions, 2013, 82, E38-51.	0.7	21
39	A novel clinically relevant segmentation method and corresponding maximal ischemia score to risk-stratify patients undergoing myocardial perfusion scintigraphy. Journal of Nuclear Cardiology, 2014, 21, 807-818.	1.4	20
40	First Results of the Distal Radial Access Doppler Study. JACC: Cardiovascular Imaging, 2021, 14, 1281-1283.	2.3	17
41	Long-term results of immunosuppressive oral prednisone after coronary angioplasty in non-diabetic patients with elevated C-reactive protein levels. EuroIntervention, 2009, 5, 250-254.	1.4	16
42	Prediction of Cardiovascular Events by Inflammatory Markers in Patients Undergoing Carotid Stenting. Mayo Clinic Proceedings, 2012, 87, 50-58.	1.4	14
43	Determinants of myocardial ischemia during percutaneous transluminal coronary angioplasty in patients with significant narrowing of a single coronary artery and stable or unstable angina pectoris. American Journal of Cardiology, 1994, 74, 1089-1094.	0.7	13
44	Interplay between COVID-19, pollution, and weather features on changes in the incidence of acute coronary syndromes in early 2020. International Journal of Cardiology, 2021, 329, 251-259.	0.8	12
45	Slender distal radial five French coronary shockwave lithotripsy. Catheterization and Cardiovascular Interventions, 2019, 94, 395-398.	0.7	11
46	AMPLATZER versus Figulla occluder for transcatheter patent foramen ovale closure. EuroIntervention, 2017, 12, 2092-2099.	1.4	11
47	Timing of events in STEMI patients treated with immediate PCI or standard medical therapy: Implications on optimisation of timing of treatment from the CARESS-in-AMI trial. International Journal of Cardiology, 2012, 154, 275-281.	0.8	9
48	Impact of coronary revascularization vs medical therapy on ischemia among stable patients with or suspected coronary artery disease undergoing serial myocardial perfusion scintigraphy. Journal of Nuclear Cardiology, 2017, 24, 1690-1698.	1.4	9
49	Coronary flow reserve early and late after minimally invasive coronary artery bypass grafting in patients with totally occluded left anterior descending coronary artery. Journal of Thoracic and Cardiovascular Surgery, 1999, 118, 604-609.	0.4	8
50	Effect of acetylsalicylate on cardiac and muscular pain induced by intracoronary and intra-arterial infusion of bradykinin in humans. Journal of the American College of Cardiology, 1999, 34, 216-222.	1.2	8
51	Impact of temporary traffic bans on the risk of acute coronary syndromes in a large metropolitan area. Panminerva Medica, 2021, 62, 252-259.	0.2	8
52	Modified percutaneous sutureâ€mediated patent fossa ovalis closure for prevention of cerebral ischemic events. Catheterization and Cardiovascular Interventions, 2020, 96, 638-642.	0.7	7
53	Impact of Drug-Eluting Stents and Diabetes Mellitus in Patients With Coronary Bifurcation Lesions: A Survey From the Italian Society of Invasive Cardiology. Circulation: Cardiovascular Interventions, 2011, 4, 72-79.	1.4	6
54	Identifying a better strategy for ad hoc percutaneous coronary intervention in patients with anticipated unfavorable radial access: the Little Women study. Cardiovascular Revascularization Medicine, 2018, 19, 413-417.	0.3	5

#	Article	IF	CITATIONS
55	Early and long-term outlook of percutaneous coronary intervention for bifurcation lesions in young patients. International Journal of Cardiology, 2013, 167, 2995-2999.	0.8	4
56	Decreased activity of the red blood cell ATPase-dependent Na+ pump in patients with cardiac syndrome X. Clinical Science, 1999, 97, 369-375.	1.8	2
57	One-shot 86-mm slender transradial bifurcation stenting. International Journal of Cardiology, 2016, 203, 1100-1102.	0.8	2
58	Cryptogenic stroke over 60 years of age: should patent foramen ovale be closed?. European Heart Journal Supplements, 2020, 22, E82-E86.	0.0	2
59	Radial Artery Occlusion With Distal Radial Access Compared to Conventional Transradial Access. JACC: Cardiovascular Interventions, 2021, 14, 1043.	1.1	2
60	Simultaneous treatment of patent foramen ovale and pulmonary arteriovenous fistula in a patient with paradoxical embolism. Journal of Cardiovascular Medicine, 2008, 9, 325-326.	0.6	1
61	Hodgkin's lymphoma in a man with dilated cardiomyopathy and paraneoplastic ataxia: a therapeutical challenge. Hematology Reports, 2017, 9, 6944.	0.3	1
62	Concept and practice of transradial 5 French percutaneous treatment of coronary bifurcation lesions. Catheterization and Cardiovascular Interventions, 2019, 93, 390-397.	0.7	1
63	First Report of the One-Point Transradial TwoÂSheathless Catheters Insertion (OTRANTO) Technique. JACC: Cardiovascular Interventions, 2020, 13, e9-e10.	1.1	1
64	Decreased activity of the red blood cell ATPase-dependent Na+ pump in patients with cardiac syndrome X. Clinical Science, 1999, 97, 369.	1.8	0