

Achille Gaspardone

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11053976/achille-gaspardone-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

2,358
citations

26
h-index

48
g-index

64
ext. papers

2,623
ext. citations

5.8
avg, IF

4.18
L-index

#	Paper	IF	Citations
64	Immediate angioplasty versus standard therapy with rescue angioplasty after thrombolysis in the Combined Abciximab REteplase Stent Study in Acute Myocardial Infarction (CARESS-in-AMI): an open, prospective, randomised, multicentre trial. <i>Lancet, The</i> , 2008 , 371, 559-68	40	289
63	A comparison of coronary-artery stenting with angioplasty for isolated stenosis of the proximal left anterior descending coronary artery. <i>New England Journal of Medicine</i> , 1997 , 336, 817-22	59.2	223
62	Immunosuppressive Therapy for the Prevention of Restenosis after Coronary Artery Stent Implantation (IMPRESS Study). <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1935-42	15.1	189
61	Predictive value of C-reactive protein after successful coronary-artery stenting in patients with stable angina. <i>American Journal of Cardiology</i> , 1998 , 82, 515-8	3	177
60	Predictive value of C-reactive protein in patients with unstable angina pectoris undergoing coronary artery stent implantation. <i>American Journal of Cardiology</i> , 2000 , 85, 92-5, A8	3	89
59	Effects of naloxone on myocardial ischemic preconditioning in humans. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1863-9	15.1	84
58	A prospective randomized trial comparing stenting to internal mammary artery grafting for proximal, isolated de novo left anterior coronary artery stenosis: the SIMA trial. Stenting vs Internal Mammary Artery. <i>Mayo Clinic Proceedings</i> , 2000 , 75, 1116-23	6.4	81
57	Coronary artery stent placement in patients with variant angina refractory to medical treatment. <i>American Journal of Cardiology</i> , 1999 , 84, 96-8, A8	3	76
56	Coronary stenting and inflammation. <i>American Journal of Cardiology</i> , 2005 , 96, 65L-70L	3	70
55	Unstable angina and elevated c-reactive protein levels predict enhanced vasoreactivity of the culprit lesion. <i>Circulation</i> , 2001 , 104, 1471-6	16.7	69
54	Anatomic Basis and Physiological Rationale of Distal Radial Artery Access for Percutaneous Coronary and Endovascular Procedures. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 2113-2119	5	68
53	Mechanisms of cardiac pain during coronary angioplasty. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1892-6	15.1	67
52	Hypertriglyceridemia and the apolipoprotein CIII gene locus: lack of association with the variant insulin response element in Italian school children. <i>Human Genetics</i> , 1996 , 98, 557-66	6.3	51
51	Muscular and cardiac adenosine-induced pain is mediated by A1 receptors. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 251-7	15.1	41
50	Enhanced activity of sodium-lithium countertransport in patients with cardiac syndrome X: a potential link between cardiac and metabolic syndrome X. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 2031-4	15.1	40
49	Phentolamine prevents adaptation to ischemia during coronary angioplasty: role of alpha-adrenergic receptors in ischemic preconditioning. <i>Circulation</i> , 1997 , 96, 2171-7	16.7	40
48	Real-world outcome of coronary bifurcation lesions in the drug-eluting stent era: results from the 4,314-patient Italian Society of Invasive Cardiology (SICI-GISE) Italian Multicenter Registry on Bifurcations (I-BIGIS). <i>American Heart Journal</i> , 2010 , 160, 535-542.e1	4.9	38

47	Prevention of restenosis after stenting: the emerging role of inflammation. <i>Coronary Artery Disease</i> , 2004 , 15, 307-11	1.4	38
46	C-Reactive protein, clinical outcome, and restenosis rates after implantation of different drug-eluting stents. <i>American Journal of Cardiology</i> , 2006 , 97, 1311-6	3	37
45	Endothelial activation in patients with cardiac syndrome X. <i>Circulation</i> , 2000 , 102, 2359-64	16.7	37
44	Relation between stimulation site of cardiac afferent nerves by adenosine and distribution of cardiac pain: results of a study in patients with stable angina. <i>Journal of the American College of Cardiology</i> , 1992 , 20, 1498-502	15.1	36
43	Usefulness of transcatheter patent foramen ovale closure in migraineurs with moderate to large right-to-left shunt and instrumental evidence of cerebrovascular damage. <i>American Journal of Cardiology</i> , 2009 , 104, 434-9	3	33
42	Analgesic effect of bamiphylline on pain induced by intradermal injection of adenosine. <i>Pain</i> , 1993 , 53, 199-204	8	33
41	Atorvastatin efficacy in the primary and secondary prevention of cardiovascular events. <i>Drugs</i> , 2007 , 67 Suppl 1, 29-42	12.1	30
40	New look to an old symptom: angina pectoris. <i>Circulation</i> , 1997 , 96, 3766-73	16.7	30
39	Exercise-induced myocardial ischemia triggers the early phase of preconditioning but not the late phase. <i>American Journal of Cardiology</i> , 1999 , 83, 586-8, A7-8	3	27
38	Catheter ablation of idiopathic ventricular tachycardia without the use of fluoroscopy. <i>International Journal of Cardiology</i> , 2015 , 190, 338-43	3.2	25
37	Risk factors in schoolchildren associated with a family history of unheralded myocardial infarction or uncomplicated stable angina in male relatives. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 1472-8	15.1	25
36	Substance P potentiates the algogenic effects of intraarterial infusion of adenosine. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 477-82	15.1	24
35	Effect of atorvastatin (80 mg) initiated at the time of coronary artery stent implantation on C-reactive protein and six-month clinical events. <i>American Journal of Cardiology</i> , 2002 , 90, 786-9	3	23
34	Acute left ventricular failure after transcatheter closure of a secundum atrial septal defect in a patient with coronary artery disease: a critical reappraisal. <i>Catheterization and Cardiovascular Interventions</i> , 2002 , 55, 97-9	2.7	23
33	Chest pain after coronary artery stent implantation. <i>American Journal of Cardiology</i> , 2002 , 89, 500-4	3	22
32	Novel percutaneous suture-mediated patent foramen ovale closure technique: early results of the NobleStitch EL Italian Registry. <i>EuroIntervention</i> , 2018 , 14, e272-e279	3.1	22
31	Feasibility and safety of transcatheter closure of atrial septal defects with deficient posterior rim. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 81, 1180-7	2.7	20
30	Management of patients with patent foramen ovale and cryptogenic stroke: a collaborative, multidisciplinary, position paper. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 82, E38-51	2.7	17

29	Differences of regional coronary flow reserve assessed by adenosine thallium-201 scintigraphy early and six months after successful percutaneous transluminal coronary angioplasty or stent implantation. <i>American Journal of Cardiology</i> , 1996 , 78, 1097-102	3	17
28	From near-zero to zero fluoroscopy catheter ablation procedures. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2397-2404	2.7	16
27	A novel clinically relevant segmentation method and corresponding maximal ischemia score to risk-stratify patients undergoing myocardial perfusion scintigraphy. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 807-18	2.1	15
26	Long-term results of immunosuppressive oral prednisone after coronary angioplasty in non-diabetic patients with elevated C-reactive protein levels. <i>EuroIntervention</i> , 2009 , 5, 250-4	3.1	14
25	Determinants of myocardial ischemia during percutaneous transluminal coronary angioplasty in patients with significant narrowing of a single coronary artery and stable or unstable angina pectoris. <i>American Journal of Cardiology</i> , 1994 , 74, 1089-94	3	12
24	Prediction of cardiovascular events by inflammatory markers in patients undergoing carotid stenting. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 50-8	6.4	10
23	Timing of events in STEMI patients treated with immediate PCI or standard medical therapy: implications on optimisation of timing of treatment from the CARESS-in-AMI trial. <i>International Journal of Cardiology</i> , 2012 , 154, 275-81	3.2	9
22	Slender distal radial five French coronary shockwave lithotripsy. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, 395-398	2.7	8
21	Impact of coronary revascularization vs medical therapy on ischemia among stable patients with or suspected coronary artery disease undergoing serial myocardial perfusion scintigraphy. <i>Journal of Nuclear Cardiology</i> , 2017 , 24, 1690-1698	2.1	7
20	Coronary flow reserve early and late after minimally invasive coronary artery bypass grafting in patients with totally occluded left anterior descending coronary artery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1999 , 118, 604-9	1.5	7
19	AMPLATZER versus Figulla occluder for transcatheter patent foramen ovale closure. <i>EuroIntervention</i> , 2017 , 12, 2092-2099	3.1	7
18	Effect of acetylsalicylate on cardiac and muscular pain induced by intracoronary and intra-arterial infusion of bradykinin in humans. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 216-22	15.1	6
17	Predictors of Residual Right-to-Left Shunt After Percutaneous Suture-Mediated Patent Fossa Ovalis Closure. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 2112-2120	5	6
16	Interplay between COVID-19, pollution, and weather features on changes in the incidence of acute coronary syndromes in early 2020. <i>International Journal of Cardiology</i> , 2021 , 329, 251-259	3.2	5
15	Early and long-term outlook of percutaneous coronary intervention for bifurcation lesions in young patients. <i>International Journal of Cardiology</i> , 2013 , 167, 2995-9	3.2	4
14	Impact of drug-eluting stents and diabetes mellitus in patients with coronary bifurcation lesions: a survey from the Italian Society of Invasive Cardiology. <i>Circulation: Cardiovascular Interventions</i> , 2011 , 4, 72-9	6	4
13	First Results of the Distal Radial Access Doppler Study. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 1281-1283	3.4	4
12	Modified percutaneous suture-mediated patent fossa ovalis closure for prevention of cerebral ischemic events. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 638-642	2.7	2

11	One-shot 86-mm slender transradial bifurcation stenting. <i>International Journal of Cardiology</i> , 2016 , 203, 1100-2	3.2	2
10	Decreased activity of the red blood cell ATPase-dependent Na ⁺ pump in patients with cardiac syndrome X. <i>Clinical Science</i> , 1999 , 97, 369-75	6.5	2
9	Radial Artery Occlusion With Distal Radial Access Compared to Conventional Transradial Access: A Pathophysiology Outlook. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 1043	5	2
8	Impact of temporary traffic bans on the risk of acute coronary syndromes in a large metropolitan area. <i>Panminerva Medica</i> , 2020 , 62, 252-259	2	2
7	Identifying a better strategy for ad hoc percutaneous coronary intervention in patients with anticipated unfavorable radial access: the Little Women study. <i>Cardiovascular Revascularization Medicine</i> , 2018 , 19, 413-417	1.6	2
6	Cryptogenic stroke over 60 years of age: should patent foramen ovale be closed?. <i>European Heart Journal Supplements</i> , 2020 , 22, E82-E86	1.5	1
5	Hodgkin's Lymphoma in a Man with Dilated Cardiomyopathy and Paraneoplastic Ataxia: A Therapeutical Challenge. <i>Hematology Reports</i> , 2017 , 9, 6944	0.9	0
4	Simultaneous treatment of patent foramen ovale and pulmonary arteriovenous fistula in a patient with paradoxical embolism. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 325-6	1.9	0
3	First Report of the One-Point Transradial Two-Sheathless Catheters Insertion (OTRANTO) Technique. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, e9-e10	5	0
2	Decreased activity of the red blood cell ATPase-dependent Na ⁺ pump in patients with cardiac syndrome X. <i>Clinical Science</i> , 1999 , 97, 369	6.5	
1	Concept and practice of transradial 5 French percutaneous treatment of coronary bifurcation lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 390-397	2.7	