
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11053979/publications.pdf Version: 2024-02-01



ALAN REDNETEIN

#	Article	IF	CITATIONS
1	Mood Stabilizing Drugs Expand the Neural Stem Cell Pool in the Adult Brain Through Activation of Notch Signaling. Stem Cells, 2008, 26, 1758-1767.	1.4	31
2	Hzf Determines Cell Survival upon Genotoxic Stress by Modulating p53 Transactivation. Cell, 2007, 130, 624-637.	13.5	132
3	Notch Signaling Is Required to Maintain All Neural Stem Cell Populations – Irrespective of Spatial or Temporal Niche. Developmental Neuroscience, 2006, 28, 34-48.	1.0	97
4	A presenilin-independent aspartyl protease prefers the gamma-42 site cleavage. Journal of Neurochemistry, 2006, 96, 118-125.	2.1	25
5	Ubiquitin?proteasome pathway mediates degradation of APH-1. Journal of Neurochemistry, 2006, 99, 1403-1412.	2.1	34
6	Oncogenic function for the Dlg1 mammalian homolog of the Drosophila discs-large tumor suppressor. EMBO Journal, 2006, 25, 1406-1417.	3.5	73
7	Mutagenesis of the epithelial polarity gene, discs large 1, perturbs nephrogenesis in the developing mouse kidney. Kidney International, 2005, 68, 955-965.	2.6	32
8	Selective Role of a Distinct Tyrosine Residue on Tie2 in Heart Development and Early Hematopoiesis. Molecular and Cellular Biology, 2005, 25, 4693-4702.	1.1	32
9	Targeted mutations of the juxtamembrane tyrosines in the Kit receptor tyrosine kinase selectively affect multiple cell lineages. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 6015-6020.	3.3	55
10	Gene-trap expression screening to identify endothelial-specific genes. Blood, 2004, 104, 711-718.	0.6	37
11	A UNIQUE PATTERN OF Tie1 EXPRESSION IN THE DEVELOPING MURINE LUNG. Experimental Lung Research, 2003, 29, 113-122.	0.5	14
12	Requirement of PDZ-Containing Proteins for Cell Cycle Regulation and Differentiation in the Mouse Lens Epithelium. Molecular and Cellular Biology, 2003, 23, 8970-8981.	1.1	106
13	Requirement for the TIE family of receptor tyrosine kinases in adult but not fetal hematopoiesis. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 12753-12758.	3.3	127
14	Presenilin-1 and Presenilin-2 Exhibit Distinct yet Overlapping Î ³ -Secretase Activities. Journal of Biological Chemistry, 2003, 278, 22475-22481.	1.6	142
15	Hematopoietic stem cell and progenitor defects in Sca-1/Ly-6A–null mice. Blood, 2003, 101, 517-523.	0.6	168
16	Notch receptor cleavage depends on but is not directly executed by presenilins. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 4014-4019.	3.3	54
17	STK Receptor Tyrosine Kinase Regulates Susceptibility to Infection with Listeria monocytogenes. Infection and Immunity, 2002, 70, 416-418.	1.0	14
18	Identification and Characterization of Presenilin-independent Notch Signaling. Journal of Biological Chemistry, 2002, 277, 8154-8165.	1.6	49

#	Article	IF	CITATIONS
19	Zinc Finger Protein, Hzf, Is Required for Megakaryocyte Development and Hemostasis. Journal of Experimental Medicine, 2002, 195, 941-952.	4.2	41
20	Cytokine Signaling and Hematopoietic Homeostasis Are Disrupted in Lnk-deficient Mice. Journal of Experimental Medicine, 2002, 195, 1599-1611.	4.2	201
21	Notch pathway molecules are essential for the maintenance, but not the generation, of mammalian neural stem cells. Genes and Development, 2002, 16, 846-858.	2.7	585
22	Synaptic glutamate receptor clustering in mice lacking the SH3 and GK domains of SAP97. European Journal of Neuroscience, 2002, 16, 1517-1522.	1.2	27
23	AHSCs: More Important than Ever in the Century of Health Research. HealthcarePapers, 2002, 2, 54-58.	0.2	1
24	Craniofacial Dysmorphogenesis Including Cleft Palate in Mice with an Insertional Mutation in the discs large Gene. Molecular and Cellular Biology, 2001, 21, 1475-1483.	1.1	132
25	Defects in sensory nerve numbers and growth in mutant Kit and Steel mice. NeuroReport, 2000, 11, 1159-1165.	0.6	18
26	Mastocytosis cells bearing a c-kit activating point mutation are characterized by hypersensitivity to stem cell factor and increased apoptosis. British Journal of Haematology, 2000, 108, 729-736.	1.2	14
27	Genetic analysis of ETS genes in C. elegans. Oncogene, 2000, 19, 6400-6408.	2.6	33
28	Presenilins are required for Î ³ -secretase cleavage of Î ² -APP and transmembrane cleavage of Notch-1. Nature Cell Biology, 2000, 2, 463-465.	4.6	398
29	Upregulation of BiP and CHOP by the unfolded-protein response is independent of presenilin expression. Nature Cell Biology, 2000, 2, 863-870.	4.6	136
30	Fli-1 Is Required for Murine Vascular and Megakaryocytic Development and Is Hemizygously Deleted in Patients with Thrombocytopenia. Immunity, 2000, 13, 167-177.	6.6	341
31	Gene trapping of two novel genes, Hzf and Hhl , expressed in hematopoietic cells. Mechanisms of Development, 2000, 90, 3-15.	1.7	30
32	Fv2 encodes a truncated form of the Stk receptor tyrosine kinase. Nature Genetics, 1999, 23, 159-165.	9.4	138
33	ThewstGene Regulates Multiple Forms of Thymocyte Apoptosis. Cellular Immunology, 1998, 188, 111-117.	1.4	20
34	Murine NIMA-related kinases are expressed in patterns suggesting distinct functions in gametogenesis and a role in the nervous system. Oncogene, 1998, 16, 1813-1823.	2.6	47
35	Have you used an adeno vector lately?. Nature Genetics, 1998, 18, 305-306.	9.4	0
36	Developmental origin andkit-dependent development of the interstitial cells of cajal in the mammalian small intestine. , 1998, 211, 60-71.		204

#	Article	IF	CITATIONS
37	Aquarius, a novel gene isolated by gene trapping with an RNA-dependent RNA polymerase motif. , 1998, 212, 304-317.		33
38	Construction of a web-based gene trap database as a functional genomics resource. Developmental Dynamics, 1998, 212, 334-334.	0.8	1
39	A genetic linkage map of the mouse Chromosome 9 region encompassing the Friend virus susceptibility gene 2 (Fv2). Mammalian Genome, 1998, 9, 381-384.	1.0	6
40	recessive spotting: a linked locus that interacts withW/Kitbut is not allelic. Genes To Cells, 1998, 3, 235-244.	0.5	4
41	Vav Regulates Peptide-specific Apoptosis in Thymocytes. Journal of Experimental Medicine, 1998, 188, 2099-2111.	4.2	91
42	Expression Trapping: Identification of Novel Genes Expressed in Hematopoietic and Endothelial Lineages by Gene Trapping in ES Cells. Blood, 1998, 92, 4622-4631.	0.6	64
43	Expression Trapping: Identification of Novel Genes Expressed in Hematopoietic and Endothelial Lineages by Gene Trapping in ES Cells. Blood, 1998, 92, 4622-4631.	0.6	4
44	Impaired CD28-mediated Interleukin 2 Production and Proliferation in Stress Kinase SAPK/ERK1 Kinase (SEK1)/Mitogen-activated Protein Kinase Kinase 4 (MKK4)-deficient T Lymphocytes. Journal of Experimental Medicine, 1997, 186, 941-953.	4.2	126
45	A Requirement for Flk1 in Primitive and Definitive Hematopoiesis and Vasculogenesis. Cell, 1997, 89, 981-990.	13.5	848
46	Mutations in the Murine Fitness 1 Gene Result in Defective Hematopoiesis. Blood, 1997, 90, 1850-1857.	0.6	15
47	Stress-signalling kinase Sek1 protects thymocytes from apoptosis mediated by CD95 and CD3. Nature, 1997, 385, 350-353.	13.7	339
48	Deregulated inflammatory response in mice lacking the STK/RON receptor tyrosine kinase. Genes and Function, 1997, 1, 69-83.	2.8	100
49	Signalling by the W/Kit receptor tyrosine kinase is negatively regulated in vivo by the protein tyrosine phosphatase Shp1. Nature Genetics, 1996, 13, 309-315.	9.4	157
50	Apoptosis, cancer and the p53 tumour suppressor gene. Cancer and Metastasis Reviews, 1995, 14, 149-161.	2.7	154
51	A mutant p53 transgene accelerates tumour development in heterozygous but not nullizygous p53–deficient mice. Nature Genetics, 1995, 9, 305-311.	9.4	224
52	W/kit gene required for interstitial cells of Cajal and for intestinal pacemaker activity. Nature, 1995, 373, 347-349.	13.7	1,304
53	Defective T-cell receptor signalling and positive selection of Vav-deficient CD4+CDS+thymocytes. Nature, 1995, 374, 474-476.	13.7	299

A 1.8-Mb YAC contig spanning three members of the receptor tyrosine kinase gene family (Pdgfra, Kit,) Tj ETQq0 0 0 rgBT /Overlock 10 1

#	Article	IF	CITATIONS
55	Expression of Xkl-1, a Xenopus gene related to mammalian c-kit, in dorsal embryonic tissue. Mechanisms of Development, 1995, 50, 57-69.	1.7	21
56	DNA damage, oncogenesis and the p53 tumour-suppressor gene. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1994, 307, 573-581.	0.4	55
57	Dynamic changes in ovarian c-kit and Steel expression during the estrous reproductive cycle. Developmental Dynamics, 1993, 197, 69-79.	0.8	116
58	Oncogenes in Head and Neck Cancer. Laryngoscope, 1993, 103, 42???52.	1.1	71
59	Molecular genetic approaches to the elucidation of hematopoietic stem cell function. Stem Cells, 1993, 11, 31-35.	1.4	3
60	Proto-oncogenes in mammalian development. Current Opinion in Genetics and Development, 1992, 2, 38-44.	1.5	7
61	Receptor tyrosine kinases: genetic evidence for their role in Drosophila and mouse development. Trends in Genetics, 1990, 6, 350-356.	2.9	166
62	The Mouse W/c-kit Locus Annals of the New York Academy of Sciences, 1990, 599, 58-65.	1.8	31
63	Friend Virus-Induced Erythroleukemia: A Multistage Malignancy. Annals of the New York Academy of Sciences, 1989, 567, 165-170.	1.8	5
64	The proto-oncogene c-kit encoding a transmembrane tyrosine kinase receptor maps to the mouse W locus. Nature, 1988, 335, 88-89.	13.7	1,326
65	High efficiency gene transfer and expression in normal murine B lymphocytes. Journal of Immunological Methods, 1987, 101, 279-285.	0.6	6
66	The pathophysiology of murine retrovirus-induced leukemias. Critical Reviews in Oncology/Hematology, 1986, 5, 257-323.	2.0	17
67	Expression of human adenosine deaminase in murine haematopoietic progenitor cells following retroviral transfer. Nature, 1986, 322, 385-387.	13.7	80
68	Genetic manipulation of hematopoietic stem cells with retrovirus vectors. Trends in Genetics, 1986, 2, 165-170.	2.9	29
69	Rearrangements of the cellular p53 gene in erythroleukaemic cells transformed by Friend virus. Nature, 1985, 314, 633-636.	13.7	349
70	Induction of clonogenic and erythroleukemic cells by different helper virus pseudotypes of Friend spleen focus-forming virus. Virology, 1985, 141, 337-341.	1.1	11
71	Gene Transfer with Retrovirus Vectors. , 1985, , 235-261.		13
72	Modulation of the Haemopoietic System by Murine Retroviruses. Clinics in Haematology, 1984, 13, 447-459.	2.2	2

#	Article	IF	CITATIONS
73	Retrovirus transfer of a bacterial gene into mouse haematopoietic progenitor cells. Nature, 1983, 305, 556-558.	13.7	226
74	Molecular identification of a human DNA repair gene following DNA-mediated gene transfer. Nature, 1983, 306, 206-208.	13.7	77
75	Different pseudotypesof friend spleen focus-forming virus induce polycythemia and erythropoietin-independent colony formation in serum-free medium. Virology, 1981, 110, 231-236.	1.1	24
76	Colchicine resistant friend cells: Application to the study of actinomycin D induced erythroid differentiation. Journal of Cellular Physiology, 1980, 102, 63-70.	2.0	5
77	Phorbol ester tumor promoters block the transition from the early to the heme-dependent late program of friend cell differentiation. Journal of Cellular Physiology, 1980, 105, 519-526.	2.0	10
78	Friend leukaemia virus-transformed cells, unlike normal stem cells, form spleen colonies in SI/SId mice. Nature, 1980, 288, 592-594.	13.7	54
79	The role of Heme in the regulation of the late program of friend cell erythroid differentiation. Journal of Cellular Physiology, 1979, 100, 467-479.	2.0	26
80	Growth in high-K+ medium induces friend cell differentiation. Developmental Biology, 1979, 70, 268-273.	0.9	14
81	Early transport changes during erythroid differentiation of friend leukemic cells. Journal of Cellular Physiology, 1978, 94, 275-285.	2.0	80
82	Erythrocyte membrane antigen expression during friend cell differentiation: Analysis of two non-inducible variants. Journal of Cellular Physiology, 1978, 96, 291-301.	2.0	24
83	The program of friend cell erythroid differentiation: Early changes in Na+/K+ ATPase function. Journal of Supramolecular Structure, 1978, 8, 431-438.	2.3	40
84	The friend spleen focus-forming virus (SFFV) genome: Fractionation and analysis of SFFV and helper virus-related sequences. Virology, 1978, 87, 73-80.	1.1	27
85	The Friend virus genome: Evidence for the stable association of MuLV sequences and sequences involved in erythroleukemic transformation. Cell, 1977, 12, 287-294.	13.5	82
86	Early and late volume changes during erythroid differentiation of cultured friend leukemic cells. Journal of Cellular Physiology, 1977, 90, 423-437.	2.0	55
87	Induction by ouabain of hemoglobin synthesis in cultured friend erythroleukemic cells. Cell, 1976, 9, 375-381.	13.5	163
88	The E. coli cell surface: Isolation of λ transducing phages carrying the tolPAB cluster. Molecular Genetics and Genomics, 1973, 121, 325-335.	2.4	7
89	The E. coli cell surface: On the genetic organization of the tolP AB cluster. Molecular Genetics and Genomics, 1973, 123, 111-121.	2.4	11
90	Pleiotropic Properties and Genetic Organization of the <i>tolA, B</i> Locus of <i>Escherichia coli</i> K-12. Journal of Bacteriology, 1972, 112, 74-83.	1.0	107

#	Article	IF	CITATIONS
91	Demonstration of missing membrane proteins in deletion mutants of E. coli K12. Biochemical and Biophysical Research Communications, 1970, 39, 969-975.	1.0	35