

Rajesh Sinha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11054242/publications.pdf>

Version: 2024-02-01

16
papers

221
citations

1163117

8
h-index

996975

15
g-index

16
all docs

16
docs citations

16
times ranked

358
citing authors

#	ARTICLE	IF	CITATIONS
1	Focusing on DNA Repair and Damage Tolerance Mechanisms in Mycobacterium tuberculosis: An Emerging Therapeutic Theme. <i>Current Topics in Medicinal Chemistry</i> , 2020, 20, 390-408.	2.1	8
2	Expression of mycolic acid in response to stress and association with differential clinical manifestations of tuberculosis. <i>International Journal of Mycobacteriology</i> , 2019, 8, 237.	0.6	3
3	Methyl-accepting chemotaxis like Rv3499c (Mce4A) protein in Mycobacterium tuberculosis H37Rv mediates cholesterol-dependent survival. <i>Tuberculosis</i> , 2018, 109, 52-60.	1.9	7
4	PDIM and SL1 accumulation in Mycobacterium tuberculosis is associated with mce4A expression. <i>Gene</i> , 2018, 642, 178-187.	2.2	15
5	Structural and functional insights into putative TAG accumulating hydrolase protein (Rv1179c) of Mycobacterium tuberculosis H37Rv. <i>Gene Reports</i> , 2018, 13, 66-71.	0.8	1
6	The perilipin-like PPE15 protein in <i>Mycobacterium tuberculosis</i> is required for triacylglycerol accumulation under dormancy-inducing conditions. <i>Molecular Microbiology</i> , 2016, 101, 784-794.	2.5	37
7	Mce4A protein of Mycobacterium tuberculosis induces pro inflammatory cytokine response leading to macrophage apoptosis in a TNF- α dependent manner. <i>Microbial Pathogenesis</i> , 2016, 100, 43-50.	2.9	18
8	The perilipin-like PPE15 protein in <i>Mycobacterium tuberculosis</i> is required for triacylglycerol accumulation under dormancy-inducing conditions. <i>Molecular Microbiology</i> , 2016, 102, 752-752.	2.5	0
9	Differential expression of efflux pump genes of Mycobacterium tuberculosis in response to varied subinhibitory concentrations of antituberculosis agents. <i>Tuberculosis</i> , 2015, 95, 155-161.	1.9	39
10	The <i>Mycobacterium tuberculosis</i> recombinant LprN protein of <i>mce4</i> operon induces Th-1 type response deleterious to protection in mice. <i>Pathogens and Disease</i> , 2014, 72, n/a-n/a.	2.0	8
11	Functional analysis of mce4A gene of Mycobacterium tuberculosis H37Rv using antisense approach. <i>Microbiological Research</i> , 2014, 169, 780-787.	5.3	29
12	Revisiting a protocol for extraction of mycobacterial lipids. <i>International Journal of Mycobacteriology</i> , 2014, 3, 168-172.	0.6	11
13	An insight into the regulation of mce4 operon of Mycobacterium tuberculosis. <i>Tuberculosis</i> , 2013, 93, 389-397.	1.9	13
14	Calreticulin transacetylase mediated upregulation of thioredoxin by 7,8-diacetoxy-4-methylcoumarin enhances the antioxidant potential and the expression of vascular endothelial growth factor in peripheral blood mononuclear cells. <i>Chemico-Biological Interactions</i> , 2013, 206, 327-336.	4.0	8
15	Calreticulin Transacetylase mediated activation of human platelet nitric oxide synthase by acetyl group donor compounds. <i>Nitric Oxide - Biology and Chemistry</i> , 2012, 26, 9-19.	2.7	4
16	Calreticulin transacetylase catalyzed modification of the TNF- α mediated pathway in the human peripheral blood mononuclear cells by polyphenolic acetates. <i>Chemico-Biological Interactions</i> , 2010, 185, 263-270.	4.0	20