

Wonshik Han

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/1105635/publications.pdf](https://exaly.com/author-pdf/1105635/publications.pdf)

Version: 2024-02-01

324
papers

12,803
citations

24725

56
h-index

42681

90
g-index

529
all docs

529
docs citations

529
times ranked

18350
citing authors

#	ARTICLE	IF	CITATIONS
1	Omission of Breast Surgery in Predicted Pathologic Complete Response after Neoadjuvant Systemic Therapy: A Multicenter, Single-Arm, Non-inferiority Trial. <i>Journal of Breast Cancer</i> , 2024, 27, 61.	2.0	0
2	Comparison of long-term oncologic outcomes of central lumpectomy and conventional breast-conserving surgery for invasive breast cancer: propensity score matching analysis. <i>Breast Cancer Research and Treatment</i> , 2024, 205, 465-474.	2.5	0
3	Selective Avoidance of Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy in Human Epidermal Growth Factor 2-Positive/Triple-Negative Breast Cancer Patients With Excellent Response. <i>Journal of Breast Cancer</i> , 2024, 27, 130.	2.0	0
4	Differential effects of desvenlafaxine on hot flashes in women with breast cancer taking tamoxifen: a randomized controlled trial. <i>Npj Breast Cancer</i> , 2024, 10, .	5.3	0
5	Multi-omic biomarker panel prediction model for diagnosis of pancreatic cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2023, 30, 122-132.	2.7	11
6	Role of Doppler US and elastography prior to biopsy to identify candidates for avoidance of surgery following neoadjuvant chemotherapy for breast cancer. <i>Ultrasonography</i> , 2023, 42, 323-332.	2.4	2
7	Triple-Negative Breast Cancer-Derived Extracellular Vesicles Promote a Hepatic Premetastatic Niche via a Cascade of Microenvironment Remodeling. <i>Molecular Cancer Research</i> , 2023, 21, 726-740.	3.5	0
8	Use of imaging prediction model for omission of axillary surgery in early-stage breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2023, 199, 489-499.	2.5	1
9	Development of a Breast Cancer Risk Prediction Model Incorporating Polygenic Risk Scores and Nongenetic Risk Factors for Korean Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2023, 32, 1182-1189.	1.9	1
10	Barcoded multiple displacement amplification for high coverage sequencing in spatial genomics. <i>Nature Communications</i> , 2023, 14, .	13.0	4
11	Comparison of Quality of Life and Cosmetic Outcome of Latissimus Dorsi Mini-Flap With Breast Conservation Surgery Without Reconstruction. <i>Journal of Breast Cancer</i> , 2023, 26, 344.	2.0	1
12	Life-Threatening Hematoma in an Elderly Breast Cancer Patient Undergoing Chemotherapy. <i>Journal of Breast Cancer</i> , 2023, 26, 514.	2.0	1
13	Ultrafast MRI and T1 and T2 Radiomics for Predicting Invasive Components in Ductal Carcinoma in Situ Diagnosed With Percutaneous Needle Biopsy. <i>Korean Journal of Radiology</i> , 2023, 24, 1190.	6.5	1
14	Influence of Hypofractionated Versus Conventional Fractionated Postmastectomy Radiation Therapy in Breast Cancer Patients With Reconstruction. <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 112, 445-456.	0.8	15
15	Diagnostic performance improvement with combined use of proteomics biomarker assay and breast ultrasound. <i>Breast Cancer Research and Treatment</i> , 2022, 192, 541-552.	2.5	2
16	Targeting CLK4 inhibits the metastasis and progression of breast cancer by inactivating TGF- β 2 pathway. <i>Cancer Gene Therapy</i> , 2022, 29, 1168-1180.	4.6	9
17	Abstract PD15-08: Window of opportunity trial of neoadjuvant olaparib and durvalumab for triple negative or low ER-positive breast cancer. <i>Cancer Research</i> , 2022, 82, PD15-08-PD15-08.	0.9	3
18	No axillary surgical treatment for lymph node-negative patients after ultra-sonography [NAUTILUS]: protocol of a prospective randomized clinical trial. <i>BMC Cancer</i> , 2022, 22, 189.	2.6	25

#	ARTICLE	IF	CITATIONS
19	Abstract P2-11-07: Mammographic density is associated with increased risk of contralateral breast cancers but not of ipsilateral breast tumor recurrences. <i>Cancer Research</i> , 2022, 82, P2-11-07-P2-11-07.	0.9	0
20	Abstract P3-18-12: Achieving negative margin after repeated attempts for lumpectomy does not nullify the risk of ipsilateral breast tumor recurrences. <i>Cancer Research</i> , 2022, 82, P3-18-12-P3-18-12.	0.9	0
21	Abstract P2-10-07: Prediction of menstruation recovery timing in premenopausal breast cancer patients taking tamoxifen after chemotherapy: An ASTRRA substudy. <i>Cancer Research</i> , 2022, 82, P2-10-07-P2-10-07.	0.9	0
22	HER2 expression, copy number variation and survival outcomes in HER2-low non-metastatic breast cancer: an international multicentre cohort study and TCGA-METABRIC analysis. <i>BMC Medicine</i> , 2022, 20, 105.	5.7	69
23	Polygenic risk scores for prediction of breast cancer risk in Asian populations. <i>Genetics in Medicine</i> , 2022, 24, 586-600.	2.4	34
24	Peptidylprolyl cis-trans isomerase NIMA-interacting 1 directly binds and stabilizes Nrf2 in breast cancer. <i>FASEB Journal</i> , 2022, 36, e22068.	0.4	11
25	Reduced miR-371b-5p expression drives tumor progression via CSDE1/RAC1 regulation in triple-negative breast cancer. <i>Oncogene</i> , 2022, 41, 3151-3161.	5.9	8
26	Spatial epitranscriptomics reveals A-to-I editome specific to cancer stem cell microniches. <i>Nature Communications</i> , 2022, 13, 2540.	13.0	21
27	Effect of neoadjuvant versus adjuvant chemotherapy on ipsilateral breast tumor recurrence after breast-conserving surgery and whole-breast irradiation.. <i>Journal of Clinical Oncology</i> , 2022, 40, 604-604.	5.4	1
28	Abstract 6241: Macc1 regulates breast cancer progression and metastasis via remodeling tumor immune microenvironment. <i>Cancer Research</i> , 2022, 82, 6241-6241.	0.9	0
29	A nomogram for predicting three or more axillary lymph node involvement before breast cancer surgery. <i>Scientific Reports</i> , 2022, 12, .	3.4	2
30	Protocol for the postoperative radiotherapy in N1 breast cancer patients (PORT-N1) trial, a prospective multicenter, randomized, controlled, non-inferiority trial of patients receiving breast-conserving surgery or mastectomy. <i>BMC Cancer</i> , 2022, 22, .	2.6	6
31	Preclinical Comparison of the Blood-brain barrier Permeability of Osimertinib with Other EGFR TKIs. <i>Clinical Cancer Research</i> , 2021, 27, 189-201.	7.2	122
32	Interaction of Nrf2 with dimeric STAT3 induces IL-23 expression: Implications for breast cancer progression. <i>Cancer Letters</i> , 2021, 500, 147-160.	7.3	19
33	Identification of breast cancer patients with pathologic complete response in the breast after neoadjuvant systemic treatment by an intelligent vacuum-assisted biopsy. <i>European Journal of Cancer</i> , 2021, 143, 134-146.	2.9	47
34	Association of Insulin, Metformin, and Statin with Mortality in Breast Cancer Patients. <i>Cancer Research and Treatment</i> , 2021, 53, 65-76.	3.0	9
35	Advances in Tumor Sampling and Sequencing in Breast Cancer and their Application in Precision Diagnostics and Therapeutics. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1187, 215-244.	9.0	0
36	S100A8/A9 mediate the reprogramming of normal mammary epithelial cells induced by dynamic cell-cell interactions with adjacent breast cancer cells. <i>Scientific Reports</i> , 2021, 11, 1337.	3.4	19

#	ARTICLE	IF	CITATIONS
37	Correlation between bone mineral density and endometrial thickness over time in women with breast cancer history. <i>Science Progress</i> , 2021, 104, 003685042110005.	1.9	0
38	Fusion Genes in Breast Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1187, 147-157.	9.0	0
39	Is mastectomy with immediate reconstruction safe for patients undergoing neoadjuvant chemotherapy? A nationwide study from Korean Breast Cancer Society. <i>Breast Cancer</i> , 2021, 28, 874-883.	3.0	4
40	Hypofractionated versus conventional fractionated radiotherapy for breast cancer in patients with reconstructed breast: Toxicity analysis. <i>Breast</i> , 2021, 55, 37-44.	2.3	22
41	15-Deoxy- $\Delta^{12,14}$ -prostaglandin J2 Upregulates VEGF Expression via NRF2 and Heme Oxygenase-1 in Human Breast Cancer Cells. <i>Cells</i> , 2021, 10, 526.	4.2	11
42	The Emotional Status, Attitudes in Decision-Making Process, and Their Impact on Surgical Choices in Korean Breast Cancer Patients. <i>Journal of Oncology</i> , 2021, 2021, 1-6.	1.4	1
43	Analysis of BRCA1/2 variants of unknown significance in the prospective Korean Hereditary Breast Cancer study. <i>Scientific Reports</i> , 2021, 11, 8485.	3.4	8
44	Gene-Environment Interactions Relevant to Estrogen and Risk of Breast Cancer: Can Gene-Environment Interactions Be Detected Only among Candidate SNPs from Genome-Wide Association Studies?. <i>Cancers</i> , 2021, 13, 2370.	3.8	4
45	Five-year changes in ovarian function restoration in premenopausal patients with breast cancer taking tamoxifen after chemotherapy: An ASTRRA study report. <i>European Journal of Cancer</i> , 2021, 151, 190-200.	2.9	9
46	Patient-Reported Outcomes From Phase III Neoadjuvant Systemic Trial Comparing Neoadjuvant Chemotherapy With Neoadjuvant Endocrine Therapy in Pre-Menopausal Patients With Estrogen Receptor-Positive and HER2-Negative, Lymph Node-Positive Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 608207.	2.9	1
47	Penetration Depth Modeling and Process Parameter Maps for Laser Welds Using Machine Learning. <i>Journal of Welding and Joining</i> , 2021, 39, 392-401.	1.3	7
48	Axillary Lymph Node Dissection Rates and Prognosis From Phase III Neoadjuvant Systemic Trial Comparing Neoadjuvant Chemotherapy With Neoadjuvant Endocrine Therapy in Pre-Menopausal Patients With Estrogen Receptor-Positive and HER2-Negative, Lymph Node-Positive Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 741120.	2.9	4
49	Analysis of data to Advance Personalised Therapy with MR-Linac (ADAPT-MRL). <i>Clinical and Translational Radiation Oncology</i> , 2021, 31, 64-70.	1.8	3
50	Exploring the influence of counter anions on the structure and magnetic properties of two classical Ni7 disk-like clusters. <i>Polyhedron</i> , 2021, 210, 115483.	2.3	0
51	Next-Generation Sequencing-Based Biomarkers in Breast Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1187, 323-335.	9.0	3
52	Multigene Panel Testing for Hereditary Cancer and Genetic Counseling. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1187, 455-471.	9.0	2
53	STAT3 Stabilizes IKK β Protein through Direct Interaction in Transformed and Cancerous Human Breast Epithelial Cells. <i>Cancers</i> , 2021, 13, 82.	3.8	12
54	Near-infrared image-guided laparoscopic omental flap for breast cancer. <i>Asian Journal of Endoscopic Surgery</i> , 2020, 13, 250-255.	0.8	2

#	ARTICLE	IF	CITATIONS
55	Adding Ovarian Suppression to Tamoxifen for Premenopausal Breast Cancer: A Randomized Phase III Trial. <i>Journal of Clinical Oncology</i> , 2020, 38, 434-443.	5.4	60
56	Development of a Nomogram to Predict the Recurrence Score of 21-Gene Prediction Assay in Hormone Receptor-Positive Early Breast Cancer. <i>Clinical Breast Cancer</i> , 2020, 20, 98-107.e1.	2.6	17
57	Development and Validation of a Next-Generation Sequencing-Based Multigene Assay to Predict the Prognosis of Estrogen Receptor-Positive, HER2-Negative Breast Cancer. <i>Clinical Cancer Research</i> , 2020, 26, 6513-6522.	7.2	8
58	Effect of standard low-dose anthracycline chemotherapy on late congestive heart failure in breast cancer survivors aged between 50 and 59 at diagnosis: A nationwide study. <i>Breast</i> , 2020, 53, 125-129.	2.3	9
59	Breast cancer cell debris diminishes therapeutic efficacy through heme oxygenase-1-mediated inactivation of M1-like tumor-associated macrophages. <i>Neoplasia</i> , 2020, 22, 606-616.	5.3	15
60	Inhibition of Chk1 by miR-320c increases oxaliplatin responsiveness in triple-negative breast cancer. <i>Oncogenesis</i> , 2020, 9, 91.	4.8	16
61	Video-Based Feedback for the Improvement of Surgical Technique. <i>JAMA Surgery</i> , 2020, 155, 1078.	4.5	24
62	Accuracy of Post-Neoadjuvant Chemotherapy Image-Guided Breast Biopsy to Predict Residual Cancer. <i>JAMA Surgery</i> , 2020, 155, e204103.	4.5	63
63	Effects of tamoxifen and aromatase inhibitors on the risk of acute coronary syndrome in elderly breast cancer patients: An analysis of nationwide data. <i>Breast</i> , 2020, 54, 25-30.	2.3	11
64	Prediction of pathologic complete response using image-guided biopsy after neoadjuvant chemotherapy in breast cancer patients selected based on MRI findings: a prospective feasibility trial. <i>Breast Cancer Research and Treatment</i> , 2020, 182, 97-105.	2.5	37
65	Protein Kinase A Catalytic Subunit Is a Molecular Switch that Promotes the Pro-tumoral Function of Macrophages. <i>Cell Reports</i> , 2020, 31, 107643.	6.3	20
66	NAD(P)-dependent steroid dehydrogenase-like is involved in breast cancer cell growth and metastasis. <i>BMC Cancer</i> , 2020, 20, 375.	2.6	12
67	Efficacy of neoadjuvant endocrine therapy compared with neoadjuvant chemotherapy in pre-menopausal patients with oestrogen receptor-positive and HER2-negative, lymph node-positive breast cancer. <i>Breast Cancer Research</i> , 2020, 22, 54.	5.1	37
68	A Nomogram for Predicting Three or More Axillary Lymph Node Involvement before Breast Cancer Surgery. <i>European Journal of Surgical Oncology</i> , 2020, 46, e51-e52.	1.0	0
69	<i>BRAF</i> ^{V600E} Transduction of an SV40-Immortalized Normal Human Thyroid Cell Line Induces Dedifferentiated Thyroid Carcinogenesis in a Mouse Xenograft Model. <i>Thyroid</i> , 2020, 30, 487-500.	4.9	6
70	H-Ras induces Nrf2-Pin1 interaction: Implications for breast cancer progression. <i>Toxicology and Applied Pharmacology</i> , 2020, 402, 115121.	2.9	6
71	OPENchip: an on-chip <i>in situ</i> molecular profiling platform for gene expression analysis and oncogenic mutation detection in single circulating tumour cells. <i>Lab on A Chip</i> , 2020, 20, 912-922.	6.0	14
72	Oncologic outcomes after immediate breast reconstruction following mastectomy: comparison of implant and flap using propensity score matching. <i>BMC Cancer</i> , 2020, 20, 78.	2.6	15

#	ARTICLE	IF	CITATIONS
73	Recurrence at the Nipple-Areola Complex and Safety of Nipple-Sparing Mastectomy. <i>JAMA Surgery</i> , 2020, 155, 364.	4.5	1
74	Recurrence at Nipple-Areola Complex and Safety of Nipple-Sparing Mastectomy—Reply. <i>JAMA Surgery</i> , 2020, 155, 365.	4.5	2
75	Effect of Multimodal Prehabilitation vs Postoperative Rehabilitation on 30-Day Postoperative Complications for Frail Patients Undergoing Resection of Colorectal Cancer. <i>JAMA Surgery</i> , 2020, 155, 233.	4.5	297
76	Efficacy of health coaching and a web-based program on physical activity, weight, and distress management among cancer survivors: A multicenter randomized controlled trial. <i>Psycho-Oncology</i> , 2020, 29, 1105-1114.	2.5	34
77	A Review of the Epidemiology of Breast Cancer in Asia: Focus on Risk Factors. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020, 21, 867-880.	1.2	75
78	PIK3CA H1047R Mutation Associated with a Lower Pathological Complete Response Rate in Triple-Negative Breast Cancer Patients Treated with Anthracycline-Taxane-Based Neoadjuvant Chemotherapy. <i>Cancer Research and Treatment</i> , 2020, 52, 689-696.	3.0	31
79	Detection of Germline Mutations in Breast Cancer Patients with Clinical Features of Hereditary Cancer Syndrome Using a Multi-Gene Panel Test. <i>Cancer Research and Treatment</i> , 2020, 52, 697-713.	3.0	30
80	CXCL-13 Regulates Resistance to 5-Fluorouracil in Colorectal Cancer. <i>Cancer Research and Treatment</i> , 2020, 52, 622-633.	3.0	34
81	Immune recurrence score using 7 immunoregulatory protein expressions can predict recurrence in stage III breast cancer patients. <i>British Journal of Cancer</i> , 2019, 121, 230-236.	6.5	14
82	Risk stratification of triple-negative breast cancer with core gene signatures associated with chemoresponse and prognosis. <i>Breast Cancer Research and Treatment</i> , 2019, 178, 185-197.	2.5	8
83	Evaluation of TP53/PIK3CA mutations using texture and morphology analysis on breast MRI. <i>Magnetic Resonance Imaging</i> , 2019, 63, 60-69.	1.9	14
84	Prognostic effects of abnormal DNA damage response protein expression in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 117-127.	2.5	8
85	Whole Genome Sequencing of Single Circulating Tumor Cells Isolated by Applying a Pulsed Laser to Cell-Capturing Microstructures. <i>Small</i> , 2019, 15, e1902607.	11.0	28
86	Contrasting Epidemiology and Clinicopathology of Female Breast Cancer in Asians vs the US Population. <i>Journal of the National Cancer Institute</i> , 2019, 111, 1298-1306.	6.3	88
87	miR-374a-5p promotes tumor progression by targeting ARRB1 in triple negative breast cancer. <i>Cancer Letters</i> , 2019, 454, 224-233.	7.3	63
88	Prognostic role of body mass index is different according to menopausal status and tumor subtype in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 453-460.	2.5	9
89	Racial disparities in surveillance mammography among older breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 461-467.	2.5	11
90	Tumor Suppressor miRNA-204-5p Regulates Growth, Metastasis, and Immune Microenvironment Remodeling in Breast Cancer. <i>Cancer Research</i> , 2019, 79, 1520-1534.	0.9	133

#	ARTICLE	IF	CITATIONS
91	Retrospectively validating the results of the ACOSOG Z0011 trial in a large Asian Z0011-eligible cohort. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 203-215.	2.5	13
92	Prognostic Impact of Pregnancy in Korean Patients with Breast Cancer. <i>Oncologist</i> , 2019, 24, e1268-e1276.	4.1	11
93	Risk Factors for Recurrence of Malignant Phyllodes Tumors of the Breast. <i>In Vivo</i> , 2019, 33, 263-269.	1.4	12
94	Ki-67 Expression is a Significant Prognostic Factor Only When Progesterone Receptor Expression is Low in Estrogen Receptor-Positive and HER2-Negative Early Breast Cancer. <i>Journal of Oncology</i> , 2019, 2019, 1-8.	1.4	11
95	Clinical Studies Investigating the Use of Leuprorelin in Breast Cancer Patients from Asia. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019, 20, 1475-1479.	1.2	5
96	Abstract 4914: Pregnancy and breast cancer outcomes. <i>Cancer Research</i> , 2019, , .	0.9	0
97	Associations between genetic polymorphisms of membrane transporter genes and prognosis after chemotherapy: meta-analysis and finding from Seoul Breast Cancer Study (SEBCS). <i>Pharmacogenomics Journal</i> , 2018, 18, 633-645.	2.2	10
98	Contrast-enhanced MRI after neoadjuvant chemotherapy of breast cancer: lesion-to-background parenchymal signal enhancement ratio for discriminating pathological complete response from minimal residual tumour. <i>European Radiology</i> , 2018, 28, 2986-2995.	4.6	31
99	Oncologic Safety of Gonadotropin-Releasing Hormone Agonist for Ovarian Function Protection During Breast Cancer Chemotherapy. <i>Clinical Breast Cancer</i> , 2018, 18, e1165-e1172.	2.6	3
100	Association between US features of primary tumor and axillary lymph node metastasis in patients with clinical T1â€“T2N0 breast cancer. <i>Acta Radiologica</i> , 2018, 59, 402-408.	1.2	33
101	Management of benign papilloma without atypia diagnosed at ultrasound-guided core needle biopsy: Scoring system for predicting malignancy. <i>European Journal of Surgical Oncology</i> , 2018, 44, 53-58.	1.0	38
102	Development and validation of the smart management strategy for health assessment tool-short form (SAT-SF) in cancer survivors. <i>Quality of Life Research</i> , 2018, 27, 347-354.	3.2	9
103	Genetic and Clinical Characteristics of Phyllodes Tumors of the Breast. <i>Translational Oncology</i> , 2018, 11, 18-23.	3.8	27
104	Association of preoperative breast MRI features with locoregional recurrence after breast conservation therapy. <i>Acta Radiologica</i> , 2018, 59, 409-417.	1.2	9
105	PHLI-seq: constructing and visualizing cancer genomic maps in 3D by phenotype-based high-throughput laser-aided isolation and sequencing. <i>Genome Biology</i> , 2018, 19, 158.	9.1	19
106	Perspective Insight into Future Potential Fusion Gene Transcript Biomarker Candidates in Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 502.	4.2	18
107	Selection Criteria for Active Surveillance of Patients with Prostate Cancer in Korea: A Multicenter Analysis of Pathology after Radical Prostatectomy. <i>Cancer Research and Treatment</i> , 2018, 50, 265-274.	3.0	12
108	Perceived needs for the information communication technology (ICT)-based personalized health management program, and its association with information provision, health-related quality of life (HRQOL), and decisional conflict in cancer patients. <i>Psycho-Oncology</i> , 2017, 26, 1810-1817.	2.5	9

#	ARTICLE	IF	CITATIONS
109	Recurrence outcomes after omission of postoperative radiotherapy following breast-conserving surgery for ductal carcinoma in situ of the breast: a multicenter, retrospective study in Korea (KROC). <i>TJ ETQq1 1 0.284314 rgBT /Over</i>	2.8	14
110	Who are happy survivors? Physical, psychosocial, and spiritual factors associated with happiness of breast cancer survivors during the transition from cancer patient to survivor. <i>Psycho-Oncology</i> , 2017, 26, 1922-1928.	2.5	27
111	Prognostic value of ABO blood types in young patients with breast cancer; a nationwide study in Korean Breast Cancer Society. <i>Medical Oncology</i> , 2017, 34, 118.	2.7	8
112	Single-cell RNA-seq enables comprehensive tumour and immune cell profiling in primary breast cancer. <i>Nature Communications</i> , 2017, 8, 15081.	13.0	794
113	Opportunistic Biopsy of Internal Mammary Lymph Nodes During Immediate Breast Reconstruction After Mastectomy for Breast Malignancies. <i>Annals of Surgical Oncology</i> , 2017, 24, 1881-1888.	1.9	7
114	Gene expression profiling of calcifications in breast cancer. <i>Scientific Reports</i> , 2017, 7, 11427.	3.4	23
115	Post-clip placement MRI following second-look US-guided core biopsy for suspicious lesions identified on breast MRI. <i>European Radiology</i> , 2017, 27, 5196-5203.	4.6	6
116	Outcome following sentinel lymph node biopsy-guided decisions in breast cancer patients with conversion from positive to negative axillary lymph nodes after neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 473-480.	2.5	34
117	Breast Cancer Screening With Mammography Plus Ultrasonography or Magnetic Resonance Imaging in Women 50 Years or Younger at Diagnosis and Treated With Breast Conservation Therapy. <i>JAMA Oncology</i> , 2017, 3, 1495.	7.3	118
118	An objective nodal staging system for breast cancer patients undergoing neoadjuvant systemic treatment. <i>BMC Cancer</i> , 2017, 17, 389.	2.6	3
119	Diagnostic performance enhancement of pancreatic cancer using proteomic multimarker panel. <i>Oncotarget</i> , 2017, 8, 93117-93130.	1.9	29
120	Reproductive factors as risk modifiers of breast cancer in <i>BRCA</i> mutation carriers and high-risk non-carriers. <i>Oncotarget</i> , 2017, 8, 102110-102118.	1.9	23
121	Time interval of neoadjuvant chemotherapy to surgery in breast cancer: how long is acceptable?. <i>Gland Surgery</i> , 2017, 6, 1-3.	1.1	8
122	Transition into inflammatory cancer-associated adipocytes in breast cancer microenvironment requires microRNA regulatory mechanism. <i>PLoS ONE</i> , 2017, 12, e0174126.	2.5	49
123	Risk Reduction of Breast Cancer by Childbirth, Breastfeeding, and Their Interaction in Korean Women: Heterogeneous Effects Across Menopausal Status, Hormone Receptor Status, and Pathological Subtypes. <i>Journal of Preventive Medicine and Public Health</i> , 2017, 50, 401-410.	1.8	17
124	Efficacy of Letrozole as First-Line Treatment of Postmenopausal Women with Hormone Receptor-Positive Metastatic Breast Cancer in Korea. <i>Cancer Research and Treatment</i> , 2017, 49, 454-463.	3.0	1
125	Prevalence of Mutations in Discoidin Domain-Containing Receptor Tyrosine Kinase 2 (DDR2) in Squamous Cell Lung Cancers in Korean Patients. <i>Cancer Research and Treatment</i> , 2017, 49, 1065-1076.	3.0	11
126	Bilateral Salpingo-oophorectomy Compared to Gonadotropin-Releasing Hormone Agonists in Premenopausal Hormone Receptor-Positive Metastatic Breast Cancer Patients Treated with Aromatase Inhibitors. <i>Cancer Research and Treatment</i> , 2017, 49, 1153-1163.	3.0	10

#	ARTICLE	IF	CITATIONS
127	Can We Skip Intraoperative Evaluation of Sentinel Lymph Nodes? Nomogram Predicting Involvement of Three or More Axillary Lymph Nodes before Breast Cancer Surgery. <i>Cancer Research and Treatment</i> , 2017, 49, 1088-1096.	3.0	24
128	The treatment outcomes and the use of adjuvant therapies in breast cancer patients with severe co-morbidities. <i>PLoS ONE</i> , 2017, 12, e0173721.	2.5	4
129	Abstract 4786: Integrated exome and transcriptome sequencing identifies a novel candidate for breast cancer. <i>Cancer Research</i> , 2017, , .	0.9	0
130	Abstract 1276: Gene-environment interaction relevant to estrogen and risk of breast cancer. <i>Cancer Research</i> , 2017, , .	0.9	0
131	Actual Conversion Rate from Total Mastectomy to Breast Conservation after Neoadjuvant Chemotherapy for Stages II–III Breast Cancer Patients. <i>Journal of Breast Disease</i> , 2017, 5, 51-56.	0.2	3
132	Association between Ultrasound Features and the 21-Gene Recurrence Score Assays in Patients with Oestrogen Receptor-Positive, HER2-Negative, Invasive Breast Cancer. <i>PLoS ONE</i> , 2016, 11, e0158461.	2.5	17
133	Attribution to Heterogeneous Risk Factors for Breast Cancer Subtypes Based on Hormone Receptor and Human Epidermal Growth Factor 2 Receptor Expression in Korea. <i>Medicine (United States)</i> , 2016, 95, e3063.	1.1	15
134	A Comparative Study of Daily 3-Gy Hypofractionated and 1.8-Gy Conventional Breast Irradiation in Early-Stage Breast Cancer. <i>Medicine (United States)</i> , 2016, 95, e3320.	1.1	4
135	The role of the addition of ovarian suppression to tamoxifen in young women with hormone-sensitive breast cancer who remain premenopausal or regain menstruation after chemotherapy (ASTRRA): study protocol for a randomized controlled trial and progress. <i>BMC Cancer</i> , 2016, 16, 319.	2.6	20
136	Enhancement of Capture Sensitivity for Circulating Tumor Cells in a Breast Cancer Patient's Blood by Silicon Nanowire Platform. <i>Journal of Biomedical Nanotechnology</i> , 2016, 12, 645-655.	1.2	4
137	Factors associated with late recurrence after completion of 5-year adjuvant tamoxifen in estrogen receptor positive breast cancer. <i>BMC Cancer</i> , 2016, 16, 430.	2.6	15
138	Overexpression of HIF1 α and CAXI predicts poor outcome in early-stage triple negative breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 183-190.	2.9	41
139	Information theoretic sub-network mining characterizes breast cancer subtypes in terms of cancer core mechanisms. <i>Journal of Bioinformatics and Computational Biology</i> , 2016, 14, 1644002.	0.8	2
140	Association between partial-volume corrected SUVmax and Oncotype DX recurrence score in early-stage, ER-positive/HER2-negative invasive breast cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1574-1584.	6.6	10
141	Prognostic impact of AJCC response criteria for neoadjuvant chemotherapy in stage II/III breast cancer patients: breast cancer subtype analyses. <i>BMC Cancer</i> , 2016, 16, 515.	2.6	11
142	Integrative analysis of mutational and transcriptional profiles reveals driver mutations of metastatic breast cancers. <i>Cell Discovery</i> , 2016, 2, 16025.	6.9	79
143	The Spatial Relationship of Malignant and Benign Breast Lesions with Respect to the Fat-Gland Interface on Magnetic Resonance Imaging. <i>Scientific Reports</i> , 2016, 6, 39085.	3.4	10
144	Tumor growth rate of invasive breast cancers during wait times for surgery assessed by ultrasonography. <i>Medicine (United States)</i> , 2016, 95, e4874.	1.1	46

#	ARTICLE	IF	CITATIONS
145	Pretreatment MR Imaging Features of Triple-Negative Breast Cancer: Association with Response to Neoadjuvant Chemotherapy and Recurrence-Free Survival. <i>Radiology</i> , 2016, 281, 392-400.	8.5	110
146	Reliability of Computer-Assisted Breast Density Estimation: Comparison of Interactive Thresholding, Semiautomated, and Fully Automated Methods. <i>American Journal of Roentgenology</i> , 2016, 207, 126-134.	2.8	6
147	Loss of ataxia-telangiectasia-mutated protein expression correlates with poor prognosis but benefits from anthracycline-containing adjuvant chemotherapy in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2016, 158, 233-241.	2.5	11
148	Prognostic implication of serum hepatocyte growth factor in stage II/III breast cancer patients who received neoadjuvant chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 707-714.	2.6	8
149	Oncogenic role of SIRT1 associated with tumor invasion, lymph node metastasis, and poor disease-free survival in triple negative breast cancer. <i>Clinical and Experimental Metastasis</i> , 2016, 33, 179-185.	3.5	36
150	New insight on the biological role of p53 protein as a tumor suppressor: re-evaluation of its clinical significance in triple-negative breast cancer. <i>Tumor Biology</i> , 2016, 37, 11017-11024.	1.7	21
151	Early Stage Triple-Negative Breast Cancer: Imaging and Clinical-Pathologic Factors Associated with Recurrence. <i>Radiology</i> , 2016, 278, 356-364.	8.5	43
152	Enhanced anti-tumor activity and cytotoxic effect on cancer stem cell population of metformin-butyrate compared with metformin HCl in breast cancer. <i>Oncotarget</i> , 2016, 7, 38500-38512.	1.9	24
153	FKBP14 overexpression contributes to osteosarcoma carcinogenesis and indicates poor survival outcome. <i>Oncotarget</i> , 2016, 7, 39872-39884.	1.9	15
154	Effect of Time Interval between Breast-Conserving Surgery and Radiation Therapy on Outcomes of Node-Positive Breast Cancer Patients Treated with Adjuvant Doxorubicin/Cyclophosphamide Followed by Taxane. <i>Cancer Research and Treatment</i> , 2016, 48, 483-490.	3.0	12
155	Delay of Treatment Initiation Does Not Adversely Affect Survival Outcome in Breast Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 962-969.	3.0	30
156	Nomograms to Predict Positive Resection Margin and to Predict Three or More Positive Lymph Nodes. , 2016, , 335-345.		0
157	Accelerated whole breast irradiation in early breast cancer patients with adverse prognostic features. <i>Oncotarget</i> , 2016, 7, 81888-81898.	1.9	1
158	Reduced proliferation in breast cancer cells contacting the neighboring adipocytes in human breast cancer tissues. <i>Breast Cancer Research</i> , 2015, 17, 90.	5.1	4
159	Recurrent fusion transcripts detected by whole-transcriptome sequencing of 120 primary breast cancer samples. <i>Genes Chromosomes and Cancer</i> , 2015, 54, 681-691.	3.2	40
160	The use of FNA samples for whole-exome sequencing and detection of somatic mutations in breast cancer surgical specimens. <i>Cancer Cytopathology</i> , 2015, 123, 669-677.	2.5	12
161	Patient-reported assessment of self-management strategies of health in cancer patients: development and validation of the Smart Management Strategy for Health Assessment Tool (SAT). <i>Psycho-Oncology</i> , 2015, 24, 1723-1730.	2.5	24
162	Prediction of Breast Cancer Survival Using Clinical and Genetic Markers by Tumor Subtypes. <i>PLoS ONE</i> , 2015, 10, e0122413.	2.5	14

#	ARTICLE	IF	CITATIONS
163	Tumor Subtype-Specific Associations of Hormone-Related Reproductive Factors on Breast Cancer Survival. <i>PLoS ONE</i> , 2015, 10, e0123994.	2.5	17
164	In Vivo Tumor Growth Rate Measured by US in Preoperative Period and Long Term Disease Outcome in Breast Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0144144.	2.5	20
165	Nomogram for Predicting Breast Conservation after Neoadjuvant Chemotherapy. <i>Cancer Research and Treatment</i> , 2015, 47, 197-207.	3.0	8
166	Correlation between 18F-FDG uptake on PET/CT and prognostic factors in triple-negative breast cancer. <i>European Radiology</i> , 2015, 25, 3314-3321.	4.6	35
167	A histomorphologic predictive model for axillary lymph node metastasis in preoperative breast cancer core needle biopsy according to intrinsic subtypes. <i>Human Pathology</i> , 2015, 46, 246-254.	2.3	9
168	Drug response of captured BT20 cells and evaluation of circulating tumor cells on a silicon nanowire platform. <i>Biosensors and Bioelectronics</i> , 2015, 67, 370-378.	10.3	10
169	Heterogeneity of triple-negative breast cancer: mammographic, US, and MR imaging features according to androgen receptor expression. <i>European Radiology</i> , 2015, 25, 419-427.	4.6	23
170	Reappraisal of Conventional Risk Stratification for Local Recurrence Based on Clinical Outcomes in 285 Resected Phyllodes Tumors of the Breast. <i>Annals of Surgical Oncology</i> , 2015, 22, 2912-2918.	1.9	67
171	The Value of Ki67 in Very Young Women with Hormone Receptor-Positive Breast Cancer: Retrospective Analysis of 9,321 Korean Women. <i>Annals of Surgical Oncology</i> , 2015, 22, 3481-3488.	1.9	20
172	Breast Cancer: Radiogenomic Biomarker Reveals Associations among Dynamic Contrast-enhanced MR Imaging, Long Noncoding RNA, and Metastasis. <i>Radiology</i> , 2015, 275, 384-392.	8.5	111
173	Impact of Chemotherapy-Induced Ovarian Dysfunction on Response to Neoadjuvant Chemotherapy in Breast Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 391-397.	1.9	1
174	A Possible Association Between Thyroid Cancer and Breast Cancer. <i>Thyroid</i> , 2015, 25, 1330-1338.	4.9	63
175	Prognostic and functional importance of the engraftment-associated genes in the patient-derived xenograft models of triple-negative breast cancers. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 13-22.	2.5	63
176	Metformin intervention in obese non-diabetic patients with breast cancer: phase II randomized, double-blind, placebo-controlled trial. <i>Breast Cancer Research and Treatment</i> , 2015, 153, 361-370.	2.5	18
177	Personalization of Loco-Regional Care for Primary Breast Cancer Patients (Part 1). <i>Future Oncology</i> , 2015, 11, 1297-1300.	2.4	5
178	Personalization of Loco-Regional Care for Primary Breast Cancer Patients (Part 2). <i>Future Oncology</i> , 2015, 11, 1301-1305.	2.4	3
179	Breast Cancer Recurrence in Patients with Newly Diagnosed Breast Cancer without and with Preoperative MR Imaging: A Matched Cohort Study. <i>Radiology</i> , 2015, 276, 695-705.	8.5	37
180	Expression of SIRT1 and apoptosis-related proteins is predictive for lymph node metastasis and disease-free survival in luminal A breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 563-570.	2.9	24

#	ARTICLE	IF	CITATIONS
181	Shear-Wave Elastography for the Detection of Residual Breast Cancer After Neoadjuvant Chemotherapy. <i>Annals of Surgical Oncology</i> , 2015, 22, 376-384.	1.9	26
182	<i><sc>ABC</sc>1</i> polymorphism as prognostic factor in breast cancer patients treated with docetaxel and doxorubicin neoadjuvant chemotherapy. <i>Cancer Science</i> , 2015, 106, 86-93.	4.0	61
183	Ultrasound screening of contralateral breast after surgery for breast cancer. <i>European Journal of Radiology</i> , 2015, 84, 54-60.	2.7	15
184	Location of Triple-Negative Breast Cancers: Comparison with Estrogen Receptor-Positive Breast Cancers on MR Imaging. <i>PLoS ONE</i> , 2015, 10, e0116344.	2.5	9
185	The Clinical Significance and Molecular Features of the Spatial Tumor Shapes in Breast Cancers. <i>PLoS ONE</i> , 2015, 10, e0143811.	2.5	16
186	The Clinical Impact of 21-Gene Recurrence Score on Treatment Decisions for Patients with Hormone Receptor-Positive Early Breast Cancer in Korea. <i>Cancer Research and Treatment</i> , 2015, 47, 208-214.	3.0	23
187	Breast Cancer: Serum TPS as a Biomarker. <i>Biomarkers in Disease</i> , 2015, , 417-427.	0.0	1
188	Abstract P1-12-07: Characteristics of recurrence after completing adjuvant tamoxifen therapy for 5 years. <i>Cancer Research</i> , 2015, , .	0.9	0
189	The Effect of Cold Ischemic Time on Immunohistochemical Evaluation of Invasive Ductal Carcinoma. <i>Journal of Breast Disease</i> , 2015, 3, 60-64.	0.2	0
190	The Roles of Modern Breast Imaging Techniques for Evaluation of Lobular Carcinoma &In Situ& of the Breast. <i>Journal of Breast Disease</i> , 2015, 3, 71-76.	0.2	1
191	Breast Cancer: Early Prediction of Response to Neoadjuvant Chemotherapy Using Parametric Response Maps for MR Imaging. <i>Radiology</i> , 2014, 272, 385-396.	8.5	84
192	Breast MR Imaging Screening in Women with a History of Breast Conservation Therapy. <i>Radiology</i> , 2014, 272, 366-373.	8.5	85
193	Heterogeneity of epidemiological factors by breast tumor subtypes in Korean women: A case-case study. <i>International Journal of Cancer</i> , 2014, 135, 669-681.	5.4	14
194	Breast Cancer: Serum TPS as a Biomarker. , 2014, , 1-9.		0
195	Phase II randomized trial of neoadjuvant metformin plus letrozole versus placebo plus letrozole for estrogen receptor positive postmenopausal breast cancer (METEOR). <i>BMC Cancer</i> , 2014, 14, 170.	2.6	55
196	Shear-Wave Elastographic Features of Breast Cancers. <i>Investigative Radiology</i> , 2014, 49, 147-155.	6.3	39
197	Effect of Axillary Lymph Node Dissection after Sentinel Lymph Node Biopsy on Overall Survival in Patients with T1 or T2 Node-positive Breast Cancer: Report from the Korean Breast Cancer Society. <i>Annals of Surgical Oncology</i> , 2014, 21, 1231-1236.	1.9	21
198	The Associations between Immunity-Related Genes and Breast Cancer Prognosis in Korean Women. <i>PLoS ONE</i> , 2014, 9, e103593.	2.5	18

#	ARTICLE	IF	CITATIONS
199	Treatment outcome of ductal carcinoma <i>in situ</i> patients treated with postoperative radiation therapy. <i>Radiation Oncology Journal</i> , 2014, 32, 1.	1.5	3
200	Adenoid Cystic Carcinoma of the Breast: A Case Series of Six Patients and Literature Review. <i>Cancer Research and Treatment</i> , 2014, 46, 93-97.	3.0	34
201	A New Isolated Mediastinal Lymph Node or Small Pulmonary Nodule Arising during Breast Cancer Surveillance Following Curative Surgery: Clinical Factors That Differentiate Malignant from Benign Lesions. <i>Cancer Research and Treatment</i> , 2014, 46, 280-287.	3.0	2
202	Serum Adiponectin but not Leptin at Diagnosis as a Predictor of Breast Cancer Survival. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 6137-6143.	1.2	13
203	Abstract 3273: Genetic variation in obesity-related genes and breast cancer risk in the Seoul Breast Cancer Study. , 2014, , .		0
204	Predictive value of FDG PET/CT for pathologic axillary node involvement after neoadjuvant chemotherapy. <i>Breast Cancer</i> , 2013, 20, 167-173.	3.0	17
205	Breast-Conserving Surgery After Tumor Downstaging by Neoadjuvant Chemotherapy is Oncologically Safe for Stage III Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , 2013, 20, 2582-2589.	1.9	52
206	Association between chronological change of reproductive factors and breast cancer risk defined by hormone receptor status: results from the Seoul Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , 2013, 140, 557-565.	2.5	27
207	Association of Tumour Stiffness on Sonoelastography with Axillary Nodal Status in T1 Breast Carcinoma Patients. <i>European Radiology</i> , 2013, 23, 2979-2987.	4.6	21
208	Mammographic features of calcifications in DCIS: correlation with oestrogen receptor and human epidermal growth factor receptor 2 status. <i>European Radiology</i> , 2013, 23, 2072-2078.	4.6	29
209	Impact of genetic polymorphisms in base excision repair genes on the risk of breast cancer in a Korean population. <i>Gene</i> , 2013, 532, 192-196.	2.3	21
210	Prognostic effect of preoperative serum estradiol level in postmenopausal breast cancer. <i>BMC Cancer</i> , 2013, 13, 503.	2.6	24
211	Clinical Usefulness of AJCC Response Criteria for Neoadjuvant Chemotherapy in Breast Cancer. <i>Annals of Surgical Oncology</i> , 2013, 20, 2242-2249.	1.9	13
212	Ovarian cysts during tamoxifen use may affect the prognostic markers of premenopausal breast cancer. <i>Gynecological Endocrinology</i> , 2013, 29, 16-19.	1.5	5
213	Grade of Ductal Carcinoma In Situ Accompanying Infiltrating Ductal Carcinoma As an Independent Prognostic Factor. <i>Clinical Breast Cancer</i> , 2013, 13, 385-391.	2.6	16
214	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , 2013, 22, 2539-2550.	3.0	87
215	The prevalence of BRCA mutations among familial breast cancer patients in Korea: results of the Korean Hereditary Breast Cancer study. <i>Familial Cancer</i> , 2013, 12, 75-81.	2.0	44
216	Preoperative serum tissue polypeptide-specific antigen is a valuable prognostic marker in breast cancer. <i>International Journal of Cancer</i> , 2013, 132, 875-881.	5.4	24

#	ARTICLE	IF	CITATIONS
217	Patient Age and Tumor Size Determine the Cancer Yield of Preoperative Bilateral Breast MRI in Women With Ductal Carcinoma In Situ. <i>American Journal of Roentgenology</i> , 2013, 201, 684-691.	2.8	11
218	Unilateral Breast Cancer: Screening of Contralateral Breast by Using Preoperative MR Imaging Reduces Incidence of Metachronous Cancer. <i>Radiology</i> , 2013, 267, 57-66.	8.5	56
219	New Breast Cancer Risk Variant Discovered at 10q25 in East Asian Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1297-1303.	1.9	5
220	Survival Outcomes of Breast Cancer Patients Who Receive Neoadjuvant Chemotherapy: Association with Dynamic Contrast-enhanced MR Imaging with Computer-aided Evaluation. <i>Radiology</i> , 2013, 268, 662-672.	8.5	48
221	STAT3-RANTES Autocrine Signaling Is Essential for Tamoxifen Resistance in Human Breast Cancer Cells. <i>Molecular Cancer Research</i> , 2013, 11, 31-42.	3.5	69
222	Establishment and characterization of seven human breast cancer cell lines including two triple-negative cell lines. <i>International Journal of Oncology</i> , 2013, 43, 2073-2081.	3.1	6
223	Breast Cancer Molecular Phenotype and the Use of HER2-Targeted Agents Influence the Accuracy of Breast MRI After Neoadjuvant Chemotherapy. <i>Annals of Surgery</i> , 2013, 257, 133-137.	4.4	36
224	Korean Risk Assessment Model for Breast Cancer Risk Prediction. <i>PLoS ONE</i> , 2013, 8, e76736.	2.5	47
225	Personalized treatment in breast cancer. <i>Korean Journal of Clinical Oncology</i> , 2013, 9, 1-4.	0.1	0
226	Abstract A014: A clinically relevant prognostic mRNA signature for triple-negative breast cancer developed from the patient-derived xenograft model. <i>Molecular Cancer Research</i> , 2013, , .	3.5	0
227	A genome-wide association study identifies a breast cancer risk variant in ERBB4 at 2q34: results from the Seoul Breast Cancer Study. <i>Breast Cancer Research</i> , 2012, 14, R56.	5.1	122
228	Breast density change as a predictive surrogate for response to adjuvant endocrine therapy in hormone receptor positive breast cancer. <i>Breast Cancer Research</i> , 2012, 14, R102.	5.1	88
229	Nomogram for predicting positive resection margins after breast-conserving surgery. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1115-1123.	2.5	45
230	Estrogen receptor status confers a distinct pattern of response to neoadjuvant chemotherapy: implications for optimal durations of therapy. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1133-1140.	2.5	13
231	Preoperative systemic therapy in locoregional management of early breast cancer: highlights from the Kyoto Breast Cancer Consensus Conference. <i>Breast Cancer Research and Treatment</i> , 2012, 136, 919-926.	2.5	5
232	Limited Value and Utility of Breast MRI in Patients Undergoing Breast-Conserving Cancer Surgery. <i>Annals of Surgical Oncology</i> , 2012, 19, 2572-2579.	1.9	52
233	BRCA2 Fine-Tunes the Spindle Assembly Checkpoint through Reinforcement of BubR1 Acetylation. <i>Developmental Cell</i> , 2012, 22, 295-308.	7.0	72
234	Magnetic resonance imaging evaluation of residual ductal carcinoma in situ following preoperative chemotherapy in breast cancer patients. <i>European Journal of Radiology</i> , 2012, 81, 737-743.	2.7	13

#	ARTICLE	IF	CITATIONS
235	Phosphorylation of p90RSK is associated with increased response to neoadjuvant chemotherapy in ER-positive breast cancer. <i>BMC Cancer</i> , 2012, 12, 585.	2.6	10
236	Prediction of axillary lymph node metastasis in primary breast cancer patients using a decision tree-based model. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 54.	3.1	37
237	Factors associated with upstaging from ductal carcinoma in situ following core needle biopsy to invasive cancer in subsequent surgical excision. <i>Breast</i> , 2012, 21, 641-645.	2.3	65
238	Evaluation of tumor extent in breast cancer patients using real-time MR navigated ultrasound: Preliminary study. <i>European Journal of Radiology</i> , 2012, 81, 3208-3215.	2.7	21
239	Outcome of breast lesions detected at screening ultrasonography. <i>European Journal of Radiology</i> , 2012, 81, 3229-3233.	2.7	16
240	Present Condition Analysis of Physician Assistant in Korea. <i>Journal of Korean Medical Science</i> , 2012, 27, 981.	4.0	5
241	Prognostic influence of BCL2 expression in breast cancer. <i>International Journal of Cancer</i> , 2012, 131, E1109-19.	5.4	50
242	Comparison of diffusion-weighted MR imaging and FDG PET/CT to predict pathological complete response to neoadjuvant chemotherapy in patients with breast cancer. <i>European Radiology</i> , 2012, 22, 18-25.	4.6	92
243	Imaging sensitivity of dedicated positron emission mammography in relation to tumor size. <i>Breast</i> , 2012, 21, 66-71.	2.3	73
244	SNP-SNP interactions between DNA repair genes were associated with breast cancer risk in a Korean population. <i>Cancer</i> , 2012, 118, 594-602.	4.1	34
245	COX2 overexpression is a prognostic marker for Stage III breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 51-59.	2.5	52
246	Clinical outcome of central nervous system metastases from breast cancer: differences in survival depending on systemic treatment. <i>Journal of Neuro-Oncology</i> , 2012, 106, 303-313.	3.0	67
247	Common Genetic Variants Associated with Breast Cancer in Korean Women and Differential Susceptibility According to Intrinsic Subtype. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 793-798.	1.9	68
248	Ki-67 can be used for further classification of triple negative breast cancer into two subtypes with different response and prognosis. <i>Breast Cancer Research</i> , 2011, 13, R22.	5.1	191
249	Impact of delayed radiotherapy on local control in node-negative breast cancer patients treated with breast-conserving surgery and adjuvant radiotherapy without chemotherapy. <i>Tumori</i> , 2011, 97, 341-344.	1.1	10
250	17p12 deletion in breast cancer predicts resistance to neoadjuvant chemotherapy. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 799-804.	1.8	4
251	The CD49d+/high subpopulation from isolated human breast sarcoma spheres possesses tumor-initiating ability. <i>International Journal of Oncology</i> , 2011, 40, 665-72.	3.1	13
252	Characteristics of breast cancers detected by ultrasound screening in women with negative mammograms. <i>Cancer Science</i> , 2011, 102, 1862-1867.	4.0	40

#	ARTICLE	IF	CITATIONS
253	Age <40 Years is an Independent Prognostic Factor Predicting Inferior Overall Survival in Patients Treated with Breast Conservative Therapy. <i>Breast Journal</i> , 2011, 17, 75-78.	1.1	9
254	The value of preoperative staging chest computed tomography to detect asymptomatic lung and liver metastasis in patients with primary breast carcinoma. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 637-641.	2.5	47
255	Young age is associated with ipsilateral breast tumor recurrence after breast conserving surgery and radiation therapy in patients with HER2-positive/ER-negative subtype. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 499-505.	2.5	31
256	Nomogram predicting clinical outcomes in breast cancer patients treated with neoadjuvant chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 1301-1308.	2.6	34
257	Prognostic Significance of Young Age (<35 Years) by Subtype Based on ER, PR, and HER2 Status in Breast Cancer: A Nationwide Registry-Based Study. <i>World Journal of Surgery</i> , 2011, 35, 1244-1253.	1.4	65
258	Early metabolic response using FDG PET/CT and molecular phenotypes of breast cancer treated with neoadjuvant chemotherapy. <i>BMC Cancer</i> , 2011, 11, 452.	2.6	63
259	Management of Ultrasonographically Detected Benign Papillomas of the Breast at Core Needle Biopsy. <i>American Journal of Roentgenology</i> , 2011, 196, 723-729.	2.8	58
260	A Serum Protein Profile Predictive of the Resistance to Neoadjuvant Chemotherapy in Advanced Breast Cancers. <i>Molecular and Cellular Proteomics</i> , 2011, 10, M111.011023.	3.9	42
261	Prognostic Factors Affecting the Outcome of Salvage Radiotherapy for Isolated Locoregional Recurrence After Mastectomy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2010, 33, 23-27.	1.3	14
262	Characterization of molecular subtypes of Korean breast cancer: An ethnically and clinically distinct population. <i>International Journal of Oncology</i> , 2010, 37, 51-9.	3.1	0
263	Regularized multivariate regression for identifying master predictors with application to integrative genomics study of breast cancer. <i>Annals of Applied Statistics</i> , 2010, 4, .	1.1	185
264	Risk of carcinoma after subsequent excision of benign papilloma initially diagnosed with an ultrasound (US)-guided 14-gauge core needle biopsy: a prospective observational study. <i>European Radiology</i> , 2010, 20, 1093-1100.	4.6	63
265	Relationship between age at diagnosis and outcome of premenopausal breast cancer: age less than 35 years is a reasonable cut-off for defining young age-onset breast cancer. <i>Breast Cancer Research and Treatment</i> , 2010, 119, 193-200.	2.5	133
266	Cost-effectiveness analysis of 5 years of postoperative adjuvant tamoxifen therapy for Korean women with breast cancer: Retrospective cohort study of the Korean Breast Cancer Society database. <i>Clinical Therapeutics</i> , 2010, 32, 1122-1138.	2.3	9
267	Prognostic factors for recurrent breast cancer patients with an isolated, limited number of lung metastases and implications for pulmonary metastasectomy. <i>Cancer</i> , 2010, 116, 2890-2901.	4.1	54
268	Comparable Survival Between pN0 Breast Cancer Patients Undergoing Sentinel Node Biopsy and Extensive Axillary Dissection: A Report From the Korean Breast Cancer Society. <i>Journal of Clinical Oncology</i> , 2010, 28, 1692-1699.	5.4	25
269	Metaplastic Breast Carcinoma: Clinicopathologic Features and Prognostic Value of Triple Negativity. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 112-118.	1.3	42
270	Reply to M.-H. Tan et al. <i>Journal of Clinical Oncology</i> , 2010, 28, e178-e179.	5.4	0

#	ARTICLE	IF	CITATIONS
271	Diffusion-weighted MR Imaging: Pretreatment Prediction of Response to Neoadjuvant Chemotherapy in Patients with Breast Cancer. <i>Radiology</i> , 2010, 257, 56-63.	8.5	253
272	Estrogen and progesterone receptor status affect genome-wide DNA methylation profile in breast cancer. <i>Human Molecular Genetics</i> , 2010, 19, 4273-4277.	3.0	80
273	Evaluation of Psychosocial Impact and Quality of Life in BRCA Mutation Family. <i>Journal of Genetic Medicine</i> , 2010, 7, 67-77.	0.2	3
274	Autoantibody to Tumor Antigen, Alpha 2-HS Glycoprotein: A Novel Biomarker of Breast Cancer Screening and Diagnosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1357-1364.	1.9	57
275	Preoperative Sonographic Classification of Axillary Lymph Nodes in Patients With Breast Cancer: Node-to-Node Correlation With Surgical Histology and Sentinel Node Biopsy Results. <i>American Journal of Roentgenology</i> , 2009, 193, 1731-1737.	2.8	123
276	Candidate gene approach evaluates association between innate immunity genes and breast cancer risk in Korean women. <i>Carcinogenesis</i> , 2009, 30, 1528-1531.	2.8	59
277	Underweight and Breast Cancer Recurrence and Death: A Report From the Korean Breast Cancer Society. <i>Journal of Clinical Oncology</i> , 2009, 27, 5899-5905.	5.4	94
278	Clinical significance of axillary nodal ratio in stage II/III breast cancer treated with neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2009, 116, 153-160.	2.5	41
279	Low contribution of BRCA1/2 genomic rearrangement to high-risk breast cancer in the Korean population. <i>Familial Cancer</i> , 2009, 8, 505-508.	2.0	20
280	Results of breast-conserving therapy for multifocal or multicentric breast cancers. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2009, 5, 200-205.	1.3	1
281	Ki-67 Expression Gives Additional Prognostic Information on St. Gallen 2007 and Adjuvant! Online Risk Categories in Early Breast Cancer. <i>Annals of Surgical Oncology</i> , 2009, 16, 1112-1121.	1.9	77
282	The accuracy of preoperative core biopsy in determining histologic grade, hormone receptors, and human epidermal growth factor receptor 2 status in invasive breast cancer. <i>American Journal of Surgery</i> , 2009, 197, 266-269.	1.7	57
283	CASP8 polymorphisms, estrogen and progesterone receptor status, and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2008, 110, 387-393.	2.5	15
284	Scoring system for predicting malignancy in patients diagnosed with atypical ductal hyperplasia at ultrasound-guided core needle biopsy. <i>Breast Cancer Research and Treatment</i> , 2008, 112, 189-195.	2.5	71
285	Sonographic lesion size of ductal carcinoma in situ as a preoperative predictor for the presence of an invasive focus. <i>Journal of Surgical Oncology</i> , 2008, 98, 15-20.	1.7	48
286	Genomic copy number alterations as predictive markers of systemic recurrence in breast cancer. <i>International Journal of Cancer</i> , 2008, 123, 1807-1815.	5.4	41
287	DNA copy number alterations and expression of relevant genes in triple-negative breast cancer. <i>Genes Chromosomes and Cancer</i> , 2008, 47, 490-499.	3.2	93
288	What Is the Best?. <i>Annals of Surgical Oncology</i> , 2008, 15, 3317-3317.	1.9	2

#	ARTICLE	IF	CITATIONS
289	A Scoring System to Predict Nonsentinel Lymph Node Status in Breast Cancer Patients with Metastatic Sentinel Lymph Nodes: A Comparison with Other Scoring Systems. <i>Annals of Surgical Oncology</i> , 2008, 15, 2278-2286.	1.9	42
290	ESR1 gene amplification in breast cancer: a common phenomenon?. <i>Nature Genetics</i> , 2008, 40, 807-808.	20.2	53
291	CD24 cross-linking induces apoptosis in, and inhibits migration of, MCF-7 breast cancer cells. <i>BMC Cancer</i> , 2008, 8, 118.	2.6	13
292	The clinicopathologic characteristics and prognostic significance of triple-negativity in node-negative breast cancer. <i>BMC Cancer</i> , 2008, 8, 307.	2.6	111
293	Fatigue and Depression in Disease-Free Breast Cancer Survivors: Prevalence, Correlates, and Association with Quality of Life. <i>Journal of Pain and Symptom Management</i> , 2008, 35, 644-655.	1.2	221
294	Ongoing debates in the assessment of the HER2 status in breast cancer: A comparative analysis by immunohistochemistry and FISH using original FDA and ASCO/CAP guidelines. <i>Basic and Applied Pathology</i> , 2008, 1, 182-188.	0.2	1
295	Berberine Diminishes the Side Population and ABCG2 Transporter Expression in MCF-7 Breast Cancer Cells. <i>Planta Medica</i> , 2008, 74, 1693-1700.	1.8	43
296	Berberine Inhibits Growth of the Breast Cancer Cell Lines MCF-7 and MDA-MB-231. <i>Planta Medica</i> , 2008, 74, 39-42.	1.8	50
297	Results of Breast Conserving Surgery and Subsequent Postoperative Radiotherapy for Cases of Breast Cancer. <i>Radiation Oncology Journal</i> , 2008, 26, 142.	1.5	2
298	Poor Outcome of Hormone Receptor-Positive Breast Cancer at Very Young Age Is Due to Tamoxifen Resistance: Nationwide Survival Data in Korea—A Report From the Korean Breast Cancer Society. <i>Journal of Clinical Oncology</i> , 2007, 25, 2360-2368.	5.4	219
299	BRCA1 and BRCA2 germline mutations in Korean breast cancer patients at high risk of carrying mutations. <i>Cancer Letters</i> , 2007, 245, 90-95.	7.3	52
300	Isolation of CD24 ^{high} and CD24 ^{low} cells from MCF-7: CD24 expression is positively related with proliferation, adhesion and invasion in MCF-7. <i>Cancer Letters</i> , 2007, 258, 98-108.	7.3	33
301	Peroxiredoxin I and II inhibit H ₂ O ₂ -induced cell death in MCF-7 cell lines. <i>Journal of Cellular Biochemistry</i> , 2007, 101, 1038-1045.	2.6	47
302	Prognostic impact of clinicopathologic parameters in stage II/III breast cancer treated with neoadjuvant docetaxel and doxorubicin chemotherapy: paradoxical features of the triple negative breast cancer. <i>BMC Cancer</i> , 2007, 7, 203.	2.6	126
303	Prognostic significance of bcl-2 expression in stage III breast cancer patients who had received doxorubicin and cyclophosphamide followed by paclitaxel as adjuvant chemotherapy. <i>BMC Cancer</i> , 2007, 7, 63.	2.6	64
304	Endoscopic Thyroidectomy Using a New Bilateral Axillo-Breast Approach. <i>World Journal of Surgery</i> , 2007, 31, 601-606.	1.4	341
305	Endoscopic Thyroidectomy for Thyroid Malignancies: Comparison with Conventional Open Thyroidectomy. <i>World Journal of Surgery</i> , 2007, 31, 2302-2306.	1.4	192
306	Factors affecting health-related quality of life in women with recurrent breast cancer in Korea. <i>Quality of Life Research</i> , 2007, 16, 559-569.	3.2	17

#	ARTICLE	IF	CITATIONS
307	Genetic polymorphisms of NOS3 are associated with the risk of invasive breast cancer with lymph node involvement. <i>Breast Cancer Research and Treatment</i> , 2007, 106, 433-438.	2.5	29
308	Genetic Polymorphisms of eNOS, Hormone Receptor Status, and Survival of Breast Cancer. <i>Breast Cancer Research and Treatment</i> , 2006, 100, 213-218.	2.5	38
309	Genomic alterations identified by array comparative genomic hybridization as prognostic markers in tamoxifen-treated estrogen receptor-positive breast cancer. <i>BMC Cancer</i> , 2006, 6, 92.	2.6	63
310	Discovery and validation of breast cancer subtypes. <i>BMC Genomics</i> , 2006, 7, 231.	2.9	102
311	A streamlined platform for high-content functional proteomics of primary human specimens. <i>Nature Methods</i> , 2005, 2, 691-697.	19.4	226
312	?Pix-a enhances the activity of phospholipase C?1 by binding SH3 domain in breast cancer. <i>Journal of Cellular Biochemistry</i> , 2005, 94, 1010-1016.	2.6	9
313	The clinical use of staging bone scan in patients with breast carcinoma. <i>Cancer</i> , 2005, 104, 499-503.	4.1	22
314	Genetic Polymorphisms of Ataxia Telangiectasia Mutated and Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 821-825.	1.9	48
315	Genetic Polymorphisms of SULT1A1 and SULT1E1 and the Risk and Survival of Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1090-1095.	1.9	52
316	Methylenetetrahydrofolate reductase polymorphism, diet, and breast cancer in Korean women. <i>Experimental and Molecular Medicine</i> , 2004, 36, 116-121.	7.7	64
317	Young age: an independent risk factor for disease-free survival in women with operable breast cancer. <i>BMC Cancer</i> , 2004, 4, 82.	2.6	200
318	A combination of HER-2 status and the St. Gallen classification provides useful information on prognosis in lymph node-negative breast carcinoma. <i>Cancer</i> , 2004, 101, 2516-2522.	4.1	14
319	Determining the Main Risk Factors and High-risk Groups of Breast Cancer Using a Predictive Model for Breast Cancer Risk Assessment in South Korea. <i>Cancer Nursing</i> , 2004, 27, 400-406.	1.6	31
320	hOGG1 Ser 326 Cys Polymorphism and Breast Cancer Risk among Asian Women. <i>Breast Cancer Research and Treatment</i> , 2003, 79, 59-62.	2.5	49
321	Phospholipase C-protein kinase C mediated phospholipase D activation pathway is involved in tamoxifen induced apoptosis. <i>Journal of Cellular Biochemistry</i> , 2003, 89, 520-528.	2.6	15
322	Role of alcohol and genetic polymorphisms of CYP2E1 and ALDH2 in breast cancer development. <i>Pharmacogenetics and Genomics</i> , 2003, 13, 67-72.	1.5	64
323	The Usefulness of Ultrasound Surveillance for Axillary Recurrence in Women With Personal History of Breast Cancer. <i>Journal of Breast Cancer</i> , 0, 24, .	2.0	0
324	Residual Risk of Ipsilateral Tumor Recurrence in Patients Who Achieved Clear Lumpectomy Margins After Repeated Resection. <i>Journal of Breast Cancer</i> , 0, 26, .	2.0	1