

Cristina Colombo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1105943/cristina-colombo-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

7,496
citations

50
h-index

79
g-index

170
ext. papers

8,428
ext. citations

5.3
avg, IF

5.5
L-index

#	Paper	IF	Citations
168	Selective association of cytokine levels and kynurenine/tryptophan ratio with alterations in white matter microstructure in bipolar but not in unipolar depression. <i>European Neuropsychopharmacology</i> , 2021 , 55, 96-109	1.2	1
167	Neurofilaments light: Possible biomarker of brain modifications in bipolar disorder.. <i>Journal of Affective Disorders</i> , 2021 , 300, 243-248	6.6	0
166	Higher Interleukin 13 differentiates patients with a positive history of suicide attempts in major depressive disorder. <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100254	1.4	0
165	Bright light therapy accelerates the antidepressant effect of repetitive transcranial magnetic stimulation in treatment resistant depression: a pilot study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 25, 375-377	2.4	1
164	A peripheral inflammatory signature discriminates bipolar from unipolar depression: A machine learning approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 105, 110136	5.5	22
163	Higher baseline interleukin-1 β and TNF- α hamper antidepressant response in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2021 , 42, 35-44	1.2	7
162	Blue blocking glasses for the treatment of mania in an elderly patient: A case report with polysomnographic findings. <i>Bipolar Disorders</i> , 2021 , 23, 367-639	3.8	0
161	Circulating inflammatory markers impact cognitive functions in bipolar depression. <i>Journal of Psychiatric Research</i> , 2021 , 140, 110-116	5.2	4
160	Effective Antidepressant Chronotherapeutics (Sleep Deprivation and Light Therapy) Normalize the IL-1 β /IL-1 α Ratio in Bipolar Depression. <i>Frontiers in Physiology</i> , 2021 , 12, 740686	4.6	1
159	Changes of white matter microstructure after successful treatment of bipolar depression. <i>Journal of Affective Disorders</i> , 2020 , 274, 1049-1056	6.6	4
158	Association of circadian properties of temporal processing with rapid antidepressant response to wake and light therapy in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 263, 72-79	6.6	1
157	Cortico-limbic functional connectivity mediates the effect of early life stress on suicidality in bipolar depressed 5-HTTLPR*s carriers. <i>Journal of Affective Disorders</i> , 2020 , 263, 420-427	6.6	5
156	Mental health services for mood disorder outpatients in Milan during COVID-19 outbreak: The experience of the health care providers at San Raffaele hospital. <i>Psychiatry Research</i> , 2020 , 292, 113317	9.9	6
155	Proinflammatory Cytokines Predict Brain Metabolite Concentrations in the Anterior Cingulate Cortex of Patients With Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 590095	5	3
154	Predicting differential diagnosis between bipolar and unipolar depression with multiple kernel learning on multimodal structural neuroimaging. <i>European Neuropsychopharmacology</i> , 2020 , 34, 28-38	1.2	13
153	Grey and white matter structure associates with the activation of the tryptophan to kynurenine pathway in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019 , 259, 404-412	6.6	13
152	Effects of illness duration on cognitive performances in bipolar depression are mediated by white matter microstructure. <i>Journal of Affective Disorders</i> , 2019 , 249, 175-182	6.6	11

151	White Matter Microstructure in Bipolar Disorder Is Influenced by the Interaction between a Glutamate Transporter EAAT1 Gene Variant and Early Stress. <i>Molecular Neurobiology</i> , 2019 , 56, 702-710	6.2	30
150	Natural killer cells protect white matter integrity in bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2019 , 81, 410-421	16.6	12
149	Markers of neuroinflammation influence measures of cortical thickness in bipolar depression. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 285, 64-66	2.9	23
148	Does early response predict subsequent remission in bipolar depression treated with repeated sleep deprivation combined with light therapy and lithium?. <i>Journal of Affective Disorders</i> , 2018 , 229, 371-376	6.6	19
147	Kynurenine pathway and white matter microstructure in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 157-168	5.1	24
146	A Homer 1 gene variant influences brain structure and function, lithium effects on white matter, and antidepressant response in bipolar disorder: A multimodal genetic imaging study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 81, 88-95	5.5	44
145	A Glutamate Transporter EAAT1 Gene Variant Influences Amygdala Functional Connectivity in Bipolar Disorder. <i>Journal of Molecular Neuroscience</i> , 2018 , 65, 536-545	3.3	31
144	Impact of early and recent stress on white matter microstructure in major depressive disorder. <i>Journal of Affective Disorders</i> , 2018 , 225, 289-297	6.6	11
143	Evidence for the Efficacy of Bright Light Therapy for Bipolar Depression. <i>American Journal of Psychiatry</i> , 2018 , 175, 905-906	11.9	9
142	Chronotype influences response to antidepressant chronotherapeutics in bipolar patients. <i>Chronobiology International</i> , 2018 , 35, 1319-1325	3.6	14
141	Abnormal brain oscillations persist after recovery from bipolar depression. <i>European Psychiatry</i> , 2017 , 41, 10-15	6	15
140	Catechol-O-methyltransferase Val(108/158)Met polymorphism affects fronto-limbic connectivity during emotional processing in bipolar disorder. <i>European Psychiatry</i> , 2017 , 41, 53-59	6	27
139	Body mass index associates with white matter microstructure in bipolar depression. <i>Bipolar Disorders</i> , 2017 , 19, 116-127	3.8	15
138	Night sleep influences white matter microstructure in bipolar depression. <i>Journal of Affective Disorders</i> , 2017 , 218, 380-387	6.6	12
137	Clock genes associate with white matter integrity in depressed bipolar patients. <i>Chronobiology International</i> , 2017 , 34, 212-224	3.6	44
136	Multidimensional cognitive impairment in unipolar and bipolar depression and the moderator effect of adverse childhood experiences. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 309-317	6.2	12
135	Th17 cells correlate positively to the structural and functional integrity of the brain in bipolar depression and healthy controls. <i>Brain, Behavior, and Immunity</i> , 2017 , 61, 317-325	16.6	32
134	CLOCK gene variants associated with the discrepancy between subjective and objective severity in bipolar depression. <i>Journal of Affective Disorders</i> , 2017 , 210, 14-18	6.6	11

133	A 5-HTreceptor promoter polymorphism influences fronto-limbic functional connectivity and depression severity in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 270, 1-7	2.9	26
132	The effect of childhood trauma on serum BDNF in bipolar depression is modulated by the serotonin promoter genotype. <i>Neuroscience Letters</i> , 2017 , 656, 177-181	3.3	12
131	Brain-derived Neurotrophic Factor (BDNF) and gray matter volume in bipolar disorder. <i>European Psychiatry</i> , 2017 , 40, 33-37	6	17
130	Higher Baseline Proinflammatory Cytokines Mark Poor Antidepressant Response in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e986-e993	4.6	42
129	Adverse childhood experiences influence the detrimental effect of bipolar disorder and schizophrenia on cortico-limbic grey matter volumes. <i>Journal of Affective Disorders</i> , 2016 , 189, 290-7	6.6	26
128	Adverse childhood experiences associate to reduced glutamate levels in the hippocampus of patients affected by mood disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 71, 117-22	5.5	13
127	Behavioural genetics of suicidality in bipolar disorder: The interaction between clock and 5-HTT polymorphisms and early life stress. <i>Psychiatry Research</i> , 2016 , 246, 846-847	9.9	
126	Inflammatory cytokines influence measures of white matter integrity in Bipolar Disorder. <i>Journal of Affective Disorders</i> , 2016 , 202, 1-9	6.6	80
125	Discrepancy between subjective and objective severity as a predictor of response to chronotherapeutics in bipolar depression. <i>Journal of Affective Disorders</i> , 2016 , 204, 48-53	6.6	10
124	Sleep homeostatic pressure and PER3 VNTR gene polymorphism influence antidepressant response to sleep deprivation in bipolar depression. <i>Journal of Affective Disorders</i> , 2016 , 192, 64-9	6.6	22
123	SREBF-2 polymorphism influences white matter microstructure in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 257, 39-46	2.9	26
122	Stem Cell Factor (SCF) is a putative biomarker of antidepressant response. <i>Journal of NeuroImmune Pharmacology</i> , 2016 , 11, 248-58	6.9	15
121	White matter microstructure in bipolar disorder is influenced by the serotonin transporter gene polymorphism 5-HTTLPR. <i>Genes, Brain and Behavior</i> , 2015 , 14, 238-50	3.6	51
120	Effects of CLOCK gene variants and early stress on hopelessness and suicide in bipolar depression. <i>Chronobiology International</i> , 2015 , 32, 1156-61	3.6	44
119	Successful antidepressant chronotherapeutics enhance fronto-limbic neural responses and connectivity in bipolar depression. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 243-53	2.9	29
118	Shared reduction of oscillatory natural frequencies in bipolar disorder, major depressive disorder and schizophrenia. <i>Journal of Affective Disorders</i> , 2015 , 184, 111-5	6.6	37
117	Glutamate EAAT1 transporter genetic variants influence cognitive deficits in bipolar disorder. <i>Psychiatry Research</i> , 2015 , 226, 407-8	9.9	6
116	Lithium and GSK-3β promoter gene variants influence cortical gray matter volumes in bipolar disorder. <i>Psychopharmacology</i> , 2015 , 232, 1325-36	4.7	29

115	Disruption of white matter integrity marks poor antidepressant response in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 174, 233-40	6.6	28
114	Fronto-limbic disconnection in bipolar disorder. <i>European Psychiatry</i> , 2015 , 30, 82-8	6	69
113	Cognitive performances associate with measures of white matter integrity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 174, 342-52	6.6	59
112	Neuropsychological deficits in bipolar depression persist after successful antidepressant treatment. <i>Journal of Affective Disorders</i> , 2014 , 156, 144-9	6.6	11
111	Adverse childhood experiences worsen cognitive distortion during adult bipolar depression. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1803-8	7.3	7
110	Neural correlates of delusion in bipolar depression. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 221, 1-5	2.9	20
109	The serotonin transporter genotype modulates the relationship between early stress and adult suicidality in bipolar disorder. <i>Bipolar Disorders</i> , 2014 , 16, 857-66	3.8	33
108	Adverse childhood experiences influence white matter microstructure in patients with bipolar disorder. <i>Psychological Medicine</i> , 2014 , 44, 3069-82	6.9	50
107	Changes of cortical excitability as markers of antidepressant response in bipolar depression: preliminary data obtained by combining transcranial magnetic stimulation (TMS) and electroencephalography (EEG). <i>Bipolar Disorders</i> , 2014 , 16, 809-19	3.8	41
106	Effect of early stress on hippocampal gray matter is influenced by a functional polymorphism in EAAT2 in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 51, 146-52	5.5	16
105	Effect of the change of social environment on the behavior of a captive brown bear (<i>Ursus arctos</i>). <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2014 , 9, 119-123	1.9	3
104	Rapid treatment response of suicidal symptoms to lithium, sleep deprivation, and light therapy (chronotherapeutics) in drug-resistant bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 133-40	4.6	78
103	Assessing the effects of electroconvulsive therapy on cortical excitability by means of transcranial magnetic stimulation and electroencephalography. <i>Brain Topography</i> , 2013 , 26, 326-37	4.3	54
102	Lithium and GSK3-β promoter gene variants influence white matter microstructure in bipolar disorder. <i>Neuropsychopharmacology</i> , 2013 , 38, 313-27	8.7	127
101	Different neural responses to a moral valence decision task in unipolar and bipolar depression 2013 , 2013, 568617		6
100	Paroxetine drops versus paroxetine tablets: evaluation of compliance in a six-month study. <i>Rivista Di Psichiatria</i> , 2013 , 48, 261-7	3.1	4
99	Gene-gene interaction of glycogen synthase kinase 3-β and serotonin transporter on human antidepressant response to sleep deprivation. <i>Journal of Affective Disorders</i> , 2012 , 136, 514-9	6.6	40
98	Optimized light therapy for non-seasonal major depressive disorder: effects of timing and season. <i>Journal of Affective Disorders</i> , 2012 , 138, 337-42	6.6	17

97	Neural responses to emotional stimuli in comorbid borderline personality disorder and bipolar depression. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 203, 61-6	2.9	19
96	Influence of an interaction between lithium salts and a functional polymorphism in SLC1A2 on the history of illness in bipolar disorder. <i>Molecular Diagnosis and Therapy</i> , 2012 , 16, 303-9	4.5	25
95	Bipolar disorder. <i>Depression Research and Treatment</i> , 2012 , 2012, 525837	3.8	1
94	Seasonality and sleep: a clinical study on euthymic mood disorder patients. <i>Depression Research and Treatment</i> , 2012 , 2012, 978962	3.8	16
93	Disruption of white matter integrity in bipolar depression as a possible structural marker of illness. <i>Biological Psychiatry</i> , 2011 , 69, 309-17	7.9	169
92	Sleep deprivation in mood disorders. <i>Neuropsychobiology</i> , 2011 , 64, 141-51	4	86
91	Circadian clock gene Per3 variants influence the postpartum onset of bipolar disorder. <i>European Psychiatry</i> , 2011 , 26, 138-40	6	51
90	Tract-specific white matter structural disruption in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2011 , 13, 414-24	3.8	107
89	Recurrence of bipolar mania is associated with catechol-O-methyltransferase Val(108/158)Met polymorphism. <i>Journal of Affective Disorders</i> , 2011 , 132, 293-6	6.6	31
88	Association of the C(-1019)G 5-HT1A promoter polymorphism with exposure to stressors preceding hospitalization for bipolar depression. <i>Journal of Affective Disorders</i> , 2011 , 132, 297-300	6.6	20
87	Opposite effects of suicidality and lithium on gray matter volumes in bipolar depression. <i>Journal of Affective Disorders</i> , 2011 , 135, 139-47	6.6	106
86	Role of COMT, 5-HT(1A) , and SERT genetic polymorphisms on antidepressant response to Transcranial Magnetic Stimulation. <i>Depression and Anxiety</i> , 2011 , 28, 568-73	8.4	36
85	Falta de integridad de la sustancia blanca en la depresi3 bipolar como posible marcador estructural de la enfermedad. <i>Psiquiatria Biologica</i> , 2011 , 18, 79-88	0.2	
84	A symptom-specific analysis of the effect of high-frequency left or low-frequency right transcranial magnetic stimulation over the dorsolateral prefrontal cortex in major depression. <i>Neuropsychobiology</i> , 2010 , 62, 91-7	4	42
83	Searching susceptibility loci for bipolar disorder: a sib pair study on chromosome 12. <i>Neuropsychobiology</i> , 2010 , 61, 10-8	4	5
82	Effect of catechol-O-methyltransferase Val(108/158)Met polymorphism on antidepressant efficacy of fluvoxamine. <i>European Psychiatry</i> , 2010 , 25, 476-8	6	59
81	Genetic bases of comorbidity between mood disorders and migraine: possible role of serotonin transporter gene. <i>Neurological Sciences</i> , 2010 , 31, 387-91	3.5	13
80	Acute antidepressant response to sleep deprivation combined with light therapy is influenced by the catechol-O-methyltransferase Val(108/158)Met polymorphism. <i>Journal of Affective Disorders</i> , 2010 , 121, 68-72	6.6	51

79	Association between catechol-O-methyltransferase Val(108/158)Met polymorphism and psychotic features of bipolar disorder. <i>Journal of Affective Disorders</i> , 2010 , 125, 341-4	6.6	42
78	Spectroscopic correlates of antidepressant response to sleep deprivation and light therapy: a 3.0 Tesla study of bipolar depression. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 173, 238-42	2.9	41
77	The catechol-O-methyltransferase Val(108/158)Met polymorphism affects antidepressant response to paroxetine in a naturalistic setting. <i>Psychopharmacology</i> , 2009 , 203, 155-60	4.7	61
76	5-HT2A gene variants influence specific and different aspects of antidepressant response in Japanese and Italian mood disorder patients. <i>Psychiatry Research</i> , 2009 , 167, 97-105	9.9	23
75	Interaction between SERTPR and stressful life events on response to antidepressant treatment. <i>European Neuropsychopharmacology</i> , 2009 , 19, 64-7	1.2	40
74	Expression of apoptosis-related proteins and of mRNA for dopaminergic receptors in peripheral blood mononuclear cells from patients with Alzheimer disease. <i>Alzheimer Disease and Associated Disorders</i> , 2009 , 23, 88-90	2.5	14
73	New perspectives on techniques for the clinical psychiatrist: Brain stimulation, chronobiology and psychiatric brain imaging. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 627-37	6.2	1
72	A length polymorphism in the circadian clock gene Per3 influences age at onset of bipolar disorder. <i>Neuroscience Letters</i> , 2008 , 445, 184-7	3.3	122
71	Association between GSK-3beta -50T/C polymorphism and personality and psychotic symptoms in mood disorders. <i>Psychiatry Research</i> , 2008 , 158, 132-40	9.9	37
70	Serotonin 5-HT2A receptor gene variants influence antidepressant response to repeated total sleep deprivation in bipolar depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1863-6	5.5	23
69	Lithium overcomes the influence of 5-HTTLPR gene polymorphism on antidepressant response to sleep deprivation. <i>Journal of Clinical Psychopharmacology</i> , 2008 , 28, 249-51	1.7	28
68	Clock genes beyond the clock: CLOCK genotype biases neural correlates of moral valence decision in depressed patients. <i>Genes, Brain and Behavior</i> , 2008 , 7, 20-5	3.6	55
67	Phase advance is an actimetric correlate of antidepressant response to sleep deprivation and light therapy in bipolar depression. <i>Chronobiology International</i> , 2007 , 24, 921-37	3.6	81
66	Actimetric evidence that CLOCK 3111 T/C SNP influences sleep and activity patterns in patients affected by bipolar depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 631-5	3.5	149
65	Dissecting the determinants of depressive disorders outcome: an in depth analysis of two clinical cases. <i>Annals of General Psychiatry</i> , 2007 , 6, 5	3.4	8
64	A neural network model for combining clinical predictors of antidepressant response in mood disorders. <i>Journal of Affective Disorders</i> , 2007 , 98, 239-45	6.6	17
63	Interaction between serotonin transporter gene, catechol-O-methyltransferase gene and stressful life events in mood disorders. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10, 437-47	5.8	94
62	Pain perception, blood pressure levels, and peripheral benzodiazepine receptors in patients followed for differentiated thyroid carcinoma: a longitudinal study in hypothyroidism and during hormone treatment. <i>Clinical Journal of Pain</i> , 2007 , 23, 518-23	3.5	6

61	Neural and genetic correlates of antidepressant response to sleep deprivation: a functional magnetic resonance imaging study of moral valence decision in bipolar depression. <i>Archives of General Psychiatry</i> , 2007 , 64, 179-87		84
60	Serotonin transporter gene influences the time course of improvement of "core" depressive and somatic anxiety symptoms during treatment with SSRIs for recurrent mood disorders. <i>Psychiatry Research</i> , 2007 , 149, 185-93	9.9	39
59	Clinical prediction of antidepressant response in mood disorders: linear multivariate vs. neural network models. <i>Psychiatry Research</i> , 2007 , 152, 223-31	9.9	22
58	Antidepressant response in the elderly. <i>Psychiatry Research</i> , 2007 , 152, 37-44	9.9	15
57	Chronotherapeutics in a psychiatric ward. <i>Sleep Medicine Reviews</i> , 2007 , 11, 509-22	10.2	110
56	5-HT2A SNPs and the Temperament and Character Inventory. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 1275-81	5.5	31
55	Response to SSRIs and role of the hormonal therapy in post-menopausal depression. <i>European Neuropsychopharmacology</i> , 2007 , 17, 400-5	1.2	46
54	Health-related quality of life in euthymic bipolar disorder patients: differences between bipolar I and II subtypes. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 207-12	4.6	59
53	Influence of postpartum onset on the course of mood disorders. <i>BMC Psychiatry</i> , 2006 , 6, 4	4.2	14
52	Retrospective analysis of psychomotor agitation, hypomanic symptoms, and suicidal ideation in unipolar depression. <i>Depression and Anxiety</i> , 2006 , 23, 389-97	8.4	36
51	Improvement of cognitive functioning in mood disorder patients with depressive symptomatic recovery during treatment: an exploratory analysis. <i>Psychiatry and Clinical Neurosciences</i> , 2006 , 60, 598-604	6.2	29
50	Long-term response to lithium salts in bipolar illness is influenced by the glycogen synthase kinase 3-beta -50 T/C SNP. <i>Neuroscience Letters</i> , 2005 , 376, 51-5	3.3	164
49	Dark therapy for mania: a pilot study. <i>Bipolar Disorders</i> , 2005 , 7, 98-101	3.8	119
48	Components of self-esteem in affective patients and non-psychiatric controls. <i>Journal of Affective Disorders</i> , 2005 , 88, 93-8	6.6	25
47	Insomnia improvement during antidepressant treatment and CLOCK gene polymorphism. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 137B, 36-9	3.5	117
46	Combined total sleep deprivation and light therapy in the treatment of drug-resistant bipolar depression: acute response and long-term remission rates. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1535-40	4.6	131
45	Cerebral D2 and 5-HT2 receptor occupancy in Schizophrenic patients treated with olanzapine or clozapine. <i>Journal of Psychopharmacology</i> , 2004 , 18, 355-65	4.6	31
44	Fluvoxamine treatment of major depression associated with multiple sclerosis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2004 , 16, 364-6	2.7	20

43	Dopaminergic modulation of oxidative stress and apoptosis in human peripheral blood lymphocytes: evidence for a D1-like receptor-dependent protective effect. <i>Free Radical Biology and Medicine</i> , 2004 , 36, 1233-40	7.8	51
42	A single nucleotide polymorphism in glycogen synthase kinase 3-beta promoter gene influences onset of illness in patients affected by bipolar disorder. <i>Neuroscience Letters</i> , 2004 , 355, 37-40	3.3	143
41	A glycogen synthase kinase 3-beta promoter gene single nucleotide polymorphism is associated with age at onset and response to total sleep deprivation in bipolar depression. <i>Neuroscience Letters</i> , 2004 , 368, 123-6	3.3	168
40	Lormetazepam in depressive insomnia: new evidence of phase-response effects of benzodiazepines. <i>International Clinical Psychopharmacology</i> , 2004 , 19, 311-7	2.2	9
39	Dopaminergic modulation of apoptosis in human peripheral blood mononuclear cells: possible relevance for Parkinson's disease. <i>Annals of the New York Academy of Sciences</i> , 2003 , 1010, 679-82	6.5	19
38	5-HT(2A) receptor binding is reduced in drug-naive and unchanged in SSRI-responder depressed patients compared to healthy controls: a PET study. <i>Psychopharmacology</i> , 2003 , 167, 72-8	4.7	75
37	Influence of CLOCK gene polymorphism on circadian mood fluctuation and illness recurrence in bipolar depression. <i>American Journal of Medical Genetics Part A</i> , 2003 , 123B, 23-6		233
36	Genetic dissection of psychopathological symptoms: insomnia in mood disorders and CLOCK gene polymorphism. <i>American Journal of Medical Genetics Part A</i> , 2003 , 121B, 35-8		184
35	Antidepressant effects of light therapy combined with sleep deprivation are influenced by a functional polymorphism within the promoter of the serotonin transporter gene. <i>Biological Psychiatry</i> , 2003 , 54, 687-92	7.9	73
34	Dopamine receptor D2 and D3 gene variants are not associated with the antidepressant effect of total sleep deprivation in bipolar depression. <i>Psychiatry Research</i> , 2003 , 118, 241-7	9.9	21
33	Morning light treatment hastens the antidepressant effect of citalopram: a placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 648-53	4.6	105
32	Interleukine-6 serum levels correlate with response to antidepressant sleep deprivation and sleep phase advance. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002 , 26, 1167-70	5.5	57
31	Increased 5-hydroxytryptamine-2 receptor binding in the frontal cortex of depressed patients responding to paroxetine treatment: a positron emission tomography scan study. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 53-8	1.7	59
30	Morning sunlight reduces length of hospitalization in bipolar depression. <i>Journal of Affective Disorders</i> , 2001 , 62, 221-3	6.6	183
29	Sleep phase advance and lithium to sustain the antidepressant effect of total sleep deprivation in bipolar depression: new findings supporting the internal coincidence model?. <i>Journal of Psychiatric Research</i> , 2001 , 35, 323-9	5.2	88
28	Dopaminergic augmentation of sleep deprivation effects in bipolar depression. <i>Psychiatry Research</i> , 2001 , 104, 239-46	9.9	33
27	Total sleep deprivation combined with lithium and light therapy in the treatment of bipolar depression: replication of main effects and interaction. <i>Psychiatry Research</i> , 2000 , 95, 43-53	9.9	107
26	Effects of fluvoxamine treatment on the in vivo binding of [F-18]FESP in drug naive depressed patients: a PET study. <i>NeuroImage</i> , 2000 , 12, 452-65	7.9	37

25	Worsening of delusional depression after sleep deprivation: case reports. <i>Journal of Psychiatric Research</i> , 1999 , 33, 69-72	5.2	14
24	Sustained antidepressant effect of sleep deprivation combined with pindolol in bipolar depression. A placebo-controlled trial. <i>Neuropsychopharmacology</i> , 1999 , 20, 380-5	8.7	80
23	Rate of switch from depression into mania after therapeutic sleep deprivation in bipolar depression. <i>Psychiatry Research</i> , 1999 , 86, 267-70	9.9	198
22	Dopamine receptor D4 is not associated with antidepressant activity of sleep deprivation. <i>Psychiatry Research</i> , 1999 , 89, 107-14	9.9	26
21	Ongoing lithium treatment prevents relapse after total sleep deprivation. <i>Journal of Clinical Psychopharmacology</i> , 1999 , 19, 240-5	1.7	70
20	Patterns of mood variation during antidepressant treatment. <i>Journal of Affective Disorders</i> , 1998 , 49, 133-9	6.6	9
19	Perceived mood and skin body temperature rhythm in depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998 , 248, 157-60	5.1	12
18	The unipolar-bipolar dichotomy and the response to sleep deprivation. <i>Psychiatry Research</i> , 1998 , 79, 43-50	9.9	91
17	Low-dose clozapine in acute and continuation treatment of severe borderline personality disorder. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 103-7	4.6	93
16	Response to clozapine in acute mania is more rapid than that of chlorpromazine. <i>International Clinical Psychopharmacology</i> , 1997 , 12, 109-12	2.2	49
15	Sleep deprivation hastens the antidepressant action of fluoxetine. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1997 , 247, 100-3	5.1	63
14	Sleep loss, a possible factor in augmenting manic episode. <i>Psychiatry Research</i> , 1996 , 65, 121-5	9.9	114
13	Dopamine agonist amineptine prevents the antidepressant effect of sleep deprivation. <i>Psychiatry Research</i> , 1996 , 65, 179-84	9.9	43
12	Infradian mood fluctuations during a Major Depressive episode. <i>Journal of Affective Disorders</i> , 1996 , 41, 81-7	6.6	18
11	[18F]FDG PET study in obsessive-compulsive disorder. A clinical/metabolic correlation study after treatment. <i>British Journal of Psychiatry</i> , 1995 , 166, 244-50	5.4	271
10	A pilot, open study on the treatment of refractory schizophrenia with risperidone and clozapine. <i>Human Psychopharmacology</i> , 1995 , 10, 231-234	2.3	18
9	Anatomical characteristics of the corpus callosum and clinical correlates in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994 , 243, 244-8	5.1	19
8	Memory functions and temporal-limbic morphology in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 1993 , 50, 45-56	2.9	27

7	Size of the corpus callosum and auditory comprehension in schizophrenics and normal controls. <i>Schizophrenia Research</i> , 1993 , 11, 63-70	3.6	12
6	Caudate nucleus abnormalities in obsessive-compulsive disorder: measurements of MRI signal intensity. <i>Psychiatry Research - Neuroimaging</i> , 1993 , 50, 89-92	2.9	22
5	Smooth pursuit eye movements and saccadic eye movements in patients with delusional disorder. <i>American Journal of Psychiatry</i> , 1993 , 150, 1411-4	11.9	5
4	Increased right caudate nucleus size in obsessive-compulsive disorder: detection with magnetic resonance imaging. <i>Psychiatry Research - Neuroimaging</i> , 1992 , 45, 115-21	2.9	165
3	A statistical approach to computerized EEG: preliminary data on control subjects and epileptic patients. <i>Brain Topography</i> , 1991 , 3, 401-6	4.3	5
2	EEG power spectrum profile and structural CNS characteristics in schizophrenia. <i>Biological Psychiatry</i> , 1990 , 27, 1331-4	7.9	10
1	Alpha reactivity in schizophrenia and in schizophrenic spectrum disorders: demographic, clinical and hemispheric assessment. <i>International Journal of Psychophysiology</i> , 1989 , 7, 47-54	2.9	21