

Shinkan Tokudome

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/1106214/publications.pdf](https://exaly.com/author-pdf/1106214/publications.pdf)

Version: 2024-02-01

157
papers

6,240
citations

58212

44
h-index

83065

72
g-index

161
all docs

161
docs citations

161
times ranked

7012
citing authors

#	ARTICLE	IF	CITATIONS
1	Cross-cultural validation of the Beck Depression Inventory-II in Japan. <i>Psychiatry Research</i> , 2002, 110, 291-299.	3.3	384
2	A Large-scale, Hospital-based Case-Control Study of Risk Factors of Breast Cancer According to Menopausal Status. <i>Japanese Journal of Cancer Research</i> , 1995, 86, 146-154.	1.7	260
3	A Case-Control Study of Gastric Cancer and Diet in Northern Kyushu, Japan. <i>Japanese Journal of Cancer Research</i> , 1988, 79, 1067-1074.	1.7	252
4	Relative Validity of a Short Food Frequency Questionnaire for Assessing Nutrient Intake versus Three-day Weighed Diet Records in Middle-aged Japanese. <i>Journal of Epidemiology</i> , 2005, 15, 135-145.	2.7	197
5	Depression, inflammation, and pain in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 61, 1018-1024.	6.7	175
6	Alcohol and Mortality: A Cohort Study of Male Japanese Physicians. <i>International Journal of Epidemiology</i> , 1986, 15, 527-532.	2.0	168
7	Cohort Profile of the Japan Collaborative Cohort Study at Final Follow-up. <i>Journal of Epidemiology</i> , 2013, 23, 227-232.	2.7	134
8	Reproducibility of a Short Food Frequency Questionnaire for Japanese General Population. <i>Journal of Epidemiology</i> , 2007, 17, 100-107.	2.7	122
9	Plasma Concentrations of (n-3) Highly Unsaturated Fatty Acids Are Good Biomarkers of Relative Dietary Fatty Acid Intakes: A Cross-Sectional Study. <i>Journal of Nutrition</i> , 2003, 133, 3643-3650.	2.9	120
10	Strong interaction between the effects of alcohol consumption and smoking on oesophageal squamous cell carcinoma among individuals with ADH1B and/or ALDH2 risk alleles. <i>Gut</i> , 2010, 59, 1457-1464.	12.3	112
11	Development of a data-based short food frequency questionnaire for assessing nutrient intake by middle-aged Japanese. <i>Asian Pacific Journal of Cancer Prevention</i> , 2004, 5, 40-3.	1.2	112
12	The preventive effects of low-dose enteric-coated aspirin tablets on the development of colorectal tumours in Asian patients: a randomised trial. <i>Gut</i> , 2014, 63, 1755-1759.	12.3	107
13	A cohort study on mortality from cancer and other causes among workers at a metal refinery. <i>International Journal of Cancer</i> , 1976, 17, 310-317.	5.2	104
14	Dietary intakes of fat and fatty acids and risk of breast cancer: A prospective study in Japan. <i>Cancer Science</i> , 2005, 96, 590-599.	4.0	97
15	Leptin Is Associated with an Increased Female Colorectal Cancer Risk: A Nested Case-Control Study in Japan. <i>Oncology</i> , 2005, 68, 454-461.	1.9	94
16	Profile of Participants and Genotype Distributions of 108 Polymorphisms in a Cross-Sectional Study of Associations of Genotypes With Lifestyle and Clinical Factors: A Project in the Japan Multi-Institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2011, 21, 223-235.	2.7	92
17	Increased intake of n-3 polyunsaturated fatty acids elevates the level of apoptosis in the normal sigmoid colon of patients polypectomized for adenomas/tumors. <i>Cancer Letters</i> , 2003, 193, 17-24.	7.3	89
18	Association of p53 codon arg72pro and p73 G4C14-to-A4T14 at exon 2 genetic polymorphisms with the risk of Japanese breast cancer. <i>Breast Cancer</i> , 2003, 10, 307-311.	3.0	86

#	ARTICLE	IF	CITATIONS
19	Preventive effects of low-dose aspirin on colorectal adenoma growth in patients with familial adenomatous polyposis: double-blind, randomized clinical trial. <i>Cancer Medicine</i> , 2013, 2, 50-56.	2.9	86
20	Daily, Weekly, Seasonal, Within- and Between-individual Variation in Nutrient Intake According to Four Season Consecutive 7 Day Weighed Diet Records in Japanese Female Dietitians.. <i>Journal of Epidemiology</i> , 2002, 12, 85-92.	2.7	84
21	Green Tea Consumption and Serum Lipids and Lipoproteins in a Population of Healthy Workers in Japan. <i>Annals of Epidemiology</i> , 2002, 12, 157-165.	2.0	84
22	Psychosocial factors, disease status, and quality of life in patients with rheumatoid arthritis. <i>Journal of Psychosomatic Research</i> , 2009, 67, 425-431.	2.6	81
23	GST genetic polymorphisms and lung adenocarcinoma susceptibility in a Chinese population. <i>Cancer Letters</i> , 2003, 201, 185-193.	7.3	77
24	Modulation of natural killer cell activity by supplementation of fermented milk containing <i>Lactobacillus casei</i> in habitual smokers. <i>Preventive Medicine</i> , 2005, 40, 589-594.	3.5	75
25	Dietary Fiber and Risk of Colorectal Cancer in the Japan Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 668-675.	2.5	74
26	Meta- and Pooled Analysis of GSTP1 Polymorphism and Lung Cancer: A HuGE-GSEC Review. <i>American Journal of Epidemiology</i> , 2009, 169, 802-814.	3.5	73
27	Alexithymia, Depression and Social Support among Japanese Workers. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 307-314.	8.8	72
28	Mortality in Psychiatric Patients, with a Specific Focus on Cancer Mortality Associated with Schizophrenia. <i>International Journal of Epidemiology</i> , 1995, 24, 366-372.	2.0	71
29	Serum Levels of Polyunsaturated Fatty Acids and Risk of Colorectal Cancer: A Prospective Study. <i>American Journal of Epidemiology</i> , 2005, 161, 462-471.	3.5	71
30	Occupational lung cancer among copper smelters. <i>International Journal of Cancer</i> , 1974, 13, 552-558.	5.2	70
31	Validation study of fatty acid consumption assessed with a short food frequency questionnaire against plasma concentration in middle-aged Japanese people. <i>Food Nutrition Research</i> , 2006, 50, 77-82.	0.3	61
32	Possible association of beta2- and beta3-adrenergic receptor gene polymorphisms with susceptibility to breast cancer. <i>Breast Cancer Research</i> , 2001, 3, 264.	5.0	60
33	Consumption of soy foods and the risk of breast cancer: findings from the Japan Collaborative Cohort (JACC) Study. <i>Cancer Causes and Control</i> , 2007, 18, 801-808.	1.8	59
34	CYP1A1, GSTM1, and GSTT1 Polymorphisms, Smoking, and Lung Cancer Risk in a Pooled Analysis among Asian Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1120-1126.	2.5	54
35	Changes in blood biochemical markers before, during, and after a 2-day ultramarathon. <i>Open Access Journal of Sports Medicine</i> , 2016, 7, 43.	1.2	53
36	Polymorphisms in DNA repair genes XRCC1, XRCC3 and XPD, and colorectal cancer risk: a case-control study in an Indian population. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 1517-1525.	2.6	52

#	ARTICLE	IF	CITATIONS
37	Effect of body size on breast-cancer risk among Japanese women. , 1999, 80, 349-355.		51
38	Active Smoking, Passive Smoking, and Breast Cancer Risk: Findings from the Japan Collaborative Cohort Study for Evaluation of Cancer Risk. <i>Journal of Epidemiology</i> , 2008, 18, 77-83.	2.7	49
39	Associations between 5,10-methylenetetrahydrofolate reductase codon 677 and 1298 genetic polymorphisms and environmental factors with reference to susceptibility to colorectal cancer: A case-control study in an Indian population. <i>International Journal of Cancer</i> , 2006, 118, 991-997.	5.2	47
40	Genetic polymorphisms of glutathione S-transferase genes and susceptibility to colorectal cancer: A case-control study in an Indian population. <i>Cancer Epidemiology</i> , 2011, 35, 66-72.	2.0	47
41	Association of GSTM1, CYP1A1 and CYP2E1 genetic polymorphisms with susceptibility to lung adenocarcinoma: A case-control study in Chinese population. <i>Cancer Science</i> , 2003, 94, 448-452.	4.0	46
42	Dietary Habits and Risk of Ovarian Cancer Death in a Large-Scale Cohort Study (JACC Study) in Japan. <i>Nutrition and Cancer</i> , 2007, 57, 138-145.	2.1	46
43	The rs6983267 SNP Is Associated with MYC Transcription Efficiency, Which Promotes Progression and Worsens Prognosis of Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2013, 20, 1395-1402.	1.6	46
44	Impact of menstrual and reproductive factors on breast cancer risk in Japan: Results of the JACC study. <i>Cancer Science</i> , 2005, 96, 57-62.	4.0	45
45	Influence of the C161T but not Pro12Ala polymorphism in the peroxisome proliferator-activated receptor-gamma on colorectal cancer in an Indian population. <i>Cancer Science</i> , 2005, 96, 507-512.	4.0	45
46	Obesity/Weight Gain and Breast Cancer Risk: Findings From the Japan Collaborative Cohort Study for the Evaluation of Cancer Risk. <i>Journal of Epidemiology</i> , 2013, 23, 139-145.	2.7	45
47	Life expectancy and healthy life expectancy of Japan: the fastest graying society in the world. <i>BMC Research Notes</i> , 2016, 9, 482.	1.4	45
48	Foods Contributing to Absolute Intake and Variance in Intake of Fat, Fatty Acids and Cholesterol in Middle-aged Japanese. <i>Journal of Epidemiology</i> , 1999, 9, 78-90.	2.7	44
49	Association of family history and other risk factors with breast cancer risk among Japanese premenopausal and postmenopausal women. <i>Cancer Causes and Control</i> , 2001, 12, 349-358.	1.8	44
50	Effects of Dietary, Drinking, and Smoking Habits on the Prognosis of Gastric Cancer. <i>Nutrition and Cancer</i> , 2000, 38, 30-36.	2.1	43
51	Comparative Case-referent Study of Risk Factors among Hormone-related Female Cancers in Japan. <i>Japanese Journal of Cancer Research</i> , 1999, 90, 255-261.	1.7	42
52	Inhibition of conjugated fatty acids derived from safflower or perilla oil of induction and development of mammary tumors in rats induced by 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP). <i>Cancer Letters</i> , 2002, 178, 131-139.	7.3	42
53	Effect of Physical Activity on Breast Cancer Risk: Findings of the Japan Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3396-3401.	2.5	38
54	Foods Contributing to Absolute Intake and Variance in Intake of Selected Vitamins, Minerals and Dietary Fiber in Middle-Aged Japanese.. <i>Journal of Nutritional Science and Vitaminology</i> , 1999, 45, 519-532.	0.6	36

#	ARTICLE	IF	CITATIONS
55	Intake Frequency of Fish and Serum Levels of Long-chain n-3 Fatty Acids: A Cross-sectional Study within the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2005, 15, 211-218.	2.7	36
56	The Relationship between Alcohol and Mortality among Japanese Physicians. <i>International Journal of Epidemiology</i> , 1983, 12, 437-441.	2.0	34
57	Elevated risk of colorectal cancer associated with the AA genotype of the cyclin D1 A870G polymorphism in an Indian population. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006, 132, 193-199.	2.6	34
58	Impact of insulin resistance, insulin and adiponectin on kidney stones in the Japanese population. <i>International Journal of Urology</i> , 2011, 18, 131-138.	1.1	33
59	Perceived Psychologic Stress and Colorectal Cancer Mortality: Findings From the Japan Collaborative Cohort Study. <i>Psychosomatic Medicine</i> , 2005, 67, 72-77.	2.0	31
60	Alcohol Drinking May Not Be a Major Risk Factor for Fatty Liver in Japanese Undergoing a Health Checkup. <i>Digestive Diseases and Sciences</i> , 2010, 55, 176-182.	2.3	31
61	Serum oxidized low-density lipoprotein levels and risk of colorectal cancer: a case-control study nested in the Japan Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1781-7.	2.5	30
62	Effect of Life Styles on the Risk of Sybsute-specific Gastric Cancer in Those with and without Family History. <i>Journal of Epidemiology</i> , 1999, 9, 40-45.	2.7	29
63	Dose response study of conjugated fatty acid derived from safflower oil on mammary and colon carcinogenesis pretreated with 7,12-dimethylbenz[a]anthracene (DMBA) and 1,2-dimethylhydrazine (DMH) in female Spragueâ€Dawley rats. <i>Cancer Letters</i> , 2003, 196, 161-168.	7.3	29
64	Smoking and Colorectal Cancer in a Non-Western Population: a Prospective Cohort Study in Japan. <i>Journal of Epidemiology</i> , 2003, 13, 323-332.	2.7	28
65	Anthropometric, Lifestyle and Biomarker Assessment of Japanese Non-professional Ultra-marathon Runners. <i>Journal of Epidemiology</i> , 2004, 14, 161-167.	2.7	28
66	Rare <i>Helicobacter pylori</i> infection as a factor for the very low stomach cancer incidence in Yogyakarta, Indonesia. <i>Cancer Letters</i> , 2005, 219, 57-61.	7.3	28
67	Relationship of Living Conditions With Dietary Patterns Among Survivors of the Great East Japan Earthquake. <i>Journal of Epidemiology</i> , 2013, 23, 376-381.	2.7	28
68	Association Between HLA-DQ Genotypes and Haplotypes vs <i>Helicobacter pylori</i> Infection in an Indonesian Population. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 1247-1251.	1.2	28
69	Serum Carotenoids, Retinol, and Tocopherols, and Colorectal Cancer Risk in a Japanese Cohort: Effect Modification by Sex for Carotenoids. <i>Nutrition and Cancer</i> , 2005, 51, 13-24.	2.1	27
70	Risk Factors for Colon Cancer in Northeastern Thailand: Interaction of MTHFR Codon 677 and 1298 Genotypes with Environmental Factors. <i>Journal of Epidemiology</i> , 2010, 20, 329-338.	2.7	27
71	Effectiveness of Cervical Cancer Screening Over Cervical Cancer Mortality Among Japanese Women. <i>Japanese Journal of Clinical Oncology</i> , 2006, 36, 511-518.	1.3	25
72	Psychological attitudes and risk of breast cancer in Japan: a prospective study. <i>Cancer Causes and Control</i> , 2007, 18, 259-267.	1.8	25

#	ARTICLE	IF	CITATIONS
73	Japanese versus Mediterranean Diets and Cancer. Asian Pacific Journal of Cancer Prevention, 2000, 1, 61-66.	1.2	25
74	Independent associations of alexithymia and social support with depression in hemodialysis patients. Journal of Psychosomatic Research, 2007, 63, 349-356.	2.6	24
75	Eicosapentaenoic Acid Has a Preventive Effect on the Recurrence of Nephrolithiasis. Urologia Internationalis, 2008, 81, 135-138.	1.3	24
76	Identification of <i>Helicobacter pylori</i> and the <i>cagA</i> genotype in gastric biopsies using highly sensitive real-time PCR as a new diagnostic tool. FEMS Immunology and Medical Microbiology, 2005, 44, 261-268.	2.7	23
77	Inverse Relationship Between Obesity and Serum Prostate-Specific Antigen Level in Healthy Japanese Men: A Hospital-Based Cross-Sectional Survey, 2004-2006. Urology, 2008, 72, 561-565.	1.1	23
78	Relationship between body mass index and the risk of ovarian cancer in the Japanese population: Findings from the Japanese Collaborate Cohort (JACC) study. Journal of Obstetrics and Gynaecology Research, 2005, 31, 452-458.	1.4	22
79	Prospective study of alcohol consumption and breast cancer risk in Japanese women. International Journal of Cancer, 2005, 116, 779-783.	5.2	22
80	Smoking and mortalities from cancer, coronary heart disease and stroke in male Japanese physicians. Journal of Cancer Research and Clinical Oncology, 1985, 110, 161-164.	2.6	21
81	Comparison of lifestyle and risk factors among Japanese with and without gastric cancer family history. , 2000, 86, 421-424.		21
82	Loss of Fractal Heart Rate Dynamics in Depressive Hemodialysis Patients. Psychosomatic Medicine, 2008, 70, 177-185.	2.0	21
83	Alcohol Consumption and Colorectal Cancer Risk: Findings from the JACC Study. Journal of Epidemiology, 2005, 15, S173-S179.	2.7	20
84	Helicobacter pylori infection appears essential for stomach carcinogenesis: Observations in Semarang, Indonesia. Cancer Science, 2005, 96, 873-875.	4.0	20
85	Waterpipe Tobacco Smoking and Gastric Cancer Risk among Vietnamese Men. PLoS ONE, 2016, 11, e0165587.	2.5	20
86	Increased Risk of Colorectal Cancer Due to Interactions Between Meat Consumption and the CD36 Gene A52C Polymorphism Among Japanese. Nutrition and Cancer, 2005, 51, 170-177.	2.1	19
87	Usual Dietary Intakes of Selected Trace Elements (Zn, Cu, Mn, I, Se, Cr, and Mo) and Biotin Revealed by a Survey of Four-Season 7-Consecutive Day Weighed Dietary Records in Middle-Aged Japanese Dietitians. Journal of Nutritional Science and Vitaminology, 2013, 59, 281-288.	0.6	19
88	Plasma phytoestrogens concentration and risk of colorectal cancer in two different Asian populations. Clinical Nutrition, 2018, 37, 1675-1682.	5.1	19
89	Reproducibility of a Semi-quantitative Food Frequency Questionnaire in Japanese Female Dietitians.. Journal of Epidemiology, 2002, 12, 45-53.	2.7	18
90	A prospective study on the possible association between having children and colon cancer risk: Findings from the JACC Study. Cancer Science, 2004, 95, 243-247.	4.0	18

#	ARTICLE	IF	CITATIONS
91	A prospective study of reproductive and menstrual factors and colon cancer risk in Japanese women: Findings from the JACC study. <i>Cancer Science</i> , 2004, 95, 602-607.	4.0	18
92	Dietary n-3/long-chain n-3 polyunsaturated fatty acids for prevention of sporadic colorectal tumors: A randomized controlled trial in polypectomized participants. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015, 94, 1-11.	2.3	18
93	Validity of brief intelligence tests for patients with Alzheimer's disease. <i>Psychiatry and Clinical Neurosciences</i> , 2000, 54, 435-439.	1.9	17
94	Seasonal variation in consumption and plasma concentrations of fatty acids in Japanese female dietitians. <i>European Journal of Epidemiology</i> , 2002, 18, 945-953.	5.8	17
95	Smoking and Drinking Habits Five Years after Baseline in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S56-S66.	2.7	17
96	<i>Helicobacter pylori</i> infection appears the prime risk factor for stomach cancer. <i>International Journal of Cancer</i> , 2006, 119, 2991-2991.	5.2	17
97	Host and environmental factors for gastric cancer in Babol, the Caspian Sea Coast, Iran. <i>European Journal of Cancer Prevention</i> , 2007, 16, 192-195.	1.4	17
98	Analysis of Human Oral Mucosa Ex Vivo for Fatty Acid Compositions Using Fourierâ€transform Infrared Spectroscopy. <i>Lipids</i> , 2008, 43, 361-372.	1.7	16
99	Risk of Adult T-cell Leukemia Developing Individuals with HTLV-I Infection. <i>Leukemia and Lymphoma</i> , 1992, 6, 437-439.	1.3	15
100	Diagnostic accuracy of glycohemoglobin A1c (HbA1c) for postprandial hyperglycemia was equivalent to that of fasting blood glucose. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 1052-1057.	5.2	15
101	Changes in thioredoxin concentrations: an observation in an ultra-marathon race. <i>Environmental Health and Preventive Medicine</i> , 2010, 15, 129-134.	3.5	15
102	Data Checking and Standardization in a Weighed Food Dietary Record Survey.. <i>The Japanese Journal of Nutrition and Dietetics</i> , 2000, 58, 67-76.	0.1	15
103	Determination of 3,4-dimethylhippuric acid as a biological monitoring index for trimethylbenzene exposure in transfer printing workers. <i>International Archives of Occupational and Environmental Health</i> , 1994, 65, 295-297.	2.4	14
104	Smoking and Dietary Risk Factors for Cervical Cancer at Different Age Group in Japan. <i>Journal of Epidemiology</i> , 1998, 8, 6-14.	2.7	14
105	Rationale and Study Design of Dietary Intervention in Patients Polypectomized for Tumors of the Colorectum. <i>Japanese Journal of Clinical Oncology</i> , 2002, 32, 550-553.	1.3	14
106	Association between<i>TNF-Î±</i> and<i>IL-1Î²</i> genotypes<i> vs Helicobacter pylori</i> infection in Indonesia. <i>World Journal of Gastroenterology</i> , 2013, 19, 8758.	3.4	14
107	Increased Risk for CRC in Diabetic Patients with the Nonrisk Allele of SNPs at 8q24. <i>Annals of Surgical Oncology</i> , 2012, 19, 2853-2858.	1.6	13
108	Body Mass Index and Weight Change During Adulthood Are Associated With Increased Mortality From Liver Cancer: The JACC Study. <i>Journal of Epidemiology</i> , 2013, 23, 219-226.	2.7	13

#	ARTICLE	IF	CITATIONS
109	Discoveries and application of prostate-specific antigen, and some proposals to optimize prostate cancer screening. <i>Cancer Management and Research</i> , 2016, 8, 45.	2.0	13
110	Association between type II diabetes and colon cancer among Japanese with reference to changes in food intake. <i>Asian Pacific Journal of Cancer Prevention</i> , 2004, 5, 28-35.	1.2	13
111	Covalent coupling of a steroid to microwell plates for use in a competitive enzyme-linked immunosorbent assay. <i>Journal of Immunological Methods</i> , 1993, 166, 55-61.	1.4	12
112	Additive effects of estrogen deficiency and diabetes on bone mineral density in rats. <i>Diabetes Research and Clinical Practice</i> , 2000, 48, 1-8.	2.8	12
113	Cigarette smoking and the risk of ovarian cancer in the Japanese population: Findings from the Japanese Collaborate Cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2005, 31, 144-151.	1.4	12
114	A prospective study of educational background and breast cancer among Japanese women. <i>Cancer Causes and Control</i> , 2008, 19, 931-937.	1.8	12
115	Type of Gallstones and Deaths from Stroke and Coronary Heart Disease among Cholecystectomized Patients. <i>International Journal of Epidemiology</i> , 1988, 17, 82-85.	2.0	11
116	Plasma carotenoid, α -tocopherol and retinol concentrations and risk of colorectal adenomas: A case-control study in Japan. <i>Cancer Letters</i> , 2005, 226, 133-141.	7.3	11
117	TISSUE COPPER CONTENT IN PRIMARY AND METASTATIC LIVER CANCERS. <i>Pathology International</i> , 1987, 37, 231-238.	1.4	11
118	Ovarian cancer mortality among women aged 40-79 years in relation to reproductive factors and body mass index: latest evidence from the Japan Collaborative Cohort study. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 249.	2.2	11
119	Alcohol consumption and mortality from aortic disease among Japanese men: The Japan Collaborative Cohort study. <i>Atherosclerosis</i> , 2017, 266, 64-68.	0.8	11
120	Folate intake and food sources in Japanese female dietitians. <i>Environmental Health and Preventive Medicine</i> , 2002, 7, 156-161.	3.5	10
121	Accelerated solvent extraction for quantitative measurement of fatty acids in plasma and erythrocytes. <i>Lipids</i> , 2006, 41, 605-614.	1.7	10
122	Alcohol and cancer in male Japanese physicians. <i>Journal of Cancer Research and Clinical Oncology</i> , 1985, 109, 82-85.	2.6	9
123	Risk factors for colorectal cancer in northeast Thailand: lifestyle related. <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8, 573-7.	1.2	9
124	Semen of Smokers and Cervical Cancer Risk. <i>Journal of the National Cancer Institute</i> , 1997, 89, 96-97.	6.5	8
125	Glucose Intolerance and Colorectal Cancer Risk in a Nested Case-Control Study among Japanese People. <i>Journal of Epidemiology</i> , 2005, 15, S180-S184.	2.7	8
126	Cancer and Other Causes of Death Among Leprosy Patients<xref ref-type="fn" rid="FN2">2</xref>. <i>Journal of the National Cancer Institute</i> , 0, , .	6.5	7

#	ARTICLE	IF	CITATIONS
127	Impact of Family History on the Risk of Breast Cancer among the Japanese. Japanese Journal of Cancer Research, 1997, 88, 1130-1136.	1.7	7
128	Medical History of Circulatory Diseases and Colorectal Cancer Death in the JACC Study. Journal of Epidemiology, 2005, 15, S168-S172.	2.7	7
129	Risk Factors for Rectal Cancer and Methylenetetrahydrofolate Reductase Polymorphisms in a Population in Northeast Thailand. Asian Pacific Journal of Cancer Prevention, 2012, 13, 4017-4023.	1.2	7
130	Follow-up of asymptomatic HTLV-I carriers among blood donors in Kyushu, Japan. Cancer Causes and Control, 1991, 2, 75-78.	1.8	6
131	A Chronological Decrease in Type A Behavior Patterns among Japanese Male Workers in 1995â€“1999. Journal of Occupational Health, 2004, 46, 171-174.	2.1	6
132	Re:Helicobacter pylori infection and gastric cancer: Facing the enigmas. International Journal of Cancer, 2004, 112, 166-167.	5.2	6
133	Change in Food Intake Frequency at Five Years after Baseline in the JACC Study. Journal of Epidemiology, 2005, 15, S48-S55.	2.7	6
134	Abdominal circumference should not be a required criterion for the diagnosis of metabolic syndrome. Environmental Health and Preventive Medicine, 2010, 15, 229-235.	3.5	6
135	Blood Transfusion as a Risk Factor for Cirrhosis and Liver Cancer: A Matched Case-Control Study. Journal of the National Cancer Institute, 1989, 81, 1189-1190.	6.5	5
136	Concomitant carriage of hepatitis B virus and human T-lymphotropic virus type I among blood donors in Kitakyushu, Japan. Journal of Infection, 1991, 23, 33-37.	3.3	5
137	Black tea and cardiovascular disease. International Journal of Epidemiology, 2005, 34, 482-483.	2.0	5
138	Towards a better National Health and Nutrition Survey in Japan. Lancet, The, 2012, 379, e44.	14.0	5
139	RE: Plasma Phospholipid Fatty Acids and Prostate Cancer Risk in the SELECT Trial. Journal of the National Cancer Institute, 2014, 106, dju020-dju020.	6.5	4
140	Folate Intake and Food Sources in Japanese Female Dietitians. Environmental Health and Preventive Medicine, 2002, 7, 156-161.	3.5	4
141	Condom use promotes regression of cervical intraepithelial neoplasia and clearance of human papillomavirus: A randomized clinical trial. International Journal of Cancer, 2004, 112, 164-164.	5.2	3
142	Marine n-3 Fatty Acids and Colorectal Cancer: Is There a Real Link?. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 406-407.	2.5	3
143	IUNS Workshop on Capacity and Leadership Development in Nutritional Sciences Held in Tokyo 2010. Journal of Nutritional Science and Vitaminology, 2011, 57, 313-315.	0.6	3
144	Histologic Types of Lung Cancers Among Male Japanese Copper Smelter Workers. American Journal of Industrial Medicine, 1988, 14, 137-143.	2.1	2

#	ARTICLE	IF	CITATIONS
145	n-6 Polyunsaturated Fatty Acids and Breast Cancer. <i>Nutrition and Cancer</i> , 2003, 47, 210-210.	2.1	2
146	INTER- and INTRA-PATHOLOGIST VARIABILITY IN HISTOLOGIC DIAGNOSES OF LUNG CANCER. <i>Pathology International</i> , 1987, 37, 1053-1060.	1.4	1
147	Associations between physical strength, cerebral function and mental health in independent-living elderly Japanese women. <i>Environmental Health and Preventive Medicine</i> , 2002, 7, 123-128.	3.5	1
148	Changes of tryptophan metabolism in Japanese runners during an ultra-marathon race. <i>Sport Sciences for Health</i> , 2016, 12, 77-83.	1.4	1
149	Rare <i>Helicobacter pylori</i> Infection May Explain Low Stomach Cancer Incidence: Ecological Observations in Bali, Indonesia. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016, 17, 979-984.	1.2	1
150	Adult T-cell leukaemia/lymphoma and horizontally transmitted human T-lymphotropic virus type I. <i>European Journal of Cancer & Clinical Oncology</i> , 1990, 26, 1261-1262.	0.7	0
151	Risk of Gastric Remnant Cancer in Japan. <i>Japanese Journal of Cancer Research</i> , 1991, 82, 871-872.	1.7	0
152	Is the proportion of infection-related cancers much greater than generally appreciated?. <i>International Journal of Cancer</i> , 2005, 113, 509-509.	5.2	0
153	Population-attributable fractions in gastric cancer risk factors: the necessity to focus on <i>Helicobacter pylori</i> infection. <i>Gastric Cancer</i> , 2006, 9, 240-241.	5.6	0
154	Preface to the English Version of the Dietary Reference Intakes for Japanese (DRIs-J) 2010. <i>Journal of Nutritional Science and Vitaminology</i> , 2012, 59, S2-S2.	0.6	0
155	Prostate cancer, lipids, and statins. <i>European Journal of Lipid Science and Technology</i> , 2014, 116, 663-666.	1.5	0
156	Re: Determinants of participation in prostate cancer screening: A simple analytical framework to account for healthy-user bias. <i>Cancer Science</i> , 2015, 106, 1479-1480.	4.0	0
157	Re: Effect of Individual Omega-3 Fatty Acids on the Risk of Prostate Cancer: A Systematic Review and Dose-Response Meta-Analysis of Prospective Cohort Studies. <i>Journal of Epidemiology</i> , 2015, 25, 559-560.	2.7	0