

# Shinkan Tokudome

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1106214/publications.pdf>

Version: 2024-02-01

157  
papers

6,240  
citations

57758

44  
h-index

82547

72  
g-index

161  
all docs

161  
docs citations

161  
times ranked

7012  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma phytoestrogens concentration and risk of colorectal cancer in two different Asian populations. <i>Clinical Nutrition</i> , 2018, 37, 1675-1682.	5.0	19
2	Alcohol consumption and mortality from aortic disease among Japanese men: The Japan Collaborative Cohort study. <i>Atherosclerosis</i> , 2017, 266, 64-68.	0.8	11
3	Changes in blood biochemical markers before, during, and after a 2-day ultramarathon. <i>Open Access Journal of Sports Medicine</i> , 2016, 7, 43.	1.3	53
4	Discoveries and application of prostate-specific antigen, and some proposals to optimize prostate cancer screening. <i>Cancer Management and Research</i> , 2016, 8, 45.	1.9	13
5	Waterpipe Tobacco Smoking and Gastric Cancer Risk among Vietnamese Men. <i>PLoS ONE</i> , 2016, 11, e0165587.	2.5	20
6	Changes of tryptophan metabolism in Japanese runners during an ultra-marathon race. <i>Sport Sciences for Health</i> , 2016, 12, 77-83.	1.3	1
7	Life expectancy and healthy life expectancy of Japan: the fastest graying society in the world. <i>BMC Research Notes</i> , 2016, 9, 482.	1.4	45
8	Rare <i>Helicobacter pylori</i> Infection May Explain Low Stomach Cancer Incidence: Ecological Observations in Bali, Indonesia. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016, 17, 979-984.	1.2	1
9	Re: Determinants of participation in prostate cancer screening: A simple analytical framework to account for healthy user bias. <i>Cancer Science</i> , 2015, 106, 1479-1480.	3.9	0
10	Re: Effect of Individual Omega-3 Fatty Acids on the Risk of Prostate Cancer: A Systematic Review and Dose-Response Meta-Analysis of Prospective Cohort Studies. <i>Journal of Epidemiology</i> , 2015, 25, 559-560.	2.4	0
11	Dietary n-3/long-chain n-3 polyunsaturated fatty acids for prevention of sporadic colorectal tumors: A randomized controlled trial in polypectomized participants. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015, 94, 1-11.	2.2	18
12	The preventive effects of low-dose enteric-coated aspirin tablets on the development of colorectal tumours in Asian patients: a randomised trial. <i>Gut</i> , 2014, 63, 1755-1759.	12.1	107
13	Prostate cancer, lipids, and statins. <i>European Journal of Lipid Science and Technology</i> , 2014, 116, 663-666.	1.5	0
14	RE: Plasma Phospholipid Fatty Acids and Prostate Cancer Risk in the SELECT Trial. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju020-dju020.	6.3	4
15	The rs6983267 SNP Is Associated with MYC Transcription Efficiency, Which Promotes Progression and Worsens Prognosis of Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2013, 20, 1395-1402.	1.5	46
16	Preventive effects of low-dose aspirin on colorectal adenoma growth in patients with familial adenomatous polyposis: double-blind, randomized clinical trial. <i>Cancer Medicine</i> , 2013, 2, 50-56.	2.8	86
17	Usual Dietary Intakes of Selected Trace Elements (Zn, Cu, Mn, I, Se, Cr, and Mo) and Biotin Revealed by a Survey of Four-Season 7-Consecutive Day Weighed Dietary Records in Middle-Aged Japanese Dietitians. <i>Journal of Nutritional Science and Vitaminology</i> , 2013, 59, 281-288.	0.6	19
18	Obesity/Weight Gain and Breast Cancer Risk: Findings From the Japan Collaborative Cohort Study for the Evaluation of Cancer Risk. <i>Journal of Epidemiology</i> , 2013, 23, 139-145.	2.4	45

#	ARTICLE	IF	CITATIONS
19	Cohort Profile of the Japan Collaborative Cohort Study at Final Follow-up. <i>Journal of Epidemiology</i> , 2013, 23, 227-232.	2.4	134
20	Body Mass Index and Weight Change During Adulthood Are Associated With Increased Mortality From Liver Cancer: The JACC Study. <i>Journal of Epidemiology</i> , 2013, 23, 219-226.	2.4	13
21	Relationship of Living Conditions With Dietary Patterns Among Survivors of the Great East Japan Earthquake. <i>Journal of Epidemiology</i> , 2013, 23, 376-381.	2.4	28
22	Ovarian cancer mortality among women aged 40-79 years in relation to reproductive factors and body mass index: latest evidence from the Japan Collaborative Cohort study. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 249.	2.2	11
23	Association between <i>TNF-<math>\alpha</math></i> and <i>IL-1<math>\beta</math></i> genotypes vs <i>Helicobacter pylori</i> infection in Indonesia. <i>World Journal of Gastroenterology</i> , 2013, 19, 8758.	3.3	14
24	Preface to the English Version of the Dietary Reference Intakes for Japanese (DRIs-) 2010. <i>Journal of Nutritional Science and Vitaminology</i> , 2012, 59, S2-S2.	0.6	0
25	Towards a better National Health and Nutrition Survey in Japan. <i>Lancet</i> , The, 2012, 379, e44.	13.7	5
26	Increased Risk for CRC in Diabetic Patients with the Nonrisk Allele of SNPs at 8q24. <i>Annals of Surgical Oncology</i> , 2012, 19, 2853-2858.	1.5	13
27	Association Between HLA-DQ Genotypes and Haplotypes vs <i>Helicobacter pylori</i> Infection in an Indonesian Population. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 1247-1251.	1.2	28
28	Risk Factors for Rectal Cancer and Methylenetetrahydrofolate Reductase Polymorphisms in a Population in Northeast Thailand. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 4017-4023.	1.2	7
29	IUNS Workshop on Capacity and Leadership Development in Nutritional Sciences Held in Tokyo 2010. <i>Journal of Nutritional Science and Vitaminology</i> , 2011, 57, 313-315.	0.6	3
30	Profile of Participants and Genotype Distributions of 108 Polymorphisms in a Cross-Sectional Study of Associations of Genotypes With Lifestyle and Clinical Factors: A Project in the Japan Multi-Institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , 2011, 21, 223-235.	2.4	92
31	Impact of insulin resistance, insulin and adiponectin on kidney stones in the Japanese population. <i>International Journal of Urology</i> , 2011, 18, 131-138.	1.0	33
32	Genetic polymorphisms of glutathione S-transferase genes and susceptibility to colorectal cancer: A case-control study in an Indian population. <i>Cancer Epidemiology</i> , 2011, 35, 66-72.	1.9	47
33	Risk Factors for Colon Cancer in Northeastern Thailand: Interaction of MTHFR Codon 677 and 1298 Genotypes with Environmental Factors. <i>Journal of Epidemiology</i> , 2010, 20, 329-338.	2.4	27
34	Polymorphisms in DNA repair genes XRCC1, XRCC3 and XPD, and colorectal cancer risk: a case-control study in an Indian population. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 1517-1525.	2.5	52
35	Changes in thioredoxin concentrations: an observation in an ultra-marathon race. <i>Environmental Health and Preventive Medicine</i> , 2010, 15, 129-134.	3.4	15
36	Abdominal circumference should not be a required criterion for the diagnosis of metabolic syndrome. <i>Environmental Health and Preventive Medicine</i> , 2010, 15, 229-235.	3.4	6

#	ARTICLE	IF	CITATIONS
37	Alcohol Drinking May Not Be a Major Risk Factor for Fatty Liver in Japanese Undergoing a Health Checkup. <i>Digestive Diseases and Sciences</i> , 2010, 55, 176-182.	2.3	31
38	Strong interaction between the effects of alcohol consumption and smoking on oesophageal squamous cell carcinoma among individuals with ADH1B and/or ALDH2 risk alleles. <i>Gut</i> , 2010, 59, 1457-1464.	12.1	112
39	Meta- and Pooled Analysis of GSTP1 Polymorphism and Lung Cancer: A HuGE-GSEC Review. <i>American Journal of Epidemiology</i> , 2009, 169, 802-814.	3.4	73
40	Depression, inflammation, and pain in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 61, 1018-1024.	6.7	175
41	Psychosocial factors, disease status, and quality of life in patients with rheumatoid arthritis. <i>Journal of Psychosomatic Research</i> , 2009, 67, 425-431.	2.6	81
42	A prospective study of educational background and breast cancer among Japanese women. <i>Cancer Causes and Control</i> , 2008, 19, 931-937.	1.8	12
43	Analysis of Human Oral Mucosa Ex Vivo for Fatty Acid Compositions Using Fourier Transform Infrared Spectroscopy. <i>Lipids</i> , 2008, 43, 361-372.	1.7	16
44	Inverse Relationship Between Obesity and Serum Prostate-Specific Antigen Level in Healthy Japanese Men: A Hospital-Based Cross-Sectional Survey, 2004-2006. <i>Urology</i> , 2008, 72, 561-565.	1.0	23
45	Eicosapentaenoic Acid Has a Preventive Effect on the Recurrence of Nephrolithiasis. <i>Urologia Internationalis</i> , 2008, 81, 135-138.	1.3	24
46	Effect of Physical Activity on Breast Cancer Risk: Findings of the Japan Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3396-3401.	2.5	38
47	CYP1A1, GSTM1, and GSTT1 Polymorphisms, Smoking, and Lung Cancer Risk in a Pooled Analysis among Asian Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1120-1126.	2.5	54
48	Active Smoking, Passive Smoking, and Breast Cancer Risk: Findings from the Japan Collaborative Cohort Study for Evaluation of Cancer Risk. <i>Journal of Epidemiology</i> , 2008, 18, 77-83.	2.4	49
49	Loss of Fractal Heart Rate Dynamics in Depressive Hemodialysis Patients. <i>Psychosomatic Medicine</i> , 2008, 70, 177-185.	2.0	21
50	Dietary Fiber and Risk of Colorectal Cancer in the Japan Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 668-675.	2.5	74
51	Reproducibility of a Short Food Frequency Questionnaire for Japanese General Population. <i>Journal of Epidemiology</i> , 2007, 17, 100-107.	2.4	122
52	Host and environmental factors for gastric cancer in Babol, the Caspian Sea Coast, Iran. <i>European Journal of Cancer Prevention</i> , 2007, 16, 192-195.	1.3	17
53	Independent associations of alexithymia and social support with depression in hemodialysis patients. <i>Journal of Psychosomatic Research</i> , 2007, 63, 349-356.	2.6	24
54	Dietary Habits and Risk of Ovarian Cancer Death in a Large-Scale Cohort Study (JACC Study) in Japan. <i>Nutrition and Cancer</i> , 2007, 57, 138-145.	2.0	46

#	ARTICLE	IF	CITATIONS
55	Psychological attitudes and risk of breast cancer in Japan: a prospective study. <i>Cancer Causes and Control</i> , 2007, 18, 259-267.	1.8	25
56	Consumption of soy foods and the risk of breast cancer: findings from the Japan Collaborative Cohort (JACC) Study. <i>Cancer Causes and Control</i> , 2007, 18, 801-808.	1.8	59
57	Risk factors for colorectal cancer in northeast Thailand: lifestyle related. <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8, 573-7.	1.2	9
58	Marine n-3 Fatty Acids and Colorectal Cancer: Is There a Real Link?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 406-407.	2.5	3
59	Elevated risk of colorectal cancer associated with the AA genotype of the cyclin D1 A870G polymorphism in an Indian population. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006, 132, 193-199.	2.5	34
60	Population-attributable fractions in gastric cancer risk factors: the necessity to focus on <i>Helicobacter pylori</i> infection. <i>Gastric Cancer</i> , 2006, 9, 240-241.	5.3	0
61	Accelerated solvent extraction for quantitative measurement of fatty acids in plasma and erythrocytes. <i>Lipids</i> , 2006, 41, 605-614.	1.7	10
62	Associations between 5,10-methylenetetrahydrofolate reductase codon 677 and 1298 genetic polymorphisms and environmental factors with reference to susceptibility to colorectal cancer: A case-control study in an Indian population. <i>International Journal of Cancer</i> , 2006, 118, 991-997.	5.1	47
63	<i>Helicobacter pylori</i> infection appears the prime risk factor for stomach cancer. <i>International Journal of Cancer</i> , 2006, 119, 2991-2991.	5.1	17
64	Effectiveness of Cervical Cancer Screening Over Cervical Cancer Mortality Among Japanese Women. <i>Japanese Journal of Clinical Oncology</i> , 2006, 36, 511-518.	1.3	25
65	Validation study of fatty acid consumption assessed with a short food frequency questionnaire against plasma concentration in middle-aged Japanese people. <i>Food Nutrition Research</i> , 2006, 50, 77-82.	0.3	61
66	Perceived Psychologic Stress and Colorectal Cancer Mortality: Findings From the Japan Collaborative Cohort Study. <i>Psychosomatic Medicine</i> , 2005, 67, 72-77.	2.0	31
67	Relative Validity of a Short Food Frequency Questionnaire for Assessing Nutrient Intake versus Three-day Weighed Diet Records in Middle-aged Japanese. <i>Journal of Epidemiology</i> , 2005, 15, 135-145.	2.4	197
68	Intake Frequency of Fish and Serum Levels of Long-chain n-3 Fatty Acids: A Cross-sectional Study within the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2005, 15, 211-218.	2.4	36
69	Change in Food Intake Frequency at Five Years after Baseline in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S48-S55.	2.4	6
70	Smoking and Drinking Habits Five Years after Baseline in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S56-S66.	2.4	17
71	Medical History of Circulatory Diseases and Colorectal Cancer Death in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S168-S172.	2.4	7
72	Alcohol Consumption and Colorectal Cancer Risk: Findings from the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S173-S179.	2.4	20

#	ARTICLE	IF	CITATIONS
73	Glucose Intolerance and Colorectal Cancer Risk in a Nested Case-Control Study among Japanese People. <i>Journal of Epidemiology</i> , 2005, 15, S180-S184.	2.4	8
74	Cigarette smoking and the risk of ovarian cancer in the Japanese population: Findings from the Japanese Collaborate Cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2005, 31, 144-151.	1.3	12
75	Relationship between body mass index and the risk of ovarian cancer in the Japanese population: Findings from the Japanese Collaborate Cohort (JACC) study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2005, 31, 452-458.	1.3	22
76	Impact of menstrual and reproductive factors on breast cancer risk in Japan: Results of the JACC study. <i>Cancer Science</i> , 2005, 96, 57-62.	3.9	45
77	Influence of the C161T but not Pro12Ala polymorphism in the peroxisome proliferator-activated receptor-gamma on colorectal cancer in an Indian population. <i>Cancer Science</i> , 2005, 96, 507-512.	3.9	45
78	Dietary intakes of fat and fatty acids and risk of breast cancer: A prospective study in Japan. <i>Cancer Science</i> , 2005, 96, 590-599.	3.9	97
79	<i>Helicobacter pylori</i> infection appears essential for stomach carcinogenesis: Observations in Semarang, Indonesia. <i>Cancer Science</i> , 2005, 96, 873-875.	3.9	20
80	Is the proportion of infection-related cancers much greater than generally appreciated?. <i>International Journal of Cancer</i> , 2005, 113, 509-509.	5.1	0
81	Prospective study of alcohol consumption and breast cancer risk in Japanese women. <i>International Journal of Cancer</i> , 2005, 116, 779-783.	5.1	22
82	Identification of <i>Helicobacter pylori</i> and the <i>cagA</i> genotype in gastric biopsies using highly sensitive real-time PCR as a new diagnostic tool. <i>FEMS Immunology and Medical Microbiology</i> , 2005, 44, 261-268.	2.7	23
83	Black tea and cardiovascular disease. <i>International Journal of Epidemiology</i> , 2005, 34, 482-483.	1.9	5
84	Serum Levels of Polyunsaturated Fatty Acids and Risk of Colorectal Cancer: A Prospective Study. <i>American Journal of Epidemiology</i> , 2005, 161, 462-471.	3.4	71
85	Serum Carotenoids, Retinol, and Tocopherols, and Colorectal Cancer Risk in a Japanese Cohort: Effect Modification by Sex for Carotenoids. <i>Nutrition and Cancer</i> , 2005, 51, 13-24.	2.0	27
86	Increased Risk of Colorectal Cancer Due to Interactions Between Meat Consumption and the CD36 Gene A52C Polymorphism Among Japanese. <i>Nutrition and Cancer</i> , 2005, 51, 170-177.	2.0	19
87	Diagnostic accuracy of glycohemoglobin A1c (HbA1c) for postprandial hyperglycemia was equivalent to that of fasting blood glucose. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 1052-1057.	5.0	15
88	Rare <i>Helicobacter pylori</i> infection as a factor for the very low stomach cancer incidence in Yogyakarta, Indonesia. <i>Cancer Letters</i> , 2005, 219, 57-61.	7.2	28
89	Plasma carotenoid, $\alpha$ -tocopherol and retinol concentrations and risk of colorectal adenomas: A case-control study in Japan. <i>Cancer Letters</i> , 2005, 226, 133-141.	7.2	11
90	Modulation of natural killer cell activity by supplementation of fermented milk containing <i>Lactobacillus casei</i> in habitual smokers. <i>Preventive Medicine</i> , 2005, 40, 589-594.	3.4	75

#	ARTICLE	IF	CITATIONS
91	Leptin Is Associated with an Increased Female Colorectal Cancer Risk: A Nested Case-Control Study in Japan. <i>Oncology</i> , 2005, 68, 454-461.	1.9	94
92	A Chronological Decrease in Type A Behavior Patterns among Japanese Male Workers in 1995â€“1999. <i>Journal of Occupational Health</i> , 2004, 46, 171-174.	2.1	6
93	A prospective study on the possible association between having children and colon cancer risk: Findings from the JACC Study. <i>Cancer Science</i> , 2004, 95, 243-247.	3.9	18
94	A prospective study of reproductive and menstrual factors and colon cancer risk in Japanese women: Findings from the JACC study. <i>Cancer Science</i> , 2004, 95, 602-607.	3.9	18
95	Condom use promotes regression of cervical intraepithelial neoplasia and clearance of human papillomavirus: A randomized clinical trial. <i>International Journal of Cancer</i> , 2004, 112, 164-164.	5.1	3
96	Re:Helicobacter pylori infection and gastric cancer: Facing the enigmas. <i>International Journal of Cancer</i> , 2004, 112, 166-167.	5.1	6
97	Anthropometric, Lifestyle and Biomarker Assessment of Japanese Non-professional Ultra-marathon Runners. <i>Journal of Epidemiology</i> , 2004, 14, 161-167.	2.4	28
98	Association between type II diabetes and colon cancer among Japanese with reference to changes in food intake. <i>Asian Pacific Journal of Cancer Prevention</i> , 2004, 5, 28-35.	1.2	13
99	Development of a data-based short food frequency questionnaire for assessing nutrient intake by middle-aged Japanese. <i>Asian Pacific Journal of Cancer Prevention</i> , 2004, 5, 40-3.	1.2	112
100	Serum oxidized low-density lipoprotein levels and risk of colorectal cancer: a case-control study nested in the Japan Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1781-7.	2.5	30
101	Association of p53 codon arg72pro and p73 G4C14-to-A4T14 at exon 2 genetic polymorphisms with the risk of Japanese breast cancer. <i>Breast Cancer</i> , 2003, 10, 307-311.	2.9	86
102	Association of GSTM1, CYP1A1 and CYP2E1 genetic polymorphisms with susceptibility to lung adenocarcinoma: A case-control study in Chinese population. <i>Cancer Science</i> , 2003, 94, 448-452.	3.9	46
103	Dose response study of conjugated fatty acid derived from safflower oil on mammary and colon carcinogenesis pretreated with 7,12-dimethylbenz[a]anthracene (DMBA) and 1,2-dimethylhydrazine (DMH) in female Spragueâ€“Dawley rats. <i>Cancer Letters</i> , 2003, 196, 161-168.	7.2	29
104	GST genetic polymorphisms and lung adenocarcinoma susceptibility in a Chinese population. <i>Cancer Letters</i> , 2003, 201, 185-193.	7.2	77
105	Increased intake of n-3 polyunsaturated fatty acids elevates the level of apoptosis in the normal sigmoid colon of patients polypectomized for adenomas/tumors. <i>Cancer Letters</i> , 2003, 193, 17-24.	7.2	89
106	Alexithymia, Depression and Social Support among Japanese Workers. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 307-314.	8.8	72
107	n-6 Polyunsaturated Fatty Acids and Breast Cancer. <i>Nutrition and Cancer</i> , 2003, 47, 210-210.	2.0	2
108	Smoking and Colorectal Cancer in a Non-Western Population: a Prospective Cohort Study in Japan. <i>Journal of Epidemiology</i> , 2003, 13, 323-332.	2.4	28

#	ARTICLE	IF	CITATIONS
109	Plasma Concentrations of (n-3) Highly Unsaturated Fatty Acids Are Good Biomarkers of Relative Dietary Fatty Acid Intakes: A Cross-Sectional Study. <i>Journal of Nutrition</i> , 2003, 133, 3643-3650.	2.9	120
110	Rationale and Study Design of Dietary Intervention in Patients Polypectomized for Tumors of the Colorectum. <i>Japanese Journal of Clinical Oncology</i> , 2002, 32, 550-553.	1.3	14
111	Reproducibility of a Semi-quantitative Food Frequency Questionnaire in Japanese Female Dietitians.. <i>Journal of Epidemiology</i> , 2002, 12, 45-53.	2.4	18
112	Daily, Weekly, Seasonal, Within- and Between-individual Variation in Nutrient Intake According to Four Season Consecutive 7 Day Weighed Diet Records in Japanese Female Dietitians.. <i>Journal of Epidemiology</i> , 2002, 12, 85-92.	2.4	84
113	Associations between physical strength, cerebral function and mental health in independent-living elderly Japanese women. <i>Environmental Health and Preventive Medicine</i> , 2002, 7, 123-128.	3.4	1
114	Green Tea Consumption and Serum Lipids and Lipoproteins in a Population of Healthy Workers in Japan. <i>Annals of Epidemiology</i> , 2002, 12, 157-165.	1.9	84
115	Cross-cultural validation of the Beck Depression Inventory-II in Japan. <i>Psychiatry Research</i> , 2002, 110, 291-299.	3.3	384
116	Inhibition of conjugated fatty acids derived from safflower or perilla oil of induction and development of mammary tumors in rats induced by 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP). <i>Cancer Letters</i> , 2002, 178, 131-139.	7.2	42
117	Folate intake and food sources in Japanese female dietitians. <i>Environmental Health and Preventive Medicine</i> , 2002, 7, 156-161.	3.4	10
118	Seasonal variation in consumption and plasma concentrations of fatty acids in Japanese female dietitians. <i>European Journal of Epidemiology</i> , 2002, 18, 945-953.	5.7	17
119	Folate Intake and Food Sources in Japanese Female Dietitians. <i>Environmental Health and Preventive Medicine</i> , 2002, 7, 156-161.	3.4	4
120	Possible association of beta2- and beta3-adrenergic receptor gene polymorphisms with susceptibility to breast cancer. <i>Breast Cancer Research</i> , 2001, 3, 264.	5.0	60
121	Association of family history and other risk factors with breast cancer risk among Japanese premenopausal and postmenopausal women. <i>Cancer Causes and Control</i> , 2001, 12, 349-358.	1.8	44
122	Comparison of lifestyle and risk factors among Japanese with and without gastric cancer family history. , 2000, 86, 421-424.		21
123	Validity of brief intelligence tests for patients with Alzheimer's disease. <i>Psychiatry and Clinical Neurosciences</i> , 2000, 54, 435-439.	1.8	17
124	Additive effects of estrogen deficiency and diabetes on bone mineral density in rats. <i>Diabetes Research and Clinical Practice</i> , 2000, 48, 1-8.	2.8	12
125	Effects of Dietary, Drinking, and Smoking Habits on the Prognosis of Gastric Cancer. <i>Nutrition and Cancer</i> , 2000, 38, 30-36.	2.0	43
126	Data Checking and Standardization in a Weighed Food Dietary Record Survey.. <i>The Japanese Journal of Nutrition and Dietetics</i> , 2000, 58, 67-76.	0.1	15



#	ARTICLE	IF	CITATIONS
127	Japanese versus Mediterranean Diets and Cancer. Asian Pacific Journal of Cancer Prevention, 2000, 1, 61-66.	1.2	25
128	Comparative Case-referent Study of Risk Factors among Hormone-related Female Cancers in Japan. Japanese Journal of Cancer Research, 1999, 90, 255-261.	1.7	42
129	Effect of body size on breast-cancer risk among Japanese women. , 1999, 80, 349-355.		51
130	Foods Contributing to Absolute Intake and Variance in Intake of Selected Vitamins, Minerals and Dietary Fiber in Middle-Aged Japanese.. Journal of Nutritional Science and Vitaminology, 1999, 45, 519-532.	0.6	36
131	Effect of Life Styles on the Risk of Sybsute-specific Gastric Cancer in Those with and without Family History. Journal of Epidemiology, 1999, 9, 40-45.	2.4	29
132	Foods Contributing to Absolute Intake and Variance in Intake of Fat, Fatty Acids and Cholesterol in Middle-aged Japanese. Journal of Epidemiology, 1999, 9, 78-90.	2.4	44
133	Smoking and Dietary Risk Factors for Cervical Cancer at Different Age Group in Japan. Journal of Epidemiology, 1998, 8, 6-14.	2.4	14
134	Semen of Smokers and Cervical Cancer Risk. Journal of the National Cancer Institute, 1997, 89, 96-97.	6.3	8
135	Impact of Family History on the Risk of Breast Cancer among the Japanese. Japanese Journal of Cancer Research, 1997, 88, 1130-1136.	1.7	7
136	A Large-scale, Hospital-based Case-Control Study of Risk Factors of Breast Cancer According to Menopausal Status. Japanese Journal of Cancer Research, 1995, 86, 146-154.	1.7	260
137	Mortality in Psychiatric Patients, with a Specific Focus on Cancer Mortality Associated with Schizophrenia. International Journal of Epidemiology, 1995, 24, 366-372.	1.9	71
138	Determination of 3,4-dimethylhippuric acid as a biological monitoring index for trimethylbenzene exposure in transfer printing workers. International Archives of Occupational and Environmental Health, 1994, 65, 295-297.	2.3	14
139	Covalent coupling of a steroid to microwell plates for use in a competitive enzyme-linked immunosorbent assay. Journal of Immunological Methods, 1993, 166, 55-61.	1.4	12
140	Risk of Adult T-cell Leukemia Developing Individuals with HTLV-I Infection. Leukemia and Lymphoma, 1992, 6, 437-439.	1.3	15
141	Concomitant carriage of hepatitis B virus and human T-lymphotropic virus type I among blood donors in Kitakyushu, Japan. Journal of Infection, 1991, 23, 33-37.	3.3	5
142	Risk of Gastric Remnant Cancer in Japan. Japanese Journal of Cancer Research, 1991, 82, 871-872.	1.7	0
143	Follow-up of asymptomatic HTLV-I carriers among blood donors in Kyushu, Japan. Cancer Causes and Control, 1991, 2, 75-78.	1.8	6
144	Adult T-cell leukaemia/lymphoma and horizontally transmitted human T-lymphotropic virus type I. European Journal of Cancer & Clinical Oncology, 1990, 26, 1261-1262.	0.7	0

#	ARTICLE	IF	CITATIONS
145	Blood Transfusion as a Risk Factor for Cirrhosis and Liver Cancer: A Matched Case-Control Study. <i>Journal of the National Cancer Institute</i> , 1989, 81, 1189-1190.	6.3	5
146	Histologic Types of Lung Cancers Among Male Japanese Copper Smelter Workers. <i>American Journal of Industrial Medicine</i> , 1988, 14, 137-143.	2.1	2
147	A Case-Control Study of Gastric Cancer and Diet in Northern Kyushu, Japan. <i>Japanese Journal of Cancer Research</i> , 1988, 79, 1067-1074.	1.7	252
148	Type of Gallstones and Deaths from Stroke and Coronary Heart Disease among Cholecystectomized Patients. <i>International Journal of Epidemiology</i> , 1988, 17, 82-85.	1.9	11
149	INTER- and INTRA-PATHOLOGIST VARIABILITY IN HISTOLOGIC DIAGNOSES OF LUNG CANCER. <i>Pathology International</i> , 1987, 37, 1053-1060.	1.3	1
150	TISSUE COPPER CONTENT IN PRIMARY AND METASTATIC LIVER CANCERS. <i>Pathology International</i> , 1987, 37, 231-238.	1.3	11
151	Alcohol and Mortality: A Cohort Study of Male Japanese Physicians. <i>International Journal of Epidemiology</i> , 1986, 15, 527-532.	1.9	168
152	Smoking and mortalities from cancer, coronary heart disease and stroke in male Japanese physicians. <i>Journal of Cancer Research and Clinical Oncology</i> , 1985, 110, 161-164.	2.5	21
153	Alcohol and cancer in male Japanese physicians. <i>Journal of Cancer Research and Clinical Oncology</i> , 1985, 109, 82-85.	2.5	9
154	The Relationship between Alcohol and Mortality among Japanese Physicians. <i>International Journal of Epidemiology</i> , 1983, 12, 437-441.	1.9	34
155	A cohort study on mortality from cancer and other causes among workers at a metal refinery. <i>International Journal of Cancer</i> , 1976, 17, 310-317.	5.1	104
156	Occupational lung cancer among copper smelters. <i>International Journal of Cancer</i> , 1974, 13, 552-558.	5.1	70
157	Cancer and Other Causes of Death Among Leprosy Patients&lt;xref ref-type="fn" rid="FN2">2&lt;/xref&gt;. <i>Journal of the National Cancer Institute</i> , 0, , .	6.3	7