

Kirk A Easley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11065108/publications.pdf>

Version: 2024-02-01

61
papers

4,824
citations

136885

32
h-index

128225

60
g-index

61
all docs

61
docs citations

61
times ranked

4745
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of heat shock protein and cytokine expression as markers of clinical outcomes with glutamine-supplemented parenteral nutrition in surgical ICU patients. <i>Clinical Nutrition</i> , 2020, 39, 563-573.	2.3	4
2	Antiretroviral Therapy-Induced Bone Loss Is Durably Suppressed by a Single Dose of Zoledronic Acid in Treatment-Naïve Persons with Human Immunodeficiency Virus Infection: A Phase IIb Trial. <i>Clinical Infectious Diseases</i> , 2020, 71, 1655-1663.	2.9	12
3	Observational study of cytomegalovirus from breast milk and necrotizing enterocolitis. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 259-265.	1.4	18
4	Ethanol Lock Therapy Markedly Reduces Catheter-Related Blood Stream Infections in Adults Requiring Home Parenteral Nutrition: A Retrospective Study From a Tertiary Medical Center. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 44, 661-667.	1.3	4
5	Cognitive and Neuronal Link With Inflammation: A Longitudinal Study in People With and Without HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 617-625.	0.9	19
6	Enteral iron supplementation, red blood cell transfusion, and risk of bronchopulmonary dysplasia in very-low-birth-weight infants. <i>Transfusion</i> , 2019, 59, 1675-1682.	0.8	26
7	Platelet transfusions and mortality in necrotizing enterocolitis. <i>Transfusion</i> , 2019, 59, 981-988.	0.8	21
8	T-cell receptor activator of nuclear factor- κ B ligand/osteoprotegerin imbalance is associated with HIV-induced bone loss in patients with higher CD4+ T-cell counts. <i>Aids</i> , 2018, 32, 885-894.	1.0	24
9	Peritransplantation Red Blood Cell Transfusion Is Associated with Increased Risk of Graft-versus-Host Disease after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 973-982.	2.0	18
10	High-resolution plasma metabolomics analysis to detect <i>Mycobacterium tuberculosis</i> -associated metabolites that distinguish active pulmonary tuberculosis in humans. <i>PLoS ONE</i> , 2018, 13, e0205398.	1.1	42
11	Neurofilament light chain in blood is negatively associated with neuropsychological performance in HIV-infected adults and declines with initiation of antiretroviral therapy. <i>Journal of NeuroVirology</i> , 2018, 24, 695-701.	1.0	35
12	Efficacy and Safety of Glutamine-supplemented Parenteral Nutrition in Surgical ICU Patients. <i>Annals of Surgery</i> , 2016, 263, 646-655.	2.1	59
13	Association of Red Blood Cell Transfusion, Anemia, and Necrotizing Enterocolitis in Very Low-Birth-Weight Infants. <i>JAMA - Journal of the American Medical Association</i> , 2016, 315, 889.	3.8	227
14	A Single-dose Zoledronic Acid Infusion Prevents Antiretroviral Therapy-induced Bone Loss in Treatment-naïve HIV-infected Patients: A Phase IIb Trial. <i>Clinical Infectious Diseases</i> , 2016, 63, 663-671.	2.9	42
15	Macronutrient intake and body composition changes during anti-tuberculosis therapy in adults. <i>Clinical Nutrition</i> , 2016, 35, 205-212.	2.3	13
16	Potential Benefits for Caregivers of Stroke Survivors Receiving BTX-A and Exercise for Upper Extremity Spasticity. <i>Rehabilitation Nursing</i> , 2015, 40, 188-196.	0.3	8
17	High-dose vitamin D3 in adults with pulmonary tuberculosis: a double-blind randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1059-1069.	2.2	104
18	Dysregulated B Cell Expression of RANKL and OPG Correlates with Loss of Bone Mineral Density in HIV Infection. <i>PLoS Pathogens</i> , 2014, 10, e1004497.	2.1	93

#	ARTICLE	IF	CITATIONS
19	Blood Transfusion and Breast Milk Transmission of Cytomegalovirus in Very Low-Birth-Weight Infants. <i>JAMA Pediatrics</i> , 2014, 168, 1054.	3.3	139
20	A culture-specific nutrient intake assessment instrument in patients with pulmonary tuberculosis. <i>Clinical Nutrition</i> , 2013, 32, 1023-1028.	2.3	7
21	Characterization of post-hospital infections in adults requiring home parenteral nutrition. <i>Nutrition</i> , 2013, 29, 52-59.	1.1	41
22	Further Assessment to Determine the Additive Effect of Botulinum Toxin Type A on an Upper Extremity Exercise Program to Enhance Function Among Individuals With Chronic Stroke but Extensor Capability. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 578-587.	0.5	34
23	Prevention of Transfusion-Transmitted Cytomegalovirus in Low-Birth Weight Infants (≤ 1500 g) Using Cytomegalovirus-Seronegative and Leukoreduced Transfusions. <i>Transfusion Medicine Reviews</i> , 2011, 25, 125-132.	0.9	29
24	CD4/CD8 T-cell ratio predicts HIV infection in infants: The National Heart, Lung, and Blood Institute P2C2 Study. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 1449-1456.	1.5	16
25	The Influence of Intense Tai Chi Training on Physical Performance and Hemodynamic Outcomes in Transitionally Frail, Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 184-189.	1.7	104
26	Treatment of giant cell arteritis using induction therapy with high-dose glucocorticoids: A double-blind, placebo-controlled, randomized prospective clinical trial. <i>Arthritis and Rheumatism</i> , 2006, 54, 3310-3318.	6.7	303
27	Selective Retention of Bone Marrow-Derived Cells to Enhance Spinal Fusion. <i>Clinical Orthopaedics and Related Research</i> , 2005, 432, 242-251.	0.7	102
28	Reduction in Fear of Falling Through Intense Tai Chi Exercise Training in Older, Transitionally Frail Adults. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1168-1178.	1.3	188
29	Mild dilated cardiomyopathy and increased left ventricular mass predict mortality: The Prospective P2C2 HIV Multicenter Study. <i>American Heart Journal</i> , 2005, 150, 439-447.	1.2	82
30	Comparison of the Sensitivities and Viral Load Values of the AMPLICOR HIV-1 MONITOR Version 1.0 and 1.5 Tests. <i>Journal of Clinical Microbiology</i> , 2004, 42, 5392-5393.	1.8	8
31	Assessment of Agreement between the AMPLICOR HIV-1 MONITOR Test Versions 1.0 and 1.5. <i>Journal of Clinical Microbiology</i> , 2004, 42, 286-289.	1.8	6
32	Cardiovascular Outcomes of Pediatric Seroreverters Perinatally Exposed to HAART: Design of a Longitudinal Clinical Study. <i>Cardiovascular Toxicology</i> , 2004, 4, 187-198.	1.1	7
33	Heterogeneous response of cerebral blood flow to hypotension demonstrated by laser speckle imaging flowmetry in rats. <i>Neuroscience Letters</i> , 2004, 368, 151-156.	1.0	33
34	Nitric Oxide Synthase Inhibition Depresses the Height of the Cerebral Blood Flow-Pressure Autoregulation Curve during Moderate Hypotension. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 1085-1095.	2.4	25
35	Usefulness of the pediatric electrocardiogram in detecting left ventricular hypertrophy: Results from the Prospective Pediatric Pulmonary and Cardiovascular Complications of Vertically Transmitted HIV Infection (P2C2 HIV) multicenter study. <i>American Heart Journal</i> , 2003, 145, 716-723.	1.2	30
36	Postmortem cardiomegaly and echocardiographic measurements of left ventricular size and function in children infected with the human immunodeficiency virus. <i>Cardiovascular Pathology</i> , 2003, 12, 140-148.	0.7	13

#	ARTICLE	IF	CITATIONS
37	Evaluation of Coxsackievirus Infection in Children with Human Immunodeficiency Virus Type 1 Associated Cardiomyopathy. <i>Journal of Infectious Diseases</i> , 2002, 185, 1798-1802.	1.9	7
38	Variability in the Magnitude of the Cerebral Blood Flow Response and the Shape of the Cerebral Blood Flow: Pressure Autoregulation Curve during Hypotension in Normal Rats. <i>Anesthesiology</i> , 2002, 97, 488-496.	1.3	47
39	Cardiovascular status of infants and children of women infected with HIV-1 (P 2 C 2 HIV): a cohort study. <i>Lancet, The</i> , 2002, 360, 368-373.	6.3	91
40	Incidence of cardiac abnormalities in children with human immunodeficiency virus infection: The prospective P2 C2 HIV study. <i>Journal of Pediatrics</i> , 2002, 141, 327-335.	0.9	91
41	Variations in CBF during hypotension and in cortical eNOS in rats. <i>International Congress Series</i> , 2002, 1235, 357-368.	0.2	0
42	A multicenter, randomized, double-blind, placebo-controlled trial of adjuvant methotrexate treatment for giant cell arteritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 1309-1318.	6.7	480
43	Decline of CD3-positive T-cell counts by 6 months of age is associated with rapid disease progression in HIV-1 infected infants. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 108, 265-268.	1.5	8
44	Dilation of the aortic root in children infected with human immunodeficiency virus type 1: The Prospective P2C2 HIV Multicenter Study. <i>American Heart Journal</i> , 2001, 141, 661-670.	1.2	23
45	Age- and gender-related changes in the cellularity of human bone marrow and the prevalence of osteoblastic progenitors. <i>Journal of Orthopaedic Research</i> , 2001, 19, 117-125.	1.2	453
46	Reliability of Multicenter Pediatric Echocardiographic Measurements of Left Ventricular Structure and Function. <i>Circulation</i> , 2001, 104, 310-316.	1.6	81
47	Alterations in Cardiac and Pulmonary Function in Pediatric Rapid Human Immunodeficiency Virus Type 1 Disease Progressors. <i>Pediatrics</i> , 2000, 105, e9-e9.	1.0	34
48	Cardiac Dysfunction and Mortality in HIV-Infected Children. <i>Circulation</i> , 2000, 102, 1542-1548.	1.6	141
49	Absence of Cardiac Toxicity of Zidovudine in Infants. <i>New England Journal of Medicine</i> , 2000, 343, 759-766.	13.9	151
50	Cardiac structure and function in fetuses of mothers infected with HIV: The prospective P2C2HIV multicenter study. <i>American Heart Journal</i> , 2000, 140, 575-584.	1.2	55
51	Prospective 5-year study of peripheral blood CD4+, CD8+, and CD19+/CD20+ lymphocytes and serum Igs in children born to HIV-1+ women. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 106, 559-566.	1.5	34
52	Cardiac Complications in Children With Human Immunodeficiency Virus Infection. <i>Pediatrics</i> , 1999, 104, e14-e14.	1.0	56
53	ThinPrep ² vs. conventional smear cytologic preparations in analyzing fine-needle aspiration specimens from palpable breast masses. <i>Diagnostic Cytopathology</i> , 1999, 21, 137-141.	0.5	44
54	Synovial Sarcoma of the Extremities. <i>American Journal of Surgical Pathology</i> , 1999, 23, 268-275.	2.1	91

#	ARTICLE	IF	CITATIONS
55	Prevalence of congenital cardiovascular malformations in children of human immunodeficiency virus-infected women. <i>Journal of the American College of Cardiology</i> , 1998, 32, 1749-1755.	1.2	31
56	Left Ventricular Structure and Function in Children Infected With Human Immunodeficiency Virus. <i>Circulation</i> , 1998, 97, 1246-1256.	1.6	173
57	Chest radiographic data acquisition and quality assurance in multicenter studies. <i>Pediatric Radiology</i> , 1997, 27, 880-887.	1.1	22
58	Myxoid/Round Cell Liposarcoma of the Extremities. <i>American Journal of Surgical Pathology</i> , 1996, 20, 171-180.	2.1	162
59	ThinPrep Versus Conventional Smear Cytologic Preparations in the Analysis of Thyroid Fine-Needle Aspiration Specimens. <i>American Journal of Clinical Pathology</i> , 1995, 104, 150-153.	0.4	96
60	Clinical patterns, natural history, and progression of ulcerative colitis. <i>Digestive Diseases and Sciences</i> , 1993, 38, 1137-1146.	1.1	364
61	Colorectal and extracolonic malignancy in ulcerative colitis. <i>Cancer</i> , 1986, 58, 1569-1574.	2.0	153