

Sergei A Nedospasov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11068332/publications.pdf>

Version: 2024-02-01

89
papers

6,982
citations

61984

43
h-index

60623

81
g-index

89
all docs

89
docs citations

89
times ranked

10183
citing authors

#	ARTICLE	IF	CITATIONS
1	Therapeutic Potential of Combining IL-6 and TNF Blockade in a Mouse Model of Allergic Asthma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3521.	4.1	8
2	TNF hampers intestinal tissue repair in colitis by restricting IL-22 bioavailability. <i>Mucosal Immunology</i> , 2022, 15, 698-716.	6.0	10
3	Macrophages acquire a TNF-dependent inflammatory memory in allergic asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 2078-2090.	2.9	31
4	LT β , TNF, and ILC3 in Peyer's Patch Organogenesis. <i>Cells</i> , 2022, 11, 1970.	4.1	4
5	Directional mast cell degranulation of tumor necrosis factor into blood vessels primes neutrophil extravasation. <i>Immunity</i> , 2021, 54, 468-483.e5.	14.3	56
6	Dual Role of TNF and LT β in Carcinogenesis as Implicated by Studies in Mice. <i>Cancers</i> , 2021, 13, 1775.	3.7	12
7	Novel Anti-Cytokine Strategies for Prevention and Treatment of Respiratory Allergic Diseases. <i>Frontiers in Immunology</i> , 2021, 12, 601842.	4.8	18
8	Current Perspectives on the Role of TNF in Hematopoiesis Using Mice With Humanization of TNF/LT System. <i>Frontiers in Immunology</i> , 2021, 12, 661900.	4.8	4
9	Fibroblasts upregulate expression of adhesion molecules and promote lymphocyte retention in 3D fibroin/gelatin scaffolds. <i>Bioactive Materials</i> , 2021, 6, 3449-3460.	15.6	8
10	TNF- β in T lymphocytes attenuates renal injury and fibrosis during nephrotoxic nephritis. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F107-F116.	2.7	16
11	The structure of myeloid cell-specific TNF inhibitors affects their biological properties. <i>FEBS Letters</i> , 2020, 594, 3542-3550.	2.8	2
12	Conditional Ablation of Myeloid TNF Improves Functional Outcome and Decreases Lesion Size after Spinal Cord Injury in Mice. <i>Cells</i> , 2020, 9, 2407.	4.1	13
13	Experimental Subarachnoid Hemorrhage Drives Catecholamine-Dependent Cardiac and Peripheral Microvascular Dysfunction. <i>Frontiers in Physiology</i> , 2020, 11, 402.	2.8	4
14	Effects of myeloid cell-restricted TNF inhibitors in vitro and in vivo. <i>Journal of Leukocyte Biology</i> , 2020, 107, 933-939.	3.3	5
15	Distinct modes of TNF signaling through its two receptors in health and disease. <i>Journal of Leukocyte Biology</i> , 2020, 107, 893-905.	3.3	41
16	KLF4 in Macrophages Attenuates TNF β -Mediated Kidney Injury and Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1925-1938.	6.1	92
17	Stellate Cells, Hepatocytes, and Endothelial Cells Imprint the Kupffer Cell Identity on Monocytes Colonizing the Liver Macrophage Niche. <i>Immunity</i> , 2019, 51, 638-654.e9.	14.3	384
18	Mouse models of severe asthma for evaluation of therapeutic cytokine targeting. <i>Immunology Letters</i> , 2019, 207, 73-83.	2.5	13

#	ARTICLE	IF	CITATIONS
19	Basophil-derived tumor necrosis factor can enhance survival in a sepsis model in mice. <i>Nature Immunology</i> , 2019, 20, 129-140.	14.5	56
20	Modulation of bioavailability of proinflammatory cytokines produced by myeloid cells. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, S39-S42.	3.4	6
21	Engulfment of mast cell secretory granules on skin inflammation boosts dendritic cell migration and priming efficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 1849-1864.e4.	2.9	35
22	Making anti-cytokine therapy more selective: Studies in mice. <i>Cytokine</i> , 2018, 101, 33-38.	3.2	12
23	Properties of Fluorescent Far-Red Anti-TNF Nanobodies. <i>Antibodies</i> , 2018, 7, 43.	2.5	2
24	Novel Biodegradable Polymeric Microparticles Facilitate Scarless Wound Healing by Promoting Re-epithelialization and Inhibiting Fibrosis. <i>Frontiers in Immunology</i> , 2018, 9, 2851.	4.8	30
25	Non-redundant Functions of IL-6 Produced by Macrophages and Dendritic Cells in Allergic Airway Inflammation. <i>Frontiers in Immunology</i> , 2018, 9, 2718.	4.8	64
26	Intrinsic TNFR2 signaling in T regulatory cells provides protection in CNS autoimmunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 13051-13056.	7.1	71
27	Hypoacylated LPS from Foodborne Pathogen <i>Campylobacter jejuni</i> Induces Moderate TLR4-Mediated Inflammatory Response in Murine Macrophages. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 58.	3.9	25
28	TLR-signaling and proinflammatory cytokines as drivers of tumorigenesis. <i>Cytokine</i> , 2017, 89, 127-135.	3.2	140
29	Can we design a better anti-cytokine therapy?. <i>Journal of Leukocyte Biology</i> , 2017, 102, 783-790.	3.3	21
30	Constitutive smooth muscle tumour necrosis factor regulates microvascular myogenic responsiveness and systemic blood pressure. <i>Nature Communications</i> , 2017, 8, 14805.	12.8	47
31	Macrophages induce AKT/ β -catenin-dependent Lgr5+ stem cell activation and hair follicle regeneration through TNF. <i>Nature Communications</i> , 2017, 8, 14091.	12.8	166
32	Perivascular Fibroblasts of the Developing Spleen Act as LT β -Dependent Precursors of Both T and B Zone Organizer Cells. <i>Cell Reports</i> , 2017, 21, 2500-2514.	6.4	26
33	VHH-Based Bispecific Antibodies Targeting Cytokine Production. <i>Frontiers in Immunology</i> , 2017, 8, 1073.	4.8	35
34	Tristetraprolin expression by keratinocytes controls local and systemic inflammation. <i>JCI Insight</i> , 2017, 2, .	5.0	42
35	TNF Neutralization Results in the Delay of Transplantable Tumor Growth and Reduced MDSC Accumulation. <i>Frontiers in Immunology</i> , 2016, 7, 147.	4.8	34
36	Conditional ablation of myeloid TNF increases lesion volume after experimental stroke in mice, possibly via altered ERK1/2 signaling. <i>Scientific Reports</i> , 2016, 6, 29291.	3.3	37

#	ARTICLE	IF	CITATIONS
37	Tumor Necrosis Factor/Sphingosine-1-Phosphate Signaling Augments Resistance Artery Myogenic Tone in Diabetes. <i>Diabetes</i> , 2016, 65, 1916-1928.	0.6	22
38	Cell-type-restricted anti-cytokine therapy: TNF inhibition from one pathogenic source. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 3006-3011.	7.1	68
39	Competing Actions of Type 1 Angiotensin II Receptors Expressed on T Lymphocytes and Kidney Epithelium during Cisplatin-Induced AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2257-2264.	6.1	51
40	Structural Relationship of the Lipid A Acyl Groups to Activation of Murine Toll-Like Receptor 4 by Lipopolysaccharides from Pathogenic Strains of <i>Burkholderia mallei</i> , <i>Acinetobacter baumannii</i> , and <i>Pseudomonas aeruginosa</i> . <i>Frontiers in Immunology</i> , 2015, 6, 595.	4.8	51
41	Macrophage-derived tumor necrosis factor- α mediates diabetic renal injury. <i>Kidney International</i> , 2015, 88, 722-733.	5.2	143
42	Nilotinib reduces muscle fibrosis in chronic muscle injury by promoting TNF-mediated apoptosis of fibro/adipogenic progenitors. <i>Nature Medicine</i> , 2015, 21, 786-794.	30.7	540
43	Commensal microbiota influence systemic autoimmune responses. <i>EMBO Journal</i> , 2015, 34, 466-474.	7.8	93
44	Serum Immunoproteomics Combined With Pathological Reassessment of Surgical Specimens Identifies TCP-1 γ Autoantibody as a Potential Biomarker in Thyroid Neoplasia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E1206-E1215.	3.6	5
45	Control of Mycobacterial Infections in Mice Expressing Human Tumor Necrosis Factor (TNF) but Not Mouse TNF. <i>Infection and Immunity</i> , 2015, 83, 3612-3623.	2.2	30
46	Inflammation-induced formation of fat-associated lymphoid clusters. <i>Nature Immunology</i> , 2015, 16, 819-828.	14.5	175
47	Therapeutically Targeting Tumor Necrosis Factor- α /Sphingosine-1-Phosphate Signaling Corrects Myogenic Reactivity in Subarachnoid Hemorrhage. <i>Stroke</i> , 2015, 46, 2260-2270.	2.0	57
48	Mast-Cell-Derived TNF Amplifies CD8+ Dendritic Cell Functionality and CD8+ T Cell Priming. <i>Cell Reports</i> , 2015, 13, 399-411.	6.4	71
49	Dynamic changes in chromatin conformation at the $\langle \text{scp} \rangle$ TNF $\langle \text{scp} \rangle$ transcription start site in $\langle \text{scp} \rangle$ T $\langle \text{scp} \rangle$ helper lymphocyte subsets. <i>European Journal of Immunology</i> , 2014, 44, 251-264.	2.9	7
50	Cellular sources of pathogenic and protective TNF and experimental strategies based on utilization of TNF humanized mice. <i>Cytokine and Growth Factor Reviews</i> , 2014, 25, 115-123.	7.2	34
51	Prominent role for T cell-derived Tumour Necrosis Factor for sustained control of Mycobacterium tuberculosis infection. <i>Scientific Reports</i> , 2013, 3, 1809.	3.3	108
52	Nonredundant Function of Soluble LT α $\langle \text{sub} \rangle 3 \langle \text{sub} \rangle$ Produced by Innate Lymphoid Cells in Intestinal Homeostasis. <i>Science</i> , 2013, 342, 1243-1246.	12.6	227
53	Comment on "Experimental Arthritis Triggers Periodontal Disease in Mice: Involvement of TNF- α and the Oral Microbiota". <i>Journal of Immunology</i> , 2012, 188, 4-5.	0.8	9
54	Modalities of Experimental TNF Blockade In Vivo: Mouse Models. <i>Advances in Experimental Medicine and Biology</i> , 2011, 691, 421-431.	1.6	11

#	ARTICLE	IF	CITATIONS
55	Pathogenic and Protective Functions of TNF in Neuroinflammation Are Defined by Its Expression in T Lymphocytes and Myeloid Cells. <i>Journal of Immunology</i> , 2011, 187, 5660-5670.	0.8	67
56	Lymphotoxin β 2 receptor activation by lymphotoxin β 1 β 2 and LIGHT promotes tumor growth in an NF κ B-dependent manner. <i>International Journal of Cancer</i> , 2011, 128, 1363-1370.	5.1	27
57	Roles of Soluble and Membrane TNF and Related Ligands in Mycobacterial Infections: Effects of Selective and Non-selective TNF Inhibitors During Infection. <i>Advances in Experimental Medicine and Biology</i> , 2011, 691, 187-201.	1.6	29
58	Crosstalk between the canonical NF κ B and Notch signaling pathways inhibits Ppar β 3 expression and promotes pancreatic cancer progression in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 4685-4699.	8.2	213
59	Cellular source and molecular form of TNF specify its distinct functions in organization of secondary lymphoid organs. <i>Blood</i> , 2010, 116, 3456-3464.	1.4	88
60	Tumor necrosis factor, lymphotoxin and cancer. <i>IUBMB Life</i> , 2010, 62, 283-289.	3.4	31
61	Lymphotoxin Beta Receptor Signaling in Intestinal Epithelial Cells Orchestrates Innate Immune Responses against Mucosal Bacterial Infection. <i>Immunity</i> , 2010, 32, 403-413.	14.3	144
62	Limited Role for Lymphotoxin β in the Host Immune Response to Mycobacterium tuberculosis. <i>Journal of Immunology</i> , 2010, 185, 4292-4301.	0.8	26
63	TNF in Host Resistance to Tuberculosis Infection. <i>Current Directions in Autoimmunity</i> , 2010, 11, 157-179.	8.0	53
64	A Lymphotoxin-Driven Pathway to Hepatocellular Carcinoma. <i>Cancer Cell</i> , 2009, 16, 295-308.	16.8	345
65	Accelerated thymic atrophy as a result of elevated homeostatic expression of the genes encoded by the TNF/lymphotoxin cytokine locus. <i>European Journal of Immunology</i> , 2009, 39, 2906-2915.	2.9	33
66	T Cell-Derived Lymphotoxin Regulates Liver Regeneration. <i>Gastroenterology</i> , 2009, 136, 694-704.e4.	1.3	66
67	Physiological functions of tumor necrosis factor and the consequences of its pathologic overexpression or blockade: Mouse models. <i>Cytokine and Growth Factor Reviews</i> , 2008, 19, 231-244.	7.2	71
68	T cell-derived TNF down-regulates acute airway response to endotoxin. <i>European Journal of Immunology</i> , 2007, 37, 768-779.	2.9	13
69	Intracellular Signals and Events Activated by Cytokines of the Tumor Necrosis Factor Superfamily: From Simple Paradigms to Complex Mechanisms. <i>International Review of Cytology</i> , 2006, 252, 129-161.	6.2	83
70	Peyer patches are not required for acute graft-versus-host disease after myeloablative conditioning and murine allogeneic bone marrow transplantation. <i>Blood</i> , 2006, 107, 410-412.	1.4	46
71	Novel Lymphotoxin Alpha (LT α) Knockout Mice with Unperturbed Tumor Necrosis Factor Expression: Reassessing LT α Biological Functions. <i>Molecular and Cellular Biology</i> , 2006, 26, 4214-4225.	2.3	36
72	Novel tumor necrosis factor-knockout mice that lack Peyer's patches. <i>European Journal of Immunology</i> , 2005, 35, 1592-1600.	2.9	75

#	ARTICLE	IF	CITATIONS
73	TRAF2 Plays a Key, Nonredundant Role in LIGHT-Lymphotoxin \hat{I}^2 Receptor Signaling. <i>Molecular and Cellular Biology</i> , 2005, 25, 2130-2137.	2.3	46
74	Distinct and Nonredundant In Vivo Functions of TNF Produced by T Cells and Macrophages/Neutrophils. <i>Immunity</i> , 2005, 22, 93-104.	14.3	294
75	Tumor Necrosis Factor-induced Nonapoptotic Cell Death Requires Receptor-interacting Protein-mediated Cellular Reactive Oxygen Species Accumulation. <i>Journal of Biological Chemistry</i> , 2004, 279, 10822-10828.	3.4	368
76	Lymphotoxin and TNF Produced by B Cells Are Dispensable for Maintenance of the Follicle-Associated Epithelium but Are Required for Development of Lymphoid Follicles in the Peyer's Patches. <i>Journal of Immunology</i> , 2004, 173, 86-91.	0.8	59
77	Dissecting the role of lymphotoxin in lymphoid organs by conditional targeting. <i>Immunological Reviews</i> , 2003, 195, 106-116.	6.0	95
78	The role of lymphotoxin in development and maintenance of secondary lymphoid tissues. <i>Cytokine and Growth Factor Reviews</i> , 2003, 14, 275-288.	7.2	54
79	Distinct contributions of TNF and LT cytokines to the development of dendritic cells in vitro and their recruitment in vivo. <i>Blood</i> , 2003, 101, 1477-1483.	1.4	71
80	Redundancy in Tumor Necrosis Factor (TNF) and Lymphotoxin (LT) Signaling In Vivo: Mice with Inactivation of the Entire TNF/LT Locus versus Single-Knockout Mice. <i>Molecular and Cellular Biology</i> , 2002, 22, 8626-8634.	2.3	55
81	Distinct Role of Surface Lymphotoxin Expressed by B Cells in the Organization of Secondary Lymphoid Tissues. <i>Immunity</i> , 2002, 17, 239-250.	14.3	189
82	Human cortactin as putative cancer antigen. <i>Oncogene</i> , 2000, 19, 5204-5207.	5.9	9
83	Mature Follicular Dendritic Cell Networks Depend on Expression of Lymphotoxin \hat{I}^2 Receptor by Radioresistant Stromal Cells and of Lymphotoxin \hat{I}^2 and Tumor Necrosis Factor by B Cells. <i>Journal of Experimental Medicine</i> , 1999, 189, 159-168.	8.5	294
84	Susceptibility Locus for IgA Deficiency and Common Variable Immunodeficiency in the HLA-DR3, -B8, -A1 Haplotypes. <i>Molecular Medicine</i> , 1998, 4, 72-86.	4.4	118
85	Genetic polymorphism of the human tumor necrosis factor region in insulin-dependent diabetes mellitus linkage disequilibrium of TNF α microsatellite alleles with HLA haplotypes. <i>Human Immunology</i> , 1995, 44, 70-79.	2.4	52
86	Highly Informative Typing of the Human TNF Locus Using Six Adjacent Polymorphic Markers. <i>Genomics</i> , 1993, 16, 180-186.	2.9	272
87	Microsatellite, restriction fragment-length polymorphism, and sequence-specific oligonucleotide typing of the tumor necrosis factor region comparisons of the 4A0HW cell panel. <i>Human Immunology</i> , 1993, 38, 17-23.	2.4	26
88	Molecular control of tissue-specific expression at the mouse TNF locus. <i>European Journal of Immunology</i> , 1989, 19, 549-552.	2.9	32
89	Tumour necrosis factor and lymphotoxin genes map close to H-2D in the mouse major histocompatibility complex. <i>Nature</i> , 1987, 325, 265-267.	27.8	230