Ki Heon Nam

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1106846/publications.pdf

Version: 2024-02-01

566801 676716 32 581 15 22 citations h-index g-index papers 33 33 33 920 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Using the Oxford classification of IgA nephropathy to predict long-term outcomes of Henoch–Schönlein purpura nephritis in adults. Modern Pathology, 2014, 27, 972-982.	2.9	59
2	Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study. Nicotine and Tobacco Research, 2021, 23, 92-98.	1.4	38
3	Circulating Fibroblast Growth Factor-23 Levels are Associated with an Increased Risk of Anemia Development in Patients with Nondialysis Chronic Kidney Disease. Scientific Reports, 2018, 8, 7294.	1.6	36
4	Alcohol Consumption and Progression of Chronic Kidney Disease: Results From the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease. Mayo Clinic Proceedings, 2020, 95, 293-305.	1.4	34
5	Association Between Serum Highâ€Density Lipoprotein Cholesterol Levels and Progression of Chronic Kidney Disease: Results From the KNOWâ€CKD. Journal of the American Heart Association, 2019, 8, e011162.	1.6	32
6	Effects of Coffee Intake on Incident Chronic Kidney Disease: A Community-Based Prospective Cohort Study. American Journal of Medicine, 2018, 131, 1482-1490.e3.	0.6	31
7	Predictive value of mesangial C3 and C4d deposition in IgA nephropathy. Clinical Immunology, 2020, 211, 108331.	1.4	31
8	Comparison of the Haas and the Oxford classifications for prediction of renal outcome in patients with IgA nephropathy. Human Pathology, 2014, 45, 236-243.	1.1	30
9	Changes in obese metabolic phenotypes over time and risk of incident chronic kidney disease. Diabetes, Obesity and Metabolism, 2018, 20, 2778-2791.	2.2	28
10	Dietary zinc intake and incident chronic kidney disease. Clinical Nutrition, 2021, 40, 1039-1045.	2.3	28
11	Urine output is associated with prognosis in patients with acute kidney injury requiring continuous renal replacement therapy. Journal of Critical Care, 2013, 28, 379-388.	1.0	24
12	Clinical features and outcomes of focal segmental glomerulosclerosis pathologic variants in Korean adult patients. BMC Nephrology, 2014, 15, 52.	0.8	22
13	Framingham risk score and risk of incident chronic kidney disease: A community-based prospective cohort study. Kidney Research and Clinical Practice, 2019, 38, 49-59.	0.9	22
14	Optimal Proteinuria Target for Renoprotection in Patients with IgA Nephropathy. PLoS ONE, 2014, 9, e101935.	1.1	21
15	Risk of Retinal Vein Occlusion in Patients With End-Stage Renal Disease: A 12-Year, Retrospective, Nationwide Cohort Study in South Korea. , 2018, 59, 39.		17
16	Severe vitamin D deficiency is a risk factor for renal hyperfiltration. American Journal of Clinical Nutrition, 2018, 108, 1342-1351.	2.2	16
17	Association of smoking with incident CKD risk in the general population: A community-based cohort study. PLoS ONE, 2020, 15, e0238111.	1.1	16
18	The impact of disease severity on paradoxical association between body mass index and mortality in patients with acute kidney injury undergoing continuous renal replacement therapy. BMC Nephrology, 2018, 19, 32.	0.8	12

#	Article	IF	CITATIONS
19	Low Highâ€Sensitivity Câ€Reactive Protein Level in Korean Patients With Chronic Kidney Disease and Its Predictive Significance for Cardiovascular Events, Mortality, and Adverse Kidney Outcomes: Results From KNOWâ€CKD. Journal of the American Heart Association, 2020, 9, e017980.	1.6	12
20	Association of Reproductive Lifespan Duration and Chronic Kidney Disease in Postmenopausal Women. Mayo Clinic Proceedings, 2020, 95, 2621-2632.	1.4	11
21	Effect of Peritoneal Dialysis Modality on the 1-Year Rate of Decline of Residual Renal Function. Yonsei Medical Journal, 2014, 55, 141.	0.9	9
22	Carbohydrate-Rich Diet Is Associated with Increased Risk of Incident Chronic Kidney Disease in Non-Diabetic Subjects. Journal of Clinical Medicine, 2019, 8, 793.	1.0	9
23	Low-density lipoprotein cholesterol levels and adverse clinical outcomes in chronic kidney disease: Results from the KNOW-CKD. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 410-419.	1.1	8
24	Association Between Longitudinal Blood Pressure Trajectory and the Progression of Chronic Kidney Disease: Results From the KNOW-CKD. Hypertension, 2021, 78, 1355-1364.	1.3	7
25	The effect of interactions between proteinuria, activity of fibroblast growth factor 23 and serum phosphate on renal progression in patients with chronic kidney disease: a result from the KoreaN cohort study for Outcome in patients With Chronic Kidney Disease study. Nephrology Dialysis Transplantation, 2020, 35, 438-446.	0.4	6
26	Snoring and incident chronic kidney disease: a community-based prospective cohort study. BMJ Open, 2019, 9, e030671.	0.8	5
27	Increased Risk of Chronic Kidney Disease Associated With Weight Gain in Healthy Adults: Insight From Metabolic Profiles and Body Composition. Frontiers in Medicine, 2021, 8, 705881.	1.2	5
28	Nephritic Syndrome. Primary Care - Clinics in Office Practice, 2020, 47, 615-629.	0.7	4
29	Differential effects of arterial stiffness and fluid overload on blood pressure according to renal function in patients at risk for cardiovascular disease. Hypertension Research, 2019, 42, 341-353.	1.5	3
30	Body weight fluctuation is associated with rapid kidney function decline. Obesity, 2022, 30, 257-267.	1,5	3
31	Minimal Change Disease in Systemic Lupus: Another Renal Manifestation of Lupus?. The Ewha Medical Journal, 2013, 36, 139.	0.1	1
32	Clinical Remission of Renal Amyloidosis after Autologous Peripheral Blood Stem Cell Transplantation. The Ewha Medical Journal, 2013, 36, S25.	0.1	0