

# Ki Heon Nam

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1106846/publications.pdf>

Version: 2024-02-01

32  
papers

581  
citations

566801

15  
h-index

676716

22  
g-index

33  
all docs

33  
docs citations

33  
times ranked

920  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-density lipoprotein cholesterol levels and adverse clinical outcomes in chronic kidney disease: Results from the KNOW-CKD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 410-419.	1.1	8
2	Body weight fluctuation is associated with rapid kidney function decline. <i>Obesity</i> , 2022, 30, 257-267.	1.5	3
3	Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study. <i>Nicotine and Tobacco Research</i> , 2021, 23, 92-98.	1.4	38
4	Dietary zinc intake and incident chronic kidney disease. <i>Clinical Nutrition</i> , 2021, 40, 1039-1045.	2.3	28
5	Association Between Longitudinal Blood Pressure Trajectory and the Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Hypertension</i> , 2021, 78, 1355-1364.	1.3	7
6	Increased Risk of Chronic Kidney Disease Associated With Weight Gain in Healthy Adults: Insight From Metabolic Profiles and Body Composition. <i>Frontiers in Medicine</i> , 2021, 8, 705881.	1.2	5
7	The effect of interactions between proteinuria, activity of fibroblast growth factor 23 and serum phosphate on renal progression in patients with chronic kidney disease: a result from the Korean cohort study for Outcome in patients With Chronic Kidney Disease study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 438-446.	0.4	6
8	Alcohol Consumption and Progression of Chronic Kidney Disease: Results From the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease. <i>Mayo Clinic Proceedings</i> , 2020, 95, 293-305.	1.4	34
9	Predictive value of mesangial C3 and C4d deposition in IgA nephropathy. <i>Clinical Immunology</i> , 2020, 211, 108331.	1.4	31
10	Association of Reproductive Lifespan Duration and Chronic Kidney Disease in Postmenopausal Women. <i>Mayo Clinic Proceedings</i> , 2020, 95, 2621-2632.	1.4	11
11	Nephritic Syndrome. <i>Primary Care - Clinics in Office Practice</i> , 2020, 47, 615-629.	0.7	4
12	Low High-sensitivity C-reactive Protein Level in Korean Patients With Chronic Kidney Disease and Its Predictive Significance for Cardiovascular Events, Mortality, and Adverse Kidney Outcomes: Results From KNOW-CKD. <i>Journal of the American Heart Association</i> , 2020, 9, e017980.	1.6	12
13	Association of smoking with incident CKD risk in the general population: A community-based cohort study. <i>PLoS ONE</i> , 2020, 15, e0238111.	1.1	16
14	Framingham risk score and risk of incident chronic kidney disease: A community-based prospective cohort study. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 49-59.	0.9	22
15	Carbohydrate-Rich Diet Is Associated with Increased Risk of Incident Chronic Kidney Disease in Non-Diabetic Subjects. <i>Journal of Clinical Medicine</i> , 2019, 8, 793.	1.0	9
16	Association Between Serum High-density Lipoprotein Cholesterol Levels and Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Journal of the American Heart Association</i> , 2019, 8, e011162.	1.6	32
17	Snoring and incident chronic kidney disease: a community-based prospective cohort study. <i>BMJ Open</i> , 2019, 9, e030671.	0.8	5
18	Differential effects of arterial stiffness and fluid overload on blood pressure according to renal function in patients at risk for cardiovascular disease. <i>Hypertension Research</i> , 2019, 42, 341-353.	1.5	3

#	ARTICLE	IF	CITATIONS
19	Severe vitamin D deficiency is a risk factor for renal hyperfiltration. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 1342-1351.	2.2	16
20	Risk of Retinal Vein Occlusion in Patients With End-Stage Renal Disease: A 12-Year, Retrospective, Nationwide Cohort Study in South Korea. , 2018, 59, 39.		17
21	Changes in obese metabolic phenotypes over time and risk of incident chronic kidney disease. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2778-2791.	2.2	28
22	Circulating Fibroblast Growth Factor-23 Levels are Associated with an Increased Risk of Anemia Development in Patients with Nondialysis Chronic Kidney Disease. <i>Scientific Reports</i> , 2018, 8, 7294.	1.6	36
23	The impact of disease severity on paradoxical association between body mass index and mortality in patients with acute kidney injury undergoing continuous renal replacement therapy. <i>BMC Nephrology</i> , 2018, 19, 32.	0.8	12
24	Effects of Coffee Intake on Incident Chronic Kidney Disease: A Community-Based Prospective Cohort Study. <i>American Journal of Medicine</i> , 2018, 131, 1482-1490.e3.	0.6	31
25	Optimal Proteinuria Target for Renoprotection in Patients with IgA Nephropathy. <i>PLoS ONE</i> , 2014, 9, e101935.	1.1	21
26	Effect of Peritoneal Dialysis Modality on the 1-Year Rate of Decline of Residual Renal Function. <i>Yonsei Medical Journal</i> , 2014, 55, 141.	0.9	9
27	Using the Oxford classification of IgA nephropathy to predict long-term outcomes of Henoch-Schönlein purpura nephritis in adults. <i>Modern Pathology</i> , 2014, 27, 972-982.	2.9	59
28	Comparison of the Haas and the Oxford classifications for prediction of renal outcome in patients with IgA nephropathy. <i>Human Pathology</i> , 2014, 45, 236-243.	1.1	30
29	Clinical features and outcomes of focal segmental glomerulosclerosis pathologic variants in Korean adult patients. <i>BMC Nephrology</i> , 2014, 15, 52.	0.8	22
30	Urine output is associated with prognosis in patients with acute kidney injury requiring continuous renal replacement therapy. <i>Journal of Critical Care</i> , 2013, 28, 379-388.	1.0	24
31	Clinical Remission of Renal Amyloidosis after Autologous Peripheral Blood Stem Cell Transplantation. <i>The Ewha Medical Journal</i> , 2013, 36, S25.	0.1	0
32	Minimal Change Disease in Systemic Lupus: Another Renal Manifestation of Lupus?. <i>The Ewha Medical Journal</i> , 2013, 36, 139.	0.1	1