

# Xiao-Lei Shi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11075250/publications.pdf>

Version: 2024-02-01

63  
papers

5,331  
citations

101543

36  
h-index

110387

64  
g-index

64  
all docs

64  
docs citations

64  
times ranked

3048  
citing authors

#	ARTICLE	IF	CITATIONS
1	Flexible hollow TiO <sub>2</sub> @CMS/carbon-fiber van der Waals heterostructures for simulated-solar light photocatalysis and photoelectrocatalysis. <i>Journal of Materials Science and Technology</i> , 2022, 98, 143-150.	10.7	27
2	Se-alloying reducing lattice thermal conductivity of Ge <sub>0.95</sub> Bi <sub>0.05</sub> Te. <i>Journal of Materials Science and Technology</i> , 2022, 106, 249-256.	10.7	16
3	High-performance in n-type PbTe-based thermoelectric materials achieved by synergistically dynamic doping and energy filtering. <i>Nano Energy</i> , 2022, 91, 106706.	16.0	107
4	High near-room temperature figure of merit of n-type Bi <sub>2</sub> GeTe <sub>4</sub> -based thermoelectric materials via a stepwise optimization of carrier concentration. <i>Chemical Engineering Journal</i> , 2022, 433, 133775.	12.7	24
5	Achieving High Performance Ge <sub>0.92</sub> Bi <sub>0.08</sub> Te Thermoelectrics via LaB <sub>6</sub> -Induced Band Engineering and Multi-Scale Structure Manipulation. <i>Small</i> , 2022, 18, e2105923.	10.0	5
6	Thermoelectric Coolers: Progress, Challenges, and Opportunities. <i>Small Methods</i> , 2022, 6, e2101235.	8.6	77
7	Achieving ultrahigh power factor in n-type Ag <sub>2</sub> Se thin films by carrier engineering. <i>Materials Today Energy</i> , 2022, 24, 100933.	4.7	12
8	High thermoelectric and mechanical performance in the n-type polycrystalline SnSe incorporated with multi-walled carbon nanotubes. <i>Journal of Materials Science and Technology</i> , 2022, 114, 55-61.	10.7	29
9	Cheap, Large-Scale, and High-Performance Graphite-Based Flexible Thermoelectric Materials and Devices with Supernormal Industry Feasibility. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 8066-8075.	8.0	16
10	Novel Thermal Diffusion Temperature Engineering Leading to High Thermoelectric Performance in Bi <sub>2</sub> Te <sub>3</sub> -Based Flexible Thin Films. <i>Advanced Science</i> , 2022, 9, e2103547.	11.2	102
11	Biomass-Derived Carbon for High-Performance Batteries: From Structure to Properties. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	71
12	Enhanced thermoelectric performance of n-type Nb-doped PbTe by compensating resonant level and inducing atomic disorder. <i>Materials Today Physics</i> , 2022, 24, 100677.	6.0	11
13	Thermoelectrics for medical applications: Progress, challenges, and perspectives. <i>Chemical Engineering Journal</i> , 2022, 437, 135268.	12.7	101
14	Simultaneously achieving high ZT and mechanical hardness in highly alloyed GeTe with symmetric nanodomains. <i>Chemical Engineering Journal</i> , 2022, 441, 136131.	12.7	35
15	A Solvothermal Synthetic Environmental Design for High-Performance SnSe-Based Thermoelectric Materials. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	82
16	Polycrystalline NiSe-Alloyed SnSe with Improved Medium-Temperature Thermoelectric Performance. <i>Energy &amp; Fuels</i> , 2022, 36, 5352-5359.	5.1	6
17	Achieving high thermoelectric properties in PEDOT:PSS/SWCNTs composite films by a combination of dimethyl sulfoxide doping and NaBH <sub>4</sub> dedoping. <i>Carbon</i> , 2022, 196, 718-726.	10.3	32
18	Synergistic Effect of Band and Nanostructure Engineering on the Boosted Thermoelectric Performance of n-Type Mg <sub>3+<i>i</i></sub> Bi <sub><i>i</i></sub> (Sb, Bi) <sub>2</sub> Zintl. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	41

#	ARTICLE	IF	CITATIONS
19	Ni doping and rational annealing boost thermoelectric performance of nanostructured double perovskite Pr <sub>1.8</sub> Sr <sub>0.2</sub> CoFeO <sub>6</sub> . <i>Applied Materials Today</i> , 2022, 29, 101580.	4.3	7
20	Two-dimensional WSe <sub>2</sub> /SnSe p-n junctions secure ultrahigh thermoelectric performance in n-type Pb/I Co-doped polycrystalline SnSe. <i>Materials Today Physics</i> , 2021, 16, 100306.	6.0	51
21	Rational band engineering and structural manipulations inducing high thermoelectric performance in n-type CoSb <sub>3</sub> thin films. <i>Nano Energy</i> , 2021, 81, 105683.	16.0	82
22	Wearable fiber-based thermoelectrics from materials to applications. <i>Nano Energy</i> , 2021, 81, 105684.	16.0	92
23	Versatile Vanadium Doping Induces High Thermoelectric Performance in GeTe via Band Alignment and Structural Modulation. <i>Advanced Energy Materials</i> , 2021, 11, 2100544.	19.5	43
24	Hierarchical meso/macro-porous TiO <sub>2</sub> /graphitic carbon nitride nanofibers with enhanced hydrogen evolution. <i>Materials and Design</i> , 2021, 202, 109542.	7.0	31
25	Rational Electronic and Structural Designs Advance BiCuSeO Thermoelectrics. <i>Advanced Functional Materials</i> , 2021, 31, 2101289.	14.9	48
26	Structural Evolution of High-Performance Mn-Alloyed Thermoelectric Materials: A Case Study of SnTe. <i>Small</i> , 2021, 17, e2100525.	10.0	21
27	Flexible thermoelectric materials and devices: From materials to applications. <i>Materials Today</i> , 2021, 46, 62-108.	14.2	206
28	Full-spectrum responsive photocatalytic activity via non-noble metal Bi decorated mulberry-like BiVO <sub>4</sub> . <i>Journal of Materials Science and Technology</i> , 2021, 83, 102-112.	10.7	66
29	Conducting polymer-based flexible thermoelectric materials and devices: From mechanisms to applications. <i>Progress in Materials Science</i> , 2021, 121, 100840.	32.8	160
30	Synergistic Texturing and Bi/Sb-Te Antisite Doping Secure High Thermoelectric Performance in Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> -Based Thin Films. <i>Advanced Energy Materials</i> , 2021, 11, 2102578.	19.5	35
31	Boosting the thermoelectric performance of n-type Bi <sub>2</sub> S <sub>3</sub> by hierarchical structure manipulation and carrier density optimization. <i>Nano Energy</i> , 2021, 87, 106171.	16.0	39
32	Double perovskite Pr <sub>2</sub> CoFeO <sub>6</sub> thermoelectric oxide: Roles of Sr-doping and Micro/nanostructuring. <i>Chemical Engineering Journal</i> , 2021, 425, 130668.	12.7	39
33	Fiber-based thermoelectrics for solid, portable, and wearable electronics. <i>Energy and Environmental Science</i> , 2021, 14, 729-764.	30.8	143
34	High Carrier Mobility and High Figure of Merit in the CuBiSe <sub>2</sub> Alloyed GeTe. <i>Advanced Energy Materials</i> , 2021, 11, 2102913.	19.5	52
35	Environmentally-friendly harvesting TiO <sub>2</sub> nanospheres and V <sub>2</sub> O <sub>5</sub> microrods from spent selective catalytic reduction catalysts. <i>Progress in Natural Science: Materials International</i> , 2021, 31, 858-864.	4.4	11
36	Ce Filling Limit and Its Influence on Thermoelectric Performance of Fe <sub>3</sub> CoSb <sub>12</sub> -Based Skutterudite Grown by a Temperature Gradient Zone Melting Method. <i>Materials</i> , 2021, 14, 6810.	2.9	3

#	ARTICLE	IF	CITATIONS
37	Enhanced thermoelectric properties of nanostructured n-type Bi <sub>2</sub> Te <sub>3</sub> by suppressing Te vacancy through non-equilibrium fast reaction. <i>Chemical Engineering Journal</i> , 2020, 391, 123513.	12.7	108
38	Outstanding thermoelectric properties of solvothermal-synthesized Sn <sub>1-x</sub> Ag <sub>2x</sub> Te micro-crystals through defect engineering and band tuning. <i>Journal of Materials Chemistry A</i> , 2020, 8, 3978-3987.	10.3	25
39	Synergistic effect approaching record-high figure of merit in the shear exfoliated n-type Bi <sub>2</sub> O <sub>2</sub> - <sub>2x</sub> Te <sub>2x</sub> Se. <i>Nano Energy</i> , 2020, 69, 104394.	16.0	45
40	Optimization of sodium hydroxide for securing high thermoelectric performance in polycrystalline Sn <sub>1-x</sub> Se via anisotropy and vacancy synergy. <i>Information Materials</i> , 2020, 2, 1201-1215.	17.3	46
41	In situ crystal-amorphous compositing inducing ultrahigh thermoelectric performance of p-type Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> hybrid thin films. <i>Nano Energy</i> , 2020, 78, 105379.	16.0	23
42	SrTiO <sub>3</sub> -based thermoelectrics: Progress and challenges. <i>Nano Energy</i> , 2020, 78, 105195.	16.0	127
43	Rational structural design and manipulation advance SnSe thermoelectrics. <i>Materials Horizons</i> , 2020, 7, 3065-3096.	12.2	73
44	Flexible Carbon-Fiber/Semimetal Bi Nanosheet Arrays as Separable and Recyclable Plasmonic Photocatalysts and Photoelectrocatalysts. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 24845-24854.	8.0	161
45	Two-dimensional nanocoating-enabled orthopedic implants for bimodal therapeutic applications. <i>Nanoscale</i> , 2020, 12, 11936-11946.	5.6	69
46	Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> /PEDOT:PSS-based flexible thermoelectric film and device. <i>Chemical Engineering Journal</i> , 2020, 397, 125360.	12.7	104
47	Tuning wall thickness of TiO <sub>2</sub> microtubes for an enhanced photocatalytic activity with thickness-dependent charge separation efficiency. <i>Journal of Colloid and Interface Science</i> , 2020, 579, 463-469.	9.4	25
48	Advanced Thermoelectric Design: From Materials and Structures to Devices. <i>Chemical Reviews</i> , 2020, 120, 7399-7515.	47.7	1,248
49	Morphology and Texture Engineering Enhancing Thermoelectric Performance of Solvothermal Synthesized Ultralarge SnS Microcrystal. <i>ACS Applied Energy Materials</i> , 2020, 3, 2192-2199.	5.1	23
50	High-Performance Thermoelectric SnSe: Aqueous Synthesis, Innovations, and Challenges. <i>Advanced Science</i> , 2020, 7, 1902923.	11.2	156
51	High Porosity in Nanostructured n-Type Bi <sub>2</sub> Te <sub>3</sub> Obtaining Ultralow Lattice Thermal Conductivity. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 31237-31244.	8.0	91
52	High-Performance PEDOT:PSS Flexible Thermoelectric Materials and Their Devices by Triple Post-Treatments. <i>Chemistry of Materials</i> , 2019, 31, 5238-5244.	6.7	153
53	In Situ Observation of the Continuous Phase Transition in Determining the High Thermoelectric Performance of Polycrystalline Sn <sub>0.98</sub> Se. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 6512-6517.	4.6	32
54	Anisotropy Control-Induced Unique Anisotropic Thermoelectric Performance in the n-Type Bi <sub>2</sub> Te <sub>2.7</sub> Se <sub>0.3</sub> Thin Films. <i>Small Methods</i> , 2019, 3, 1900582.	8.6	58

#	ARTICLE	IF	CITATIONS
55	Realizing high thermoelectric properties of SnTe via synergistic band engineering and structure engineering. <i>Nano Energy</i> , 2019, 65, 104056.	16.0	116
56	Super Large Sn <sub>1-x</sub> Se Single Crystals with Excellent Thermoelectric Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 8051-8059.	8.0	43
57	Solvothermal synthesis of high-purity porous Cu <sub>1.7</sub> Se approaching low lattice thermal conductivity. <i>Chemical Engineering Journal</i> , 2019, 375, 121996.	12.7	28
58	Effectively restricting MnSi precipitates for simultaneously enhancing the Seebeck coefficient and electrical conductivity in higher manganese silicide. <i>Journal of Materials Chemistry C</i> , 2019, 7, 7212-7218.	5.5	8
59	Flexible Thermoelectric Materials and Generators: Challenges and Innovations. <i>Advanced Materials</i> , 2019, 31, e1807916.	21.0	419
60	Enhancing Thermoelectric Properties of InTe Nanoprecipitate-Embedded Sn <sub>1-x</sub> In <sub>x</sub> Te Microcrystals through Anharmonicity and Strain Engineering. <i>ACS Applied Energy Materials</i> , 2019, 2, 2965-2971.	5.1	43
61	Kinetic condition driven phase and vacancy enhancing thermoelectric performance of low-cost and eco-friendly Cu <sub>2-x</sub> S. <i>Journal of Materials Chemistry C</i> , 2019, 7, 5366-5373.	5.5	29
62	High Thermoelectric Performance in Sintered Octahedron-Shaped Sn(CdIn) <sub>x</sub> Te <sub>1+2x</sub> Microcrystals. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 38944-38952.	8.0	31
63	Realizing High Thermoelectric Performance in n-Type Highly Distorted Sb-Doped SnSe Microplates via Tuning High Electron Concentration and Inducing Intensive Crystal Defects. <i>Advanced Energy Materials</i> , 2018, 8, 1800775.	19.5	120