## K Michael Cummings

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11075600/publications.pdf

Version: 2024-02-01

210 papers 13,600 citations

18465 62 h-index 26591 107 g-index

210 all docs

210 docs citations

times ranked

210

10002 citing authors

#	Article	IF	CITATIONS
1	Risk perceptions and continued smoking as a function of cigarette filter ventilation level among US youth and young adults who smoke. Tobacco Control, 2023, 32, 473-479.	1.8	3
2	E-cigarette use and change in plans to quit cigarette smoking among adult smokers in the United States: Longitudinal findings from the PATH Study 2014–2019. Addictive Behaviors, 2022, 124, 107124.	1.7	10
3	Smokeless Tobacco Use and Prevalence of Cardiovascular Disease Among Males in the Population Assessment of Tobacco and Health (PATH) Study, Waves 1–4. Preventive Medicine Reports, 2022, 25, 101650.	0.8	4
4	Cardiovascular Outcomes among Combustible-Tobacco and Electronic Nicotine Delivery System (ENDS) Users in Waves 1 through 5 of the Population Assessment of Tobacco and Health (PATH) Study, 2013–2019. International Journal of Environmental Research and Public Health, 2022, 19, 4137.	1,2	4
5	Tobacco Product Use and Functionally Important Respiratory Symptoms Among US Adolescents/Young Adults. Academic Pediatrics, 2022, 22, 1006-1016.	1.0	8
6	Tobacco Use and Respiratory Symptoms Among Adults: Findings From the Longitudinal Population Assessment of Tobacco and Health (PATH) Study 2014–2016. Nicotine and Tobacco Research, 2022, 24, 1607-1618.	1.4	13
7	Differences in cigarette smoking quit attempts and cessation between adults who did and did not take up nicotine vaping: Findings from the ITC four country smoking and vaping surveys. Addictive Behaviors, 2022, 132, 107339.	1.7	13
8	Correlates of tobacco product initiation among youth and young adults between waves 1–4 of the population assessment of tobacco and Health (PATH) study (2013–2018). Addictive Behaviors, 2022, 134, 107396.	1.7	3
9	Predictive Power of Dependence Measures for Quitting Smoking. Findings From the 2016 to 2018 ITC Four Country Smoking and Vaping Surveys. Nicotine and Tobacco Research, 2021, 23, 276-285.	1.4	15
10	What kind of smoking identity following quitting would elevate smokers relapse risk?. Addictive Behaviors, 2021, 112, 106654.	1.7	7
11	Impact of Cigarette Filter Ventilation on U.S. Smokers' Perceptions and Biomarkers of Exposure and Potential Harm. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 38-44.	1.1	10
12	Smokers' perceptions of different classes of cigarette brand descriptors. Tobacco Prevention and Cessation, 2021, 7, 1-11.	0.2	2
13	Age as a predictor of quit attempts and quit success in smoking cessation: findings from the International Tobacco Control Four ountry survey (2002–14). Addiction, 2021, 116, 2509-2520.	1.7	22
14	Patterns of Non-Cigarette Tobacco and Nicotine Use Among Current Cigarette Smokers and Recent Quitters: Findings From the 2020 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2021, 23, 1611-1616.	1.4	23
15	The Illegal Experimental Tobacco Marketplace I: Effects of Vaping Product Bans. Nicotine and Tobacco Research, 2021, 23, 1744-1753.	1.4	18
16	Cardiovascular Risk Factor and Disease Measures from the Population Assessment of Tobacco and Health (PATH) Study. International Journal of Environmental Research and Public Health, 2021, 18, 7692.	1.2	9
17	Biomarkers of Inflammation and Oxidative Stress among Adult Former Smoker, Current E-Cigarette Usersâ€"Results from Wave 1 PATH Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1947-1955.	1.1	14
18	Which tobacco control policies do smokers support? Findings from the International Tobacco Control Four Country Smoking and Vaping Survey. Preventive Medicine, 2021, 149, 106600.	1.6	15

#	Article	IF	CITATIONS
19	Validation of an Index for Functionally Important Respiratory Symptoms among Adults in the Nationally Representative Population Assessment of Tobacco and Health Study, 2014–2016. International Journal of Environmental Research and Public Health, 2021, 18, 9688.	1.2	6
20	Menthol and Mint Cigarettes and Cigars: Initiation and Progression in Youth, Young Adults and Adults in Waves 1â€"4 of the PATH Study, 2013â€"2017. Nicotine and Tobacco Research, 2021, 23, 1318-1326.	1.4	24
21	Characterizing Heated Tobacco Product Use Among Adult Cigarette Smokers and Nicotine Vaping Product Users in the 2018 ITC Four Country Smoking & Vaping Survey. Nicotine and Tobacco Research, 2021, , .	1.4	9
22	Association of e-Cigarette Use With Discontinuation of Cigarette Smoking Among Adult Smokers Who Were Initially Never Planning to Quit. JAMA Network Open, 2021, 4, e2140880.	2.8	29
23	Impact of E-cigarette Sampling on Cigarette Dependence and Reinforcement Value. Nicotine and Tobacco Research, 2020, 22, 297-301.	1.4	11
24	Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2020, , tobaccocontrol-2020-055985.	1.8	21
25	Predictive validity of the adult tobacco dependence index: Findings from waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) study. Drug and Alcohol Dependence, 2020, 214, 108134.	1.6	25
26	Smoking Cessation After a Cancer Diagnosis Is Associated With Improved Survival. Journal of Thoracic Oncology, 2020, 15, 705-708.	0.5	21
27	Role of e-cigarettes and pharmacotherapy during attempts to quit cigarette smoking: The PATH Study 2013-16. PLoS ONE, 2020, 15, e0237938.	1.1	48
28	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 7084.	1.2	8
29	The past is not the future in tobacco control. Preventive Medicine, 2020, 140, 106183.	1.6	12
30	How are adolescents getting their vaping products? Findings from the international tobacco control (ITC) youth tobacco and vaping survey. Addictive Behaviors, 2020, 105, 106345.	1.7	18
31	Nicotine replacement therapy sampling for smoking cessation within primary care: results from a pragmatic cluster randomized clinical trial. Addiction, 2020, 115, 1358-1367.	1.7	31
32	Adult perceptions of the relative harm of tobacco products and subsequent tobacco product use: Longitudinal findings from waves 1 and 2 of the population assessment of tobacco and health (PATH) study. Addictive Behaviors, 2020, 106, 106337.	1.7	43
33	An Analysis of the FTC's Attempt to Stop the Altria-Juul Labs Deal. Tobacco Regulatory Science (discontinued), 2020, 6, 302-305.	0.2	7
34	Association of Electronic Nicotine Delivery System Use With Cigarette Smoking Progression or Reduction Among Young Adults. JAMA Network Open, 2020, 3, e2015893.	2.8	5
35	Association of Flavored Tobacco Use With Tobacco Initiation and Subsequent Use Among US Youth and Adults, 2013-2015. JAMA Network Open, 2019, 2, e1913804.	2.8	103
36	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). Addiction, 2019, 114, 6-14.	1.7	74

#	Article	IF	Citations
37	Longitudinal e-Cigarette and Cigarette Use Among US Youth in the PATH Study (2013–2015). Journal of the National Cancer Institute, 2019, 111, 1088-1096.	3.0	40
38	A new classification system for describing concurrent use of nicotine vaping products alongside cigarettes (soâ€called â€dual use'): findings from the ITCâ€4 Country Smoking and Vaping wave 1 Survey. Addiction, 2019, 114, 24-34.	1.7	57
39	Prices, use restrictions and electronic cigarette useâ€"evidence from wave 1 (2016) US data of the ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 115-122.	1.7	7
40	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. BMJ: British Medical Journal, 2019, 365, l2219.	2.4	217
41	An Economic Analysis of the Pre-Deeming US Market for Nicotine Vaping Products. Tobacco Regulatory Science (discontinued), 2019, 5, 169-181.	0.2	24
42	Reasons for regular vaping and for its discontinuation among smokers and recent exâ€smokers: findings from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 35-48.	1.7	74
43	Harm perceptions and tobacco use initiation among youth in Wave 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. Preventive Medicine, 2019, 123, 185-191.	1.6	40
44	Attributable Failure of First-line Cancer Treatment and Incremental Costs Associated With Smoking by Patients With Cancer. JAMA Network Open, 2019, 2, e191703.	2.8	47
45	Rules about smoking and vaping in the home: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 107-114.	1.7	6
46	Flavour types used by youth and adult tobacco users in wave 2 of the Population Assessment of Tobacco and Health (PATH) Study 2014–2015. Tobacco Control, 2019, 29, tobaccocontrol-2018-054852.	1.8	18
47	Examining the relationship of vaping to smoking initiation among US youth and young adults: a reality check. Tobacco Control, 2019, 28, 629-635.	1.8	155
48	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. Nicotine and Tobacco Research, 2019, 21, 887-895.	1.4	36
49	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 134-143.	1.7	10
50	U.S. adult perceptions of the harmfulness of tobacco products: descriptive findings from the 2013–14 baseline wave 1 of the path study. Addictive Behaviors, 2019, 91, 180-187.	1.7	40
51	A Collaborative Model for Facilitating the Delivery of Smoking Cessation Treatments to Cancer Patients: Results From Three Oncology Practices in South Carolina. Journal of Smoking Cessation, 2019, 14, 112-124.	0.3	3
52	A modeling approach to gauging the effects of nicotine vaping product use on cessation from cigarettes: what do we know, what do we need to know?. Addiction, 2019, 114, 86-96.	1.7	16
53	Behavioral Economic Purchase Tasks to Estimate Demand for Novel Nicotine/tobacco Products and Prospectively Predict Future Use: Evidence From The Netherlands. Nicotine and Tobacco Research, 2019, 21, 784-791.	1.4	28
54	Do predictors of smoking relapse change as a function of duration of abstinence? Findings from the United States, Canada, United Kingdom and Australia. Addiction, 2018, 113, 1295-1304.	1.7	43

#	Article	IF	CITATIONS
55	Adult interest in using a hypothetical modified risk tobacco product: findings from wave 1 of the Population Assessment of Tobacco and Health Study (2013–14). Addiction, 2018, 113, 113-124.	1.7	15
56	Correlates of Transitions in Tobacco Product Use by U.S. Adult Tobacco Users between 2013–2014 and 2014–2015: Findings from the PATH Study Wave 1 and Wave 2. International Journal of Environmental Research and Public Health, 2018, 15, 2556.	1.2	15
57	Transitions in Tobacco Product Use by U.S. Adults between 2013–2014 and 2014–2015: Findings from the PATH Study Wave 1 and Wave 2. International Journal of Environmental Research and Public Health, 2018, 15, 2515.	1.2	26
58	2018 ACC Expert Consensus Decision Pathway on Tobacco Cessation Treatment. Journal of the American College of Cardiology, 2018, 72, 3332-3365.	1.2	219
59	Mental Health Problems and Onset of Tobacco Use Among 12- to 24-Year-Olds in the PATH Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 944-954.e4.	0.3	51
60	"Teachable Moment―Interventions in Lung Cancer: Why Action Matters. Journal of Thoracic Oncology, 2018, 13, 603-605.	0.5	16
61	Longitudinal associations between youth tobacco and substance use in waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) Study. Drug and Alcohol Dependence, 2018, 191, 25-36.	1.6	45
62	Patient Cessation Activity after Automatic Referral to a Dedicated Cessation Support Service. Journal of Smoking Cessation, 2018, 13, 78-86.	0.3	3
63	Feasibility of Implementing a Hospital-Based "Opt-Out―Tobacco-Cessation Service. Nicotine and Tobacco Research, 2017, 19, 937-943.	1.4	56
64	Mexico <i>SimSmoke</i> : how changes in tobacco control policies would impact smoking prevalence and smoking attributable deaths in Mexico. Global Public Health, 2017, 12, 830-845.	1.0	4
65	Prevalence and Correlates of the Belief That Electronic Cigarettes are a Lot Less Harmful Than Conventional Cigarettes Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2017, 19, 258-263.	1.4	51
66	A framework for evaluating the public health impact of e-cigarettes and other vaporized nicotine products. Addiction, 2017, 112, 8-17.	1.7	131
67	Tobacco-Product Use by Adults and Youths in the United States in 2013 and 2014. New England Journal of Medicine, 2017, 376, 342-353.	13.9	545
68	Design and methods of the Population Assessment of Tobacco and Health (PATH) Study. Tobacco Control, 2017, 26, 371-378.	1.8	642
69	Does the Regulatory Environment for E-Cigarettes Influence the Effectiveness of E-Cigarettes for Smoking Cessation?: Longitudinal Findings From the ITC Four Country Survey. Nicotine and Tobacco Research, 2017, 19, 1268-1276.	1.4	56
70	Internalized Smoking Stigma in Relation to Quit Intentions, Quit Attempts, and Current E-Cigarette Use. Substance Abuse, 2017, 38, 330-336.	1.1	17
71	Cigarette Filter Ventilation and its Relationship to Increasing Rates of Lung Adenocarcinoma. Journal of the National Cancer Institute, 2017, 109, .	3.0	79
72	Tobacco Harm Minimization. , 2017, , 169-177.		3

#	Article	IF	Citations
73	Effectiveness of Switching Smoking-Cessation Medications Following Relapse. American Journal of Preventive Medicine, 2017, 53, e63-e70.	1.6	12
74	Flavored Tobacco Product Use in Youth and Adults: Findings From the First Wave of the PATH Study (2013–2014). American Journal of Preventive Medicine, 2017, 53, 139-151.	1.6	266
75	The need for a comprehensive framework. Addiction, 2017, 112, 22-24.	1.7	6
76	The differential impact of state tobacco control policies on cessation treatment utilization across established tobacco disparities groups. Preventive Medicine, 2017, 105, 319-325.	1.6	5
77	A Naturalistic, Randomized Pilot Trial of E-Cigarettes: Uptake, Exposure, and Behavioral Effects. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1795-1803.	1.1	56
78	Cross-country comparison of smokers' reasons for thinking about quitting over time: findings from the International Tobacco Control Four Country Survey (ITC-4C), 2002–2015. Tobacco Control, 2017, 26, 641-648.	1.8	12
79	Indicators of dependence for different types of tobacco product users: Descriptive findings from Wave 1 (2013–2014) of the Population Assessment of Tobacco and Health (PATH) study. Drug and Alcohol Dependence, 2017, 178, 257-266.	1.6	118
80	Developing Consistent and Transparent Models of E-cigarette Use: Reply to Glantz and Soneji et al Nicotine and Tobacco Research, 2017, 19, 268-270.	1.4	3
81	The Application of a Decision-Theoretic Model to Estimate the Public Health Impact of Vaporized Nicotine Product Initiation in the United States. Nicotine and Tobacco Research, 2017, 19, 149-159.	1.4	83
82	Evaluation of modified risk claim advertising formats for Camel Snus. Health Education Journal, 2017, 76, 971-985.	0.6	19
83	Nicotine Replacement Therapy Use Predicts Smoking and Drinking Outcomes among Heavy-Drinking Smokers Calling a Tobacco Quitline. Journal of Smoking Cessation, 2017, 12, 99-104.	0.3	4
84	Does Reactance against Cigarette Warning Labels Matter? Warning Label Responses and Downstream Smoking Cessation amongst Adult Smokers in Australia, Canada, Mexico and the United States. PLoS ONE, 2016, 11, e0159245.	1.1	46
85	Cost and Effectiveness of Combination Nicotine Replacement Therapy Among Heavy Smokers Contacting a Quitline. Journal of Smoking Cessation, 2016, 11, 50-59.	0.3	8
86	E-cigarette advertisements, and associations with the use of e-cigarettes and disapproval or quitting of smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. International Journal of Drug Policy, 2016, 29, 73-79.	1.6	17
87	US Smokers' Beliefs, Experiences and Perceptions of Different Cigarette Variants Before and After the FSPTCA Ban on Misleading Descriptors Such as "Light,―"Mild,―or "Low― Nicotine and Tobacco Research, 2016, 18, 2115-2123.	1.4	30
88	Smokers' reactions to the new larger health warning labels on plain cigarette packs in Australia: findings from the ITC Australia project. Tobacco Control, 2016, 25, 181-187.	1.8	38
89	Cigarette package inserts can promote efficacy beliefs and sustained smoking cessation attempts: A longitudinal assessment of an innovative policy in Canada. Preventive Medicine, 2016, 88, 59-65.	1.6	49
90	Relapse-Prevention Booklets as an Adjunct to a Tobacco Quitline: A Randomized Controlled Effectiveness Trial. Nicotine and Tobacco Research, 2016, 18, 298-305.	1.4	8

#	Article	IF	Citations
91	A randomized trial for hazardous drinking and smoking cessation for callers to a quitline Journal of Consulting and Clinical Psychology, 2015, 83, 445-454.	1.6	35
92	Identifying Targeted Strategies to Improve Smoking Cessation Support for Cancer Patients. Journal of Thoracic Oncology, 2015, 10, 1532-1537.	0.5	67
93	Tobacco Cessation May Improve Lung Cancer Patient Survival. Journal of Thoracic Oncology, 2015, 10, 1014-1019.	0.5	77
94	Filter presence and tipping paper color influence consumer perceptions of cigarettes. BMC Public Health, 2015, 15, 1279.	1.2	19
95	The Use of Cigarette Package Inserts to Supplement Pictorial Health Warnings: An Evaluation of the Canadian Policy. Nicotine and Tobacco Research, 2015, 17, 870-875.	1.4	39
96	Gender Differences in Medication Use and Cigarette Smoking Cessation: Results From the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2015, 17, 463-472.	1.4	164
97	Impact of a brief telephone referral on quitline use, quit attempts and abstinence. Health Education Research, 2015, 30, 134-139.	1.0	10
98	Trends in E-Cigarette Awareness, Trial, and Use Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2015, 17, 1203-1211.	1.4	66
99	Awareness, Trial, and Current Use of Electronic Cigarettes in 10 Countries: Findings from the ITC Project. International Journal of Environmental Research and Public Health, 2014, 11, 11691-11704.	1.2	129
100	Evaluating the Effect of Access to Free Medication to Quit Smoking: A Clinical Trial Testing the Role of Motivation. Nicotine and Tobacco Research, 2014, 16, 992-999.	1.4	49
101	Cigarette Smokers' Use of Unconventional Tobacco Products and Associations With Quitting Activity: Findings From the ITC-4 U.S. Cohort. Nicotine and Tobacco Research, 2014, 16, 672-681.	1.4	49
102	How can patients who are not referred for treatment receive the best treatment available?. Cancer, 2014, 120, 1750-1751.	2.0	1
103	The 2014 Surgeon General's report: "The Health Consequences of Smoking–50 Years of Progress― A paradigm shift in cancer care. Cancer, 2014, 120, 1914-1916.	2.0	220
104	Automated tobacco assessment and cessation support for cancer patients. Cancer, 2014, 120, 562-569.	2.0	64
105	Mediational pathways of the impact of cigarette warning labels on quit attempts Health Psychology, 2014, 33, 1410-1420.	1.3	102
106	E-Cigarettes and Cancer Patients. Journal of Thoracic Oncology, 2014, 9, 438-441.	0.5	46
107	The Changing Public Image of Smoking in the United States: 1964–2014. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 32-36.	1,1	111
108	Trends in use of electronic nicotine delivery systems by adolescents. Addictive Behaviors, 2014, 39, 338-340.	1.7	94

#	Article	IF	Citations
109	Alternate Tobacco Product and Drug Use Among Adolescents Who Use Electronic Cigarettes, Cigarettes Only, and Never Smokers. Journal of Adolescent Health, 2014, 55, 588-591.	1.2	80
110	The 2014 Surgeon General's Report: Commemorating the 50th Anniversary of the 1964 Report of the Advisory Committee to the US Surgeon General and Updating the Evidence on the Health Consequences of Cigarette Smoking. American Journal of Epidemiology, 2014, 179, 403-412.	1.6	192
111	Smoking at diagnosis and survival in cancer patients. International Journal of Cancer, 2013, 132, 401-410.	2.3	206
112	Clinical Strategies to Enhance the Efficacy of Nicotine Replacement Therapy for Smoking Cessation: A Review of the Literature. Drugs, 2013, 73, 407-426.	4.9	61
113	Electronic Nicotine Delivery Systems. American Journal of Preventive Medicine, 2013, 44, 207-215.	1.6	563
114	Accuracy of self-reported tobacco use in newly diagnosed cancer patients. Cancer Causes and Control, 2013, 24, 1223-1230.	0.8	82
115	Effectiveness of stopâ€smoking medications: findings from the <scp>I</scp> nternational <scp>T</scp> obacco <scp>C</scp> ontrol ( <scp>ITC</scp> ) <scp>F</scp> our <scp>C</scp> ountry <scp>S</scp> urvey. Addiction, 2013, 108, 193-202.	1.7	76
116	Author Response. American Journal of Preventive Medicine, 2013, 44, e51-e53.	1.6	6
117	Assessing secondhand smoke exposure with reported measures. Tobacco Control, 2013, 22, 156-163.	1.8	118
118	Nicotine Replacement Therapy Distribution to Light Daily Smokers Calling a Quitline. Nicotine and Tobacco Research, 2013, 15, 1572-1577.	1.4	14
119	Relationship of Cigarette-Related Perceptions to Cigarette Design Features: Findings From the 2009 ITC U.S. Survey. Nicotine and Tobacco Research, 2013, 15, 1943-1947.	1.4	27
120	The Quitting Rollercoaster: How Recent Quitting History Affects Future Cessation Outcomes (Data) Tj ETQq0 0 0 2013, 15, 1578-1587.	0 rgBT /Ov	erlock 10 Tf 5
121	Recall Bias Does Impact on Retrospective Reports of Quit Attempts: Response to Messer and Pierce. Nicotine and Tobacco Research, 2013, 15, 754-755.	1.4	4
122	Addressing Tobacco Use in Patients With Cancer: A Survey of American Society of Clinical Oncology Members. Journal of Oncology Practice, 2013, 9, 258-262.	2.5	130
123	Practice Patterns and Perceptions of Thoracic Oncology Providers on Tobacco Use and Cessation in Cancer Patients. Journal of Thoracic Oncology, 2013, 8, 543-548.	0.5	150
124	Tobacco and Lung Cancer: Risks, Trends, and Outcomes in Patients with Cancer. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2013, , 359-364.	1.8	104
125	Tobacco and Lung Cancer: Risks, Trends, and Outcomes in Patients with Cancer. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2013, 33, 359-364.	1.8	29
126	Systematic Biases in Cross-sectional Community Studies may Underestimate the Effectiveness of Stop-Smoking Medications. Nicotine and Tobacco Research, 2012, 14, 1483-1487.	1.4	58

#	Article	IF	CITATIONS
127	Current Status of Tobacco Policy and Control. Journal of Thoracic Imaging, 2012, 27, 213-219.	0.8	30
128	Tobacco Assessment in Actively Accruing National Cancer Institute Cooperative Group Program Clinical Trials. Journal of Clinical Oncology, 2012, 30, 2869-2875.	0.8	48
129	How Do Perceptions About Cessation Outcomes Moderate the Effectiveness of a Gain-Framed Smoking Cessation Telephone Counseling Intervention?. Journal of Health Communication, 2012, 17, 1081-1098.	1.2	15
130	Pathways of Change Explaining the Effect of Smoke-Free Legislation on Smoking Cessation in the Netherlands. An Application of the International Tobacco Control Conceptual Model. Nicotine and Tobacco Research, 2012, 14, 1474-1482.	1.4	33
131	Trends in Roll-Your-Own Smoking: Findings from the ITC Four-Country Survey (2002–2008). Journal of Environmental and Public Health, 2012, 2012, 1-7.	0.4	47
132	Tobacco <scp>Q</scp> uitlines Need to Assess and Intervene with Callers' Hazardous Drinking. Alcoholism: Clinical and Experimental Research, 2012, 36, 1653-1658.	1.4	30
133	Support for tobacco control interventions: do country of origin and socioeconomic status make a difference?. International Journal of Public Health, 2012, 57, 777-786.	1.0	16
134	Accuracy of self-reported tobacco assessments in a head and neck cancer treatment population. Radiotherapy and Oncology, 2012, 103, 45-48.	0.3	62
135	Cigarette Warning Label Policy Alternatives and Smoking-Related Health Disparities. American Journal of Preventive Medicine, 2012, 43, 590-600.	1.6	147
136	Cessation assistance reported by smokers in 15 countries participating in the International Tobacco Control (ITC) policy evaluation surveys. Addiction, 2012, 107, 197-205.	1.7	97
137	How much unsuccessful quitting activity is going on among adult smokers? Data from the International Tobacco Control Four Country cohort survey. Addiction, 2012, 107, 673-682.	1.7	194
138	Correcting Over 50 Years of Tobacco Industry Misinformation. American Journal of Preventive Medicine, 2011, 40, 690-698.	1.6	46
139	The Impact of Cigarette Pack Design, Descriptors, and Warning Labels on Risk Perception in the U.S American Journal of Preventive Medicine, 2011, 40, 674-682.	1.6	194
140	Socioeconomic Variation in the Prevalence, Introduction, Retention, and Removal of Smoke-Free Policies among Smokers: Findings from the International Tobacco Control (ITC) Four Country Survey. International Journal of Environmental Research and Public Health, 2011, 8, 411-434.	1.2	31
141	Usage Patterns of Stop Smoking Medications in Australia, Canada, the United Kingdom, and the United States: Findings from the 2006–2008 International Tobacco Control (ITC) Four Country Survey. International Journal of Environmental Research and Public Health, 2011, 8, 222-233.	1.2	30
142	Intervention to Promote Smoke-Free Policies Among Multiunit Housing Operators. Journal of Public Health Management and Practice, 2011, 17, E1-E8.	0.7	17
143	Costs of Giving Out Free Nicotine Patches Through a Telephone Quit Line. Journal of Public Health Management and Practice, 2011, 17, E16-E23.	0.7	29
144	INDIVIDUALIZED VERSUS POPULATIONâ€BASED APPROACHES TO TOBACCO CONTROL – A FALSE DICHOTOM Addiction, 2011, 106, 1556-1558.	Y <sub>1.7</sub>	3

#	Article	IF	CITATIONS
145	Impact of the removal of misleading terms on cigarette pack on smokers' beliefs about †light/mild' cigarettes: crossâ€country comparisons. Addiction, 2011, 106, 2204-2213.	1.7	54
146	Evaluation of an Intervention to Enhance the Delivery of Smoking Cessation Services to Patients with Cancer. Journal of Cancer Education, 2011, 26, 577-582.	0.6	23
147	US smokers' reactions to a brief trial of oral nicotine products. Harm Reduction Journal, 2011, 8, 1.	1.3	57
148	Trends in beliefs about the harmfulness and use of stop-smoking medications and smokeless tobacco products among cigarettes smokers: Findings from the ITC four-country survey. Harm Reduction Journal, 2011, 8, 21.	1.3	45
149	Adherence to and Reasons for Premature Discontinuation From Stop-Smoking Medications: Data From the ITC Four-Country Survey. Nicotine and Tobacco Research, 2011, 13, 94-102.	1.4	132
150	Does the number of free nicotine patches given to smokers calling a quitline influence quit rates: results from a quasi-experimental study. BMC Public Health, 2010, 10, 181.	1.2	19
151	Impact of the New Malaysian Cigarette Pack Warnings on Smokers' Awareness of Health Risks and Interest in Quitting Smoking. International Journal of Environmental Research and Public Health, 2010, 7, 4089-4099.	1.2	54
152	The impact of the United Kingdom's national smoking cessation strategy on quit attempts and use of cessation services: Findings from the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2010, 12, S64-S71.	1.4	33
153	Multiunit housing residents' experiences and attitudes toward smoke-free policies. Nicotine and Tobacco Research, 2010, 12, 598-605.	1.4	65
154	Randomized Trial: Quitline Specialist Training in Gain-Framed vs Standard-Care Messages for Smoking Cessation. Journal of the National Cancer Institute, 2010, 102, 96-106.	3.0	34
155	Educating smokers about their cigarettes and nicotine medications. Health Education Research, 2010, 25, 678-686.	1.0	28
156	Secondhand Smoke Transfer in Multiunit Housing. Nicotine and Tobacco Research, 2010, 12, 1133-1141.	1.4	115
157	Prevalence and predictors of smoke-free policy implementation and support among owners and managers of multiunit housing. Nicotine and Tobacco Research, 2010, 12, 159-163.	1.4	25
158	Motivational factors predict quit attempts but not maintenance of smoking cessation: Findings from the International Tobacco Control Four country project. Nicotine and Tobacco Research, 2010, 12, S4-S11.	1.4	187
159	Using Tobacco Control Policies to Increase Consumer Demand for Smoking Cessation. American Journal of Preventive Medicine, 2010, 38, S347-S350.	1.6	2
160	Adverse effects with use of nicotine replacement therapy among quitline clients. Nicotine and Tobacco Research, 2009, 11, 408-417.	1.4	22
161	Transdisciplinary Tobacco Use Research Centers: Research achievements and future implications. Nicotine and Tobacco Research, 2009, 11, 1231-1244.	1.4	2
162	Assessing Consumer Responses to Potential Reduced-Exposure Tobacco Products: A Review of Tobacco Industry and Independent Research Methods. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 3225-3240.	1.1	44

#	Article	IF	Citations
163	Secondhand smoke and particulate matter exposure in the home. Nicotine and Tobacco Research, 2009, 11, 635-641.	1.4	58
164	How smoke-free laws improve air quality: A global study of Irish pubs. Nicotine and Tobacco Research, 2009, 11, 600-605.	1.4	50
165	Attitudes and beliefs about secondhand smoke and smoke-free policies in four countries: Findings from the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2009, 11, 642-649.	1.4	100
166	Smoke-free homes and smoking cessation and relapse in a longitudinal population of adults. Nicotine and Tobacco Research, 2009, 11, 614-618.	1.4	80
167	Surveillance indicators for potential reduced exposure products (PREPs): developing survey items to measure awareness. Harm Reduction Journal, 2009, 6, 27.	1.3	6
168	How reactions to cigarette packet health warnings influence quitting: findings from the ITC Fourâ€Country survey. Addiction, 2009, 104, 669-675.	1.7	238
169	The impact of changing nicotine replacement therapy licensing laws in the United Kingdom: findings from the International Tobacco Control Four Country Survey. Addiction, 2009, 104, 1420-1427.	1.7	17
170	Environmental Influences on Tobacco Use: Evidence from Societal and Community Influences on Tobacco Use and Dependence. Annual Review of Clinical Psychology, 2009, 5, 433-458.	6.3	76
171	Smokers' use of nicotine replacement therapy for reasons other than stopping smoking: findings from the ITC Four Country Survey. Addiction, 2008, 103, 1696-1703.	1.7	46
172	Effectiveness of tobacco control among Chinese Americans: A comparative analysis of policy approaches versus community-based programs. Preventive Medicine, 2008, 47, 530-536.	1.6	16
173	Using Direct Mail to Prompt Smokers to Call a Quitline. Health Promotion Practice, 2008, 9, 262-270.	0.9	15
174	Use of flavored cigarettes among older adolescent and adult smokers: United States, 2004-2005. Nicotine and Tobacco Research, 2008, 10, 1209-1214.	1.4	95
175	Strategies for smoking cessation: what is new and what works?. Expert Review of Respiratory Medicine, 2008, 2, 201-213.	1.0	8
176	Smokers' beliefs about the relative safety of other tobacco products: Findings from the ITC Collaboration. Nicotine and Tobacco Research, 2007, 9, 1033-1042.	1.4	98
177	The Cigarette Controversy. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1070-1076.	1.1	48
178	Smoking expectancies for flavored and non-flavored cigarettes among college students. Addictive Behaviors, 2007, 32, 1252-1261.	1.7	35
179	Advice on using over-the-counter nicotine replacement therapy-patch, gum, or lozenge-to quit smoking. Addictive Behaviors, 2007, 32, 2140-2150.	1.7	44
180	Text and Graphic Warnings on Cigarette Packages. American Journal of Preventive Medicine, 2007, 32, 202-209.	1.6	376

#	Article	IF	Citations
181	Free Nicotine Patch Giveaway Program. American Journal of Preventive Medicine, 2006, 31, 181-184.	1.6	58
182	The potential impact of a low-nitrosamine smokeless tobacco product on cigarette smoking in the United States: Estimates of a panel of experts. Addictive Behaviors, 2006, 31, 1190-1200.	1.7	28
183	Financial Incentives to Promote Smoking Cessation. Journal of Public Health Management and Practice, 2006, 12, 44-51.	0.7	17
184	Concurrent Quit & Win and Nicotine Replacement Therapy Voucher Giveaway Programs. Journal of Public Health Management and Practice, 2006, 12, 52-59.	0.7	17
185	Reach, Efficacy, and Cost-effectiveness of Free Nicotine Medication Giveaway Programs. Journal of Public Health Management and Practice, 2006, 12, 37-43.	0.7	133
186	Giving Away Free Nicotine Medications and a Cigarette Substitute (Better Quit $\hat{A}^{@}$ ) to Promote Calls to a Quitline. Journal of Public Health Management and Practice, 2006, 12, 60-67.	0.7	39
187	Current and emerging treatment approaches for tobacco dependence. Current Oncology Reports, 2006, 8, 475-483.	1.8	12
188	Reduction in Amount Smoked Predicts Future Cessation Psychology of Addictive Behaviors, 2005, 19, 221-225.	1.4	62
189	Overâ€theâ€counter availability of nicotine replacement therapy and smoking cessation. Nicotine and Tobacco Research, 2005, 7, 547-555.	1.4	42
190	IMPACT OF NICOTINE REPLACEMENT THERAPY ON SMOKING BEHAVIOR. Annual Review of Public Health, 2005, 26, 583-599.	7.6	112
191	Effectiveness of a large-scale distribution programme of free nicotine patches: a prospective evaluation. Lancet, The, 2005, 365, 1849-1854.	6.3	165
192	Smoker Awareness of and Beliefs About Supposedly Less-Harmful Tobacco Products. American Journal of Preventive Medicine, 2005, 29, 85-90.	1.6	75
193	Are smokers adequately informed about the health risks of smoking and medicinal nicotine?. Nicotine and Tobacco Research, 2004, 6, 333-340.	1.4	175
194	What do Marlboro Lights smokers know about low-tar cigarettes?. Nicotine and Tobacco Research, 2004, 6, 323-332.	1.4	40
195	Stop-smoking medications: Who uses them, who misuses them, and who is misinformed about them?. Nicotine and Tobacco Research, 2004, 6, 303-310.	1.4	191
196	Predictors of cessation in a cohort of current and former smokers followed over 13 years. Nicotine and Tobacco Research, 2004, 6, 363-369.	1.4	324
197	Which Population-Based Interventions Would Motivate Smokers to Think Seriously about Stopping Smoking?. American Journal of Health Promotion, 2004, 18, 405-408.	0.9	14
198	The relative risks of a low-nitrosamine smokeless tobacco product compared with smoking cigarettes: estimates of a panel of experts. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 2035-42.	1.1	130

#	Article	IF	CITATIONS
199	Efficacy of High-Efficiency Particulate Air Filtration in Preventing Aspergillosis in Immunocompromised Patients With Hematologic Malignancies. Infection Control and Hospital Epidemiology, 2002, 23, 525-531.	1.0	122
200	Can Capitalism Advance the Goals of Tobacco Control?. Addiction, 2002, 97, 957-958.	1.7	5
201	Programs and policies to discourage the use of tobacco products. Oncogene, 2002, 21, 7349-7364.	2.6	63
202	Ability of smokers to reduce their smoking and its association with future smoking cessation. Addiction, 1999, 94, 109-114.	1.7	92
203	Evaluation of Health Education Programs: Current Assessment and Future Directions. Health Education Quarterly, 1995, 22, 364-389.	1.5	138
204	Evaluation Plan for the Community Intervention Trial for Smoking Cessation (COMMIT). International Quarterly of Community Health Education, 1990, 11, 271-290.	0.4	30
205	Measurement of Current Exposure to Environmental Tobacco Smoke. Archives of Environmental Health, 1990, 45, 74-79.	0.4	135
206	Incidence of Nosocomial Aspergillosis in Patients with Leukemia Over a Twenty-Year Period. Infection Control and Hospital Epidemiology, 1989, 10, 299-305.	1.0	44
207	MEASUREMENT OF LIFETIME EXPOSURE TO PASSIVE SMOKE. American Journal of Epidemiology, 1989, 130, 122-132.	1.6	47
208	Attributions of responsibility in adolescent cancer patients and their parents. Journal of Cancer Education, 1989, 4, 135-142.	0.6	8
209	Compliance of pediatric and adolescent cancer patients. Cancer, 1986, 58, 1179-1184.	2.0	167
210	An Outbreak of Invasive Aspergillosis Among Allogeneic Bone Marrow Transplants: A Case-Control Study. Infection Control, 1985, 6, 347-355.	0.5	91