

Xian-Wen Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1107638/publications.pdf>

Version: 2024-02-01

173
papers

4,280
citations

117571

34
h-index

197736

49
g-index

192
all docs

192
docs citations

192
times ranked

4147
citing authors

#	ARTICLE	IF	CITATIONS
1	Diketopiperazines from Marine Organisms. <i>Chemistry and Biodiversity</i> , 2010, 7, 2809-2829.	1.0	135
2	Acylated Iridoids with Cytotoxicity from <i>Valeriana</i> <i>jatamansi</i> . <i>Journal of Natural Products</i> , 2009, 72, 650-655.	1.5	103
3	Phytochemical and Biological Studies of <i>Abies</i> Species. <i>Chemistry and Biodiversity</i> , 2008, 5, 56-81.	1.0	95
4	Chemical Constituents and Bioactivities of Starfish. <i>Chemistry and Biodiversity</i> , 2011, 8, 740-791.	1.0	87
5	Antiviral Merosesquiterpenoids Produced by the Antarctic Fungus <i>Aspergillus ochraceopetaliformis</i> SCSIO 05702. <i>Journal of Natural Products</i> , 2016, 79, 59-65.	1.5	83
6	Isolation, structure, and bioactivities of abiesadines A-Y, 25 new diterpenes from <i>Abies georgei</i> Orr. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 744-754.	1.4	82
7	Cembrane Diterpenes Chemistry and Biological Properties. <i>Current Organic Chemistry</i> , 2012, 16, 1512-1539.	0.9	79
8	Nutritional and Chemical Composition and Antiviral Activity of Cultivated Seaweed <i>Sargassum naozhouense</i> Tseng et Lu. <i>Marine Drugs</i> , 2013, 11, 20-32.	2.2	79
9	New phenyl derivatives from endophytic fungus <i>Aspergillus flavipes</i> AIL8 derived of mangrove plant <i>Acanthus ilicifolius</i> . <i>F-terap</i> , 2014, 95, 194-202.	1.1	75
10	Pseudonocardians C, New Diazaanthraquinone Derivatives from a Deep-Sea Actinomycete <i>Pseudonocardia</i> sp. SCSIO 01299. <i>Marine Drugs</i> , 2011, 9, 1428-1439.	2.2	72
11	Mixed Lignan~Neolignans from <i>Tarenna attenuata</i> . <i>Journal of Natural Products</i> , 2007, 70, 521-525.	1.5	71
12	Antimicrobial and antiviral sesquiterpenoids from sponge-associated fungus, <i>Aspergillus sydowii</i> ZSDS1-F6. <i>Journal of Antibiotics</i> , 2014, 67, 581-583.	1.0	59
13	Abiesanordines N: fourteen new norditerpenes from <i>Abies georgei</i> . <i>Tetrahedron</i> , 2008, 64, 4354-4362.	1.0	58
14	Spirograterpene A, a Tetracyclic Spiro-Diterpene with a Fused 5/5/5/5 Ring System from the Deep-Sea-Derived Fungus <i>Penicillium granulatum</i> MCCC 3A00475. <i>Journal of Natural Products</i> , 2017, 80, 2174-2177.	1.5	57
15	Anti-inflammatory and anti-tumour effects of <i>Abies georgei</i> extracts. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 60, 937-941.	1.2	56
16	Abiesatrines J: anti-inflammatory and antitumor triterpenoids from <i>Abies georgei</i> Orr. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 2609.	1.5	53
17	Interleukin-22 ameliorates liver fibrogenesis by attenuating hepatic stellate cell activation and downregulating the levels of inflammatory cytokines. <i>World Journal of Gastroenterology</i> , 2015, 21, 1531.	1.4	50
18	Strepsesquitriol, a Rearranged Zizaane-Type Sesquiterpenoid from the Deep-Sea-Derived Actinomycete <i>Streptomyces</i> sp. SCSIO 10355. <i>Journal of Natural Products</i> , 2013, 76, 2360-2363.	1.5	47

#	ARTICLE	IF	CITATIONS
19	Three New Indole Alkaloids from the Leaves of <i>Alstonia scholaris</i> . <i>Helvetica Chimica Acta</i> , 2005, 88, 2508-2512.	1.0	43
20	New Prenylxanthenes from the Deep-Sea Derived Fungus <i>Emericella</i> sp. SCSIO 05240. <i>Marine Drugs</i> , 2014, 12, 3190-3202.	2.2	42
21	Inhibition effect of procyanidins from lotus seedpod on mouse B16 melanoma in vivo and in vitro. <i>Food Chemistry</i> , 2010, 122, 84-91.	4.2	41
22	New Meroterpenoids from the Endophytic Fungus <i>Aspergillus flavipes</i> ALL8 Derived from the Mangrove Plant <i>Acanthus ilicifolius</i> . <i>Marine Drugs</i> , 2015, 13, 237-248.	2.2	41
23	A New Cytotoxic Sesquiterpene Quinone Produced by <i>Penicillium</i> sp. F00120 Isolated from a Deep Sea Sediment Sample. <i>Marine Drugs</i> , 2012, 10, 106-115.	2.2	40
24	Pestalols A-E, new alkenyl phenol and benzaldehyde derivatives from endophytic fungus <i>Pestalotiopsis</i> sp. AcBC2 isolated from the Chinese mangrove plant <i>Aegiceras corniculatum</i> . <i>Journal of Antibiotics</i> , 2014, 67, 451-457.	1.0	40
25	Anti-Allergic Compounds from the Deep-Sea-Derived Actinomycete <i>Nesterenkonia flava</i> MCCC 1K00610. <i>Marine Drugs</i> , 2017, 15, 71.	2.2	40
26	Antifungal Cyclic Peptides from <i>Psammosilene tunicoides</i> . <i>Journal of Natural Products</i> , 2010, 73, 1987-1992.	1.5	39
27	Sesquiterpenoids and triterpenoids from <i>Abies holophylla</i> and their bioactivities. <i>Phytochemistry</i> , 2012, 74, 178-184.	1.4	39
28	Proline-Containing Dipeptides from a Marine Sponge of a <i>Callyspongia</i> Species. <i>Helvetica Chimica Acta</i> , 2009, 92, 1112-1117.	1.0	38
29	The hepatoprotective and antifibrotic effects of <i>Saururus chinensis</i> against carbon tetrachloride induced hepatic fibrosis in rats. <i>Journal of Ethnopharmacology</i> , 2009, 126, 487-491.	2.0	38
30	Polyketides from the Deep-Sea-Derived Fungus <i>Graphostroma</i> sp. MCCC 3A00421 Showed Potent Antifood Allergic Activities. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 1369-1376.	2.4	38
31	Terpenoid Constituents of <i>Abies chensiensis</i> with Potential Anti-inflammatory Activity. <i>Journal of Natural Products</i> , 2009, 72, 1065-1068.	1.5	37
32	A Novel Cyclopentene Derivative and a Polyhydroxylated Steroid from a South China Sea Gorgonian <i>Menella</i> sp.. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1391-1394.	0.6	36
33	Hydroquinone diglycoside acyl esters from the stems of <i>Glycosmis pentaphylla</i> . <i>Phytochemistry</i> , 2006, 67, 486-491.	1.4	35
34	Chemical and Biological Aspects of Marine Sponges of the Genus <i>Xestospongia</i> . <i>Chemistry and Biodiversity</i> , 2010, 7, 2201-2227.	1.0	35
35	Chemical composition of Seaweeds. , 2015, , 79-124.		35
36	An overview of chemical constituents from <i>Alpinia</i> species in the last six decades. <i>RSC Advances</i> , 2017, 7, 14114-14144.	1.7	35

#	ARTICLE	IF	CITATIONS
37	Guignardins Aâ€“F, spirodioxynaphthalenes from the endophytic fungus Guignardia sp. KcF8 as a new class of PTP1B and SIRT1 inhibitors. <i>Tetrahedron</i> , 2014, 70, 5806-5814.	1.0	34
38	Botryotins Aâ€“H, Tetracyclic Diterpenoids Representing Three Carbon Skeletons from a Deep-Sea-Derived <i>Botryotinia fuckeliana</i> . <i>Organic Letters</i> , 2020, 22, 580-583.	2.4	34
39	Cycloabiesesquine A, a unique sesquiterpenoid from <i>Abies delavayi</i> . <i>Chemical Communications</i> , 2009, , 3771.	2.2	32
40	New N-Acyl Taurine from the Sea Urchin <i>Glyptocidaris crenularis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 1089-1091.	0.6	32
41	The anti-hyperplasia of mammary gland effect of <i>Thladiantha dubia</i> root ethanol extract in rats reduced by estrogen and progesterone. <i>Journal of Ethnopharmacology</i> , 2011, 134, 136-140.	2.0	32
42	Isolation, Characterization, and Bioactivity Evaluation of 3-((6-Methylpyrazin-2-yl)methyl)-1H-indole, a New Alkaloid from a Deep-Sea-Derived Actinomycete <i>Serinicoccus profundus</i> sp. nov.. <i>Marine Drugs</i> , 2013, 11, 33-39.	2.2	32
43	Aphidicolin Chemistry of the Deep-Sea-Derived Fungus <i>Botryotinia fuckeliana</i> MCCC 3A00494. <i>Journal of Natural Products</i> , 2019, 82, 2307-2331.	1.5	32
44	New Indole Alkaloids from <i>Rauvolfia yunnanensis</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 1344-1350.	1.0	31
45	Bioactive Phenols from the Leaves of <i>Baccaurea ramiflora</i> . <i>Planta Medica</i> , 2007, 73, 1415-1417.	0.7	31
46	Ascomycotin A, a new citromycetin analogue produced by <i>Ascomycota</i> sp. Ind19F07 isolated from deep sea sediment. <i>Natural Product Research</i> , 2015, 29, 820-826.	1.0	31
47	Attenuation of allergic responses following treatment with resveratrol in anaphylactic models and IgE-mediated mast cells. <i>Food and Function</i> , 2019, 10, 2030-2039.	2.1	31
48	Isoflavone Diglycosides from <i>Glycosmis pentaphylla</i> . <i>Journal of Natural Products</i> , 2006, 69, 778-782.	1.5	30
49	Rapid identification of acetophenones in two <i>Cynanchum</i> species using liquid chromatographyâ€“electrospray ionization tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 49, 715-725.	1.4	30
50	Sesquiterpenes from a deep-sea-derived fungus <i>Graphostroma</i> sp. MCCC 3A00421. <i>Tetrahedron</i> , 2017, 73, 7267-7273.	1.0	30
51	Abiesanol A, a novel biflavanol with unique six connective hexacyclic rings isolated from <i>Abies georgei</i> . <i>Tetrahedron Letters</i> , 2008, 49, 3042-3044.	0.7	29
52	Chemical and Biological Studies of Soft Corals of the Nephtheidae Family. <i>Chemistry and Biodiversity</i> , 2011, 8, 1011-1032.	1.0	29
53	Daphnioldhanins Aâ€“C, Alkaloids from <i>Daphniphyllum oldhami</i> . <i>Journal of Natural Products</i> , 2006, 69, 1065-1069.	1.5	28
54	Design and synthesis of novel soluble 2,5-diketopiperazine derivatives as potential anticancer agents. <i>European Journal of Medicinal Chemistry</i> , 2014, 83, 236-244.	2.6	28

#	ARTICLE	IF	CITATIONS
55	Nesteretal A, A Novel Class of Cage-Like Polyketide from Marine-Derived Actinomycete <i>Nesterenkonia halobia</i> . <i>Organic Letters</i> , 2019, 21, 8174-8177.	2.4	28
56	Sesquiterpenoids from <i>Inula racemosa</i> Hook. f. Inhibit Nitric Oxide Production. <i>Planta Medica</i> , 2012, 78, 166-171.	0.7	27
57	Iridoid Constituents of <i>Tarenna attenuata</i> . <i>Journal of Natural Products</i> , 2006, 69, 971-974.	1.5	26
58	Secophnane-Type Alkaloids from <i>Daphniphyllum oldhami</i> . <i>Chemistry and Biodiversity</i> , 2007, 4, 129-138.	1.0	26
59	Polyhydroxy Steroids and Saponins from China Sea Starfish <i>Asterina pectinifera</i> and Their Biological Activities. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 856-858.	0.6	26
60	Dichotellides A-E, five new iodine-containing briarane type diterpenoids from <i>Dichotella gemmacea</i> . <i>Tetrahedron</i> , 2011, 67, 1245-1250.	1.0	26
61	Metabolomic Investigations on <i>Nesterenkonia flava</i> Revealed Significant Differences between Marine and Terrestrial Actinomycetes. <i>Marine Drugs</i> , 2018, 16, 356.	2.2	26
62	Deep-Sea-Derived Butyrolactone I Suppresses Ovalbumin-Induced Anaphylaxis by Regulating Mast Cell Function in a Murine Model. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 5581-5592.	2.4	26
63	Chemical constituents of <i>Aeschynanthus bracteatus</i> and their weak anti-inflammatory activities. <i>Phytochemistry</i> , 2008, 69, 2200-2204.	1.4	25
64	A New 1,4-Diazepine from South China Sea Marine Sponge <i>Callyspongia</i> Species. <i>Molecules</i> , 2010, 15, 871-877.	1.7	25
65	Antifouling briarane type diterpenoids from South China Sea gorgonians <i>Dichotella gemmacea</i> . <i>Tetrahedron</i> , 2013, 69, 871-880.	1.0	25
66	Chemical constituents of <i>Abies fabri</i> . <i>Phytochemistry</i> , 2015, 117, 135-143.	1.4	25
67	Microindolinone A, a Novel 4,5,6,7-Tetrahydroindole, from the Deep-Sea-Derived Actinomycete <i>Microbacterium</i> sp. MCCC 1A11207. <i>Marine Drugs</i> , 2017, 15, 230.	2.2	25
68	Systematic Phytochemical Investigation of <i>Abies spectabilis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1646-1649.	0.6	24
69	Abiespiroside A, an Unprecedented Sesquiterpenoid Spirolactone with a 6/6/5 Ring System from <i>Abies delavayi</i> . <i>European Journal of Organic Chemistry</i> , 2010, 2010, 6531-6534.	1.2	24
70	Brominated aliphatic hydrocarbons and sterols from the sponge <i>Xestospongia testudinaria</i> with their bioactivities. <i>Chemistry and Physics of Lipids</i> , 2011, 164, 703-706.	1.5	24
71	New Cembrane Diterpenoids from a Hainan Soft Coral <i>Sinularia</i> sp.. <i>Marine Drugs</i> , 2012, 10, 2023-2032.	2.2	24
72	Cytotoxic triterpenoids from <i>Abies recurvata</i> . <i>Phytochemistry</i> , 2012, 81, 159-164.	1.4	24

#	ARTICLE	IF	CITATIONS
73	Chemical constituents of <i>Abies delavayi</i> . <i>Phytochemistry</i> , 2014, 105, 164-170.	1.4	24
74	Cyclopiane-type diterpenes from the deep-sea-derived fungus <i>Penicillium commune</i> MCCC 3A00940. <i>Tetrahedron Letters</i> , 2018, 59, 375-378.	0.7	24
75	Calycilactone A, a novel hexacyclic alkaloid from <i>Daphniphyllum calycillum</i> . <i>Tetrahedron Letters</i> , 2006, 47, 5329-5331.	0.7	23
76	Two New Spirobiflavonoids from <i>Abies chensiensis</i> with Moderate NO Production Inhibitory Activity. <i>Planta Medica</i> , 2009, 75, 1534-1537.	0.7	23
77	Chemical Constituents of <i>Dracocephalum forrestii</i> . <i>Planta Medica</i> , 2009, 75, 1591-1596.	0.7	23
78	Two novel alkaloids from the South China Sea marine sponge <i>Dysidea</i> sp.. <i>Journal of Antibiotics</i> , 2010, 63, 699-701.	1.0	23
79	Steroids from the Deep-Sea-Derived Fungus <i>Penicillium granulatum</i> MCCC 3A00475 Induced Apoptosis via Retinoid X Receptor (RXR)- β Pathway. <i>Marine Drugs</i> , 2019, 17, 178.	2.2	23
80	Discovery of andrastones from the deep-sea-derived <i>Penicillium allii-sativi</i> MCCC 3A00580 by OSMAC strategy. <i>Bioorganic Chemistry</i> , 2021, 108, 104671.	2.0	23
81	Methylthio-Aspochalasin from a Marine-Derived Fungus <i>Aspergillus</i> sp.. <i>Marine Drugs</i> , 2014, 12, 5124-5131.	2.2	22
82	Roquefortine J, a novel roquefortine alkaloid, from the deep-sea-derived fungus <i>Penicillium granulatum</i> MCCC 3A00475. <i>Journal of Antibiotics</i> , 2018, 71, 658-661.	1.0	22
83	Tunicyclin A, the First Plant Tricyclic Ring Cycloheptapeptide from <i>Psammosilene tunicoides</i> . <i>Organic Letters</i> , 2009, 11, 1131-1133.	2.4	21
84	Pseudolaridimers A and B, Hetero-Cycloartane-Labdane Diels-Alder Adducts from the Cone of <i>Pseudolarix amabilis</i> . <i>Organic Letters</i> , 2012, 14, 5432-5435.	2.4	21
85	New Sinularianin Sesquiterpenes from Soft Coral <i>Sinularia</i> sp.. <i>Marine Drugs</i> , 2013, 11, 4741-4750.	2.2	21
86	Cladosporone A, a new dimeric tetralone from fungus <i>Cladosporium</i> sp. KcFL6™ derived of mangrove plant <i>Kandelia candel</i> . <i>Journal of Antibiotics</i> , 2015, 68, 213-215.	1.0	21
87	Tarennane and Tarennone, Two Novel Chalcone Constituents from <i>Tarenna attenuata</i> . <i>Planta Medica</i> , 2007, 73, 496-498.	0.7	20
88	Diterpenoid Constituents of the Roots of <i>Salvia digitaloides</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 12157-12161.	2.4	20
89	New anti-inflammatory guaianes from the Atlantic hydrotherm-derived fungus <i>Graphostroma</i> sp. MCCC 3A00421. <i>Scientific Reports</i> , 2018, 8, 530.	1.6	20
90	Penigrisacids A-D, Four New Sesquiterpenes from the Deep-Sea-Derived <i>Penicillium griseofulvum</i> . <i>Marine Drugs</i> , 2019, 17, 507.	2.2	20

#	ARTICLE	IF	CITATIONS
91	A New Flavone C-Glycoside from <i>Clematis rehderiana</i> . <i>Molecules</i> , 2010, 15, 672-679.	1.7	19
92	Phenolic Compounds of <i>Abies nephrolepis</i> and Their NO Production Inhibitory Activities. <i>Chemistry and Biodiversity</i> , 2011, 8, 2299-2309.	1.0	19
93	Chemical Constituents and Bioactivities of Starfishes: An Update. <i>Chemistry and Biodiversity</i> , 2020, 17, e1900638.	1.0	19
94	Meroterpenothiazole A, a unique meroterpenoid from the deep-sea-derived <i>Penicillium allii-sativi</i> , significantly inhibited retinoid X receptor (RXR)- β transcriptional effect. <i>Chinese Chemical Letters</i> , 2022, 33, 2057-2059.	4.8	19
95	Miscellaneous terpenoid constituents of <i>Abies nephrolepis</i> and their moderate cytotoxic activities. <i>Phytochemistry</i> , 2011, 72, 2197-2204.	1.4	18
96	A new cyclopeptide metabolite of marine gut fungus from <i>Ligia oceanica</i> . <i>Natural Product Research</i> , 2014, 28, 994-997.	1.0	18
97	Three minor valepotriate isomers from <i>Valeriana jatamansi</i> and their cytotoxicity. <i>Journal of Asian Natural Products Research</i> , 2017, 19, 15-21.	0.7	18
98	Asperochratides A–J, Ten new polyketides from the deep-sea-derived <i>Aspergillus ochraceus</i> . <i>Bioorganic Chemistry</i> , 2020, 105, 104349.	2.0	18
99	Three New Vanilloid Derivatives from the Stems of <i>Baccaurea ramiflora</i> . <i>Planta Medica</i> , 2010, 76, 88-90.	0.7	17
100	Mono- and Sesquiterpenoids, Flavonoids, Lignans, and Other Miscellaneous Compounds of <i>Abies georgei</i> . <i>Planta Medica</i> , 2011, 77, 742-748.	0.7	17
101	Three decomposition products of valepotriates from <i>Valeriana jatamansi</i> and their cytotoxic activity. <i>Journal of Asian Natural Products Research</i> , 2015, 17, 455-461.	0.7	17
102	Saccharopolptide A, a new cyclic tetrapeptide with rare 4-hydroxy-proline moieties from the deep-sea derived actinomycete <i>Saccharopolyspora cebuensis</i> MCCC 1A09850. <i>Natural Product Research</i> , 2018, 32, 1627-1631.	1.0	17
103	Coumarin alleviates ovalbumin-induced food anaphylaxis in a mouse model by affecting mast cell function. <i>Food and Function</i> , 2019, 10, 6767-6778.	2.1	17
104	Abiestetranes A and B, two unique tetraterpenes from <i>Abies fabri</i> . <i>Tetrahedron</i> , 2012, 68, 7763-7767.	1.0	16
105	Inhibitory Activities of Compounds from the Marine Actinomycete <i>Williamsia</i> sp. MCCC 1A11233 Variant on IgE-Mediated Mast Cells and Passive Cutaneous Anaphylaxis. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 10749-10756.	2.4	16
106	Fusarisolins A–E, Polyketides from the Marine-Derived Fungus <i>Fusarium solani</i> H918. <i>Marine Drugs</i> , 2019, 17, 125.	2.2	16
107	Bacilsubteramide A, a new indole alkaloid, from the deep-sea-derived <i>Bacillus subterraneus</i> 11593. <i>Natural Product Research</i> , 2018, 32, 2553-2557.	1.0	15
108	Andrastone A From the Deep-Sea-Derived Fungus <i>Penicillium allii-sativi</i> Acts as an Inducer of Caspase and RXR-Dependent Apoptosis. <i>Frontiers in Chemistry</i> , 2019, 7, 692.	1.8	15

#	ARTICLE	IF	CITATIONS
109	Sarocladione, a unique 5,10:8,9-diseco-steroid from the deep-sea-derived fungus <i>Sarocladium kiliense</i> . <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 5925-5928.	1.5	15
110	Bisabolane-Type Sesquiterpenoids from the Rhizomes of <i>Glochidion coccineum</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 164-170.	1.0	14
111	Stilbenes, lignans, and phenols from <i>Abies chensiensis</i> . <i>Biochemical Systematics and Ecology</i> , 2008, 36, 932-934.	0.6	14
112	Tarennanosides A-H, Eight New Lignan Glucosides from <i>Tarenna attenuata</i> and Their Protective Effect on H ₂ O ₂ -Induced Impairment in PC12 Cells. <i>Chemistry and Biodiversity</i> , 2009, 6, 540-550.	1.0	14
113	Two new prenylated phenols from endogenous fungus <i>Pestalotiopsis vaccinii</i> of mangrove plant <i>Kandelia candel</i> (L.) Druce. <i>Phytochemistry Letters</i> , 2015, 12, 59-62.	0.6	14
114	New glucosidated pyrazinoquinazoline indole alkaloids from fungus <i>Aspergillus fumigatus</i> derived of a jellyfish. <i>Tetrahedron</i> , 2015, 71, 271-275.	1.0	14
115	Two new aromatic polyketides from a deep-sea fungus <i>Penicillium</i> sp. SCSIO 06720. <i>Natural Product Research</i> , 2020, 34, 1197-1205.	1.0	14
116	Cytotoxic p-terphenyls from the deep-sea-derived <i>Aspergillus candidus</i> . <i>Natural Product Research</i> , 2021, 35, 1627-1631.	1.0	14
117	Nucleosides from the marine sponge <i>Callyspongia</i> SP.. <i>Chemistry of Natural Compounds</i> , 2011, 46, 1010-1011.	0.2	13
118	A new taurine derivative from South China Sea marine sponge <i>Axinella</i> sp.. <i>Natural Product Research</i> , 2013, 27, 1537-1541.	1.0	13
119	Pseudolarenone, an unusual nortriterpenoid lactone with a fused 5/11/5/6/5 ring system featuring an unprecedented bicyclo[8.2.1]tridecane core from <i>Pseudolarix amabilis</i> . <i>Chemical Communications</i> , 2013, 49, 1187.	2.2	13
120	Minor Valepotriates from <i>Valeriana jatamansi</i> and Their Cytotoxicity against Metastatic Prostate Cancer Cells. <i>Planta Medica</i> , 2014, 81, 56-61.	0.7	13
121	Two new norbisabolane sesquiterpenoid glycosides from <i>Glochidion coccineum</i> . <i>Journal of Asian Natural Products Research</i> , 2008, 10, 1-5.	0.7	12
122	The analgesic and anti-rheumatic effects of <i>Thladiantha dubia</i> fruit crude polysaccharide fraction in mice and rats. <i>Journal of Ethnopharmacology</i> , 2011, 137, 1381-1387.	2.0	12
123	Isolation and structural characterisation of five new and 14 known metabolites from the commercial starfish <i>Archaster typicus</i> . <i>Food Chemistry</i> , 2011, 124, 1634-1638.	4.2	12
124	Chemical constituents of <i>Abies nukiangensis</i> . <i>Phytochemistry</i> , 2014, 106, 116-123.	1.4	12
125	A New Pimarane Diterpenoid from the <i>Botryotinia fuckeliana</i> Fungus Isolated from Deep Sea Water. <i>Chemistry and Biodiversity</i> , 2019, 16, e1900519.	1.0	12
126	Dihydromyricetin inhibited ovalbumin-induced mice allergic responses by suppressing the activation of mast cells. <i>Food and Function</i> , 2019, 10, 7131-7141.	2.1	12

#	ARTICLE	IF	CITATIONS
127	Viridicatol Isolated from Deep-Sea <i>Penicillium Griseofulvum</i> Alleviates Anaphylaxis and Repairs the Intestinal Barrier in Mice by Suppressing Mast Cell Activation. <i>Marine Drugs</i> , 2020, 18, 517.	2.2	12
128	Polycyclic polyprenylated acylphloroglucinol with an unprecedented spirocyclic core from <i>Hypericum patulum</i> . <i>Chinese Chemical Letters</i> , 2020, 31, 2433-2436.	4.8	12
129	Anti-Food Allergic Compounds from <i>Penicillium griseofulvum</i> MCCC 3A00225, a Deep-Sea-Derived Fungus. <i>Marine Drugs</i> , 2021, 19, 224.	2.2	12
130	Polyketides from the fungus <i>Penicillium decumbens</i> . <i>Journal of Asian Natural Products Research</i> , 2018, 20, 445-450.	0.7	11
131	Norsesquiterpenoid glucosides and a rhamnoside of pyrrolizidine alkaloid from <i>Tephrosia kirilowii</i> . <i>Journal of Asian Natural Products Research</i> , 2008, 10, 25-31.	0.7	10
132	Three new lignan glycosides from <i>Mananthes patentiflora</i> . <i>Journal of Asian Natural Products Research</i> , 2008, 10, 228-232.	0.7	10
133	Chemical Constituents from the Stem Bark of <i>Trewia nudiflora</i> L. and their Antioxidant Activities. <i>Planta Medica</i> , 2008, 74, 445-448.	0.7	10
134	Two Unusual Rearranged Flavan Derivatives from <i>Narcissus tazetta</i> var. <i>chinensis</i> . <i>Helvetica Chimica Acta</i> , 2013, 96, 338-344.	1.0	10
135	Diketopiperazines from the Marine Sponge <i>Axinella</i> sp.. <i>Chemistry of Natural Compounds</i> , 2014, 50, 191-193.	0.2	10
136	Structure determination of two unusual C25 steroids with bicyclo[4.4.1]A/B rings from <i>Penicillium decumbens</i> by NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2015, 53, 223-226.	1.1	9
137	Total Synthesis and Anti-Inflammatory Bioactivity of (âˆ’)-Majusculoic Acid and Its Derivatives. <i>Marine Drugs</i> , 2021, 19, 288.	2.2	9
138	Steroids and anthraquinones from the deep-sea-derived fungus <i>Aspergillus nidulans</i> MCCC 3A00050. <i>Biochemical Systematics and Ecology</i> , 2019, 83, 103-105.	0.6	8
139	Chemical constituents from the deep sea-derived <i>Streptomyces xiamenensis</i> MCCC 1A01570 and their effects on RXR α transcriptional regulation. <i>Natural Product Research</i> , 2020, 34, 1461-1464.	1.0	8
140	Chemical Constituents of the Marine Fungus <i>Penicillium</i> sp. MCCC 3A00228. <i>Chemistry and Biodiversity</i> , 2021, 18, e2100697.	1.0	8
141	Solitumergosterol A, a unique 6/6/6/6/5 steroid from the deep-sea-derived <i>Penicillium solitum</i> MCCC 3A00215. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 9369-9372.	1.5	8
142	New Monoterpenes, Diterpenes, and Lignans from <i>Abies recurvata</i> . <i>Planta Medica</i> , 2012, 78, 1574-1578.	0.7	7
143	Mass spectrometric profiling of valepotriates possessing various acyloxy groups from <i>Valeriana jatamansi</i> . <i>Journal of Mass Spectrometry</i> , 2015, 50, 1294-1304.	0.7	7
144	A New N-Acyl Taurine from the South China Sea Marine Sponge <i>Callyspongia</i> sp.. <i>Chemistry of Natural Compounds</i> , 2015, 51, 540-541.	0.2	7

#	ARTICLE	IF	CITATIONS
145	Cladosporactone A, a Unique Polyketide with 7-Methylisochromenone Skeleton from the Deep-Sea-Derived Fungus <i>Cladosporium cladosporioides</i> . <i>Chemistry and Biodiversity</i> , 2020, 17, e2000158.	1.0	7
146	Antiproliferative Sorbicillinoids From the Deep-Sea-Derived <i>Penicillium allii-sativi</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 636948.	1.5	7
147	Chemical Constituents of the Deep-Sea-Derived <i>Penicillium solitum</i> . <i>Marine Drugs</i> , 2021, 19, 580.	2.2	7
148	IDENTIFICATION OF EPIDIOXYSTEROL FROM SOUTH CHINA SEA URCHIN TRIPNEUSTES GRATILLA LINNAEUS AND ITS CYTOTOXIC ACTIVITY. <i>Journal of Food Biochemistry</i> , 2011, 35, 932-938.	1.2	6
149	Abieseconordines A and B, Two Novel Norditerpenoids with a 18-Nor-5,10-disecoabietane Skeleton from <i>Abies forrestii</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 415-422.	1.0	6
150	Active Components from <i>Cassia abbreviata</i> Prevent HIV-1 Entry by Distinct Mechanisms of Action. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5052.	1.8	6
151	Pharmacokinetics and Metabolism Study of Deep-Sea-Derived Butyrolactone I in Rats by UHPLC-MS/MS and UHPLC-Q-TOF-MS. <i>Marine Drugs</i> , 2022, 20, 11.	2.2	6
152	A New Triterpene Hexaglycoside from the Bark of <i>Kalopanax septemlobus</i> (Thunb.) Koidz.. <i>Molecules</i> , 2009, 14, 4497-4504.	1.7	5
153	New cyclitol derivative from a sponge <i>Sarcotragus</i> species. <i>Natural Product Research</i> , 2011, 25, 648-652.	1.0	5
154	Chemical constituents and chemotaxonomic study on the marine actinomycete <i>Williamsia</i> sp. MCCC 1A11233. <i>Biochemical Systematics and Ecology</i> , 2016, 67, 129-133.	0.6	5
155	Chemical Constituents of <i>Cassia abbreviata</i> and Their Anti-HIV-1 Activity. <i>Molecules</i> , 2021, 26, 2455.	1.7	5
156	Antioxidant Lignans from <i>Mananthes patentiflora</i> . <i>Planta Medica</i> , 2009, 75, 534-537.	0.7	4
157	Lignans from <i>Saururus chinensis</i> . <i>Chemistry of Natural Compounds</i> , 2010, 46, 450-451.	0.2	4
158	A new lignan from <i>Saururus chinensis</i> . <i>Chemistry of Natural Compounds</i> , 2010, 46, 631-633.	0.2	4
159	Bryostatins from South China Sea bryozoan <i>Bugula neritina</i> L.. <i>Biochemical Systematics and Ecology</i> , 2010, 38, 1231-1233.	0.6	4
160	Two new compounds from <i>Abies holophylla</i> . <i>Phytochemistry Letters</i> , 2012, 5, 446-449.	0.6	4
161	A new briarane-type diterpenoid from the South China Sea Gorgonian <i>Dichotella gemmacea</i> . <i>Natural Product Research</i> , 2015, 29, 807-812.	1.0	4
162	Asterolloside, a novel enolic saccharide from the sea star <i>Asterias rollestoni</i> Bell. <i>Tetrahedron Letters</i> , 2015, 56, 6174-6176.	0.7	4

#	ARTICLE	IF	CITATIONS
163	Abinukitrine A, a unique 17,18-cyclolanostane triterpenoid from <i>Abies nukiangensis</i> . <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 2107-2109.	1.5	4
164	Chemical constituents from the sea urchin <i>Glyptocidaris crenularis</i> . <i>Biochemical Systematics and Ecology</i> , 2010, 38, 103-105.	0.6	3
165	Nukiangendines A and B, two novel 13,14-seco-abietanes from <i>Abies nukiangensis</i> . <i>Tetrahedron Letters</i> , 2019, 60, 751-753.	0.7	3
166	Differential Effects of Antofine N-Oxide on Solid Tumor and Leukemia Cells. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2014, 14, 1315-1323.	0.9	3
167	Nevadensin relieves food allergic responses and passive cutaneous anaphylaxis in mice through inhibiting the expression of c-Kit receptors. <i>Food and Function</i> , 2020, 11, 10375-10385.	2.1	3
168	Anti-HIV Compounds from the Deep-Sea-Derived Fungus <i>Chaetomium globosum</i> . <i>Chemistry and Biodiversity</i> , 2022, 19, e2100804.	1.0	3
169	Cytotoxic terpenes from <i>Abies sibirica</i> . <i>Chinese Chemical Letters</i> , 2012, 23, 1251-1253.	4.8	2
170	Graphostromols A-K, Eleven New Chained Polyketides from the Deep-Sea-Derived <i>Graphostroma</i> sp. <i>Chemistry and Biodiversity</i> , 2019, 16, e1900326.	1.0	2
171	Anti-food allergic alkaloids from the lotus seed pod. <i>Chemistry and Biodiversity</i> , 2021, , e2100770.	1.0	2
172	Chemical constituents of the deep-sea-derived <i>Acremonium alternatum</i> and their chemotaxonomic significance. <i>Biochemical Systematics and Ecology</i> , 2022, 103, 104443.	0.6	2
173	Bioactive Chemical Constituents of the South China Sea Starfish <i>Stellaster equestris</i> . <i>Chemistry of Natural Compounds</i> , 2014, 50, 184-185.	0.2	1