

Patrick G Bray

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11077055/publications.pdf>

Version: 2024-02-01

60
papers

4,495
citations

81900

39
h-index

138484

58
g-index

62
all docs

62
docs citations

62
times ranked

3581
citing authors

#	ARTICLE	IF	CITATIONS
1	Glutathione Transport: A New Role for PfCRT in Chloroquine Resistance. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 683-695.	5.4	50
2	Sequence and gene expression of chloroquine resistance transporter (pfcr) in the association of in vitro drugs resistance of Plasmodium falciparum. <i>Malaria Journal</i> , 2011, 10, 42.	2.3	28
3	Synthesis and Antimalarial Activities of a Diverse Set of Triazole-Containing Furamide Analogues. <i>ChemMedChem</i> , 2011, 6, 2094-2108.	3.2	26
4	The accumulation and metabolism of zidovudine in 3T3-F442A preadipocytes. <i>British Journal of Pharmacology</i> , 2010, 159, 484-493.	5.4	8
5	An Acid-loading Chloride Transport Pathway in the Intraerythrocytic Malaria Parasite, Plasmodium falciparum. <i>Journal of Biological Chemistry</i> , 2010, 285, 18615-18626.	3.4	8
6	Concentration-dependent effects and intracellular accumulation of HIV protease inhibitors in cultured CD4 T cells and primary human lymphocytes. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 906-916.	3.0	8
7	Semi-synthetic and synthetic 1,2,4-trioxoquinones and 1,2,4-trioxoloquinones: synthesis, preliminary SAR and comparison with acridine endoperoxide conjugates. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 2038-2043.	2.2	64
8	Antitumour and antimalarial activity of artemisinin-acridine hybrids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 2033-2037.	2.2	50
9	Candidate Selection and Preclinical Evaluation of N-tert-Butyl Isoquine (GSK369796), An Affordable and Effective 4-Aminoquinoline Antimalarial for the 21st Century. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 1408-1415.	6.4	80
10	Mechanisms of Antimalarial Drug Resistance. , 2009, , 561-574.		1
11	Glycerol: An unexpected major metabolite of energy metabolism by the human malaria parasite. <i>Malaria Journal</i> , 2009, 8, 38.	2.3	47
12	Synthesis, Antimalarial Activity, and Preclinical Pharmacology of a Novel Series of 4-Fluoro and 4-Chloro Analogues of Amodiaquine. Identification of a Suitable Back-Up Compound for N-tert-Butyl Isoquine. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 1828-1844.	6.4	56
13	Malaria-parasite mitochondrial dehydrogenases as drug targets: too early to write the obituary. <i>Trends in Parasitology</i> , 2008, 24, 9-10.	3.3	24
14	Drug-Regulated Expression of Plasmodium falciparum P-Glycoprotein Homologue 1: a Putative Role for Nuclear Receptors. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 1438-1445.	3.2	7
15	Acridinediones: Selective and Potent Inhibitors of the Malaria Parasite Mitochondrial bc1 Complex. <i>Molecular Pharmacology</i> , 2008, 73, 1347-1355.	2.3	85
16	Evidence for a Common Non-Heme Chelatable Iron-Dependent Activation Mechanism for Semisynthetic and Synthetic Endoperoxide Antimalarial Drugs. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 6278-6283.	13.8	116
17	The malaria parasite type II NADH:quinone oxidoreductase: an alternative enzyme for an alternative lifestyle. <i>Trends in Parasitology</i> , 2007, 23, 305-310.	3.3	69
18	PfCRT and the trans-vacuolar proton electrochemical gradient: regulating the access of chloroquine to ferriprotoporphyrin IX. <i>Molecular Microbiology</i> , 2006, 62, 238-251.	2.5	85

#	ARTICLE	IF	CITATIONS
19	Prospects for the treatment of drug-resistant malaria parasites. <i>Future Microbiology</i> , 2006, 1, 127-141.	2.0	19
20	Functional Characterization and Target Validation of Alternative Complex I of <i>Plasmodium falciparum</i> Mitochondria. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 1841-1851.	3.2	120
21	A Medicinal Chemistry Perspective on 4-Aminoquinoline Antimalarial Drugs. <i>Current Topics in Medicinal Chemistry</i> , 2006, 6, 479-507.	2.1	104
22	Potent Antihematozoan Activity of Novel Bisthiazolium Drug T16: Evidence for Inhibition of Phosphatidylcholine Metabolism in Erythrocytes Infected with <i>Babesia</i> and <i>Plasmodium</i> spp. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 3381-3388.	3.2	27
23	Modulation of the intracellular accumulation of saquinavir in peripheral blood mononuclear cells by inhibitors of MRP1, MRP2, P-gp and BCRP. <i>Aids</i> , 2005, 19, 2097-2102.	2.2	84
24	A critical role for PfCRT K76T in <i>Plasmodium falciparum</i> verapamil-reversible chloroquine resistance. <i>EMBO Journal</i> , 2005, 24, 2294-2305.	7.8	168
25	Defining the role of PfCRT in <i>Plasmodium falciparum</i> chloroquine resistance. <i>Molecular Microbiology</i> , 2005, 56, 323-333.	2.5	154
26	Primaquine synergises the activity of chloroquine against chloroquine-resistant <i>P. falciparum</i> . <i>Biochemical Pharmacology</i> , 2005, 70, 1158-1166.	4.4	68
27	In Vitro Synergy and Enhanced Murine Brain Penetration of Saquinavir Coadministered with Mefloquine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 314, 1202-1209.	2.5	26
28	Mutations Conferring Drug Resistance in Malaria Parasite Drug Transporters Pgh1 and PfCRT Do Not Affect Steady-State Vacuolar Ca ²⁺ . <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 4807-4808.	3.2	13
29	Current drug development portfolio for antimalarial therapies. <i>Current Opinion in Pharmacology</i> , 2005, 5, 473-478.	3.5	46
30	Design and Synthesis of Endoperoxide Antimalarial Prodrug Models. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 4193-4197.	13.8	56
31	Antimalarial and Antitumor Evaluation of Novel C-10 Non-Acetal Dimers of 10 ¹ -(2-Hydroxyethyl)deoxoartemisinin. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 1290-1298.	6.4	97
32	Evidence for a Central Role for PfCRT in Conferring <i>Plasmodium falciparum</i> Resistance to Diverse Antimalarial Agents. <i>Molecular Cell</i> , 2004, 15, 867-877.	9.7	157
33	Pentamidine uptake and resistance in pathogenic protozoa: past, present and future. <i>Trends in Parasitology</i> , 2003, 19, 232-239.	3.3	208
34	Antimalarial chemotherapy: young guns or back to the future?. <i>Trends in Parasitology</i> , 2003, 19, 479-487.	3.3	79
35	Isoquine and Related Amodiaquine Analogues: A New Generation of Improved 4-Aminoquinoline Antimalarials. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 4933-4945.	6.4	130
36	Heme Binding Contributes to Antimalarial Activity of Bis-Quaternary Ammoniums. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 2584-2589.	3.2	67

#	ARTICLE	IF	CITATIONS
37	Acidification of the Malaria Parasite's Digestive Vacuole by a H ⁺ -ATPase and a H ⁺ -pyrophosphatase. <i>Journal of Biological Chemistry</i> , 2003, 278, 5605-5612.	3.4	107
38	Mechanism-Based Design of Parasite-Targeted Artemisinin Derivatives: Synthesis and Antimalarial Activity of New Diamine Containing Analogues. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 1052-1063.	6.4	116
39	Novel Short Chain Chloroquine Analogues Retain Activity Against Chloroquine Resistant K1 <i>Plasmodium falciparum</i> . <i>Journal of Medicinal Chemistry</i> , 2002, 45, 4975-4983.	6.4	121
40	Distribution of acridine orange fluorescence in <i>Plasmodium falciparum</i> -infected erythrocytes and its implications for the evaluation of digestive vacuole pH. <i>Molecular and Biochemical Parasitology</i> , 2002, 119, 301-304.	1.1	38
41	Further comments on the distribution of acridine orange fluorescence in <i>P. falciparum</i> -infected erythrocytes. <i>Molecular and Biochemical Parasitology</i> , 2002, 119, 311-313.	1.1	16
42	The pH of the <i>Plasmodium falciparum</i> digestive vacuole: holy grail or dead-end trail?. <i>Trends in Parasitology</i> , 2002, 18, 441-444.	3.3	32
43	Diamidine Compounds: Selective Uptake and Targeting in <i>Plasmodium falciparum</i> . <i>Molecular Pharmacology</i> , 2001, 59, 1298-1306.	2.3	101
44	P-glycoprotein and transporter MRP1 reduce HIV protease inhibitor uptake in CD4 cells: potential for accelerated viral drug resistance?. <i>Aids</i> , 2001, 15, 1353-1358.	2.2	131
45	Potent Enhancement of the Sensitivity of <i>Plasmodium falciparum</i> to Chloroquine by the Bisbenzylisoquinoline Alkaloid Cepharanthin. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 2706-2708.	3.2	25
46	Cellular Uptake of Chloroquine Is Dependent on Binding to Ferriprotoporphyrin IX and Is Independent of NHE Activity in <i>Plasmodium falciparum</i> . <i>Journal of Cell Biology</i> , 1999, 145, 363-376.	5.2	155
47	Altered binding of chloroquine to ferriprotoporphyrin IX is the basis for chloroquine resistance. <i>Drug Resistance Updates</i> , 1999, 2, 97-103.	14.4	4
48	Chloroquine Uptake and Activity is Determined by Binding to Ferriprotoporphyrin IX in <i>Plasmodium Falciparum</i> . <i>Novartis Foundation Symposium</i> , 1999, 226, 252-264.	1.1	9
49	A comparison of the phenomenology and genetics of multidrug resistance in cancer cells and quinoline resistance in <i>Plasmodium falciparum</i> . , 1998, 77, 1-28.		71
50	4-Aminoquinolines—Past, present, and future; A chemical perspective. , 1998, 77, 29-58.		242
51	Access to Hematin: The Basis of Chloroquine Resistance. <i>Molecular Pharmacology</i> , 1998, 54, 170-179.	2.3	203
52	Relationship between Antimalarial Drug Activity, Accumulation, and Inhibition of Heme Polymerization in <i>Plasmodium falciparum</i> In Vitro. <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 682-686.	3.2	166
53	Central Role of Hemoglobin Degradation in Mechanisms of Action of 4-Aminoquinolines, Quinoline Methanols, and Phenanthrene Methanols. <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 2973-2977.	3.2	81
54	Synthesis, Antimalarial Activity, and Molecular Modeling of Tebuquine Analogues. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 437-448.	6.4	105

#	ARTICLE	IF	CITATIONS
55	The role of drug accumulation in 4-aminoquinoline antimalarial potency. <i>Biochemical Pharmacology</i> , 1996, 52, 723-733.	4.4	88
56	Amodiaquine accumulation in <i>Plasmodium falciparum</i> as a possible explanation for its superior antimalarial activity over chloroquine. <i>Molecular and Biochemical Parasitology</i> , 1996, 80, 15-25.	1.1	78
57	In vitro selection of halofantrine resistance in <i>Plasmodium falciparum</i> is not associated with increased expression of Pgh1. <i>Molecular and Biochemical Parasitology</i> , 1996, 83, 35-46.	1.1	47
58	Relationship of global chloroquine transport and reversal of resistance in <i>Plasmodium falciparum</i> . <i>Molecular and Biochemical Parasitology</i> , 1994, 63, 87-94.	1.1	48
59	The potential of desipramine to reverse chloroquine resistance of <i>Plasmodium falciparum</i> is reduced by its binding to plasma protein. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1993, 87, 303.	1.8	21
60	Vacuolar acidification and chloroquine sensitivity in <i>plasmodium falciparum</i> . <i>Biochemical Pharmacology</i> , 1992, 43, 1219-1227.	4.4	49