

# Jian Huang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1108160/publications.pdf>

Version: 2024-02-01

98  
papers

4,129  
citations

87888

38  
h-index

128289

60  
g-index

108  
all docs

108  
docs citations

108  
times ranked

4895  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Radiomics Nomogram for the Preoperative Prediction of Lymph Node Metastasis in Bladder Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 6904-6911.	7.0	315
2	Long Noncoding RNA <i>lncLBCS</i> Inhibits Self-Renewal and Chemoresistance of Bladder Cancer Stem Cells through Epigenetic Silencing of SOX2. <i>Clinical Cancer Research</i> , 2019, 25, 1389-1403.	7.0	164
3	lncRNA HOXD-AS1 Regulates Proliferation and Chemo-Resistance of Castration-Resistant Prostate Cancer via Recruiting WDR5. <i>Molecular Therapy</i> , 2017, 25, 1959-1973.	8.2	158
4	CD103 <sup>+</sup> Tumor Infiltrating Lymphocytes Predict a Favorable Prognosis in Urothelial Cell Carcinoma of the Bladder. <i>Journal of Urology</i> , 2015, 194, 556-562.	0.4	142
5	Prostate cancer in Asia: A collaborative report. <i>Asian Journal of Urology</i> , 2014, 1, 15-29.	1.2	136
6	Invasion-related circular RNA circFNDC3B inhibits bladder cancer progression through the miR-1178-3p/G3BP2/SRC/FAK axis. <i>Molecular Cancer</i> , 2018, 17, 161.	19.2	129
7	circRIP2 accelerates bladder cancer progression via miR-1305/Tgf- $\beta$ 2/smad3 pathway. <i>Molecular Cancer</i> , 2020, 19, 23.	19.2	127
8	Circular RNA ACVR2A suppresses bladder cancer cells proliferation and metastasis through miR-626/EYA4 axis. <i>Molecular Cancer</i> , 2019, 18, 95.	19.2	126
9	Urine DNA methylation assay enables early detection and recurrence monitoring for bladder cancer. <i>Journal of Clinical Investigation</i> , 2020, 130, 6278-6289.	8.2	116
10	Development and Validation of an MRI-Based Radiomics Signature for the Preoperative Prediction of Lymph Node Metastasis in Bladder Cancer. <i>EBioMedicine</i> , 2018, 34, 76-84.	6.1	109
11	DANCR Promotes Metastasis and Proliferation in Bladder Cancer Cells by Enhancing IL-11-STAT3 Signaling and CCND1 Expression. <i>Molecular Therapy</i> , 2019, 27, 326-341.	8.2	108
12	Upregulated WDR5 promotes proliferation, self-renewal and chemoresistance in bladder cancer via mediating H3K4 trimethylation. <i>Scientific Reports</i> , 2015, 5, 8293.	3.3	106
13	Circular RNA circ-ZKSCAN1 inhibits bladder cancer progression through miR-1178-3p/p21 axis and acts as a prognostic factor of recurrence. <i>Molecular Cancer</i> , 2019, 18, 133.	19.2	96
14	Circ-BPTF promotes bladder cancer progression and recurrence through the miR-31-5p/RAB27A axis. <i>Aging</i> , 2018, 10, 1964-1976.	3.1	94
15	Kidney damage causally affects the brain cortical structure: A Mendelian randomization study. <i>EBioMedicine</i> , 2021, 72, 103592.	6.1	94
16	Systematic review and meta-analysis of comparative studies reporting early outcomes after robot-assisted radical cystectomy versus open radical cystectomy. <i>Cancer Treatment Reviews</i> , 2013, 39, 551-560.	7.7	87
17	Laparoscopic Radical Cystectomy with Orthotopic Ileal Neobladder for Bladder Cancer: Oncologic Results of 171 Cases With a Median 3-Year Follow-up. <i>European Urology</i> , 2010, 58, 442-449.	1.9	80
18	A novel AR translational regulator lncRNA LBCS inhibits castration resistance of prostate cancer. <i>Molecular Cancer</i> , 2019, 18, 109.	19.2	74

#	ARTICLE	IF	CITATIONS
19	Depression and prostate cancer risk: A Mendelian randomization study. <i>Cancer Medicine</i> , 2020, 9, 9160-9167.	2.8	74
20	Polypyrimidine tract binding protein 1 promotes lymphatic metastasis and proliferation of bladder cancer via alternative splicing of MEIS2 and PKM. <i>Cancer Letters</i> , 2019, 449, 31-44.	7.2	73
21	Heterogeneous nuclear ribonucleoprotein K is associated with poor prognosis and regulates proliferation and apoptosis in bladder cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 1266-1279.	3.6	69
22	The long non-coding RNA FOXD2-AS1 promotes bladder cancer progression and recurrence through a positive feedback loop with Akt and E2F1. <i>Cell Death and Disease</i> , 2018, 9, 233.	6.3	67
23	Knockdown of a novel lincRNA AATBC suppresses proliferation and induces apoptosis in bladder cancer. <i>Oncotarget</i> , 2015, 6, 1064-1078.	1.8	67
24	Programmed death ligand 1 is associated with tumor infiltrating lymphocytes and poorer survival in urothelial cell carcinoma of the bladder. <i>Cancer Science</i> , 2019, 110, 489-498.	3.9	66
25	Tislelizumab in Asian patients with previously treated locally advanced or metastatic urothelial carcinoma. <i>Cancer Science</i> , 2021, 112, 305-313.	3.9	62
26	Development of a noninvasive tool to preoperatively evaluate the muscular invasiveness of bladder cancer using a radiomics approach. <i>Cancer</i> , 2019, 125, 4388-4398.	4.1	55
27	Circular RNA circPICALM sponges miR-1265 to inhibit bladder cancer metastasis and influence FAK phosphorylation. <i>EBioMedicine</i> , 2019, 48, 316-331.	6.1	55
28	Current status of diagnosis and treatment of bladder cancer in China – Analyses of Chinese Bladder Cancer Consortium database. <i>Asian Journal of Urology</i> , 2015, 2, 63-69.	1.2	52
29	NONO Inhibits Lymphatic Metastasis of Bladder Cancer via Alternative Splicing of SETMAR. <i>Molecular Therapy</i> , 2021, 29, 291-307.	8.2	48
30	MicroRNA-155 promotes bladder cancer growth by repressing the tumor suppressor DMTF1. <i>Oncotarget</i> , 2015, 6, 16043-16058.	1.8	48
31	Enhanced recovery after surgery for radical cystectomy with ileal urinary diversion: a multi-institutional, randomized, controlled trial from the Chinese bladder cancer consortium. <i>World Journal of Urology</i> , 2018, 36, 41-50.	2.2	47
32	circEHBP1 promotes lymphangiogenesis and lymphatic metastasis of bladder cancer via miR-130a-3p/TGF $\beta$ 1/VEGF-D signaling. <i>Molecular Therapy</i> , 2021, 29, 1838-1852.	8.2	45
33	Targeting WD repeat domain 5 enhances chemosensitivity and inhibits proliferation and programmed death-ligand 1 expression in bladder cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 203.	8.6	45
34	Circular RNA circUBXN7 represses cell growth and invasion by sponging miR-1247-3p to enhance B4GALT3 expression in bladder cancer. <i>Aging</i> , 2018, 10, 2606-2623.	3.1	45
35	WD repeat domain 5 promotes chemoresistance and Programmed Death-Ligand 1 expression in prostate cancer. <i>Theranostics</i> , 2021, 11, 4809-4824.	10.0	44
36	HSF1 facilitates the multistep process of lymphatic metastasis in bladder cancer via a novel PRMT5-dependent transcriptional program. <i>Cancer Communications</i> , 2022, 42, 447-470.	9.2	44

#	ARTICLE	IF	CITATIONS
37	CircPTPRA acts as a tumor suppressor in bladder cancer by sponging miR-636 and upregulating KLF9. <i>Aging</i> , 2019, 11, 11314-11328.	3.1	40
38	High CD204+ tumor-infiltrating macrophage density predicts a poor prognosis in patients with urothelial cell carcinoma of the bladder. <i>Oncotarget</i> , 2015, 6, 20204-20214.	1.8	40
39	lncRNA Up-Regulated in Nonmuscle Invasive Bladder Cancer Facilitates Tumor Growth and Acts as a Negative Prognostic Factor of Recurrence. <i>Journal of Urology</i> , 2016, 196, 1270-1278.	0.4	39
40	Laparoscopic Radical Cystectomy with Orthotopic Ileal Neobladder: A Report of 85 Cases. <i>Journal of Endourology</i> , 2008, 22, 939-946.	2.1	38
41	circRNA circFUT8 Upregulates Krüppel-like Factor 10 to Inhibit the Metastasis of Bladder Cancer via Sponging miR-570-3p. <i>Molecular Therapy - Oncolytics</i> , 2020, 16, 172-187.	4.4	37
42	Kidney cancer cells secrete IL-8 to activate Akt and promote migration of mesenchymal stem cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 607-612.	1.6	35
43	A urine-based DNA methylation assay to facilitate early detection and risk stratification of bladder cancer. <i>Clinical Epigenetics</i> , 2021, 13, 91.	4.1	34
44	A nomogram for individualized estimation of survival among adult patients with adrenocortical carcinoma after surgery: a retrospective analysis and multicenter validation study. <i>Cancer Communications</i> , 2019, 39, 80.	9.2	32
45	Nox4 has a crucial role in uric acid-induced oxidative stress and apoptosis in renal tubular cells. <i>Molecular Medicine Reports</i> , 2016, 13, 4343-4348.	2.4	29
46	A Genomic-clinicopathologic Nomogram for the Preoperative Prediction of Lymph Node Metastasis in Bladder Cancer. <i>EBioMedicine</i> , 2018, 31, 54-65.	6.1	25
47	Efficacy and Safety of <i>Serenoa repens</i> Extract Among Patients with Benign Prostatic Hyperplasia in China: A Multicenter, Randomized, Double-blind, Placebo-controlled Trial. <i>Urology</i> , 2019, 129, 172-179.	1.0	25
48	An Artificial Intelligence System for the Detection of Bladder Cancer via Cystoscopy: A Multicenter Diagnostic Study. <i>Journal of the National Cancer Institute</i> , 2022, 114, 220-227.	6.3	24
49	IL-8 induces the epithelial-mesenchymal transition of renal cell carcinoma cells through the activation of AKT signaling. <i>Oncology Letters</i> , 2016, 12, 1915-1920.	1.8	22
50	Gene expression profiling of WDR5 regulated genes in bladder cancer. <i>Genomics Data</i> , 2015, 5, 27-29.	1.3	21
51	Implementation of Ultramini Percutaneous Nephrolithotomy for Treatment of 2-3cm Kidney Stones: A Preliminary Report. <i>Journal of Endourology</i> , 2015, 29, 1231-1236.	2.1	21
52	PBRM1 suppresses bladder cancer by cyclin B1 induced cell cycle arrest. <i>Oncotarget</i> , 2015, 6, 16366-16378.	1.8	21
53	Relationship among diet habit and lower urinary tract symptoms and sexual function in outpatient-based males with LUTS/BPH: a multiregional and cross-sectional study in China. <i>BMJ Open</i> , 2016, 6, e010863.	1.9	19
54	Clinical Characteristics, Treatment Strategy, and Outcomes of Primary Large Cell Neuroendocrine Carcinoma of the Bladder: A Case Report and Systematic Review of the Literature. <i>Frontiers in Oncology</i> , 2020, 10, 1291.	2.8	16

#	ARTICLE	IF	CITATIONS
55	B7 score and T cell infiltration stratify immune status in prostate cancer. , 2021, 9, e002455.		16
56	Causes of death in long-term bladder cancer survivors: A population-based study. Asia-Pacific Journal of Clinical Oncology, 2019, 15, e167-e174.	1.1	14
57	Pirarubicin induces an autophagic cytoprotective response through suppression of the mammalian target of rapamycin signaling pathway in human bladder cancer cells. Biochemical and Biophysical Research Communications, 2015, 460, 380-385.	2.1	13
58	Elevation of SHARPIN Protein Levels in Prostate Adenocarcinomas Promotes Metastasis and Impairs Patient Survivals. Prostate, 2017, 77, 718-728.	2.3	13
59	Downregulation of long noncoding RNA FENDRR predicts poor prognosis in renal cell carcinoma. Oncology Letters, 2019, 17, 103-112.	1.8	13
60	Meta-analysis of the IL23R and IL12B polymorphisms in multiple sclerosis. International Journal of Neuroscience, 2016, 126, 205-212.	1.6	12
61	Association between the CD24 Ala57Val polymorphism and risk for multiple sclerosis and systemic lupus erythematosus: a meta-analysis. Scientific Reports, 2015, 5, 9557.	3.3	11
62	Intravesical Pseudomonas aeruginosa mannose-sensitive Hemagglutinin vaccine triggers a tumor-preventing immune environment in an orthotopic mouse bladder cancer model. Cancer Immunology, Immunotherapy, 2022, 71, 1507-1517.	4.2	11
63	Development of a radiomics model to diagnose pheochromocytoma preoperatively: a multicenter study with prospective validation. Journal of Translational Medicine, 2022, 20, 31.	4.4	11
64	Laparoscopic Partial Nephrectomy for T1 Renal Cell Carcinoma: Comparison of Two Resection Techniques in a Multi-institutional Propensity Score-Matching Analysis. Annals of Surgical Oncology, 2016, 23, 1395-1402.	1.5	10
65	Serum CCL27 predicts the response to Bacillus Calmette-Guerin immunotherapy in non-muscle-invasive bladder cancer. Oncoimmunology, 2020, 9, 1776060.	4.6	10
66	Negative Effects of Stromal Neutrophils on T Cells Reduce Survival in Resectable Urothelial Carcinoma of the Bladder. Frontiers in Immunology, 2022, 13, 827457.	4.8	10
67	Surgical management of nutcracker phenomenon presenting as left varicocele in adolescents: A novel approach. Journal of Pediatric Urology, 2014, 10, 424-429.	1.1	9
68	The efficacy and safety of Serenoa repens extract for the treatment of patients with chronic prostatitis/chronic pelvic pain syndrome: a multicenter, randomized, double-blind, placebo-controlled trial. World Journal of Urology, 2021, 39, 3489-3495.	2.2	9
69	Association of chromosome 7 aneuploidy measured by fluorescence in situ hybridization assay with muscular invasion in bladder cancer. Cancer Communications, 2020, 40, 167-180.	9.2	8
70	A Novel Semirigid Ureterorenoscope with Vacuum Suctioning System for Management of Single Proximal Ureteral and Renal Pelvic Stones: An Initial Experience. Journal of Endourology, 2018, 32, 1154-1159.	2.1	7
71	Microlocalization and clinical significance of stabilin-1+ macrophages in treatment-naïve patients with urothelial carcinoma of the bladder. World Journal of Urology, 2020, 38, 709-716.	2.2	7
72	PD-1 topographically defines distinct T cell subpopulations in urothelial cell carcinoma of the bladder and predicts patient survival. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 685.e1-685.e10.	1.6	7

#	ARTICLE	IF	CITATIONS
73	Apalutamide for patients with metastatic castration-sensitive prostate cancer in East Asia: a subgroup analysis of the TITAN trial. <i>Asian Journal of Andrology</i> , 2022, 24, 161.	1.6	7
74	Laparoscopic radical cystectomy with orthotopic ileal neobladder: report of 33 cases. <i>Chinese Medical Journal</i> , 2005, 118, 27-33.	2.3	6
75	Efficacy and safety of different interventions in castration resistant prostate cancer progressing after docetaxel-based chemotherapy: Bayesian network analysis of randomized controlled trials. <i>Journal of Cancer</i> , 2018, 9, 690-701.	2.5	5
76	Robot-Assisted Nephrectomy Using the Newly Developed <i>EDGE SP1000</i> Single-Port Robotic Surgical System: A Feasibility Study in Porcine Model. <i>Journal of Endourology</i> , 2020, 34, 1149-1154.	2.1	5
77	Long-Term Oncologic Outcomes After Laparoscopic and Robotic Tumor Enucleation for Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 595457.	2.8	5
78	A nomogram to predict stricture-free survival in patients with ureteral stricture after balloon dilation. <i>BMC Urology</i> , 2021, 21, 129.	1.4	5
79	Elevated pre-existing lymphocytic infiltrates in tumour stroma predict poor prognosis in resectable urothelial carcinoma of the bladder. <i>Histopathology</i> , 2019, 75, 354-364.	2.9	4
80	Analysis and Follow up of Endoscopy Results in 1099 Patients with Terminal Ileum Lesions. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2020, 2020, 1-6.	1.9	4
81	Nomograms for the Prediction of Survival for Patients with Pediatric Adrenal Cancer after Surgery. <i>Journal of Cancer</i> , 2020, 11, 2080-2090.	2.5	4
82	Development and validation of a PD-L1/PD-1/CD8 axis-based classifier to predict cancer survival of upper tract urothelial carcinoma after radical nephroureterectomy. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 2657-2668.	4.2	4
83	MALBAC-based chromosomal imbalance analysis: a novel technique enabling effective non-invasive diagnosis and monitoring of bladder cancer. <i>BMC Cancer</i> , 2018, 18, 659.	2.6	3
84	Prostate specific membrane antigen knockdown impairs the tumorigenicity of LNCaP prostate cancer cells by inhibiting the phosphatidylinositol 3-kinase/Akt signaling pathway. <i>Chinese Medical Journal</i> , 2014, 127, 929-36.	2.3	3
85	A phase 3 trial of SHR3680 versus bicalutamide in combination with androgen deprivation therapy (ADT) in patients with high-volume metastatic hormone-sensitive prostate cancer (mHSPC). <i>Journal of Clinical Oncology</i> , 2022, 40, 5005-5005.	1.6	3
86	Letter by Huang regarding the article, "Statin use increases the risk of depressive disorder in stroke patients: A population-based study". <i>Journal of the Neurological Sciences</i> , 2015, 358, 471.	0.6	2
87	Current status of laparoscopic and robot-assisted nerve-sparing radical cystectomy in male patients. <i>Asian Journal of Urology</i> , 2016, 3, 150-155.	1.2	2
88	Survival after radical cystectomy for bladder cancer: Multicenter comparison between minimally invasive and open approaches. <i>Asian Journal of Urology</i> , 2020, 7, 291-300.	1.2	2
89	Orthotopic ileal neobladder similar to original bladder. <i>Chinese Medical Journal</i> , 2003, 116, 1943-5.	2.3	2
90	Overactive bladder symptom score to evaluate efficacy of solifenacin for the treatment of overactive bladder symptoms. <i>Chinese Medical Journal</i> , 2014, 127, 261-5.	2.3	2

#	ARTICLE	IF	CITATIONS
91	Interim results from a multicenter clinical study of tislelizumab combined with gemcitabine and cisplatin as neoadjuvant therapy for patients with cT2-T4aN0M0 MIBC.. Journal of Clinical Oncology, 2022, 40, 4580-4580.	1.6	2
92	1,25-Dihydroxyvitamin D3 Does Not Affect MicroRNA Expression When Suppressing Human Th17 Differentiation. Medical Science Monitor, 2017, 23, 535-541.	1.1	1
93	Identification of an IDO1-based immune classifier for survival prediction of upper tract urothelial carcinoma. Cancer Science, 2021, , .	3.9	1
94	Pelvic reconstruction and lateral prostate capsule sparing techniques improve early continence of robot-assisted radical cystectomy with orthotopic ileal neobladder. International Urology and Nephrology, 2022, , 1.	1.4	1
95	Hybrid Laparoscopic Endoscopic Single-Site Surgery for Radical Cystoprostatectomy and Orthotopic Ileal Neobladder with a Homemade Mutichannel Port. Videourology (New Rochelle, N Y ), 2011, 25, .	0.1	0
96	Visual Dilatation Technique in Percutaneous Nephrolithotomy: An Initial Clinical Experience. Videourology (New Rochelle, N Y ), 2018, 32, .	0.1	0
97	Suprapubic Transvesical Repair of Vesicovaginal Fistula Using a Homemade Laparoscopic Single-Port Device: Experience of 42 Patients. Frontiers in Surgery, 2021, 8, 744226.	1.4	0
98	Parenchymal Mass Loss During Partial Nephrectomy: Role of Devascularized Parenchymal Mass and Excised Parenchymal Mass and Impact on Functional Preservation. Clinical Genitourinary Cancer, 2021, , .	1.9	0