

Daniel J Cua

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11082145/daniel-j-cua-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

33,967
citations

56
h-index

93
g-index

93
ext. papers

37,728
ext. citations

18.6
avg, IF

6.96
L-index

#	Paper	IF	Citations
90	Interleukin-23 in perspective. <i>Rheumatology</i> , 2021 , 60, iv1-iv3	3.9	2
89	MAIT cells are imprinted by the microbiota in early life and promote tissue repair. <i>Science</i> , 2019 , 366,	33.3	162
88	The IL-17 Family of Cytokines in Health and Disease. <i>Immunity</i> , 2019 , 50, 892-906	32.3	368
87	Induction and Analysis of Anti-CD40-induced Colitis in Mice. <i>Bio-protocol</i> , 2019 , 9, e3153	0.9	3
86	LAG3 Regulatory T Cells Restrain Interleukin-23-Producing CX3CR1 Gut-Resident Macrophages during Group 3 Innate Lymphoid Cell-Driven Colitis. <i>Immunity</i> , 2018 , 49, 342-352.e5	32.3	69
85	Experimental Lung Metastases in Mice Are More Effectively Inhibited by Blockade of IL23R than IL23. <i>Cancer Immunology Research</i> , 2018 , 6, 978-987	12.5	9
84	IL-23 promotes the development of castration-resistant prostate cancer. <i>Immunology and Cell Biology</i> , 2018 , 96, 883-885	5	4
83	GITR Agonism Enhances Cellular Metabolism to Support CD8 T-cell Proliferation and Effector Cytokine Production in a Mouse Tumor Model. <i>Cancer Immunology Research</i> , 2018 , 6, 1199-1211	12.5	28
82	Dual Roles for Regulatory T-cell Depletion and Costimulatory Signaling in Agonistic GITR Targeting for Tumor Immunotherapy. <i>Cancer Research</i> , 2017 , 77, 1108-1118	10.1	73
81	IL-23 Is Essential for the Development of Elastase-Induced Pulmonary Inflammation and Emphysema. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2016 , 55, 697-707	5.7	19
80	Interleukin-23-Induced Transcription Factor Blimp-1 Promotes Pathogenicity of T Helper 17 Cells. <i>Immunity</i> , 2016 , 44, 131-142	32.3	98
79	A colitogenic memory CD4+ T cell population mediates gastrointestinal graft-versus-host disease. <i>Journal of Clinical Investigation</i> , 2016 , 126, 3541-55	15.9	24
78	Inhibition of ROR γ Skews TCR β Gene Rearrangement and Limits T Cell Repertoire Diversity. <i>Cell Reports</i> , 2016 , 17, 3206-3218	10.6	39
77	Cutting Edge: CLEC5A Mediates Macrophage Function and Chronic Obstructive Pulmonary Disease Pathologies. <i>Journal of Immunology</i> , 2016 , 196, 3227-31	5.3	13
76	IL-17A-producing CD30(+) V β T cells drive inflammation-induced cancer progression. <i>Cancer Science</i> , 2016 , 107, 1206-14	6.9	22
75	IL-12 and IL-23 cytokines: from discovery to targeted therapies for immune-mediated inflammatory diseases. <i>Nature Medicine</i> , 2015 , 21, 719-29	50.5	488
74	Interleukin-23-Independent IL-17 Production Regulates Intestinal Epithelial Permeability. <i>Immunity</i> , 2015 , 43, 727-38	32.3	405

73	IL-26 AMPs up the T(H)17 arsenal. <i>Nature Immunology</i> , 2015 , 16, 897-8	19.1	6
72	Melatonin Lulling Th17 Cells to Sleep. <i>Cell</i> , 2015 , 162, 1212-4	56.2	12
71	Spondyloarthritis: interleukin 23 and disease modification. <i>Lancet, The</i> , 2015 , 385, 2017-8	40	12
70	IL-23-mediated mononuclear phagocyte crosstalk protects mice from <i>Citrobacter rodentium</i> -induced colon immunopathology. <i>Nature Communications</i> , 2015 , 6, 6525	17.4	52
69	The emerging landscape of ROR γ biology. <i>Immunity</i> , 2014 , 40, 451-2	32.3	21
68	The critical role of interleukin-23 in spondyloarthritis. <i>Molecular Immunology</i> , 2014 , 57, 38-43	4.3	42
67	The IL-23-IL-17 immune axis: from mechanisms to therapeutic testing. <i>Nature Reviews Immunology</i> , 2014 , 14, 585-600	36.5	951
66	IL-23 p19 knockout mice exhibit minimal defects in responses to primary and secondary infection with <i>Francisella tularensis</i> LVS. <i>PLoS ONE</i> , 2014 , 9, e109898	3.7	2
65	IL-23 promotes TCR-mediated negative selection of thymocytes through the upregulation of IL-23 receptor and ROR γ . <i>Nature Communications</i> , 2014 , 5, 4259	17.4	12
64	IL-23 in Health and Disease 2014 , 179-198		1
63	Th17 cell development: from the cradle to the grave. <i>Immunological Reviews</i> , 2013 , 252, 78-88	11.3	156
62	Autoimmune memory T helper 17 cell function and expansion are dependent on interleukin-23. <i>Cell Reports</i> , 2013 , 3, 1378-88	10.6	58
61	Interleukin-23: a promising therapeutic target in seronegative spondyloarthritis. <i>Current Opinion in Pharmacology</i> , 2013 , 13, 445-8	5.1	7
60	IFN- γ protects from lethal IL-17 mediated viral encephalomyelitis independent of neutrophils. <i>Journal of Neuroinflammation</i> , 2012 , 9, 104	10.1	20
59	The myeloid receptor PILR α mediates the balance of inflammatory responses through regulation of IL-27 production. <i>PLoS ONE</i> , 2012 , 7, e31680	3.7	15
58	IL-23 induces spondyloarthritis by acting on ROR γ ⁺ CD3 ⁺ CD4 ⁺ CD8 ⁻ enthesal resident T cells. <i>Nature Medicine</i> , 2012 , 18, 1069-76	50.5	750
57	Epithelial cell-derived IL-25, but not Th17 cell-derived IL-17 or IL-17F, is crucial for murine asthma. <i>Journal of Immunology</i> , 2012 , 189, 3641-52	5.3	85
56	Fate mapping of IL-17-producing T cells in inflammatory responses. <i>Nature Immunology</i> , 2011 , 12, 255-63	19.1	831

55	Regulation of the development of acute hepatitis by IL-23 through IL-22 and IL-17 production. <i>European Journal of Immunology</i> , 2011 , 41, 2828-39	6.1	34
54	Foxp3(+) regulatory T cells promote T helper 17 cell development in vivo through regulation of interleukin-2. <i>Immunity</i> , 2011 , 34, 409-21	32.3	117
53	Autoimmunity's collateral damage: Gut microbiota strikes back. <i>Nature Medicine</i> , 2011 , 17, 1055-6	50.5	37
52	Activation of MDL-1 (CLEC5A) on immature myeloid cells triggers lethal shock in mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 4446-61	15.9	44
51	Generation of pathogenic T(H)17 cells in the absence of TGF- β signalling. <i>Nature</i> , 2010 , 467, 967-71	50.4	1021
50	A role for IL-27p28 as an antagonist of gp130-mediated signaling. <i>Nature Immunology</i> , 2010 , 11, 1119-26	19.1	139
49	Innate IL-17-producing cells: the sentinels of the immune system. <i>Nature Reviews Immunology</i> , 2010 , 10, 479-89	36.5	1125
48	Myeloid DAP12-associating lectin (MDL)-1 regulates synovial inflammation and bone erosion associated with autoimmune arthritis. <i>Journal of Experimental Medicine</i> , 2010 , 207, 579-89	16.6	63
47	IL-17 regulates adipogenesis, glucose homeostasis, and obesity. <i>Journal of Immunology</i> , 2010 , 185, 6947-59	59	257
46	The receptor SIGIRR suppresses Th17 cell proliferation via inhibition of the interleukin-1 receptor pathway and mTOR kinase activation. <i>Immunity</i> , 2010 , 32, 54-66	32.3	156
45	Prostaglandin E2 regulates Th17 cell differentiation and function through cyclic AMP and EP2/EP4 receptor signaling. <i>Journal of Experimental Medicine</i> , 2009 , 206, 535-48	16.6	357
44	IL-27 blocks ROR γ c expression to inhibit lineage commitment of Th17 cells. <i>Journal of Immunology</i> , 2009 , 182, 5748-56	5.3	265
43	Interleukin-12 (IL-12), but not IL-23, deficiency ameliorates viral encephalitis without affecting viral control. <i>Journal of Virology</i> , 2009 , 83, 5978-86	6.6	39
42	Involvement of Th17 cells and the effect of anti-IL-6 therapy in autoimmune uveitis. <i>Rheumatology</i> , 2009 , 48, 347-54	3.9	143
41	Role of IL-23 in mobilization of immunoregulatory nitric oxide- or superoxide-producing Gr-1+ cells from bone marrow. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 357-63	7.8	2
40	The interleukin 23 receptor is essential for the terminal differentiation of interleukin 17-producing effector T helper cells in vivo. <i>Nature Immunology</i> , 2009 , 10, 314-24	19.1	773
39	Pivotal role of cerebral interleukin-17-producing gammadelta T cells in the delayed phase of ischemic brain injury. <i>Nature Medicine</i> , 2009 , 15, 946-50	50.5	618
38	Interleukin-17-producing gammadelta T cells selectively expand in response to pathogen products and environmental signals. <i>Immunity</i> , 2009 , 31, 321-30	32.3	654

37	Prostaglandin E2 regulates Th17 cell differentiation and function through cyclic AMP and EP2/EP4 receptor signaling. <i>Journal of Cell Biology</i> , 2009 , 184, i16-i16	7.3	1
36	Th17 cell differentiation: the long and winding road. <i>Immunity</i> , 2008 , 28, 445-53	32.3	535
35	SnapShot: cytokines II. <i>Cell</i> , 2008 , 132, 500	56.2	15
34	IL-23 is required for the development of severe egg-induced immunopathology in schistosomiasis and for lesional expression of IL-17. <i>Journal of Immunology</i> , 2008 , 180, 2486-95	5.3	86
33	Commensal-dependent expression of IL-25 regulates the IL-23-IL-17 axis in the intestine. <i>Journal of Experimental Medicine</i> , 2008 , 205, 2191-8	16.6	230
32	Cytokines that regulate autoimmunity. <i>Current Opinion in Immunology</i> , 2008 , 20, 663-8	7.8	72
31	Reconciling id, ego, and superego within interleukin-23. <i>Immunological Reviews</i> , 2008 , 226, 103-11	11.3	32
30	Essential roles of IL-12 and dendritic cells but not IL-23 and macrophages in lupus-like diseases initiated by cell surface HSP gp96. <i>European Journal of Immunology</i> , 2007 , 37, 706-15	6.1	28
29	Development, cytokine profile and function of human interleukin 17-producing helper T cells. <i>Nature Immunology</i> , 2007 , 8, 950-7	19.1	1601
28	TGF-beta and IL-6 drive the production of IL-17 and IL-10 by T cells and restrain T(H)-17 cell-mediated pathology. <i>Nature Immunology</i> , 2007 , 8, 1390-7	19.1	1180
27	IL-25 regulates Th17 function in autoimmune inflammation. <i>Journal of Experimental Medicine</i> , 2007 , 204, 161-70	16.6	320
26	The link between IL-23 and Th17 cell-mediated immune pathologies. <i>Seminars in Immunology</i> , 2007 , 19, 372-6	10.7	122
25	T cells doing it for themselves: TGF-beta regulation of Th1 and Th17 cells. <i>Immunity</i> , 2007 , 26, 547-9	32.3	27
24	Discovery and biology of IL-23 and IL-27: related but functionally distinct regulators of inflammation. <i>Annual Review of Immunology</i> , 2007 , 25, 221-42	34.7	627
23	Interleukin 25 regulates type 2 cytokine-dependent immunity and limits chronic inflammation in the gastrointestinal tract. <i>Journal of Experimental Medicine</i> , 2006 , 203, 843-9	16.6	290
22	IL-23 plays a key role in Helicobacter hepaticus-induced T cell-dependent colitis. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2485-94	16.6	485
21	Interleukin-23 drives innate and T cell-mediated intestinal inflammation. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2473-83	16.6	670
20	Th17 functions as an osteoclastogenic helper T cell subset that links T cell activation and bone destruction. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2673-82	16.6	1128

19	The orphan nuclear receptor ROR γ directs the differentiation program of proinflammatory IL-17+ T helper cells. <i>Cell</i> , 2006 , 126, 1121-33	56.2	3828
18	Differential activity of IL-12 and IL-23 in mucosal and systemic innate immune pathology. <i>Immunity</i> , 2006 , 25, 309-18	32.3	533
17	Understanding the IL-23-IL-17 immune pathway. <i>Trends in Immunology</i> , 2006 , 27, 17-23	14.4	590
16	Rationale and safety of anti-interleukin-23 and anti-interleukin-17A therapy. <i>Current Opinion in Infectious Diseases</i> , 2006 , 19, 245-52	5.4	46
15	IL-23 is essential for T cell-mediated colitis and promotes inflammation via IL-17 and IL-6. <i>Journal of Clinical Investigation</i> , 2006 , 116, 1310-6	15.9	1171
14	Anti-IL-23 therapy inhibits multiple inflammatory pathways and ameliorates autoimmune encephalomyelitis. <i>Journal of Clinical Investigation</i> , 2006 , 116, 1317-26	15.9	449
13	Th17 functions as an osteoclastogenic helper T cell subset that links T cell activation and bone destruction. <i>Journal of Cell Biology</i> , 2006 , 175, i8-i8	7.3	
12	IL-23 drives a pathogenic T cell population that induces autoimmune inflammation. <i>Journal of Experimental Medicine</i> , 2005 , 201, 233-40	16.6	3127
11	IL-23 provides a limited mechanism of resistance to acute toxoplasmosis in the absence of IL-12. <i>Journal of Immunology</i> , 2004 , 173, 1887-93	5.3	135
10	IL-12 and IL-23: master regulators of innate and adaptive immunity. <i>Immunological Reviews</i> , 2004 , 202, 96-105	11.3	591
9	NK cells regulate CD4 responses prior to antigen encounter. <i>Journal of Immunology</i> , 2003 , 171, 234-9	5.3	28
8	Interleukin-23 rather than interleukin-12 is the critical cytokine for autoimmune inflammation of the brain. <i>Nature</i> , 2003 , 421, 744-8	50.4	2317
7	Divergent pro- and antiinflammatory roles for IL-23 and IL-12 in joint autoimmune inflammation. <i>Journal of Experimental Medicine</i> , 2003 , 198, 1951-7	16.6	1354
6	In vitro generation of interleukin 10-producing regulatory CD4(+) T cells is induced by immunosuppressive drugs and inhibited by T helper type 1 (Th1)- and Th2-inducing cytokines. <i>Journal of Experimental Medicine</i> , 2002 , 195, 603-16	16.6	960
5	The role of interleukin-10 in autoimmune disease: systemic lupus erythematosus (SLE) and multiple sclerosis (MS). <i>Cytokine and Growth Factor Reviews</i> , 2002 , 13, 403-12	17.9	154
4	Central nervous system expression of IL-10 inhibits autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2001 , 166, 602-8	5.3	148
3	Transgenic interleukin 10 prevents induction of experimental autoimmune encephalomyelitis. <i>Journal of Experimental Medicine</i> , 1999 , 189, 1005-10	16.6	180
2	Kinetics of cytokine mRNA expression in the central nervous system following lethal and nonlethal coronavirus-induced acute encephalomyelitis. <i>Virology</i> , 1997 , 233, 260-70	3.6	73

- 1 Macrophages regulate induction of delayed-type hypersensitivity and experimental allergic encephalomyelitis in SJL mice. *European Journal of Immunology*, **1995**, 25, 2318-24 6.1 57