Ricardo Antunes Azevedo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1108501/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Wood production and nutritional and antioxidant status of field-grown Eucalyptus under a differential supply of lime and copper plus zinc. Industrial Crops and Products, 2022, 175, 114192.	5.2	3
2	Exogenous Application of L-Arginine Improves Protein Content and Increases Yield of Pereskia aculeata Mill. Grown in Soilless Media Container. Horticulturae, 2022, 8, 142.	2.8	6
3	Despite a stressful period with the pandemic, publication is going strong: News about <i>Annals of Applied Biology, 2022, 180, 4-6.</i>	2.5	2
4	Interview with Prof. Nigel G. Halford, Rothamsted Research, United Kingdom. Annals of Applied Biology, 2022, 181, 130-132.	2.5	2
5	Transgenerational hormesis: What do parents sacrifice for their offspring?. Current Opinion in Environmental Science and Health, 2022, 29, 100380.	4.1	10
6	Unraveling the mechanisms controlling Cd accumulation and Cdâ€tolerance in <scp> <i>Brachiaria decumbens</i> </scp> and <scp> <i>Panicum maximum</i> </scp> under summer and winter weather conditions. Physiologia Plantarum, 2021, 173, 20-44.	5.2	8
7	Cadmium effects on plant reproductive organs: Physiological, productive, evolutionary and ecological aspects. Annals of Applied Biology, 2021, 178, 227-243.	2.5	16
8	Publishing goes on despite the virus—What is new for 2021. Annals of Applied Biology, 2021, 178, 4-5.	2.5	1
9	There is plenty of room at the plant science: A review of nanoparticles applied to plant cultures. Annals of Applied Biology, 2021, 178, 149-168.	2.5	11
10	Current Research on the Role of Plant Primary and Secondary Metabolites in Response to Cadmium Stress. , 2021, , 125-153.		1
11	Phytochelatins and their relationship with modulation of cadmium tolerance in plants. , 2021, , 91-113.		3
12	Urea- Versus Ammonium Nitrate–Based Fertilizers for Green Sugarcane Cultivation. Journal of Soil Science and Plant Nutrition, 2021, 21, 1329-1338.	3.4	5
13	Tolerance of tomato to cadmium-induced stress: analyzing cultivars with different fruit colors. Environmental Science and Pollution Research, 2021, 28, 26172-26181.	5.3	1
14	Unravelling homeostasis effects of phosphorus and zinc nutrition by leaf photochemistry and metabolic adjustment in cotton plants. Scientific Reports, 2021, 11, 13746.	3.3	18
15	Interview with Carol Millman, former Executive Officer, Association of Applied Biologists 1997–2021, and Editorial Officer, <i>Annals of Applied Biology</i> 1989–2021. Annals of Applied Biology, 2021, 179, 148-150.	2.5	4
16	Comparative phosphoproteomic analysis of tomato genotypes with contrasting cadmium tolerance. Plant Cell Reports, 2021, 40, 2001-2008.	5.6	7
17	Ratoon Stunting Disease (Leifsonia xyli subsp. xyli) affects source-sink relationship in sugarcane by decreasing sugar partitioning to tillers. Physiological and Molecular Plant Pathology, 2021, 116, 101723.	2.5	5
18	Cadmium-induced transgenerational effects on tomato plants: A gift from parents to progenies. Science of the Total Environment, 2021, 789, 147885.	8.0	26

#	Article	IF	CITATIONS
19	Impact of the colonization of Leifsonia xyli subsp. xyli in a susceptible sugarcane genotype on water status and physiological traits. European Journal of Plant Pathology, 2021, 159, 839-849.	1.7	6
20	Plants under attack: Surviving the stress. Annals of Applied Biology, 2021, 178, 132-134.	2.5	4
21	Leaf 13C and 15N composition shedding light on easing drought stress through partial K substitution by Na in eucalyptus species. Scientific Reports, 2021, 11, 20158.	3.3	2
22	Antioxidant performance and aluminum accumulation in two genotypes of Solanum lycopersicum in response to low pH and aluminum availability and under their combined stress. Scientia Horticulturae, 2020, 259, 108813.	3.6	4
23	Hormesis in plants under Cd exposure: From toxic to beneficial element?. Journal of Hazardous Materials, 2020, 384, 121434.	12.4	131
24	Lysine metabolism and amino acid profile in maize grains from plants subjected to cadmium exposure. Scientia Agricola, 2020, 77, .	1.2	15
25	Aluminum-induced toxicity in Urochloa brizantha genotypes: A first glance into root Al-apoplastic and -symplastic compartmentation, Al-translocation and antioxidant performance. Chemosphere, 2020, 243, 125362.	8.2	17
26	The sweet side of misbalanced nutrients in cadmiumâ€ s tressed plants. Annals of Applied Biology, 2020, 176, 275-284.	2.5	24
27	Foliar application of 24-epibrassinolide improves Solanum nigrum L. tolerance to high levels of Zn without affecting its remediation potential. Chemosphere, 2020, 244, 125579.	8.2	10
28	Characterization of genes responsive to osmotic and oxidative stresses of the sugarcane bacterial pathogen Leifsonia xyli subsp. xyli. Brazilian Journal of Microbiology, 2020, 51, 77-86.	2.0	7
29	Maize plants have different strategies to protect their developing seeds against cadmium toxicity. Theoretical and Experimental Plant Physiology, 2020, 32, 203-211.	2.4	9
30	Professor Simon Leather, <scp>Editorâ€inâ€Chief</scp> , <scp><i>Annals of Applied Biology</i></scp> 2015–2020. Annals of Applied Biology, 2020, 177, 280-281.	2.5	7
31	The possible role of extra magnesium and nitrogen supply to alleviate stress caused by high irradiation and temperature in lemon trees. Plant and Soil, 2020, 457, 57-70.	3.7	24
32	Mechanisms of cadmium-stress avoidance by selenium in tomato plants. Ecotoxicology, 2020, 29, 594-606.	2.4	27
33	Protein, Phytate and Minerals in Grains of Commercial Cowpea Genotypes. Anais Da Academia Brasileira De Ciencias, 2020, 92, e20180484.	0.8	13
34	Seed priming with seaweed extract mitigate heat stress in spinach: effect on germination, seedling growth and antioxidant capacity. Bragantia, 2020, 79, 502-511.	1.3	11
35	Antioxidative metabolism in sugarcane (Poaceae) varieties subjected to water and saline stress. Revista Brasileira De Engenharia Agricola E Ambiental, 2020, 24, 776-782.	1.1	3
36	Quantitative proteomic analysis of tomato genotypes with differential cadmium tolerance. Environmental Science and Pollution Research, 2019, 26, 26039-26051.	5.3	17

#	Article	IF	CITATIONS
37	New insights into cadmium stressful-conditions: Role of ethylene on selenium-mediated antioxidant enzymes. Ecotoxicology and Environmental Safety, 2019, 186, 109747.	6.0	36
38	Cadmium toxicity and its relationship with disturbances in the cytoskeleton, cell cycle and chromosome stability. Ecotoxicology, 2019, 28, 1046-1055.	2.4	26
39	Foliar application of manganese increases sugarcane resistance to orange rust. Plant Pathology, 2019, 68, 1296-1307.	2.4	5
40	Antioxidant Defense Response in Plants to Cadmium Stress. , 2019, , 423-461.		11
41	Influence of nitrate - ammonium ratio on the growth, nutrition, and metabolism of sugarcane. Plant Physiology and Biochemistry, 2019, 139, 246-255.	5.8	36
42	Relationship between Mg, B and Mn status and tomato tolerance against Cd toxicity. Journal of Environmental Management, 2019, 240, 84-92.	7.8	30
43	Automation of lettuce seedlings irrigation with sensors deployed in the substrate or at the atmosphere. Scientia Agricola, 2019, 76, 179-189.	1.2	4
44	Investigation into the relationship among Cd bioaccumulation, nutrient composition, ultrastructural changes and antioxidative metabolism in lettuce genotypes under Cd stress. Ecotoxicology and Environmental Safety, 2019, 170, 578-589.	6.0	34
45	Plants facing oxidative challenges—A little help from the antioxidant networks. Environmental and Experimental Botany, 2019, 161, 4-25.	4.2	277
46	Nutritional status and root morphology of tomato under Cd-induced stress: Comparing contrasting genotypes for metal-tolerance. Scientia Horticulturae, 2019, 246, 518-527.	3.6	40
47	24-Epibrassinolide Mechanisms Regulating Blossom-End Rot Development in Tomato Fruit. Journal of Plant Growth Regulation, 2019, 38, 812-823.	5.1	6
48	Potential of hydrogen (pH) differentially modulates cadmium stress response in abscisic acid-deficient sitiens tomato mutant. Bragantia, 2019, 78, 317-327.	1.3	1
49	NO3â [~] /NH4+ proportions affect cadmium bioaccumulation and tolerance of tomato. Environmental Science and Pollution Research, 2018, 25, 13916-13928.	5.3	12
50	Mechanisms of copper stress alleviation in Citrus trees after metal uptake by leaves or roots. Environmental Science and Pollution Research, 2018, 25, 13134-13146.	5.3	33
51	New insights about cadmium impacts on tomato: Plant acclimation, nutritional changes, fruit quality and yield. Food and Energy Security, 2018, 7, e00131.	4.3	31
52	Oxidative stress induced by Cu nutritional disorders in Citrus depends on nitrogen and calcium availability. Scientific Reports, 2018, 8, 1641.	3.3	39
53	Cadmium exposure triggers genotype-dependent changes in seed vigor and germination of tomato offspring. Protoplasma, 2018, 255, 989-999.	2.1	33
54	Temporal dynamic responses of roots in contrasting tomato genotypes to cadmium tolerance. Ecotoxicology, 2018, 27, 245-258.	2.4	53

#	Article	IF	CITATIONS
55	Cadmium toxicity degree on tomato development is associated with disbalances in B and Mn status at early stages of plant exposure. Ecotoxicology, 2018, 27, 1293-1302.	2.4	24
56	Brachiaria enrichment with selenium-coated urea. Ciencia Rural, 2018, 48, .	0.5	1
57	Aluminum-induced stress differently modifies Urochloa genotypes responses on growth and regrowth: root-to-shoot Al-translocation and oxidative stress. Theoretical and Experimental Plant Physiology, 2018, 30, 141-152.	2.4	17
58	Bacillus megaterium strains derived from water and soil exhibit differential responses to the herbicide mesotrione. PLoS ONE, 2018, 13, e0196166.	2.5	19
59	Estimating tomato tolerance to heavy metal toxicity: cadmium as study case. Environmental Science and Pollution Research, 2018, 25, 27535-27544.	5.3	46
60	Automatically controlled deficit irrigation of lettuce in "organic potponics― Scientia Agricola, 2018, 75, 52-59.	1.2	9
61	Growth, Yield and Grain Nutritional Quality in Three Brazilian Pearl Millets (Pennisetum americanum) Tj ETQq1 1).784314 ı 0.8	rgβT /Overio
62	Novel Insights Into the Early Stages of Ratoon Stunting Disease of Sugarcane Inferred from Transcript and Protein Analysis. Phytopathology, 2018, 108, 1455-1466.	2.2	25
63	Photosynthesis is differently regulated during and after copperâ€induced nutritional stress in citrus trees. Physiologia Plantarum, 2018, 163, 399-413.	5.2	6
64	Enzymatic antioxidants—Relevant or not to protect the photosynthetic system against cadmium-induced stress in Massai grass supplied with sulfur?. Environmental and Experimental Botany, 2018, 155, 702-717.	4.2	17
65	Is seaweed extract an elicitor compound? Changing proline content in drought-stressed bean plants. Comunicata Scientiae, 2018, 9, 292-297.	0.4	27
66	Physiological and biochemical responses of Dolichos lablab L. to cadmium support its potential as a cadmium phytoremediator. Journal of Soils and Sediments, 2017, 17, 1413-1426.	3.0	12
67	Abscisic acid-deficient sit tomato mutant responses to cadmium-induced stress. Protoplasma, 2017, 254, 771-783.	2.1	58
68	Proper supply of S increases GSH synthesis in the establishment and reduces tiller mortality during the regrowth of Tanzania guinea grass used for Cd phytoextraction. Journal of Soils and Sediments, 2017, 17, 1427-1436.	3.0	26
69	Metabolic Interference of sod gene mutations on catalase activity in Escherichia coli exposed to Gramoxone® (paraquat) herbicide. Ecotoxicology and Environmental Safety, 2017, 139, 89-96.	6.0	13
70	Evaluation of silicon influence on the mitigation of cadmium-stress in the development of Arabidopsis thaliana through total metal content, proteomic and enzymatic approaches. Journal of Trace Elements in Medicine and Biology, 2017, 44, 50-58.	3.0	26
71	Functional analysis of oxidative burst in sugarcane smut-resistant and -susceptible genotypes. Planta, 2017, 245, 749-764.	3.2	43
72	Luxurious Nitrogen Fertilization of Two Sugar Cane Genotypes Contrasting for Lignin Composition Causes Changes in the Stem Proteome Related to Carbon, Nitrogen, and Oxidant Metabolism but Does Not Alter Lignin Content. Journal of Proteome Research, 2017, 16, 3688-3703.	3.7	12

#	Article	IF	CITATIONS
73	Changes in Amino Acid Profile in Roots of Glyphosate Resistant and Susceptible Soybean (<i>Glycine) Tj ETQq1 65, 8823-8828.</i>	1 0.784314 5.2	rgBT /Over 3
74	The Proper Supply of S Increases Amino Acid Synthesis and Antioxidant Enzyme Activity in Tanzania Guinea Grass Used for Cd Phytoextraction. Water, Air, and Soil Pollution, 2017, 228, 1.	2.4	23
75	Dealing with abiotic stresses: an integrative view of how phytohormones control abiotic stress-induced oxidative stress. Theoretical and Experimental Plant Physiology, 2017, 29, 109-127.	2.4	30
76	Cadmium stress related to root-to-shoot communication depends on ethylene and auxin in tomato plants. Environmental and Experimental Botany, 2017, 134, 102-115.	4.2	88
77	Six years old and growing strongly. Food and Energy Security, 2017, 6, e00124.	4.3	0
78	Soluble amino acid profile, mineral nutrient and carbohydrate content of maize kernels harvested from plants submitted to ascorbic acid seed priming. Anais Da Academia Brasileira De Ciencias, 2017, 89, 695-704.	0.8	8
79	Citrus rootstocks regulate the nutritional status and antioxidant system of trees under copper stress. Environmental and Experimental Botany, 2016, 130, 42-52.	4.2	52
80	The Ig V H complementarity-determining region 3-containing Rb9 peptide, inhibits melanoma cells migration and invasion by interactions with Hsp90 and an adhesion G-protein coupled receptor. Peptides, 2016, 85, 1-15.	2.4	17
81	Storage elicits a fast antioxidant enzyme activity in Araucaria angustifolia embryos. Acta Physiologiae Plantarum, 2016, 38, 1.	2.1	8
82	GST activity and membrane lipid saturation prevents mesotrione-induced cellular damage in Pantoea ananatis. AMB Express, 2016, 6, 70.	3.0	18
83	Cadmium Application in Tomato: Nutritional Imbalance and Oxidative Stress. Water, Air, and Soil Pollution, 2016, 227, 1.	2.4	28
84	Proteomic analysis of mature barley grains from C-hordein antisense lines. Phytochemistry, 2016, 125, 14-26.	2.9	12
85	Development of a qPCR for Leifsonia xyli subsp. xyli and quantification of the effects of heat treatment of sugarcane cuttings on Lxx. Crop Protection, 2016, 80, 51-55.	2.1	22
86	Effect of 24-epibrassinolide on ROS content, antioxidant system, lipid peroxidation and Ni uptake in Solanum nigrum L. under Ni stress. Environmental and Experimental Botany, 2016, 122, 115-125.	4.2	175
87	Towards soil management with Zn and Mn: estimates of fertilisation efficacy of <i>Citrus</i> trees. Annals of Applied Biology, 2015, 166, 484-495.	2.5	29
88	Evaluation of protein extraction methods for enhanced proteomic analysis of tomato leaves and roots. Anais Da Academia Brasileira De Ciencias, 2015, 87, 1853-1863.	0.8	13
89	Temporal dynamics of the response to Al stress in Eucalyptus grandis × Eucalyptus camaldulensis. Anais Da Academia Brasileira De Ciencias, 2015, 87, 1063-1070.	0.8	7
90	Changes in soluble amino acid composition during Canavalia ensiformis development: responses to nitrogen deficiency. Theoretical and Experimental Plant Physiology, 2015, 27, 109-117.	2.4	4

#	Article	IF	CITATIONS
91	Antioxidant metabolism in coffee (Coffea arabica L.) plants in response to nitrogen supply. Theoretical and Experimental Plant Physiology, 2015, 27, 203-213.	2.4	23
92	Lysine metabolism in antisense C-hordein barley grains. Plant Physiology and Biochemistry, 2015, 87, 73-83.	5.8	16
93	Protective effect of Mn(III)–desferrioxamine B upon oxidative stress caused by ozone and acid rain in the Brazilian soybean cultivar Glycine max "Sambaibaâ€. Environmental Science and Pollution Research, 2015, 22, 5315-5324.	5.3	9
94	Cadmium stress antioxidant responses and root-to-shoot communication in grafted tomato plants. BioMetals, 2015, 28, 803-816.	4.1	136
95	Tropical soils with high aluminum concentrations cause oxidative stress in two tomato genotypes. Environmental Monitoring and Assessment, 2015, 187, 73.	2.7	51
96	Tropical soils cultivated with tomato: fractionation and speciation of Al. Environmental Monitoring and Assessment, 2015, 187, 160.	2.7	11
97	Antioxidant enzymes activities of Burkholderia spp. strains—oxidative responses to Ni toxicity. Environmental Science and Pollution Research, 2015, 22, 19922-19932.	5.3	31
98	Sulfur Metabolism and Stress Defense Responses in Plants. Tropical Plant Biology, 2015, 8, 60-73.	1.9	165
99	Nanoparticles applied to plant science: A review. Talanta, 2015, 131, 693-705.	5.5	272
100	Dry Priming of Maize Seeds Reduces Aluminum Stress. PLoS ONE, 2015, 10, e0145742.	2.5	22
101	Mechanisms of Tolerance and High Degradation Capacity of the Herbicide Mesotrione by Escherichia coli Strain DH5-1±. PLoS ONE, 2014, 9, e99960.	2.5	34
102	Rapid screening for selection of heavy metal-tolerant plants. Crop Breeding and Applied Biotechnology, 2014, 14, 1-7.	0.4	16
103	Burkholderia sp. SCMS54 Triggers a Global Stress Defense in Tomato Enhancing Cadmium Tolerance. Water, Air, and Soil Pollution, 2014, 225, 1.	2.4	25
104	What about keeping plants well watered?. Environmental and Experimental Botany, 2014, 99, 38-42.	4.2	26
105	The centenary of <i>Annals of Applied Biology </i> in 2014. Annals of Applied Biology, 2014, 164, 1-7.	2.5	4
106	Assessment of the ozone tolerance of two soybean cultivars (Glycine max cv. SambaÃba and Tracajá) cultivated in Amazonian areas. Environmental Science and Pollution Research, 2014, 21, 10514-10524.	5.3	18
107	Water stress reveals differential antioxidant responses of tolerant and non-tolerant sugarcane genotypes. Plant Physiology and Biochemistry, 2014, 74, 165-175.	5.8	149
108	Differential Responses of the Antioxidant System of Ametryn and Clomazone Tolerant Bacteria. PLoS ONE, 2014, 9, e112271.	2.5	39

#	Article	IF	CITATIONS
109	Sequential path analysis: what does "sequential" mean?. Scientia Agricola, 2014, 71, 525-527.	1.2	9
110	The antioxidant response of the liver of male Swiss mice raised on a AIN 93 or commercial diet. BMC Physiology, 2013, 13, 3.	3.6	16
111	<i>Burkholderia</i> sp. <scp>SCMS54</scp> reduces cadmium toxicity and promotes growth in tomato. Annals of Applied Biology, 2013, 163, 494-507.	2.5	39
112	Comparative studies focusing on transgenic through cp4EPSPS gene and non-transgenic soybean plants: An analysis of protein species and enzymes. Journal of Proteomics, 2013, 93, 107-116.	2.4	43
113	Antioxidant enzyme activity and hydrogen peroxide content during the drying of Arabica coffee beans. European Food Research and Technology, 2013, 236, 753-758.	3.3	18
114	Leaf senescence in tomato mutants as affected by irradiance and phytohormones. Biologia Plantarum, 2013, 57, 749-757.	1.9	21
115	Publishing new and valuable information on abiotic stress responses in plants. Annals of Applied Biology, 2013, 163, 319-322.	2.5	1
116	Simple procedure for nutrient analysis of coffee plant with energy dispersive X-ray fluorescence spectrometry (EDXRF). Scientia Agricola, 2013, 70, 263-267.	1.2	37
117	Use of non-hyperaccumulator plant species for the phytoextraction of heavy metals using chelating agents. Scientia Agricola, 2013, 70, 290-295.	1.2	94
118	A closer look at the Impact Factor (JCR 2012): problems, concerns and actions needed. Anais Da Academia Brasileira De Ciencias, 2013, 85, 859-862.	0.8	5
119	What is new in the research on cadmiumâ€induced stress in plants?. Food and Energy Security, 2012, 1, 133-140.	4.3	69
120	Antioxidant responses to water deficit by droughtâ€ŧolerant and â€sensitive sugarcane varieties. Annals of Applied Biology, 2012, 161, 313-324.	2.5	145
121	Oxidative processes during 'Golden' papaya fruit ripening. Brazilian Journal of Plant Physiology, 2012, 24, 85-94.	0.5	17
122	Biochemical and histological characterization of tomato mutants. Anais Da Academia Brasileira De Ciencias, 2012, 84, 573-585.	0.8	29
123	Coffee is highly tolerant to cadmium, nickel and zinc: Plant and soil nutritional status, metal distribution and bean yield. Field Crops Research, 2012, 125, 25-34.	5.1	35
124	Physiological effects of glyphosate over amino acid profile in conventional and transgenic soybean (Glycine max). Pesticide Biochemistry and Physiology, 2012, 102, 134-141.	3.6	15
125	Biochemical dissection of diageotropica and Never ripe tomato mutants to Cd-stressful conditions. Plant Physiology and Biochemistry, 2012, 56, 79-96.	5.8	153
126	New insights on proteomics of transgenic soybean seeds: evaluation of differential expressions of enzymes and proteins. Analytical and Bioanalytical Chemistry, 2012, 402, 299-314.	3.7	61

#	Article	IF	CITATIONS
127	Publications in the field of Agrarian Sciences in the Anais da Academia Brasileira de Ciências: what next?. Anais Da Academia Brasileira De Ciencias, 2012, 84, 1-3.	0.8	6
128	Antioxidative responses of cell suspension cultures of two Coffea arabica varieties to low aluminum levels at pH 5.8. Hoehnea (revista), 2012, 39, 01-10.	0.2	1
129	An overview of the Brazilian Journal of Plant Physiology: we need a push!. Brazilian Journal of Plant Physiology, 2012, 24, 233-235.	0.5	0
130	Cadmium―and bariumâ€ŧoxicity effects on growth and antioxidant capacity of soybean (<i>Glycine) Tj ETQq0 (Nutrition and Soil Science, 2011, 174, 847-859.</i>	0 0 rgBT /0 1.9	Overlock 10 T 46
131	Two-dimensional difference gel electrophoresis applied for analytical proteomics: fundamentals and applications to the study of plant proteomics. Analyst, The, 2011, 136, 4119.	3.5	42
132	Structural and ecophysiological alterations of the water hyacinth [Eichhornia crassipes (Mart.) Solms] due to anthropogenic stress in Brazilian rivers. Brazilian Archives of Biology and Technology, 2011, 54, 1059-1068.	0.5	9
133	Seed priming with hormones does not alleviate induced oxidative stress in maize seedlings subjected to salt stress. Scientia Agricola, 2011, 68, 598-602.	1.2	36
134	Does using stepwise variable selection to build sequential path analysis models make sense?. Physiologia Plantarum, 2011, 141, 197-200.	5.2	4
135	Enhanced transpiration rate in the <i>high pigment 1</i> tomato mutant and its physiological significance. Plant Biology, 2011, 13, 546-550.	3.8	17
136	Cloning, expression, molecular modelling and docking analysis of glutathione transferase from Saccharum officinarum. Annals of Applied Biology, 2011, 159, 267-280.	2.5	65
137	Research on abiotic and biotic stress - what next?. Annals of Applied Biology, 2011, 159, 317-319.	2.5	24
138	The Role of Phytochrome in Stress Tolerance. Journal of Integrative Plant Biology, 2011, 53, 920-929.	8.5	83
139	Biochemical responses of the ethylene-insensitive Never ripe tomato mutant subjected to cadmium and sodium stresses. Environmental and Experimental Botany, 2011, 71, 306-320.	4.2	128
140	A role for ferritin in the antioxidant system in coffee cell cultures. BioMetals, 2011, 24, 225-237.	4.1	8
141	Genetic divergence is not the same as phenotypic divergence. Molecular Breeding, 2011, 28, 277-280.	2.1	21
142	Sugarcane Under Pressure: An Overview of Biochemical and Physiological Studies of Abiotic Stress. Tropical Plant Biology, 2011, 4, 42-51.	1.9	71
143	Plant pigments: the many faces of light perception. Acta Physiologiae Plantarum, 2011, 33, 241-248.	2.1	97
144	Effects of the herbicides acetochlor and metolachlor on antioxidant enzymes in soil bacteria. Process Biochemistry, 2011, 46, 1186-1195.	3.7	64

#	Article	IF	CITATIONS
145	Methods of asepsis for in vitro establishment and germination of Eucalyptus grandis. Journal of Biotechnology and Biodiversity, 2011, 2, 7-13.	0.1	3
146	High-lysine maize: the key discoveries that have made it possible. Amino Acids, 2010, 39, 979-989.	2.7	52
147	Biochemical and physiological changes in jack bean under mycorrhizal symbiosis growing in soil with increasing Cu concentrations. Environmental and Experimental Botany, 2010, 68, 198-207.	4.2	109
148	Antioxidant enzyme activity in Acidithiobacillus ferrooxidans LR maintained in contact with chalcopyrite. Process Biochemistry, 2010, 45, 914-918.	3.7	11
149	particulado aderido Ãs raÃzes de aguapé e no sedimento em dois rios do sudeste brasileiro. Biotemas, 2010, , 119-128.	0.1	2
150	Automatic controller to water plants. Scientia Agricola, 2010, 67, 727-730.	1.2	24
151	Inibição da ação do etileno retarda o desenvolvimento de injúrias de frio em tangor 'Murcott'. Ciencia Rural, 2010, 40, 1530-1536.	0.5	6
152	Ecophysiological adaptation and metal accumulation in water hyacinth from two tropical rivers. Brazilian Journal of Plant Physiology, 2010, 22, 49-59.	0.5	9
153	Tolerância diferencial de variedades de cana-de-açúcar a estresse por herbicidas. Bragantia, 2010, 69, 395-404.	1.3	13
154	Diallelic analysis for lysine and oil contents in maize grains. Scientia Agricola, 2009, 66, 204-209.	1.2	5
155	Ecophysiological responses of water hyacinth exposed to Cr3+ and Cr6+. Environmental and Experimental Botany, 2009, 65, 403-409.	4.2	107
156	Differential ultrastructural changes in tomato hormonal mutants exposed to cadmium. Environmental and Experimental Botany, 2009, 67, 387-394.	4.2	137
157	Nitrogen use efficiency. 3. Nitrogen fixation: genes and costs. Annals of Applied Biology, 2009, 155, 1-13.	2.5	74
158	Metallomics and chemical speciation: towards a better understanding of metalâ€induced stress in plants. Annals of Applied Biology, 2009, 155, 301-307.	2.5	63
159	Zn uptake, physiological response and stress attenuation in mycorrhizal jack bean growing in soil with increasing Zn concentrations. Chemosphere, 2009, 75, 1363-1370.	8.2	94
160	Variation in the ureide content of Jack Bean during the reproductive stages in response to nitrate. Brazilian Archives of Biology and Technology, 2009, 52, 581-585.	0.5	3
161	Antioxidant response of Nicotiana tabacum cv. Bright Yellow 2 cells to cadmium and nickel stress. Plant Cell, Tissue and Organ Culture, 2008, 94, 73-83.	2.3	43
162	Biochemical responses of glyphosate resistant and susceptible soybean plants exposed to glyphosate. Acta Physiologiae Plantarum, 2008, 30, 469-479.	2.1	87

#	Article	IF	CITATIONS
163	Does nitrogen uptake affect nitrogen uptake efficiency, or vice versa?. Acta Physiologiae Plantarum, 2008, 30, 419-420.	2.1	10
164	Lysine biosynthesis and nitrogen metabolism in quinoa (Chenopodium quinoa): Study of enzymes and nitrogen-containing compounds. Plant Physiology and Biochemistry, 2008, 46, 11-18.	5.8	15
165	Acquired tolerance of tomato (<i>Lycopersicon esculentum </i> cv. Microâ€Tom) plants to cadmiumâ€induced stress. Annals of Applied Biology, 2008, 153, 321-333.	2.5	173
166	Chlorophyll a fluorescence and ultrastructural changes in chloroplast of water hyacinth as indicators of environmental stress. Environmental and Experimental Botany, 2008, 64, 307-313.	4.2	42
167	Differential Gene Expression Between the Biotrophic-Like and Saprotrophic Mycelia of the Witches' Broom Pathogen Moniliophthora perniciosa. Molecular Plant-Microbe Interactions, 2008, 21, 891-908.	2.6	50
168	Nutritional Quality of Sorghum Seeds: Storage Proteins and Amino Acids. Food Biotechnology, 2008, 22, 377-397.	1.5	13
169	Antioxidant isoenzyme responses to nickel-induced stress in tobacco cell suspension culture. Scientia Agricola, 2008, 65, 548-552.	1.2	24
170	Variation in phytate accumulation in common bean (Phaseolus vulgaris L.) fruit explants. Brazilian Archives of Biology and Technology, 2008, 51, 163-173.	0.5	4
171	The Isolation of Antioxidant Enzymes from Mature Tomato (cv. Micro-Tom) Plants. Hortscience: A Publication of the American Society for Hortcultural Science, 2008, 43, 1608-1610.	1.0	19
172	Production of Monoclonal Antibodies for Detection of a Secreted Aspartyl Proteinase fromCandidaspp. in Biologic Specimens. Hybridoma, 2007, 26, 201-210.	0.4	5
173	Dihydrodipicolinate synthase in opaque and floury maize mutants. Plant Science, 2007, 173, 458-467.	3.6	10
174	Allantoin has a limited role as nitrogen source in cultured coffee cells. Journal of Plant Physiology, 2007, 164, 544-552.	3.5	11
175	Amino Acid Synthesis in Plastids. Advances in Photosynthesis and Respiration, 2007, , 355-385.	1.0	10
176	Selection of microorganisms degrading S-Metolachlor herbicide. Brazilian Archives of Biology and Technology, 2007, 50, 153-159.	0.5	26
177	Stomatal conductance of maize under water and nitrogen deficits. Pesquisa Agropecuaria Brasileira, 2007, 42, 599-601.	0.9	24
178	Nitrogen use efficiency. 2. Amino acid metabolism. Annals of Applied Biology, 2007, 151, 269-275.	2.5	137
179	Selenium-induced oxidative stress in coffee cell suspension cultures. Functional Plant Biology, 2007, 34, 449.	2.1	98
180	Variation in the enzyme activity and gene expression of myo-inositol-3-phosphate synthase and phytate accumulation during seed development in common bean (Phaseolus vulgaris L.). Acta Physiologiae Plantarum, 2007, 29, 265-271.	2.1	7

#	Article	IF	CITATIONS
181	Site of nitrate reduction in Jack bean <i>(Canavalia ensiformis)</i> changes from leaf to root during development. New Zealand Journal of Crop and Horticultural Science, 2006, 34, 131-137.	1.3	7
182	Metal Contamination Effects on Sunflower (Helianthus annuus L.) Growth and Protein Expression in Leaves During Development. Journal of Agricultural and Food Chemistry, 2006, 54, 8623-8630.	5.2	71
183	Saccharopine Dehydrogenase Activity in the High-Lysine Opaque and Floury Maize Mutants. Food Biotechnology, 2006, 20, 55-64.	1.5	8
184	Antioxidant metabolism of coffee cell suspension cultures in response to cadmium. Chemosphere, 2006, 65, 1330-1337.	8.2	171
185	Efeitos de tratamentos térmicos aplicados sobre frutas cÃtricas armazenadas sob refrigeração. Ciencia Rural, 2006, 36, 1388-1396.	0.5	9
186	Lysine and threonine biosynthesis in sorghum seeds: characterisation of aspartate kinase and homoserine dehydrogenase isoenzymes. Annals of Applied Biology, 2006, 149, 77-86.	2.5	18
187	Nitrogen use efficiency. 1. Uptake of nitrogen from the soil. Annals of Applied Biology, 2006, 149, 243-247.	2.5	189
188	The aspartic acid metabolic pathway, an exciting and essential pathway in plants. Amino Acids, 2006, 30, 143-162.	2.7	233
189	In Vitro Production of Biotrophic-Like Cultures of Crinipellis perniciosa, the Causal Agent of Witches' Broom Disease of Theobroma cacao. Current Microbiology, 2006, 52, 191-196.	2.2	43
190	Nickel elicits aÂfast antioxidant response inÂCoffeaÂarabica cells. Plant Physiology and Biochemistry, 2006, 44, 420-429.	5.8	100
191	Ultrastructural changes of radish leaf exposed to cadmium. Environmental and Experimental Botany, 2006, 58, 47-52.	4.2	60
192	Genetic variability and chromosome-length polymorphisms of the witches' broom pathogen Crinipellis perniciosa from various plant hosts in South America. Mycological Research, 2006, 110, 821-832.	2.5	31
193	Isolation and Characterization of Enzymes Involved in Lysine Catabolism from Sorghum Seeds. Journal of Agricultural and Food Chemistry, 2005, 53, 1791-1798.	5.2	13
194	Effect of the opaque and floury mutations on the accumulation of dry matter and protein fractions in maize endosperm. Plant Physiology and Biochemistry, 2005, 43, 549-556.	5.8	13
195	Making the life of heavy metal-stressed plants a little easier. Functional Plant Biology, 2005, 32, 481.	2.1	933
196	Growth and ion uptake in Annona muricata and A. squamosa subjected to salt stress. Biologia Plantarum, 2005, 49, 285-288.	1.9	10
197	Phytoremediation: green technology for the clean up of toxic metals in the environment. Brazilian Journal of Plant Physiology, 2005, 17, 53-64.	0.5	172
198	Response of Crotalaria juncea to nickel exposure. Brazilian Journal of Plant Physiology, 2005, 17, 267-272.	0.5	24

RICARDO ANTUNES AZEVEDO

#	Article	IF	CITATIONS
199	Determination of aspartate kinase activity in maize tissues. Scientia Agricola, 2005, 62, 184-189.	1.2	3
200	Are high-lysine cereal crops still a challenge?. Brazilian Journal of Medical and Biological Research, 2005, 38, 985-994.	1.5	38
201	Identification of Maize Lines with Contrasting Responses to Applied Nitrogen. Journal of Plant Nutrition, 2005, 28, 903-915.	1.9	16
202	Cloning and sequence analysis of tomato cpDNA fragments: towards developing homologous chloroplast transformation vectors. Brazilian Journal of Plant Physiology, 2005, 17, 239-246.	0.5	1
203	Evaluation of biochemical and serological methods to identify and clustering yeast cells of oral Candida species by CHROMagar test, SDS-PAGE and ELISA. Brazilian Journal of Biology, 2004, 64, 317-326.	0.9	15
204	Isolation of enzymes involved in threonine biosynthesis from sorghum seeds. Brazilian Journal of Plant Physiology, 2004, 16, 95-104.	0.5	3
205	Diallel analysis of maize lines with contrasting responses to applied nitrogen. Journal of Agricultural Science, 2004, 142, 535-541.	1.3	26
206	Variation in the Amino Acid Concentration During Development of Canavalia ensiformes. Biologia Plantarum, 2004, 48, 309-312.	1.9	12
207	Genetic control of lysine metabolism in maize endosperm mutants. Functional Plant Biology, 2004, 31, 339.	2.1	39
208	Regulation of Lysine Metabolism and Endosperm Protein Synthesis by theOpaque-5andOpaque-7Maize Mutations. Journal of Agricultural and Food Chemistry, 2004, 52, 4865-4871.	5.2	37
209	Hull-less Barley Varieties: Storage Proteins and Amino Acid Distribution in Relation to Nutritional Quality. Food Biotechnology, 2004, 18, 327-341.	1.5	19
210	The influence of nitrogen supply on antioxidant enzymes in plant roots. Functional Plant Biology, 2004, 31, 1.	2.1	110
211	SDS-Page and numerical analysis of Candida albicans from human oral cavity and other anatomical sites. Brazilian Journal of Microbiology, 2004, 35, 40-47.	2.0	5
212	Glutamine Synthetase Activity, Relative Water Content and Water Potential in Maize Submitted to Drought. Biologia Plantarum, 2003, 46, 301-304.	1.9	17
213	Structural Changes in Radish Seedlings Exposed to Cadmium. Biologia Plantarum, 2003, 46, 561-568.	1.9	63
214	Isolation of the bifunctional enzyme lysine 2-oxoglutarate reductase-saccharopine dehydrogenase from Phaseolus vulgaris. Amino Acids, 2003, 24, 179-186.	2.7	14
215	Regulation of maize lysine metabolism and endosperm protein synthesis by opaque and floury mutations. FEBS Journal, 2003, 270, 4898-4908.	0.2	68
216	Improved procedures for extraction of lysine 2â€oxoglutarate reductase/saccharopine dehydrogenase (LOR/SDH) enzyme from <i>Phaseolus vulgaris</i> cultivars. New Zealand Journal of Crop and Horticultural Science, 2003, 31, 261-268.	1.3	7

#	Article	IF	CITATIONS
217	Growth inhibition of the filamentous fungus Aspergillus nidulans by cadmium: an antioxidant enzyme approach. Journal of General and Applied Microbiology, 2003, 49, 63-73.	0.7	44
218	Distribution of soluble amino acids in maize endosperm mutants. Scientia Agricola, 2003, 60, 91-96.	1.2	8
219	Lysine catabolism: flow, metabolic role and regulation. Brazilian Journal of Plant Physiology, 2003, 15, 9-18.	0.5	18
220	RESPONSE OF RICE INBRED LINES TO CADMIUM EXPOSURE. Journal of Plant Nutrition, 2002, 25, 927-944.	1.9	14
221	CHANGES IN ANTIOXIDANT ENZYME ACTIVITIES IN SOYBEAN UNDER CADMIUM STRESS. Journal of Plant Nutrition, 2002, 25, 327-342.	1.9	104
222	Analysis of the aspartic acid metabolic pathway using mutant genes. Amino Acids, 2002, 22, 217-230.	2.7	34
223	Enzymes of lysine metabolism from Coix lacryma-jobi seeds. Plant Physiology and Biochemistry, 2002, 40, 25-32.	5.8	15
224	Activity of antioxidant enzymes in response to cadmium in Crotalaria juncea. Plant and Soil, 2002, 239, 123-132.	3.7	213
225	Effects of Cadmium on Antioxidant Enzyme Activities in Sugar Cane. Biologia Plantarum, 2002, 45, 91-97.	1.9	126
226	Cadmium stress in sugar cane callus cultures: Effect on antioxidant enzymes. Plant Cell, Tissue and Organ Culture, 2002, 71, 125-131.	2.3	71
227	Dissecting the Opaque-2 regulatory network using transcriptome and proteome approaches along with enzyme activity measurements. Scientia Agricola, 2002, 59, 407-414.	1.2	4
228	Manipulação de cereais para acúmulo de lisina em sementes. Scientia Agricola, 2001, 58, 205-211.	1.2	9
229	Lysine metabolism in higher plants. Amino Acids, 2001, 20, 261-279.	2.7	76
230	Antioxidant enzymes responses to cadmium in radish tissues. Phytochemistry, 2001, 57, 701-710.	2.9	362
231	Degradation of lysine in rice seeds: Effect of calcium, ionic strength, S -adenosylmethionine and S -2-aminoethyl- l -cysteine on the lysine 2-oxoglutarate reductase-saccharopine dehydrogenase bifunctional enzyme. Physiologia Plantarum, 2000, 110, 164-171.	5.2	23
232	Soybean leghemoglobin targeted to potato chloroplasts influences growth and development of transgenic plants. Plant Cell Reports, 2000, 19, 961-965.	5.6	37
233	Targeting of the soybean leghemoglobin to tobacco chloroplasts: effects on aerobic metabolism in transgenic plants. Plant Science, 2000, 155, 193-202.	3.6	27
234	Effects of calcium, S-adenosylmethionine, S-(2-aminoethyl)-l-cysteine, methionine, valine and salt concentration on rice aspartate kinase isoenzymes. Plant Science, 2000, 150, 51-58.	3.6	14

#	Article	IF	CITATIONS
235	Quality Protein Maize:Â A Biochemical Study of Enzymes Involved in Lysine Metabolism. Journal of Agricultural and Food Chemistry, 1999, 47, 1268-1275.	5.2	48
236	Structure and regulation of the bifunctional enzyme lysine-oxoglutarate reductase-saccharopine dehydrogenase in maize. FEBS Journal, 1998, 253, 720-729.	0.2	40
237	Response of antioxidant enzymes to transfer from elevated carbon dioxide to air and ozone fumigation, in the leaves and roots of wildâ€ŧype and a catalaseâ€deficient mutant of barley. Physiologia Plantarum, 1998, 104, 280-292.	5.2	452
238	Isolation, partial purification and characterization of isoenzymes of aspartate kinase from rice seeds. Journal of Plant Physiology, 1998, 153, 281-289.	3.5	18
239	The Enzymology of Lysine Catabolism in Rice Seeds - Isolation, Characterization, and Regulatory Properties of a Lysine 2-Oxoglutarate Reductase/Saccharopine Dehydrogenase Bifunctional Polypeptide. FEBS Journal, 1997, 247, 364-371.	0.2	54
240	The biosynthesis and metabolism of the aspartate derived amino acids in higher plants. Phytochemistry, 1997, 46, 395-419.	2.9	178
241	Aspartate kinase in the maize mutants ASK1-LT19 and OPAQUE-2. Phytochemistry, 1996, 41, 707-712.	2.9	49
242	Dominant and Recessive Mutations Conferring Resistance to S-2-aminoethyl-L-cysteine in Maize. Journal of Plant Physiology, 1995, 145, 321-326.	3.5	12
243	Three aspartate kinase isoenzymes from maize. Phytochemistry, 1992, 31, 3725-3730.	2.9	40
244	Aspartate kinase regulation in maize: Evidence for co-purification of threonine-sensitive aspartate kinase and homoserine dehydrogenase. Phytochemistry, 1992, 31, 3731-3734.	2.9	36
245	Aspartate kinase regulation in maize: Regulation by calcium and calmodulin. Phytochemistry, 1992, 31, 3735-3737.	2.9	12
246	Biochemical genetics of the interaction of the lysine plus threonine resistant mutant Ltrâ^—1 with opaque-2 maize mutant. Plant Science, 1990, 70, 81-90.	3.6	42
247	Proline Exogenously Supplied or Endogenously Overproduced Induces Different Nutritional, Metabolic, and Antioxidative Responses in Transgenic Tobacco Exposed to Cadmium. Journal of Plant Growth Regulation, 0, , 1.	5.1	8
248	Exogenous arginine modulates leaf antioxidant enzymes and hydrogen peroxide content in tomato plants under transient heat stresses. Bragantia, 0, 80, .	1.3	6
249	Characterization of the development of cowpea cultivars and of the quantity and quality of proteins in their grains. Pesquisa Agropecuaria Brasileira, 0, 55, .	0.9	0
250	Seed photorespiration: a perspective review. Plant Growth Regulation, 0, , 1.	3.4	1