

Wei Ren

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1109078/publications.pdf>

Version: 2024-02-01

378
papers

9,938
citations

46984

47
h-index

60583

81
g-index

383
all docs

383
docs citations

383
times ranked

12218
citing authors

#	ARTICLE	IF	CITATIONS
1	Nd ³⁺ -sensitized upconversion nanoparticle coated with antimony shell for bioimaging and photothermal therapy in vitro using single laser irradiation. <i>Journal of Rare Earths</i> , 2022, 40, 862-869.	2.5	14
2	A comprehensive first-principle study of borophene-based nano gas sensor with gold electrodes. <i>Frontiers of Physics</i> , 2022, 17, 1.	2.4	7
3	Achieving Large Switchable Polarization and Enhanced Piezoelectric Response in BiFeO ₃ –PbTiO ₃ Solid Solution Ceramics. <i>Advanced Electronic Materials</i> , 2022, 8, 2100883.	2.6	12
4	Electronic states of gallium oxide epitaxial thin films and related atomic arrangement. <i>Applied Surface Science</i> , 2022, 578, 151943.	3.1	4
5	Low field control of spin switching and continuous magnetic transition in an ErFeO ₃ single crystal. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 735-742.	1.3	10
6	Emerging spin–phonon coupling through cross-talk of two magnetic sublattices. <i>Nature Communications</i> , 2022, 13, 443.	5.8	20
7	Enhanced H ₂ S sensing performance of BiFeO ₃ based MEMS gas sensor with corona poling. <i>Sensors and Actuators B: Chemical</i> , 2022, 358, 131477.	4.0	13
8	High energy storage capacity, heterogeneous domain structure and stabilization of intermediate phase in PbZrO ₃ -based antiferroelectric single crystals. <i>Journal of Materials Chemistry C</i> , 2022, 10, 6762-6769.	2.7	3
9	In-plane magnetization and electronic structures in BiFeO ₃ /graphene superlattice. <i>Applied Physics Letters</i> , 2022, 120, .	1.5	3
10	Strain-Induced Magnetoelectric Coupling in Fe ₃ O ₄ /BaTiO ₃ Nanopillar Composites. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 13925-13931.	4.0	10
11	Infrared photodetector based on 2D monoclinic gold phosphide nanosheets yielded from one-step chemical vapor transport deposition. <i>Applied Physics Letters</i> , 2022, 120, 131104.	1.5	1
12	Ordered and disordered two-dimensional tellurium-selenium binary compounds from swarm intelligence and first principles. <i>Materials Today Communications</i> , 2022, 31, 103409.	0.9	0
13	Thermal control magnetic switching dominated by spin reorientation transition in Mn-doped PrFeO ₃ single crystals. <i>Frontiers of Physics</i> , 2022, 17, 1.	2.4	3
14	First-Principles Prediction of Superconductivity in High-Buckled Two-Dimensional Tin. <i>ACS Applied Electronic Materials</i> , 2022, 4, 2062-2069.	2.0	4
15	Enhanced photogalvanic effect in a 2D ferroelectric ZrI ₂ by interlayer sliding. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2022, 142, 115297.	1.3	8
16	Accurate Band Offset Prediction of Sc ₂ O ₃ /GaN and InAl ₂ O ₃ /GaN Heterojunctions Using a Dielectric-Dependent Hybrid Functional. <i>ACS Applied Electronic Materials</i> , 2022, 4, 2747-2752.	2.0	2
17	Ultralow-Temperature NO _x Reduction over SmMn ₂ O ₅ Mullite Catalysts Via Modulating the Superficial Dual-Functional Active Sites. <i>ACS Catalysis</i> , 2022, 12, 7622-7632.	5.5	39
18	Low-Temperature Combustion of Toluene over Cu-Doped SmMn ₂ O ₅ Mullite Catalysts via Creating Highly Active Cu ²⁺ –Mn ⁴⁺ Sites. <i>Environmental Science & Technology</i> , 2022, 56, 10433-10441.	4.6	40

#	ARTICLE	IF	CITATIONS
19	Intrinsic multiferroic MnOF monolayer with room-temperature ferromagnetism. <i>Materials Today Physics</i> , 2022, 27, 100775.	2.9	6
20	Robust magnetic-field effect on spin-reorientation in Eu ³⁺ -modified TmFeO ₃ single crystal. <i>Journal of Alloys and Compounds</i> , 2022, 922, 166241.	2.8	0
21	The CdTiO ₃ /BaTiO ₃ superlattice interface from first principles. <i>Nanoscale</i> , 2021, 13, 8506-8513.	2.8	3
22	Disorder and Itinerant Magnetism in Full Heusler Pd ₂ TiIn. <i>Chinese Physics Letters</i> , 2021, 38, 017102.	1.3	1
23	A two-dimensional ferroelectric ferromagnetic half semiconductor in a VOF monolayer. <i>Journal of Materials Chemistry C</i> , 2021, 9, 9130-9136.	2.7	20
24	Influence of core-shell structured conductive fillers on the electromechanical properties of ferroelectric nanocomposites. <i>Journal of Materials Science</i> , 2021, 56, 9157-9170.	1.7	6
25	Structural and magnetic properties of two-dimensional layered BiFeO ₃ from first principles. <i>Physical Review B</i> , 2021, 103, .	1.1	12
26	Ferroic properties and piezoelectric response of Mg ₂ XN ₃ (X = V, Cr). <i>Applied Physics Letters</i> , 2021, 118, .	1.5	4
27	Tunable Magnetism and Insulator-Metal Transition in Bilayer Perovskites. <i>Journal of Physical Chemistry C</i> , 2021, 125, 6157-6162.	1.5	6
28	Evolution of magnetic order in multiferroic Pb(Fe _{2/3} W _{1/3})O ₃ BiFeO ₃ solid solution. <i>Journal of the American Ceramic Society</i> , 2021, 104, 4585-4593.	1.9	0
29	Ultrastrong magnon-magnon coupling dominated by antiresonant interactions. <i>Nature Communications</i> , 2021, 12, 3115.	5.8	39
30	Achieving a high dielectric tunability in strain-engineered tetragonal K _{0.5} Na _{0.5} NbO ₃ films. <i>Npj Computational Materials</i> , 2021, 7, .	3.5	19
31	Doping tuned spin reorientation and spin switching in praseodymium-samarium orthoferrite single crystals. <i>Journal of Physics Condensed Matter</i> , 2021, 33, 275803.	0.7	4
32	Mechanisms of Molecular Ferroelectrics Made Simple. <i>Journal of Physical Chemistry C</i> , 2021, 125, 12461-12467.	1.5	3
33	Bipolar Light-Addressable Potentiometric Sensor Based on Fullerene Photosensitive Layer. <i>Advanced Materials Technologies</i> , 2021, 6, 2001221.	3.0	4
34	In-plane Schottky-barrier field-effect transistors with a 4-nm channel based on 1T/2H MoTe ₂ and WTe ₂ . <i>AIP Advances</i> , 2021, 11, 065316.	0.6	2
35	Field tunable spin switching in perovskite YbFeO ₃ single crystal. <i>Materials Today Communications</i> , 2021, 27, 102438.	0.9	8
36	Optimizing the Properties of La _{0.8} Sr _{0.2} CrO ₃ Thin Films through Post-Annealing for High-Temperature Sensing. <i>Nanomaterials</i> , 2021, 11, 1802.	1.9	5

#	ARTICLE	IF	CITATIONS
37	Two-dimensional charge density waves in TaX_2 ($\text{Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 742 Td}$) Physical Review B, 2021, 104, .	1.1	11
38	Physics-Based Feature Makes Machine Learning Cognizing Crystal Properties Simple. Journal of Physical Chemistry Letters, 2021, 12, 8521-8527.	2.1	3
39	Volume-matched ferroelectric and piezoelectric ZnO/MgO superlattice. Journal of Alloys and Compounds, 2021, 876, 160167.	2.8	7
40	Intrinsic ferromagnetism with high Curie temperature and strong anisotropy in a ferroelastic VX monolayer Physical Review B, 2021, 104, .	1.1	17
41	Magnetolectric phase diagram and magnetic field-induced reversal of electric polarization in $\text{Ba}_0.5\text{Sr}_{1.5}\text{Mg}_{1.6}\text{Co}_{0.4}\text{Fe}_{12}\text{O}_{22}$ single crystal. Journal of Alloys and Compounds, 2021, 886, 161266.	2.8	3
42	A high-temperature quantum anomalous Hall effect in electricle gadolinium monohalides. Journal of Materials Chemistry C, 2021, 9, 9539-9544.	2.7	7
43	Predicting the structural, electronic and magnetic properties of few atomic-layer polar perovskite. Physical Chemistry Chemical Physics, 2021, 23, 5578-5582.	1.3	8
44	Difference in magnetic anisotropy of the ferromagnetic monolayers VI_3 and CrI_3 Physical Review B, 2021, 103, .	1.1	23
45	Tunable vertical ferroelectricity and domain walls by interlayer sliding in $\hat{1}^2\text{-ZrI}_2$. Npj Computational Materials, 2021, 7, .	3.5	14
46	Predicting intrinsic antiferromagnetic and ferroelastic MnF_4 monolayer with controllable magnetization. Journal of Materials Chemistry C, 2021, 9, 17152-17157.	2.7	9
47	Quantum anomalous Hall effect in Mn_3O_4 van der Waals heterostructures. Physical Review Materials, 2021, 5, .	0.9	0
48	Magnetism-induced topological transition in EuAs_3 . Nature Communications, 2021, 12, 6970.	5.8	17
49	Highly efficient catalytic soot combustion performance of hierarchically meso-macroporous $\text{Co}_3\text{O}_4/\text{CeO}_2$ nanosheet monolithic catalysts. Catalysis Today, 2020, 351, 83-93.	2.2	33
50	Emergence of Type-I and Type-II Dirac line nodes in penta-octa-graphene. Carbon, 2020, 158, 210-215.	5.4	18
51	Significantly enhanced electrical properties in $\text{CaBi}_2\text{Nb}_2\text{O}_9$ -based high-temperature piezoelectric ceramics. Applied Physics Letters, 2020, 117, .	1.5	32
52	Competing magnetic orders in quantum critical Sr_3O_7 Physical Review B, 2020, 102, .	1.1	5
53	Huge Piezoelectric Response of LaN-based Superlattices. ACS Applied Materials & Interfaces, 2020, 12, 49805-49811.	4.0	12
54	Development of a space cold atom clock. National Science Review, 2020, 7, 1828-1836.	4.6	12

#	ARTICLE	IF	CITATIONS
73	Phase-Controlled Synthesis of Monolayer $W_{1-x}Re_xS_2$ Alloy with Improved Photoresponse Performance. <i>Small</i> , 2020, 16, 2000852.	5.2	18
74	Persistent Spin-texture and Ferroelectric Polarization in 2D Hybrid Perovskite Benzylammonium Lead-halide. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 5177-5183.	2.1	34
75	Electrides: a review. <i>Journal of Materials Chemistry C</i> , 2020, 8, 10551-10567.	2.7	73
76	Interplay of local moment and itinerant magnetism in cobalt-based Heusler ferromagnets: Co_2 and Co_2 . <i>Physical Review B</i> , 2020, 101, .	1.1	17
77	Observation of Ultrastrong Magnon-Magnon Coupling in $YFeO_3$ Using Terahertz Magnetospectroscopy. , 2020, , .		1
78	Polar domain structural evolution under electric field and temperature in the $(Bi_{0.5}Na_{0.5})TiO_3 \cdot 0.06BaTiO_3$ piezoceramics. <i>Journal of the American Ceramic Society</i> , 2019, 102, 437-447.	1.9	30
79	Synthesis, structure, and dielectric properties of a new binary antiferroelectric solid solution: $(1-x)Pb(Mg_{1/2}W_{1/2})O_3 \cdot xPbHfO_3$. <i>Journal of the American Ceramic Society</i> , 2019, 102, 1329-1337.	1.9	3
80	Spin-lattice correlation in Eu^{3+} doped antiferromagnet $TmFeO_3$. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 19181-19191.	1.3	5
81	Identifying Oxygen Activation/Oxidation Sites for Efficient Soot Combustion over Silver Catalysts Interacted with Nanoflower-Like Hydrocalcite-Derived $CoAlO$ Metal Oxides. <i>ACS Catalysis</i> , 2019, 9, 8772-8784.	5.5	77
82	Interface and Doping Engineering of HfO_2 Based Multi-Level RRAM: Towards Synaptic Simulation for Neuromorphic Computation. , 2019, , .		0
83	Pressure-induced reversible framework rearrangement and increased polarization in the polar $[NH_4][Cd(HCOO)_3]$ hybrid perovskite. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2379-2386.	3.0	9
84	Structural and Electrical Properties of Flexible ITO/In_2O_3 Thermocouples on PI Substrates under Tensile Stretching. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1105-1111.	2.0	13
85	Viewpoint: Atomic-Scale Design Protocols toward Energy, Electronic, Catalysis, and Sensing Applications. <i>Inorganic Chemistry</i> , 2019, 58, 14939-14980.	1.9	23
86	Developing IR-780 as a Novel Matrix for Enhanced MALDI MS Imaging of Endogenous High-Molecular-Weight Lipids in Brain Tissues. <i>Analytical Chemistry</i> , 2019, 91, 15873-15882.	3.2	18
87	Oxygen Activation through \hat{I}^2 - Bi_2O_3 and Ultrafine CeO_2 Interactions to Promote Catalytic Soot Combustion. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 22006-22014.	1.8	16
88	Super-elastic ferroelectric single-crystal membrane with continuous electric dipole rotation. <i>Science</i> , 2019, 366, 475-479.	6.0	272
89	Vertical ferroelectric switching by in-plane sliding of two-dimensional bilayer WTe_2 . <i>Nanoscale</i> , 2019, 11, 18575-18581.	2.8	42
90	Interplay of electronic, magnetic, and structural properties of $GdBi_6$ from first principles. <i>Physical Review B</i> , 2019, 100, .		1

#	ARTICLE	IF	CITATIONS
91	Hydrogen peroxide-assisted synthesis of oxygen-doped carbon nitride nanorods for enhanced photocatalytic hydrogen evolution. RSC Advances, 2019, 9, 28421-28431.	1.7	6
92	Spin switching in single crystal PrFeO ₃ and spin configuration diagram of rare earth orthoferrites. Journal of Alloys and Compounds, 2019, 811, 152043.	2.8	37
93	First-principles study of the structural, electronic, magnetic, and ferroelectric properties of a charge-ordered iron(ii)-iron(iii) formate framework. Journal of Chemical Physics, 2019, 151, 124704.	1.2	4
94	Chemically engineered multiferroic morphotropic phase boundary in BiFeO ₃ -based single phase multiferroics. Journal of Applied Physics, 2019, 125, .	1.1	10
95	New Antiferroelectric Perovskite System with Ultrahigh Energy-Storage Performance at Low Electric Field. Chemistry of Materials, 2019, 31, 979-990.	3.2	108
96	High oxide ion conductivity in layer-structured Bi ₄ Ti ₃ O ₁₂ -based ferroelectric ceramics. Journal of Materials Chemistry C, 2019, 7, 8825-8835.	2.7	38
97	THz-frequency magnon-phonon-polaritons in the collective strong-coupling regime. Journal of Applied Physics, 2019, 125, .	1.1	35
98	Structural instability and magnetism of superconducting $\text{Bi}_{1-x}\text{KCr}_x\text{VO}_4$. Physical Review B, 2019, 99, .	1.1	11
99	Structural instability and magnetism of superconducting $\text{Bi}_{1-x}\text{VO}_4$. Physical Review B, 2019, 99, .	1.5	23
100	Efficient Pt/Ba/SnxCe1xO ₂ Catalysts for High-Temperature Lean NO _x Traps with High H ₂ O and CO ₂ Tolerance. Industrial & Engineering Chemistry Research, 2019, .	1.8	1
101	Giant contribution of the ligand states to the magnetic properties of the Cr ₂ Ge ₂ Te ₆ monolayer. Physical Chemistry Chemical Physics, 2019, 21, 9597-9604.	1.3	13
102	Comparative Study of the Chemical Constituents and Bioactivities of the Extracts from Fruits, Leaves and Root Barks of Lycium barbarum. Molecules, 2019, 24, 1585.	1.7	33
103	Recent progress of energy transfer and luminescence intensity boosting mechanism in Nd ³⁺ -sensitized upconversion nanoparticles. Journal of Rare Earths, 2019, 37, 791-805.	2.5	38
104	Routes to Low-Energy Magnetic Electronics. Spin, 2019, 09, .	0.6	6
105	Magnetic and electronic properties of Cr ₂ Ge ₂ Te ₆ monolayer by strain and electric-field engineering. Applied Physics Letters, 2019, 114, .	1.5	69
106	Large easy-plane anisotropy induced spin reorientation in magnetoelectric materials (Co _{4-x} Mn _x Nb ₂ O ₉). Journal of Physics Condensed Matter, 2019, 31, 235801.	0.7	8
107	Spin reorientation functionality in antiferromagnetic TmFe _{1-x} In _x O ₃ polycrystalline samples. Journal of Alloys and Compounds, 2019, 789, 80-89.	2.8	9
108	First-principles studies of a two-dimensional electron gas at the interface of polar/polar LaAlO ₃ /KNbO ₃ superlattices. Physical Chemistry Chemical Physics, 2019, 21, 8046-8053.	1.3	9

#	ARTICLE	IF	CITATIONS
109	Jiles' Atherton model prediction and compensation of the hysteresis inside magnetic shields. <i>AIP Advances</i> , 2019, 9, .	0.6	2
110	Bioferroelectric Properties of Glycine Crystals. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 1319-1324.	2.1	32
111	2D selenium allotropes from first principles and swarm intelligence. <i>Journal of Physics Condensed Matter</i> , 2019, 31, 235702.	0.7	21
112	Electronic transport of organic-inorganic hybrid perovskites from first-principles and machine learning. <i>Applied Physics Letters</i> , 2019, 114, .	1.5	16
113	Modulating charge transfer dynamics for $g\text{-C}_{3\text{N}_4}$ through a dimension and interface engineered transition metal phosphide co-catalyst for efficient visible-light photocatalytic hydrogen generation. <i>Journal of Materials Chemistry A</i> , 2019, 7, 6939-6945.	5.2	64
114	Engineering of self-rectifying filamentary resistive switching in LiNbO_3 single crystalline thin film via strain doping. <i>Scientific Reports</i> , 2019, 9, 19134.	1.6	10
115	NIR Light-Degradable Antimony Nanoparticle-Based Drug-Delivery Nanosystem for Synergistic Chemo-Photothermal Therapy in Vitro. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 48290-48299.	4.0	39
116	Chemical ordering and relaxor properties in a novel solid solution of $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $x\text{Pb}(\text{Cd}_{1/3}\text{Nb}_{2/3})\text{O}_3$. <i>Ferroelectrics</i> , 2019, 553, 14-25.	0.3	0
117	Quasiparticle electronic structure of honeycomb C_3N : from monolayer to bulk. <i>2D Materials</i> , 2019, 6, 015018.	2.0	20
118	Ionic Modulation of Interfacial Magnetism in Light Metal/Ferromagnetic Insulator Layered Nanostructures. <i>Advanced Functional Materials</i> , 2019, 29, 1805592.	7.8	12
119	Tuning the Magnetic Anisotropy of $\text{Fe}_3\text{O}_4/\text{Pt}$ Heterostructures Fabricated by Atomic Layer Deposition With In-Situ Mg^{2+} Magnetic Field. <i>IEEE Transactions on Magnetics</i> , 2019, 55, 1-7.	1.2	2
120	<i>Operando</i> diagnostic detection of interfacial oxygen "breathing" of resistive random access memory by bulk-sensitive hard X-ray photoelectron spectroscopy. <i>Materials Research Letters</i> , 2019, 7, 117-123.	4.1	19
121	Anomalous and Polarization-Sensitive Photoresponse of Td-WTe_2 from Visible to Infrared Light. <i>Advanced Materials</i> , 2019, 31, e1804629.	11.1	63
122	Microstructure and thermoelectric properties of $\text{In}_2\text{O}_3/\text{ITO}$ thin film thermocouples with Al_2O_3 protecting layer. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 1786-1793.	1.1	6
123	Cubic and tetragonal perovskites from the random phase approximation. <i>Physical Review Materials</i> , 2019, 3, .	0.9	10
124	Research progress of coherent control of terahertz spin waves and strong coupling in rare-earth orthoferrites. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2019, 68, 167501.	0.2	7
125	Large Piezoelectric Strain with Superior Thermal Stability and Excellent Fatigue Resistance of Lead-Free Potassium Sodium Niobate-Based Grain Orientation-Controlled Ceramics. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 10220-10226.	4.0	51
126	A new kind of thermocouple made of p-type and n-type semi-conductive oxides with giant thermoelectric voltage for high temperature sensing. <i>Journal of Materials Chemistry C</i> , 2018, 6, 3206-3211.	2.7	23

#	ARTICLE	IF	CITATIONS
127	Thermal Driven Giant Spin Dynamics at Three-Dimensional Heteroepitaxial Interface in Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ /BaTiO ₃ -Pillar Spin Dynamics and Magnetolectric Coupling Mechanism of $C \times o^4$	7.3	27
128	One-Dimensional Organic-Inorganic Hybrid Perovskite Incorporating Near-Infrared-Absorbing Cyanine Cations. Journal of Physical Chemistry Letters, 2018, 9, 2438-2442.	1.1	41
129	Extreme magnetoresistance and SdH oscillation in compensated semimetals of NbSb ₂ single crystals. Journal of Applied Physics, 2018, 123, .	2.1	22
130	Strong Anisotropy and Ultralow Percolation Threshold in Multiscale Composites Modified by Carbon Nanotubes Coated Hollow Glass Fiber. Advanced Engineering Materials, 2018, 20, 1800077.	1.1	11
131	3D Local Manipulation of the Metal-Insulator Transition Behavior in VO ₂ Thin Film by Defect-Induced Lattice Engineering. Advanced Materials Interfaces, 2018, 5, 1701268.	1.6	2
132	Terahertz Magnon-Polaritons in TmFeO ₃ . ACS Photonics, 2018, 5, 1375-1380.	1.9	19
133	Thickness Control of the Spin-Polarized Two-Dimensional Electron Gas in LaAlO ₃ /BaTiO ₃ Superlattices. Scientific Reports, 2018, 8, 467.	3.2	58
134	A Sensitive Near-Infrared Fluorescent Sensor for Mitochondrial Hydrogen Sulfide. ACS Sensors, 2018, 3, 992-997.	1.6	7
135	Negative magnetization and zero-field cooled exchange bias effect in Eu _{0.9} Pr _{0.1} CrO ₃ ceramics. Physica B: Condensed Matter, 2018, 530, 95-100.	4.0	57
136	Effects of Thickness, Pulse Duration, and Size of Strip Electrode on Ferroelectric Electron Emission of Lead Zirconate Titanate Films. Journal of Electronic Materials, 2018, 47, 1183-1191.	1.3	5
137	Synthesis, structure and electric properties of a novel solid solution system: (1-x)Pb(Zr _{0.52} Ti _{0.48})O ₃ -xBi(Zn _{2/3} Nb _{1/3})O ₃	1.0	7
138	Magnetic properties of multiferroic (1-x)PbTiO ₃ -xDyFeO ₃ system. Ferroelectrics, 2018, 534, 206-211.	0.3	0
139	Spintronics: Ionic Modulation of the Interfacial Magnetism in a Bilayer System Comprising a Heavy Metal and a Magnetic Insulator for Voltage-Tunable Spintronic Devices (Adv. Mater. 40/2018). Advanced Materials, 2018, 30, 1870302.	11.1	0
140	High-throughput growth of Sm _x Pr _{1-x} FeO ₃ all-in-one single crystal rod with quasi-continuous composition distribution. AIP Advances, 2018, 8, 115328.	0.6	7
141	Theranostic nanocomposite from upconversion luminescent nanoparticles and black phosphorus nanosheets. RSC Advances, 2018, 8, 35706-35718.	1.7	17
142	Allotropes of tellurium from first-principles crystal structure prediction calculations under pressure. RSC Advances, 2018, 8, 39650-39656.	1.7	9
143	Impact of quenched random fields on the ferroelectric-to-relaxor crossover in the solid solution (1-x)BaTiO ₃ -xDyFeO ₃ . Physical Review B, 2018, 98, .	1.1	10
144			

#	ARTICLE	IF	CITATIONS
145	Spin dynamics of edge-sharing spin chains in SrCa ₁₃ Cu ₂₄ O ₄₁ . Physical Review B, 2018, 98, .	1.1	5
146	Modifying spin current filtering and magnetoresistance in a molecular spintronic device. RSC Advances, 2018, 8, 41587-41593.	1.7	4
147	Fabrication and Characterization of High-Frequency Ultrasound Transducers Based on Lead-Free BNT-BT Tape-Casting Thick Film. Sensors, 2018, 18, 3166.	2.1	9
148	Decorating CeO ₂ Nanoparticles on Mn ₂ O ₃ Nanosheets to Improve Catalytic Soot Combustion. ACS Sustainable Chemistry and Engineering, 2018, 6, 16544-16554.	3.2	64
149	Photoluminescence Enhancement of Carbon Dots by Surfactants at Room Temperature. Chemistry - A European Journal, 2018, 24, 15806-15811.	1.7	19
150	Dirac-Weyl Semimetal: Coexistence of Dirac and Weyl Fermions in Polar Hexagonal $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> \langle \text{mml:mi} \rangle A \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle B \langle \text{mml:mi} \rangle C \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle$ Crystals. Physical Review Letters, 2018, 121, 106404.	2.9	50
151	Ionic Liquid Gating Control of Spin Reorientation Transition and Switching of Perpendicular Magnetic Anisotropy. Advanced Materials, 2018, 30, e1801639.	11.1	47
152	Understanding and revisiting the most complex perovskite system via atomistic simulations. Physical Review B, 2018, 97, .	1.1	19
153	Effect of platinum interlayer on the thermal stability improvement of nickel stanogermanide. , 2018, , .		2
154	Quasiparticle band structures of CuCl, CuBr, AgCl, and AgBr: The extreme case. Physical Review B, 2018, 98, .	1.1	30
155	Highly Sensitive Magnetic Sensor Based on Anisotropic Magnetoresistance Effect. IEEE Transactions on Magnetics, 2018, 54, 1-3.	1.2	19
156	Self-Polarization in Epitaxial Fully Matched Lead-Free Bismuth Sodium Titanate Based Ferroelectric Thin Films. ACS Applied Materials & Interfaces, 2018, 10, 23945-23951.	4.0	14
157	Single Crystal Growth and Hierarchical Ferroelectric Domain Structure of (1-x)BiFeO ₃ -xPbTiO ₃ Solid Solutions. Crystal Growth and Design, 2018, 18, 4503-4510.	1.4	10
158	Complex morphotropic domain structure and ferroelectric properties in high-T _C single crystals of a ternary perovskite solid solution. Journal of Materials Chemistry C, 2018, 6, 9216-9223.	2.7	7
159	Magnetic Anisotropy: Ionic Liquid Gating Control of Spin Reorientation Transition and Switching of Perpendicular Magnetic Anisotropy (Adv. Mater. 30(2018)). Advanced Materials, 2018, 30, 1870223.	11.1	1
160	Local structures and temperature-driven polarization rotation in Zr-rich PbZr _{1-x} Ti _x O ₃ . Applied Physics Letters, 2018, 113, .	1.5	3
161	A Highly Thermostable In ₂ O ₃ /ITO Thin Film Thermocouple Prepared via Screen Printing for High Temperature Measurements. Sensors, 2018, 18, 958.	2.1	40
162	Facile high-performance film thermocouple made of strontium lanthanum chromate for temperature sensing in air. Journal of the American Ceramic Society, 2018, 101, 4880-4886.	1.9	6

#	ARTICLE	IF	CITATIONS
163	Spin valley and giant quantum spin Hall gap of hydrofluorinated bismuth nanosheet. Scientific Reports, 2018, 8, 7436.	1.6	8
164	Low voltage induced reversible magnetoelectric coupling in Fe ₃ O ₄ thin films for voltage tunable spintronic devices. Materials Horizons, 2018, 5, 991-999.	6.4	23
165	Interface Engineering of Ge-based Nanoelectronics Using Fluorinated Graphene. , 2018, , .		0
166	Observation of Dicke cooperativity in magnetic interactions. Science, 2018, 361, 794-797.	6.0	91
167	Ionic Modulation of the Interfacial Magnetism in a Bilayer System Comprising a Heavy Metal and a Magnetic Insulator for Voltage-Tunable Spintronic Devices. Advanced Materials, 2018, 30, e1802902.	11.1	22
168	Organic Photo-Electrochemical Transistor-Based Biosensor: A Proof-of-Concept Study toward Highly Sensitive DNA Detection. Advanced Healthcare Materials, 2018, 7, e1800536.	3.9	54
169	Intrinsic and anisotropic Rashba spin splitting in Janus transition-metal dichalcogenide monolayers. Physical Review B, 2018, 97, .	1.1	228
170	Synthesis, Structure, and Properties of the PbZrO ₃ -PbTiO ₃ -Bi(Zn _{2/3} Nb _{1/3})O ₃ Ternary Solid Solution System Around the Morphotropic Phase Boundary. Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1701007.	0.8	9
171	Temperature induced interface and optical properties of the multi-layer nanotube network. Journal of Applied Physics, 2018, 123, .	1.1	4
172	Achieving Higher Strength and Sensitivity toward UV Light in Multifunctional Composites by Controlling the Thickness of Nanolayer on the Surface of Glass Fiber. ACS Applied Materials & Interfaces, 2018, 10, 23399-23405.	4.0	3
173	Local-scale structures across the morphotropic phase boundary in PbZr _{1-x} Ti _x O ₃ . IUCrj, 2018, 5, 73-81.	1.0	24
174	Determination of chemical ordering in the complex perovskite Pb(Cd _{1/3} Nb _{2/3})O ₃ . IUCrj, 2018, 5, 808-815.	1.0	5
175	First principles electronic structure and magnetic properties of inverse Heusler alloys X ₂ YZ(X=Cr; Tj ETQq1 1 0.784314 rgBT ₂₇ /Overl	1.0	27
176	Carbon-rich superhard ruthenium carbides from first-principles. Materials and Design, 2017, 117, 353-362.	3.3	7
177	Modulation of Spin Dynamics via Voltage Control of Spin-Lattice Coupling in Multiferroics. Advanced Functional Materials, 2017, 27, 1605598.	7.8	40
178	Spin-orbital coupling induced four-fold anisotropy distribution during spin reorientation in ultrathin Co/Pt multilayers. Applied Physics Letters, 2017, 110, .	1.5	10
179	Magnonics: Modulation of Spin Dynamics via Voltage Control of Spin-Lattice Coupling in Multiferroics (Adv. Funct. Mater. 10/2017). Advanced Functional Materials, 2017, 27, .	7.8	1
180	ALD preparation of high-k HfO ₂ thin films with enhanced energy density and efficient electrostatic energy storage. RSC Advances, 2017, 7, 8388-8393.	1.7	39

#	ARTICLE	IF	CITATIONS
181	Multiferroic heterostructures of Fe ₃ O ₄ /PMN-PT prepared by atomic layer deposition for enhanced interfacial magnetoelectric couplings. Applied Physics Letters, 2017, 110, .	1.5	21
182	Enhanced Electrochemical Capability of LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ Cathode Materials Coated with Fluoroborate Glass for Lithium-ion Batteries. ChemElectroChem, 2017, 4, 1199-1204.	1.7	16
183	Quantitative Determination on Ionic-Liquid-Gating Control of Interfacial Magnetism. Advanced Materials, 2017, 29, 1606478.	11.1	72
184	Single crystal growth of Mn ₄ Nb ₂ O ₉ and its structure-magnetic coupling. RSC Advances, 2017, 7, 13846-13850.	1.7	19
185	Deterministic Switching of Perpendicular Magnetic Anisotropy by Voltage Control of Spin Reorientation Transition in (Co/Pt) ₃ /Pb(Mg _{1/3} Nb _{2/3})O ₃ –PbTiO ₃ Multiferroic Heterostructures. ACS Nano. 2017, 11, 4337-4345.	7.3	91
186	Temperature and Magnetic Field-Induced Spin Reorientation in Rare-Earth Perovskite ErFe _{0.75} Cr _{0.25} O ₃ . Journal of Superconductivity and Novel Magnetism, 2017, 30, 2791-2796.	0.8	7
187	Ionic-Liquid Gating: Quantitative Determination on Ionic-Liquid-Gating Control of Interfacial Magnetism (Adv. Mater. 17/2017). Advanced Materials, 2017, 29, .	11.1	0
188	Ferroelectric polarization of hydroxyapatite from density functional theory. RSC Advances, 2017, 7, 21375-21379.	1.7	37
189	Crystalline phase and electrical properties of lead-free piezoelectric KNN-based films with different orientations. Journal of the American Ceramic Society, 2017, 100, 2965-2971.	1.9	18
190	Metabolic profiling of five flavonoids from Dragon's Blood in human liver microsomes using high-performance liquid chromatography coupled with high resolution mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1052, 91-102.	1.2	16
191	Hetero-seed and hetero-feed single crystal growth of Sm x Dy 1x FeO 3 perovskites based on optical floating zone method. Journal of Crystal Growth, 2017, 467, 111-115.	0.7	7
192	Electric field effect of GaAs monolayer from first principles. AIP Advances, 2017, 7, .	0.6	25
193	Synthesis, structure and piezo-/ferroelectric properties of a novel bismuth-containing ternary complex perovskite solid solution. Journal of Materials Chemistry C, 2017, 5, 3916-3923.	2.7	38
194	Nonlinear magnetoelectric effect in paraelectric state of Co ₄ Nb ₂ O ₉ single crystal. Scientific Reports, 2017, 7, 14079.	1.6	21
195	First-principles study of Ga-vacancy induced magnetism in $\hat{\Gamma}^2$ -Ga ₂ O ₃ . Physical Chemistry Chemical Physics, 2017, 19, 28928-28935.	1.3	17
196	Voltage Control of Perpendicular Magnetic Anisotropy in Multiferroic $\text{Co}_{1-x}\text{Pt}_x/\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ Multiferroic Heterostructures. ACS Nano. 2017, 11, 4337-4345.	1.5	38
197	Electric-Magneto-Optical Kerr Effect in a Hybrid Organic-Inorganic Perovskite. Journal of the American Chemical Society, 2017, 139, 12883-12886.	6.6	49
198	Voltage control of spin wave resonance in La _{0.5} Sr _{0.5} MnO ₃ /PMN-PT (001) multiferroic heterostructures. Applied Physics Letters, 2017, 111, .	1.5	11

#	ARTICLE	IF	CITATIONS
199	Optimum electronic structures for high thermoelectric figure of merit within several isotropic elastic scattering models. <i>Scientific Reports</i> , 2017, 7, 10104.	1.6	8
200	Engineering the Near-Edge Electronic Structure of SnSe through Strains. <i>Physical Review Applied</i> , 2017, 8, .	1.5	23
201	Dipole Order in Halide Perovskites: Polarization and Rashba Band Splittings. <i>Journal of Physical Chemistry C</i> , 2017, 121, 23045-23054.	1.5	56
202	Improper ferroelectricity at antiferromagnetic domain walls of perovskite oxides. <i>Physical Review B</i> , 2017, 96, .	1.1	24
203	A Controllable and Integrated Pump-enabled Microfluidic Chip and Its Application in Droplets Generating. <i>Scientific Reports</i> , 2017, 7, 11319.	1.6	42
204	Lattice dynamics in monolayer and few-layer SnSe ₂ . <i>Physical Review B</i> , 2017, 96, .	1.1	22
205	Recoverable Self-Polarization in Lead-Free Bismuth Sodium Titanate Piezoelectric Thin Films. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 28716-28725.	4.0	26
206	Discovery of Enhanced Magnetolectric Coupling through Electric Field Control of Two-Magnon Scattering within Distorted Nanostructures. <i>ACS Nano</i> , 2017, 11, 9286-9293.	7.3	48
207	Ferroelectric Phase Transition Induced a Large FMR Tuning in Self-Assembled BaTiO ₃ :Y ₃ Fe ₅ O ₁₂ Multiferroic Composites. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 30733-30740.	4.0	22
208	Structural properties and strain engineering of a BeB ₂ monolayer from first-principles. <i>RSC Advances</i> , 2017, 7, 38410-38414.	1.7	14
209	Lattice dynamics of Dirac node-line semimetal ZrSiS. <i>Physical Review B</i> , 2017, 96, .	1.1	28
210	Low-temperature structure and the ferroelectric phase transitions in the CdTiO_3 perovskite. <i>Physical Review B</i> , 2017, 96, .	1.1	12
211	Voltage Control of Two-Magnon Scattering and Induced Anomalous Magnetolectric Coupling in Ni ²⁺ Zn Ferrite. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 43188-43196.	4.0	16
212	Photocontrol of the Src Kinase in Mammalian Cells with a Photocaged Intein. <i>Methods in Molecular Biology</i> , 2017, 1495, 217-226.	0.4	1
213	Preparation and characterization of nanoscale LiFePO ₄ cathode materials by a two-step solid-state reaction method. <i>Journal of Materials Science</i> , 2017, 52, 2366-2372.	1.7	17
214	Doping induced dimensionality reduction of the magnetic order in DyFe _{1-x} In _x O ₃ . <i>Journal of Alloys and Compounds</i> , 2017, 695, 1699-1705.	2.8	2
215	Enhanced stability of ITO/In ₂ O ₃ /Al ₂ O ₃ thin film thermocouples by coating Al ₂ O ₃ layer. , 2017, , .		0
216	Preparation and thermal volatility characteristics of In ₂ O ₃ /ITO thin film thermocouple by RF magnetron sputtering. <i>AIP Advances</i> , 2017, 7, .	0.6	24

#	ARTICLE	IF	CITATIONS
217	Effect of swap disorder on the physical properties of the quaternary Heusler alloy PdMnTiAl: a first-principles study. IUCrj, 2017, 4, 506-511.	1.0	19
218	Spin-reorientation magnetic transitions in Mn-doped SmFeO ₃ . IUCrj, 2017, 4, 598-603.	1.0	46
219	Global structure search and physical properties of Os ₂ C. Journal of Physics Condensed Matter, 2016, 28, 365502.	0.7	1
220	Bismuth Zinc Niobate Thin Film Multilayer Capacitors with Cu Electrodes Fabricated at Low Temperature by RF Magnetron Sputtering. Journal of the American Ceramic Society, 2016, 99, 1676-1680.	1.9	6
221	Phonon instability and pressure-induced isostructural semiconductor-semimetal transition of monoclinic VO ₂ . Physical Review B, 2016, 94, .	1.1	10
222	Optimizing the Dopant and Carrier Concentration of Ca ₅ Al ₂ Sb ₆ for High Thermoelectric Efficiency. Scientific Reports, 2016, 6, 29550.	1.6	10
223	Atomic Resolution Interfacial Structure of Lead-free Ferroelectric K _{0.5} Na _{0.5} NbO ₃ Thin films Deposited on SrTiO ₃ . Scientific Reports, 2016, 6, 37788.	1.6	10
224	Periodic molybdenum disc array for light trapping in amorphous silicon layer. AIP Advances, 2016, 6, 055305.	0.6	2
225	Magnetic phase transition and giant anisotropic magnetic entropy change in TbFeO ₃ single crystal. Journal of Applied Physics, 2016, 119, .	1.1	46
226	Tuning the Weak Ferromagnetic States in Dysprosium Orthoferrite. Scientific Reports, 2016, 6, 37529.	1.6	31
227	Probing the electronic states and impurity effects in black phosphorus vertical heterostructures. 2D Materials, 2016, 3, 015012.	2.0	16
228	Hydrostatic pressure driven spin, volume and band gap collapses in SmFeO ₃ : a GGA + U study. Philosophical Magazine, 2016, 96, 1613-1622.	0.7	6
229	Lanthanide (Gd ³⁺ and Yb ³⁺) functionalized gold nanoparticles for in vivo imaging and therapy. Biomaterials, 2016, 108, 35-43.	5.7	67
230	Electrically controlled non-volatile switching of magnetism in multiferroic heterostructures via engineered ferroelastic domain states. NPG Asia Materials, 2016, 8, e316-e316.	3.8	48
231	Tunneling interstitial impurity in iron-chalcogenide-based superconductors. Physical Review B, 2016, 93, .	1.1	8
232	Observation of re-entrant spin reorientation in TbFe _{1-x} MnxO ₃ . Scientific Reports, 2016, 6, 33448.	1.6	31
233	Controlled Phase and Tunable Magnetism in Ordered Iron Oxide Nanotube Arrays Prepared by Atomic Layer Deposition. Scientific Reports, 2016, 6, 18401.	1.6	14
234	Magnetolectric relaxor and reentrant behaviours in multiferroic Pb(Fe _{2/3} W _{1/3})O ₃ crystal. Scientific Reports, 2016, 6, 22327.	1.6	20

#	ARTICLE	IF	CITATIONS
235	Effect of annealing temperature of Bi _{1.5} Zn _{1.0} Nb _{1.5} O ₇ gate insulator on performance of ZnO based thin film transistors. Journal of Semiconductors, 2016, 37, 074007.	2.0	2
236	Study on the electrical properties of ZnO thin film transistors using pyrochlore Bi _{1.5} Zn _(1+y) Nb _{1.5} O _(7+y) gate insulators fabricated by RF sputtering. Optical Engineering, 2016, 55, 067106.	0.5	0
237	Effects of Cooling Rate on Optical Properties of Mn _{1.56} Co _{0.96} Ni _{0.48} O ₄ Ceramics by Spectroscopic Ellipsometry. Ferroelectrics, 2016, 492, 159-165.	0.3	1
238	Structure and Dielectric Properties of a New Solid Solution (1-x)PbTiO ₃ -xDyFeO ₃ . Ferroelectrics, 2016, 492, 173-182.	0.3	1
239	Ultraviolet Raman spectra of double-resonant modes of graphene. Carbon, 2016, 101, 235-238.	5.4	11
240	Temperature-induced spin reorientation and magnetization jump of rare-earth orthoferrite Ho _{0.5} Pr _{0.5} FeO ₃ single crystal. Journal of Alloys and Compounds, 2016, 674, 300-304.	2.8	15
241	Graphene: Synthesis of Layer-Tunable Graphene: A Combined Kinetic Implantation and Thermal Ejection Approach (Adv. Funct. Mater. 24/2015). Advanced Functional Materials, 2015, 25, 3796-3796.	7.8	0
242	Fluorinated Graphene: Fluorinated Graphene in Interface Engineering of Ge-Based Nanoelectronics (Adv. Funct. Mater. 12/2015). Advanced Functional Materials, 2015, 25, 1804-1804.	7.8	0
243	Electric field induced reversible 180° magnetization switching through tuning of interfacial exchange bias along magnetic easy-axis in multiferroic laminates. Scientific Reports, 2015, 5, 16480.	1.6	26
244	Stabilisation of Fe ₂ O ₃ -rich Perovskite Nanophase in Epitaxial Rare-earth Doped BiFeO ₃ Films. Scientific Reports, 2015, 5, 13066.	1.6	9
245	Cooling field tuned magnetic phase transition and exchange bias-like effect in Y _{0.9} Pr _{0.1} CrO ₃ . Applied Physics Letters, 2015, 107, .	1.5	30
246	Lead-free piezoelectric KNN-BZ-BNT films with a vertical morphotropic phase boundary. AIP Advances, 2015, 5, .	0.6	11
247	Probing the effective nuclear-spin magnetic field in a single quantum dot via full counting statistics. Annals of Physics, 2015, 354, 375-384.	1.0	3
248	Synthesis of Layer-Tunable Graphene: A Combined Kinetic Implantation and Thermal Ejection Approach. Advanced Functional Materials, 2015, 25, 3666-3675.	7.8	43
249	Expanding the Genetic Code for a Dinitrophenyl Hapten. ChemBioChem, 2015, 16, 2007-2010.	1.3	16
250	Improved conductivity of NdFeO ₃ through partial substitution of Nd by Ca: a theoretical study. Physical Chemistry Chemical Physics, 2015, 17, 29097-29102.	1.3	9
251	Structure and local polar domains of Dy-modified BiFeO ₃ -PbTiO ₃ multiferroic solid solutions. Journal of Materials Chemistry C, 2015, 3, 12450-12456.	2.7	23
252	Phase Development and Dielectric, Ferroelectric and Piezoelectric Properties of Pb(Mg _{1/3} Nb _{2/3}) _{0.9} Ti _{0.1} O ₃ -Bi _{0.5} (Na _{0.5}) _{0.5} K _{0.5} Ferroelectrics, 2015, 487, 1-8.	0.74	0

#	ARTICLE	IF	CITATIONS
253	Fluorinated Graphene in Interface Engineering of Ge-Based Nanoelectronics. <i>Advanced Functional Materials</i> , 2015, 25, 1805-1813.	7.8	40
254	O ₂ dissociation on the side wall of aluminum nitride nanotube: a DFT investigation. <i>Sensors and Actuators B: Chemical</i> , 2015, 213, 139-149.	4.0	9
255	Study of the Binding Energies between Unnatural Amino Acids and Engineered Orthogonal Tyrosyl-tRNA Synthetases. <i>Scientific Reports</i> , 2015, 5, 12632.	1.6	16
256	Surface-enhanced Raman scattering investigations of C ₂ nH ₂ (n=4-6) in as-prepared and dried Ag colloid. <i>Chemical Physics Letters</i> , 2015, 631-632, 12-15.	1.2	5
257	Temperature-induced work function changes in Mn _{1.56} Co _{0.96} Ni _{0.48} O ₄ thin films. <i>RSC Advances</i> , 2015, 5, 67738-67741.	1.7	6
258	Voltage Tuning of Ferromagnetic Resonance and Linewidth in Spinel Ferrite/Ferroelectric Multiferroic Heterostructures. <i>IEEE Magnetics Letters</i> , 2015, 6, 1-4.	0.6	9
259	Large-Size CH ₃ NH ₃ PbBr ₃ Single Crystal: Growth and In Situ Characterization of the Photophysics Properties. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 2622-2628.	2.1	48
260	Negative differential conductance and super-Poissonian shot noise in a single quantum dot coupled to two noncollinear polarized ferromagnetic leads. <i>European Physical Journal B</i> , 2015, 88, 1.	0.6	2
261	Novel ultra-incompressible phases of Ru ₂ C. <i>Journal of Physics Condensed Matter</i> , 2015, 27, 175505.	0.7	1
262	High-quality single crystal growth and spin flop of multiferroic Co ₄ Nb ₂ O ₉ . <i>Journal of Crystal Growth</i> , 2015, 420, 90-93.	0.7	25
263	Magnetic field controllable electric polarization in Y-type hexaferrite Ba _{0.5} Sr _{1.5} Co ₂ Fe ₁₂ O ₂₂ . <i>Journal of Applied Physics</i> , 2015, 118, .	1.1	25
264	The magnetic structures and transitions of a potential multiferroic orthoferrite ErFeO ₃ . <i>Journal of Applied Physics</i> , 2015, 117, 164105.	1.1	45
265	Diamond nanowires with nitrogen vacancy under a transverse electric field. <i>Physical Review B</i> , 2015, 91, .	1.1	11
266	Spin reorientation transition in dysprosium-samarium orthoferrite single crystals. <i>Physical Review B</i> , 2015, 91, .	1.1	65
267	Selected multiferroic perovskite oxides containing rare earth and transition metal elements. <i>Science Bulletin</i> , 2014, 59, 5170-5179.	1.7	18
268	Structure and Electrical Properties of Bi _{0.5} Na _{0.5} TiO ₃₋₃ Composite Lead-Free Thick Films. <i>Ferroelectrics</i> , 2014, 465, 7-12.	0.3	5
269	Resonance Behavior of Piezoelectric Polymer Diaphragms for Biosensors. <i>Ferroelectrics</i> , 2014, 459, 38-45.	0.3	2
270	Structures, electrical properties, and leakage current behaviors of un-doped and Mn-doped lead-free ferroelectric K _{0.5} Na _{0.5} NbO ₃ films. <i>Journal of Applied Physics</i> , 2014, 115, .	1.1	29

#	ARTICLE	IF	CITATIONS
271	Novel ferroelectric single crystals of Bi(Zn _{1/2} Ti _{1/2})O ₃ -PbZrO ₃ -PbTiO ₃ ternary solid solution. Journal of Applied Physics, 2014, 115, 084104.	1.1	4
272	Strong electron emission from antiferroelectric PLZT(2/95/5) films. Applied Physics Letters, 2014, 104, .	1.5	11
273	Twofold spin reorientation and field-induced incomplete phase transition in single-crystal $\text{Dy}_{1-x}\text{Ca}_x\text{MnO}_3$. Physical Review B, 2014, 90, .		
274	Direct synthesis of few-layer graphene supported platinum nanocatalyst for methanol oxidation. Japanese Journal of Applied Physics, 2014, 53, 117101.	0.8	7
275	Structural and electric properties of Bi ₂ Zn _{2/3} Nb _{4/3} O ₇ thin films prepared by pulsed laser deposition. Applied Physics A: Materials Science and Processing, 2014, 114, 793-800.	1.1	3
276	Quantum Anomalous Hall Effect in Graphene Proximity Coupled to an Antiferromagnetic Insulator. Physical Review Letters, 2014, 112, 116404.	2.9	361
277	Near room-temperature multiferroic materials with tunable ferromagnetic and electrical properties. Nature Communications, 2014, 5, 4021.	5.8	152
278	Atomistic theory of hybrid improper ferroelectricity in perovskites. Physical Review B, 2014, 89, .	1.1	51
279	Creating multiferroics with large tunable electrical polarization from paraelectric rare-earth orthoferrites. Journal of Physics Condensed Matter, 2014, 26, 472201.	0.7	39
280	Influence of Li doping on domain wall motion in Pb(Zr _{0.52} Ti _{0.48})O ₃ films. Journal of Materials Science, 2014, 49, 7883-7889.	1.7	4
281	Low-temperature remote plasma-enhanced atomic layer deposition of graphene and characterization of its atomic-level structure. Journal of Materials Chemistry C, 2014, 2, 7570-7574.	2.7	42
282	Properties of hydrofluorinated carbon- and boron nitride-based nanofilms: A first-principles study. Physical Review B, 2014, 89, .	1.1	9
283	Magnetization switching of rare earth orthochromite CeCrO ₃ . Applied Physics Letters, 2014, 104, .	1.5	89
284	Cobalt doping effects on structures and electrical properties of lead-free ferroelectric K _{0.5} Na _{0.5} NbO ₃ films. Journal of Alloys and Compounds, 2014, 608, 202-206.	2.8	16
285	Voltage Control of Metal-insulator Transition and Non-volatile Ferroelastic Switching of Resistance in VO _x /PMN-PT Heterostructures. Scientific Reports, 2014, 4, 5931.	1.6	67
286	Temperature induced Spin Switching in SmFeO ₃ Single Crystal. Scientific Reports, 2014, 4, 5960.	1.6	198
287	Bi _{1.5} Zn _{1.0} Nb _{1.5} O ₇ thin films deposited at low temperature and post-annealed for crystallization. Journal of Materials Science: Materials in Electronics, 2013, 24, 1595-1600.	1.1	12
288	Nanodots of multiferroic oxide material BiFeO ₃ from the first principles. Advances in Manufacturing, 2013, 1, 166-175.	3.2	5

#	ARTICLE	IF	CITATIONS
289	Hopping transport through defect-induced localized states in molybdenum disulphide. Nature Communications, 2013, 4, 2642.	5.8	935
290	Coupling of the angular momentum density with magnetic moments explains the intrinsic anomalous Hall effect. Physical Review B, 2013, 88, .	1.1	9
291	Electronic and optical properties of bundled single-walled carbon nanotubes investigated by the first-principles method. Computer Physics Communications, 2013, 184, 1077-1085.	3.0	7
292	Effect of chemical and hydrostatic pressures on structural and magnetic properties of rare-earth orthoferrites: a first-principles study. Journal of Physics Condensed Matter, 2013, 25, 466002.	0.7	33
293	Effect of chemical pressure, misfit strain and hydrostatic pressure on structural and magnetic behaviors of rare-earth orthochromates. Journal of Physics Condensed Matter, 2013, 25, 385604.	0.7	32
294	Enhanced 4f-3d interaction by Ti-doping on the magnetic properties of perovskite $\text{SmFe}_{1-x}\text{Ti}_x\text{O}_3$. Journal of Applied Physics, 2013, 114, .	1.1	28
295	Ferroelectric Domains in Multiferroic BiFeO_3 Films under Epitaxial Strains. Physical Review Letters, 2013, 110, 187601.	2.9	54
296	Structures and electrical properties of Mn- and Co-doped lead-free ferroelectric $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ films prepared by a chemical solution deposition method. Thin Solid Films, 2013, 537, 65-69.	0.8	17
297	Effects of deposition temperature on structure and properties of $(\text{K}_{0.48}\text{Na}_{0.52})\text{NbO}_3$ ferroelectric thin films by pulsed laser deposition. Journal of Applied Physics, 2013, 114, 134103.	1.1	8
298	Large rotating field entropy change in ErFeO_3 single crystal with angular distribution contribution. Applied Physics Letters, 2013, 103, .	1.5	76
299	Novel Nanoscale Twinned Phases in Perovskite Oxides. Advanced Functional Materials, 2013, 23, 234-240.	7.8	101
300	Enhancement of thermoelectric efficiency in triple quantum dots by the Dicke effect. Physical Review B, 2013, 87, .	1.1	43
301	Transformation of Vibration Shapes in Resonances of Micromachined Piezoelectric Circular Membrane. Ferroelectrics, 2013, 450, 1-6.	0.3	1
302	Enhanced ferroelectric properties of highly (100) oriented $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$ thick films prepared by chemical solution deposition. Journal of Advanced Dielectrics, 2013, 03, 1350011.	0.5	18
303	Effect of Mn doping on structures and properties of chemical solution deposited lead zirconate titanate thick films with (100) preferential orientation. Journal of Applied Physics, 2013, 114, .	1.1	9
304	Influence of Oxygen Pressure on Structures and Electrical Properties of Lead-free $(\text{K}_{0.44}\text{Na}_{0.52}\text{Li}_{0.04})(\text{Nb}_{0.86}\text{Ta}_{0.10}\text{Sb}_{0.04})\text{O}_3$ Thin Films Deposited by Pulsed Laser Deposition. Integrated Ferroelectrics, 2012, 139, 14-19.	0.5	1
305	THICKNESS-DEPENDENCE OF RESIDUAL STRESS IN LEAD-FREE FERROELECTRIC $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ FILMS. Journal of Advanced Dielectrics, 2012, 02, 1250021.	1.5	2
306	Understanding and Revisiting Properties of EuTiO_3 Bulk Material and Films from First Principles. Physical Review Letters, 2012, 109, 267602.	2.9	46

#	ARTICLE	IF	CITATIONS
307	Study of strain effect on in-plane polarization in epitaxial BiFeO ₃ thin films using planar electrodes. Physical Review B, 2012, 86, .	1.1	49
308	A Series Piezoelectric Diaphragm Resonator for Biosensor Applications. Integrated Ferroelectrics, 2012, 140, 213-219.	0.3	0
309	Epitaxial strain-ordered PbTiO ₃ /BiFeO ₃ superlattices studied by first-principles calculations. Physical Review B, 2012, 86, .	1.1	30
310	Structural, dielectric, ferroelectric and piezoresponse force microscopy characterizations of bilayered Bi _{0.9} Dy _{0.1} FeO ₃ /K _{0.5} Na _{0.5} NbO ₃ lead-free multiferroic films. Journal of Applied Physics, 2012, 112, .	1.1	4
311	Enhanced electric conductivity at ferroelectric vortex cores in BiFeO ₃ . Nature Physics, 2012, 8, 81-88.	6.5	324
312	Revisiting Properties of Ferroelectric and Multiferroic Thin Films under Tensile Strain from First Principles. Physical Review Letters, 2012, 109, 057602.	2.9	77
313	Abnormal Poisson's ratio and Linear Compressibility in Perovskite Materials. Advanced Materials, 2012, 24, 4170-4174.	11.1	45
314	Effects of excess amount of K and Na on properties of (K _{0.48} Na _{0.52})NbO ₃ thin films. Ceramics International, 2012, 38, S279-S281.	2.3	12
315	Domain Wall Motion in A _x B _{1-x} Site Donor-Doped Pb _{1-x} Zr _x Ti _{0.48} O ₃ Films. Journal of the American Ceramic Society, 2012, 95, 2906-2913.		
316	Electric and Magnetic Properties of Bilayered Lead-Free Piezoelectric and Multiferroic Bi _{0.9} Dy _{0.1} FeO ₃ /K _{0.5} Na _{0.5} NbO ₃ Thin Films. Journal of the American Ceramic Society, 2012, 95, 3166-3171.		
317	Influence of Mn doping on domain wall motion in Pb(Zr _{0.52} Ti _{0.48})O ₃ films. Journal of Applied Physics, 2011, 109, .	1.1	49
318	Enhanced Structures and Electrical Properties of Lead-Free K _{0.5} Na _{0.5} NbO ₃ -Bi _{0.5} Na _{0.5} TiO ₃ Composite Ferroelectric Thick Films. Journal of the American Ceramic Society, 2011, 94, 3425-3430.		8
319	The structural, energetic and electronic properties of doped carbon nanotubes by encapsulation of MCp ₂ (M=Fe, Co, Ni): A theoretical investigation. Chemical Physics Letters, 2011, 512, 81-86.	1.2	13
320	Coexistence of ferroelectric triclinic phases in highly strained BiFeO ₃ films. Physical Review B, 2011, 84, .	1.1	99
321	Half-metallic chromium-chain-embedded wire in graphene and carbon nanotubes. Physical Review B, 2011, 84, .	1.1	20
322	Prediction of the Magnetotoroidic Effect from Atomistic Simulations. Physical Review Letters, 2011, 107, 127202.	2.9	16
323	Domain structure and in-plane switching in a highly strained Bi _{0.9} Sm _{0.1} FeO ₃ film. Applied Physics Letters, 2011, 99, 222904.	1.5	22
324	UNIVERSAL SPIN-HALL CONDUCTANCE FLUCTUATIONS IN TWO-DIMENSIONAL MESOSCOPIC SYSTEMS. Modern Physics Letters B, 2011, 25, 359-376.	1.0	7

#	ARTICLE	IF	CITATIONS
325	Structures and Dielectric Properties of Bi _{1.5} Zn _{1.0} Nb _{1.5} O ₇ Thin Films Prepared by Pulsed Laser Deposition at Low Temperature. <i>Ferroelectrics</i> , 2010, 407, 75-83.	0.3	4
326	Effect of Pyrolysis Temperature on K _{0.5} Na _{0.5} NbO ₃ Thick Films Derived from Polyvinylpyrrolidone-Modified Chemical Solution. <i>Journal of the American Ceramic Society</i> , 2010, 93, 3686-3690.	1.9	37
327	Enhanced ferroelectric properties in Mn-doped K _{0.5} Na _{0.5} NbO ₃ thin films derived from chemical solution deposition. <i>Applied Physics Letters</i> , 2010, 97, 072902.	1.5	61
328	Piezoelectric Membrane Based Biosensor Platform. <i>Ferroelectrics</i> , 2010, 409, 78-84.	0.3	6
329	Effect of Amount of Polyvinylpyrrolidone Introduced in Solution-Derived Ferroelectric K _{0.5} Na _{0.5} NbO ₃ Thick Films. <i>Ferroelectrics</i> , 2010, 404, 192-199.	0.3	3
330	Chiral Patterns of Tilting of Oxygen Octahedra in Zero-Dimensional Ferroelectrics and Multiferroics: A First Principle-Based Study. <i>Physical Review Letters</i> , 2010, 104, 207603.	2.9	21
331	Tackling Complex Phenomena in Nanoscale Multiferroics. , 2010, , .		1
332	Theoretical Study of O ₂ Molecular Adsorption and Dissociation on Silicon Carbide Nanotubes. <i>Journal of Physical Chemistry C</i> , 2010, 114, 970-976.	1.5	37
333	Structures and Dielectric Properties of SrNb _x Ti _{1-x} O ₃ Thin Films Prepared by Pulsed Laser Deposition. <i>Ferroelectrics</i> , 2010, 406, 68-74.	0.3	0
334	Effect of SrTiO ₃ Buffer Layers on Crystallization and Properties of Sol-Gel Derived Pb(Zr _{0.52} Ti _{0.48})O ₃ Thin Films. <i>Ferroelectrics</i> , 2010, 406, 206-212.	0.3	3
335	The new International Center for Dielectrics Research at Xi'an Jiaotong University: Recent activities and results. , 2010, , .		0
336	Size effects in multiferroic BiFeO_3 A first-principles-based study. <i>Physical Review B</i> , 2010, 82, .		16
337	Ferromagnetism in multiferroic BiFeO_3 A first-principles-based study. <i>Physical Review B</i> , 2010, 81, .		16
338	Structural, Dielectric and Ferroelectric Properties of Ti-Modified 0.72BiFeO ₃ -0.28PbTiO ₃ Multiferroic Thin Films Prepared by Pulsed Laser Deposition. <i>Ferroelectrics</i> , 2010, 410, 42-49.	0.3	4
339	Ferroelectric Thin Film Diaphragm Resonators for Bio-Detection. <i>Ferroelectrics</i> , 2010, 410, 145-151.	0.3	8
340	Phase Formation and Properties of Mod Derived (Na _{0.52} K _{0.48})NbO ₃ Thin Films. <i>Ferroelectrics</i> , 2010, 404, 63-68.	0.3	0
341	Ferroelectric (K _{0.44} Na _{0.52} Li _{0.04})(Nb _{0.86} Ta _{0.10} Sb _{0.04})O ₃ Thin Films Prepared by Pulsed Laser Deposition. <i>Ferroelectrics</i> , 2010, 406, 62-67.	0.3	5
342	Processing and Properties of Ba _{0.5} Sr _{0.5} TiO ₃ /Bi _{1.5} Zn _{1.0} Nb _{1.5} O ₇ /Ba _{0.5} Sr _{0.5} TiO ₃ Thin Films for Tunable Microwave Devices. <i>Ferroelectrics</i> , 2010, 406, 3-9.	0.3	9

#	ARTICLE	IF	CITATIONS
343	Electronic and optical properties of single-walled carbon nanotubes under a uniform transverse electric field: A first-principles study. <i>Physical Review B</i> , 2009, 79, .	1.1	32
344	Structures and Tunability of Ba _{0.5} Sr _{0.5} TiO ₃ /Bi _{1.5} Zn _{1.0} Nb _{1.5} O ₇ Multilayer Thin Films Grown on Pt/Al ₂ O ₃ Substrates. <i>Ferroelectrics</i> , 2009, 384, 98-105.	0.3	0
345	Volatilization of alkali ions and effects of molecular weight of polyvinylpyrrolidone introduced in solution-derived ferroelectric K _{0.5} Na _{0.5} NbO ₃ films. <i>Journal of Materials Research</i> , 2009, 24, 3516-3522.	1.2	55
346	Structures and Properties of Doped Bismuth Zinc Niobate Cubic Pyrochlore Thin Films Prepared by Pulsed Laser Deposition. <i>Ferroelectrics</i> , 2009, 381, 87-91.	0.3	11
347	Nb Doping Effects on Structures and Properties of PZT Thick Films Prepared by Polymer-Assisted MOD Process. <i>Ferroelectrics</i> , 2009, 383, 151-158.	0.3	4
348	Structure and dielectric properties of (Sr _{1-x} Bix)TiO ₃ thin films. <i>Journal of Applied Physics</i> , 2009, 105, 084104.	1.1	4
349	Preparation and Dielectric Properties of Bi _{0.05} Sr _{0.925} TiO ₃ Thin Films. <i>Ferroelectrics</i> , 2009, 385, 633-638.	0.3	0
350	Transport in a metallic nanotube at finite temperature. <i>Physical Review B</i> , 2009, 79, .	1.1	2
351	Preparation of Diffuser-Type Micropumps Using PZT Thin Films Prepared by Metallo-Organic Compound Decomposition Process. <i>Ferroelectrics</i> , 2009, 383, 144-150.	0.3	4
352	Boron nitride nanotubes functionalized by a series of carbenes. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 6256.	1.3	15
353	Study of poling methods for multilayer pyroelectric thin film infrared detectors. <i>Journal of Electroceramics</i> , 2008, 21, 520-523.	0.8	1
354	Effects of thickness of the thermal insulation layer on the properties of PbTiO ₃ thin films. <i>Journal of Electroceramics</i> , 2008, 21, 745-747.	0.8	0
355	Preparation and Properties of (110) Oriented Lead-Free Sodium Potassium Niobate Thin Films by MOD Method. <i>Ferroelectrics</i> , 2008, 367, 61-66.	0.3	15
356	Emittance fluctuation of mesoscopic conductors in the presence of disorders. <i>Nanotechnology</i> , 2008, 19, 435402.	1.3	7
357	Conductance spectra of metallic carbon nanotube bundles from first principles. <i>Physical Review B</i> , 2008, 78, .	1.1	6
358	Gated armchair nanotube and metallic field effect. <i>Applied Physics Letters</i> , 2008, 93, .	1.5	12
359	Piezoelectric K _{0.5} Na _{0.5} NbO ₃ thick films derived from polyvinylpyrrolidone-modified chemical solution deposition. <i>Applied Physics Letters</i> , 2008, 93, .	1.5	96
360	Low-Field Phase Diagram of the Spin Hall Effect in the Mesoscopic Regime. <i>Physical Review Letters</i> , 2007, 98, 196402.	2.9	12

#	ARTICLE	IF	CITATIONS
361	Spin-dependent transport in Fe-doped carbon nanotubes. <i>Physical Review B</i> , 2007, 75, .	1.1	72
362	Models for the Structure and Electronic Transmission of Carbon Nanotubes Covalently Linked by a Molecular Bridge via Amide Couplings. <i>Journal of Physical Chemistry C</i> , 2007, 111, 3700-3704.	1.5	25
363	Low Temperature Crystallization and Thick Single Layer of PbTiO ₃ Thin Film by Metallo-Organic Compound Decomposition with an Additive of PVAC. <i>Ferroelectrics</i> , 2006, 335, 113-118.	0.3	5
364	Universal Spin-Hall Conductance Fluctuations in Two Dimensions. <i>Physical Review Letters</i> , 2006, 97, 066603.	2.9	64
365	Conservation of spin current: Model including self-consistent spin-spin interaction. <i>Physical Review B</i> , 2006, 74, .	1.1	16
366	Dynamical conductance of model DNA sequences. <i>Journal of Chemical Physics</i> , 2006, 125, 164704.	1.2	6
367	PREPARATION AND PROPERTIES OF (La, Mn) CODOPED PZT THIN FILMS BY A MOD METHOD. <i>Integrated Ferroelectrics</i> , 2006, 84, 91-98.	0.3	2
368	POLYMER-ASSISTED MOD PREPARATION OF PbZr _{0.52} Ti _{0.48} O ₃ THICK FILMS FOR MEMS APPLICATIONS. <i>Integrated Ferroelectrics</i> , 2006, 84, 75-82.	0.3	3
369	Effect of thermal fluctuations of twist angles on charge transport in DNA: A model calculation. <i>Physical Review B</i> , 2005, 72, .	1.1	25
370	Conductance fluctuations and higher order moments of a disordered carbon nanotube. <i>Physical Review B</i> , 2005, 72, .	1.1	11
371	Electronic transport through single-wall nicked carbon nanotubes. <i>Physical Review B</i> , 2004, 69, .	1.1	8
372	Optimization of thermal annealing process of lead lanthanum titanate ferroelectric thin films. <i>Integrated Ferroelectrics</i> , 1999, 23, 15-23.	0.3	2
373	Structural and optical properties of (Pb,Ca)TiO ₃ thin films prepared by a sol-gel technique. <i>Ferroelectrics, Letters Section</i> , 1998, 24, 123-130.	0.4	0
374	Properties of pbtio ₃ , La-modified pbtio ₃ and Pb(Zr,Ti)O ₃ thin films and their application to infrared detectors. <i>Integrated Ferroelectrics</i> , 1997, 15, 271-279.	0.3	30
375	Properties of lead lanthanum titanate ferroelectric thin films by rapid thermal annealing. <i>Ferroelectrics</i> , 1997, 195, 279-282.	0.3	4
376	Structures and properties of Pb(Zr,Ti)O ₃ thin films by metallo-organic compound decomposition process. <i>Ferroelectrics</i> , 1997, 195, 273-278.	0.3	6
377	Nonlinear optical properties of lanthanum doped lead titanate thin film using Z-scan technique. <i>Applied Physics Letters</i> , 1996, 69, 458-459.	1.5	36
378	Novel Two-dimensional PC 5 with the Dirac Cone and Edge Size Dependence. <i>Physica Status Solidi - Rapid Research Letters</i> , 0, , 2100203.	1.2	4