

# Joseph Eichberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11100940/publications.pdf>

Version: 2024-02-01

61  
papers

1,595  
citations

236833

25  
h-index

302012

39  
g-index

61  
all docs

61  
docs citations

61  
times ranked

581  
citing authors

#	ARTICLE	IF	CITATIONS
1	Myelin protein zero: Mutations in the cytoplasmic domain interfere with its cellular trafficking. <i>Journal of Neuroscience Research</i> , 2006, 83, 957-964.	1.3	13
2	Protein kinase C changes in diabetes: Is the concept relevant to neuropathy?. <i>International Review of Neurobiology</i> , 2002, 50, 61-82.	0.9	62
3	Altered arachidonic acid biosynthesis and antioxidant protection mechanisms in Schwann cells grown in elevated glucose. <i>Journal of Neurochemistry</i> , 2002, 81, 1253-1262.	2.1	15
4	Activation of Adenosine A2 Receptors Stimulates Phosphoinositide Metabolism in Rat Peripheral Nerve. <i>Journal of Neurochemistry</i> , 2002, 66, 613-619.	2.1	5
5	Rubidium Uptake and Accumulation in Peripheral Myelinated Internodal Axons and Schwann Cells. <i>Journal of Neurochemistry</i> , 2002, 69, 968-977.	2.1	7
6	Depletion of Phospholipid Arachidonoyl-Containing Molecular Species in a Human Schwann Cell Line Grown in Elevated Glucose and Their Restoration by an Aldose Reductase Inhibitor. <i>Journal of Neurochemistry</i> , 2002, 71, 775-783.	2.1	30
7	Myelin PO: new knowledge and new roles. <i>Neurochemical Research</i> , 2002, 27, 1331-1340.	1.6	55
8	Tyrosine Phosphorylation of PNS Myelin PO Occurs in the Cytoplasmic Domain and Is Maximal During Early Development. <i>Journal of Neurochemistry</i> , 2001, 75, 347-354.	2.1	10
9	Phosphoinositide metabolism, Na,K-ATPase and protein kinase C are altered in peripheral nerve from Zucker diabetic fatty rats (ZDF/Gmi-fa). <i>Neuroscience Research Communications</i> , 1997, 20, 21-30.	0.2	13
10	Receptor-mediated phosphoinositide metabolism in peripheral nerve and cultured Schwann cells. <i>Journal of Lipid Mediators and Cell Signalling</i> , 1996, 14, 187-195.	1.0	3
11	An aldose reductase inhibitor but not myo-inositol blocks enhanced polyphosphoinositide turnover in peripheral nerve from diabetic rats. <i>Metabolism: Clinical and Experimental</i> , 1996, 45, 320-327.	1.5	9
12	Phosphorylation of myelin proteins: Recent advances. <i>Neurochemical Research</i> , 1996, 21, 527-535.	1.6	43
13	Tyrosine phosphorylation of myelin protein Po. <i>Journal of Neuroscience Research</i> , 1996, 46, 531-539.	1.3	15
14	Changes in Na <sup>+</sup> /K <sup>+</sup> ATPase and protein kinase C activities in peripheral nerve of acrylamide-treated rats. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 1994, 42, 331-342.	1.1	30
15	PO phosphorylation in nerves from normal and diabetic rats: Role of protein kinase C and turnover of phosphate groups. <i>Neurochemical Research</i> , 1994, 19, 1023-1031.	1.6	14
16	Decreased myo-inositol Uptake Is Associated with Reduced Bradykinin-Stimulated Phosphatidylinositol Synthesis and Diacylglycerol Content in Cultured Neuroblastoma Cells Exposed to D-Fucose. <i>Journal of Neurochemistry</i> , 1994, 62, 147-158.	2.1	15
17	Ganglioside Treatment Modifies Abnormal Elemental Composition in Peripheral Nerve Myelinated Axons of Experimentally Diabetic Rats. <i>Journal of Neurochemistry</i> , 1993, 60, 477-486.	2.1	9
18	Effect of gangliosides on diacylglycerol content and molecular species in nerve from diabetic rats. <i>European Journal of Pharmacology</i> , 1993, 239, 55-61.	1.7	1

#	ARTICLE	IF	CITATIONS
19	Molecular species composition of glycerophospholipids in rat sciatic nerve and its alteration in streptozotocin-induced diabetes. <i>Lipids and Lipid Metabolism</i> , 1993, 1168, 1-12.	2.6	16
20	Alterations in retinal Na <sup>+</sup> , K <sup>+</sup> -ATPase in diabetes: streptozotocin-induced and Zucker diabetic fatty rats. <i>Current Eye Research</i> , 1993, 12, 1111-1121.	0.7	37
21	Purification of Phosphatidylinositol Synthase from Brain. <i>Methods in Neurosciences</i> , 1993, 18, 85-92.	0.5	0
22	Phorbol Ester-Mediated Stimulation of Phospholipase D Activity in Sciatic Nerve from Normal and Diabetic Rats. <i>Journal of Neurochemistry</i> , 1992, 59, 1467-1473.	2.1	8
23	Decreased polyphosphoinositide metabolism accompanies myelinated fiber loss in human peripheral neuropathies. <i>Molecular and Chemical Neuropathology</i> , 1992, 17, 201-208.	1.0	0
24	Muscarinic Cholinergic Receptor-Mediated Phosphoinositide Metabolism in Peripheral Nerve. <i>Journal of Neurochemistry</i> , 1991, 56, 1905-1913.	2.1	34
25	1,2-Diacylglycerol Content and Its Arachidonyl-Containing Molecular Species Are Reduced in Sciatic Nerve from Streptozotocin-induced Diabetic Rats. <i>Journal of Neurochemistry</i> , 1990, 55, 1087-1090.	2.1	72
26	Acrylamide administration alters protein phosphorylation and phospholipid metabolism in rat sciatic nerve. <i>Toxicology and Applied Pharmacology</i> , 1990, 103, 502-511.	1.3	17
27	Relationship of ATP Turnover, Polyphosphoinositide Metabolism, and Protein Phosphorylation in Sciatic Nerve and Derived Peripheral Myelin Subfractions from Normal and Streptozotocin Diabetic Rats. <i>Journal of Neurochemistry</i> , 1989, 52, 921-932.	2.1	24
28	Hexanedione effects on protein phosphorylation in rat peripheral nerve. <i>Brain Research</i> , 1989, 491, 366-370.	1.1	14
29	Distribution of Elements in Rat Peripheral Axons and Nerve Cell Bodies Determined by X-Ray Microprobe Analysis. <i>Journal of Neurochemistry</i> , 1988, 51, 764-775.	2.1	38
30	Insulin Reverses Enhanced Incorporation of <sup>32</sup> P into Polyphosphoinositides in Peripheral Nerve of the Streptozotocin Diabetic Rat. <i>Journal of Neurochemistry</i> , 1986, 47, 1932-1935.	2.1	12
31	[41] Direct chemical measurement of receptor-mediated changes in phosphatidylinositol levels in isolated rat liver plasma membranes. <i>Methods in Enzymology</i> , 1985, 109, 504-513.	0.4	2
32	Decreased Incorporation of [ <sup>3</sup> H]Inositol and [ <sup>3</sup> H]Glycerol into Glycerolipids of Sciatic Nerve from the Streptozotocin Diabetic Rat. <i>Journal of Neurochemistry</i> , 1985, 45, 465-469.	2.1	29
33	Purification of Phosphatidylinositol Synthetase from Rat Brain by CDP-Diacylglycerol Affinity Chromatography and Properties of the Purified Enzyme. <i>Journal of Neurochemistry</i> , 1985, 44, 175-182.	2.1	44
34	Effect of Hyperglycemia and Its Prevention by Insulin Treatment on the Incorporation of <sup>32</sup> P into Polyphosphoinositides and Other Phospholipids in Peripheral Nerve of the Streptozotocin Diabetic Rat. <i>Journal of Neurochemistry</i> , 1985, 45, 1692-1698.	2.1	22
35	The fatty acid composition of glycerolipids in nerve, brain, and other tissues of the streptozotocin diabetic rat. <i>Neurochemical Research</i> , 1985, 10, 1453-1465.	1.6	29
36	Receptor-Mediated Changes in Hepatocyte Phosphoinositide Metabolism. , 1985, , 53-60.		1

#	ARTICLE	IF	CITATIONS
37	The presence of phospholipase a and lysophospholipase activities in culture supernatant fluid from <i>alteromonas espejana</i> . International Journal of Biochemistry & Cell Biology, 1983, 15, 1155-1159.	0.8	6
38	Solubilization, Purification and Properties of Membrane-Bound Brain Enzymes which Biosynthesize Phosphoinositides. , 1983, , 191-213.		1
39	Metabolism of Phospholipids in Peripheral Nerve from Rats with Chronic Streptozotocin-induced Diabetes Increased Turnover of Phosphatidylinositol-4,5-Bisphosphate. Journal of Neurochemistry, 1982, 39, 192-200.	2.1	100
40	Detergent solubilization and hydrophobic chromatography of rat brain phosphatidylinositol kinase. Neurochemical Research, 1981, 6, 1053-1065.	1.6	22
41	Fluorometric analysis of polyunsaturated phosphatidylinositol and other phospholipids in the picomole range using high-performance thin-layer chromatography. Analytical Biochemistry, 1980, 106, 307-313.	1.1	25
42	Determination of protein by a modified Lowry procedure in the presence of some commonly used detergents. Analytical Biochemistry, 1979, 96, 21-23.	1.1	114
43	The mechanism of modification by propranolol of the metabolism of phosphatidyl-CMP (CDP-diacylglycerol) and other lipids in the rat pineal gland. Lipids and Lipid Metabolism, 1979, 573, 90-106.	2.6	61
44	Postsynaptic localization of the alpha receptor-mediated stimulation of phosphatidylinositol turnover in pineal gland. Life Sciences, 1979, 24, 2179-2184.	2.0	79
45	NATURE OF THE RECEPTORS WHICH MEDIATE ENHANCED PHOSPHATIDYLINOSITOL TURNOVER IN RAT PINEAL GLAND. , 1978, , 167-182.		2
46	MODIFICATION OF PHOSPHATIDYLINOSITOL METABOLISM BY PROPRANOLOL AND LOCAL ANESTHETICS. , 1978, , 183-199.		2
47	Lipid composition of experimental astrocytomes originating from transformed rat and hamster astrocyte cultures. Brain Research, 1976, 109, 636-642.	1.1	4
48	Accumulation and Metabolism of Phosphatidyl-CMP1 (CDP-Diglyceride) in the Pineal Gland of the Rat. Advances in Experimental Medicine and Biology, 1976, 72, 149-158.	0.8	1
49	Relationship of $\hat{\pm}$ -adrenergic receptors in rat pineal gland to drug-induced stimulation of phospholipid metabolism. Nature, 1974, 252, 482-483.	13.7	36
50	Stimulation by local anesthetics of the metabolism of acidic phospholipids in the rat pineal gland. Biochemical and Biophysical Research Communications, 1974, 60, 1460-1467.	1.0	53
51	Modification by excessive heat of glyceryl phosphoryl ethanolamine on phenol-containing paper chromatograms. Lipids, 1973, 8, 366-367.	0.7	0
52	The subcellular distribution of polyphosphoinositides in myelinated and unmyelinated rat brain. Lipids and Lipid Metabolism, 1973, 326, 210-223.	2.6	56
53	Effect of Neurotransmitters and other Pharmacological Agents on the Metabolism of Phospholipids in Pineal-Gland Cultures and Cloned Neuronal and Glial Cells. Biochemical Society Transactions, 1973, 1, 352-359.	1.6	20
54	Stimulation of $^{32}\text{P}$ i Incorporation into Phosphatidylinositol and Phosphatidylglycerol by Catecholamines and $\hat{2}$ -Adrenergic Receptor Blocking Agents in Rat Pineal Organ Cultures. Journal of Biological Chemistry, 1973, 248, 3615-3622.	1.6	89

#	ARTICLE	IF	CITATIONS
55	Polyphosphoinositides in normal and neoplastic rodent astrocytes. Biochemical and Biophysical Research Communications, 1971, 45, 43-50.	1.0	12
56	Polyphosphoinositide levels and biosynthesis in quaking mouse brain. Biochemical and Biophysical Research Communications, 1971, 43, 1072-1080.	1.0	25
57	POLYPHOSPHOINOSITIDE BIOSYNTHESIS IN DEVELOPING RAT BRAIN HOMOGENATES *. Annals of the New York Academy of Sciences, 1970, 165, 784-789.	1.8	2
58	Interference by oxidized lipids in the determination of protein by the lowry procedure. Analytical Biochemistry, 1969, 30, 386-390.	1.1	51
59	Isolation and partial characterization of beef heart proteolipid. Lipids and Lipid Metabolism, 1969, 187, 533-545.	2.6	29
60	Concentrations and disappearance post mortem of polyphosphoinositides in developing rat brain. Lipids and Lipid Metabolism, 1967, 144, 415-422.	2.6	56
61	Disturbances of Essential Fatty Acid Metabolism in Neural Complications of Diabetes. , 0, , 239-256.		1