

Myung Ho Jeong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1110270/myung-ho-jeong-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

532
papers

4,574
citations

30
h-index

48
g-index

567
ext. papers

5,945
ext. citations

3.5
avg, IF

5.5
L-index

#	Paper	IF	Citations
532	Mesenchymal stem cells reciprocally regulate the M1/M2 balance in mouse bone marrow-derived macrophages. <i>Experimental and Molecular Medicine</i> , 2014 , 46, e70	12.8	284
531	6-month versus 12-month or longer dual antiplatelet therapy after percutaneous coronary intervention in patients with acute coronary syndrome (SMART-DATE): a randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2018 , 391, 1274-1284	40	165
530	Multicenter Cohort Study of Acute Myocardial Infarction in Korea - Interim Analysis of the Korea Acute Myocardial Infarction Registry-National Institutes of Health Registry. <i>Circulation Journal</i> , 2016 , 80, 1427-36	2.9	111
529	Effect of Escitalopram vs Placebo Treatment for Depression on Long-term Cardiac Outcomes in Patients With Acute Coronary Syndrome: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 350-358	27.4	91
528	Long-term cardiac outcomes of depression screening, diagnosis and treatment in patients with acute coronary syndrome: the DEPACS study. <i>Psychological Medicine</i> , 2021 , 51, 975-975	6.9	78
527	Preventive effects of the heparin-coated stent on restenosis in the porcine model. <i>Catheterization and Cardiovascular Interventions</i> , 1999 , 48, 324-30	2.7	72
526	Gallic acid prevents isoproterenol-induced cardiac hypertrophy and fibrosis through regulation of JNK2 signaling and Smad3 binding activity. <i>Scientific Reports</i> , 2016 , 6, 34790	4.9	63
525	Prognostic Implications of Door-to-Balloon Time and Onset-to-Door Time on Mortality in Patients With ST-Segment-Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2019 , 8, e012188	6	57
524	Gallic Acid Reduces Blood Pressure and Attenuates Oxidative Stress and Cardiac Hypertrophy in Spontaneously Hypertensive Rats. <i>Scientific Reports</i> , 2017 , 7, 15607	4.9	57
523	Comparison of short-term clinical outcomes between ticagrelor versus clopidogrel in patients with acute myocardial infarction undergoing successful revascularization; from Korea Acute Myocardial Infarction Registry-National Institute of Health. <i>International Journal of Cardiology</i> , 2016 , 215, 193-200	3.2	56
522	Tubastatin A suppresses renal fibrosis via regulation of epigenetic histone modification and Smad3-dependent fibrotic genes. <i>Vascular Pharmacology</i> , 2015 , 72, 130-40	5.9	54
521	Feasibility of Coronary Angiography and Percutaneous Coronary Intervention via Left Snuffbox Approach. <i>Korean Circulation Journal</i> , 2018 , 48, 1120-1130	2.2	51
520	Prognosis and Predictors of Mortality in Patients Suffering Myocardial Infarction With Non-Obstructive Coronary Arteries. <i>Journal of the American Heart Association</i> , 2019 , 8, e011990	6	50
519	Current status of acute myocardial infarction in Korea. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 1-10	2.5	48
518	Modified Magnesium Hydroxide Nanoparticles Inhibit the Inflammatory Response to Biodegradable Poly(lactide-co-glycolide) Implants. <i>ACS Nano</i> , 2018 , 12, 6917-6925	16.7	48
517	The East Asian Paradox: An Updated Position Statement on the Challenges to the Current Antithrombotic Strategy in Patients with Cardiovascular Disease. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 422-432	7	47
516	Multivessel Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction With Cardiogenic Shock. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 844-856	15.1	46

515	Culprit or multivessel revascularisation in ST-elevation myocardial infarction with cardiogenic shock. <i>Heart</i> , 2015 , 101, 1225-32	5.1	44
514	Clinical impact of admission hyperglycemia on in-hospital mortality in acute myocardial infarction patients. <i>International Journal of Cardiology</i> , 2017 , 236, 9-15	3.2	43
513	Heparin coating on 3D printed poly (l-lactic acid) biodegradable cardiovascular stent via mild surface modification approach for coronary artery implantation. <i>Chemical Engineering Journal</i> , 2019 , 378, 122116	14.7	42
512	Short-term effect of temperature on daily emergency visits for acute myocardial infarction with threshold temperatures. <i>PLoS ONE</i> , 2014 , 9, e94070	3.7	41
511	Third-Generation P2Y12 Inhibitors in East Asian Acute Myocardial Infarction Patients: A Nationwide Prospective Multicentre Study. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 591-600	7	40
510	Improvement in Left Ventricular Function with Intracoronary Mesenchymal Stem Cell Therapy in a Patient with Anterior Wall ST-Segment Elevation Myocardial Infarction. <i>Cardiovascular Drugs and Therapy</i> , 2018 , 32, 329-338	3.9	39
509	Nitric Oxide Releasing Coronary Stent: A New Approach Using Layer-by-Layer Coating and Liposomal Encapsulation. <i>Small</i> , 2016 , 12, 6012-6023	11	35
508	Gallic acid improves cardiac dysfunction and fibrosis in pressure overload-induced heart failure. <i>Scientific Reports</i> , 2018 , 8, 9302	4.9	34
507	Gallic acid inhibits vascular calcification through the blockade of BMP2-Smad1/5/8 signaling pathway. <i>Vascular Pharmacology</i> , 2014 , 63, 71-8	5.9	33
506	Hypoglycemia at admission in patients with acute myocardial infarction predicts a higher 30-day mortality in patients with poorly controlled type 2 diabetes than in well-controlled patients. <i>Diabetes Care</i> , 2014 , 37, 2366-73	14.6	32
505	miR-18a-5p MicroRNA Increases Vascular Smooth Muscle Cell Differentiation by Downregulating Syndecan4. <i>Korean Circulation Journal</i> , 2014 , 44, 255-63	2.2	32
504	Influence of undernutrition at admission on clinical outcomes in patients with acute myocardial infarction. <i>Journal of Cardiology</i> , 2017 , 69, 555-560	3	31
503	Current trend of acute myocardial infarction in Korea (from the Korea Acute Myocardial Infarction Registry from 2006 to 2013). <i>American Journal of Cardiology</i> , 2014 , 114, 1817-22	3	30
502	Role of intravascular ultrasound in patients with acute myocardial infarction undergoing percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2011 , 108, 8-14	3	29
501	Pharmacoinvasive Strategy Versus Primary Percutaneous Coronary Intervention in Patients With ST-Segment-Elevation Myocardial Infarction: A Propensity Score-Matched Analysis. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	29
500	Vascular endothelial growth factor immobilized on mussel-inspired three-dimensional bilayered scaffold for artificial vascular graft application: In vitro and in vivo evaluations. <i>Journal of Colloid and Interface Science</i> , 2019 , 537, 333-344	9.3	29
499	Inhibition of class IIa histone deacetylase activity by gallic acid, sulforaphane, TMP269, and panobinostat. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 101, 145-154	7.5	28
498	Piceatannol Attenuates Renal Fibrosis Induced by Unilateral Ureteral Obstruction via Downregulation of Histone Deacetylase 4/5 or p38-MAPK Signaling. <i>PLoS ONE</i> , 2016 , 11, e0167340	3.7	28

497	Influence of Local Myocardial Damage on Index of Microcirculatory Resistance and Fractional Flow Reserve in Target and Nontarget Vascular Territories in a Porcine Microvascular Injury Model. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 717-724	5	27
496	Preparation of a drug-eluting stent using a TiO ₂ film deposited by plasma enhanced chemical vapour deposition as a drug-combining matrix. <i>Journal of Materials Chemistry</i> , 2010 , 20, 4792		27
495	Wireless pressure sensor integrated with a 3D printed polymer stent for smart health monitoring. <i>Sensors and Actuators B: Chemical</i> , 2019 , 280, 201-209	8.5	27
494	Prognostic value of the age, creatinine, and ejection fraction score for 1-year mortality in 30-day survivors who underwent percutaneous coronary intervention after acute myocardial infarction. <i>American Journal of Cardiology</i> , 2015 , 115, 1167-73	3	25
493	Red cell distribution width as a novel predictor for clinical outcomes in patients with paroxysmal atrial fibrillation. <i>Europace</i> , 2015 , 17 Suppl 2, ii83-8	3.9	25
492	Influence of second- and third-degree heart block on 30-day outcome following acute myocardial infarction in the drug-eluting stent era. <i>American Journal of Cardiology</i> , 2014 , 114, 1658-62	3	24
491	Optimal dose of dabigatran for the prevention of thromboembolism with minimal bleeding risk in Korean patients with atrial fibrillation. <i>Europace</i> , 2017 , 19, iv1-iv9	3.9	23
490	5-Azacytidine modulates interferon regulatory factor 1 in macrophages to exert a cardioprotective effect. <i>Scientific Reports</i> , 2015 , 5, 15768	4.9	23
489	A case of torsade de pointes associated with hypopituitarism due to hemorrhagic fever with renal syndrome. <i>Journal of Korean Medical Science</i> , 2001 , 16, 355-9	4.7	23
488	Penetration of an artificial arterial thromboembolism in a live animal using an intravascular therapeutic microrobot system. <i>Medical Engineering and Physics</i> , 2016 , 38, 403-10	2.4	22
487	Fabrication and characteristics of dual functionalized vascular stent by spatio-temporal coating. <i>Acta Biomaterialia</i> , 2016 , 38, 143-52	10.8	22
486	Class I histone deacetylase inhibitor MS-275 attenuates vasoconstriction and inflammation in angiotensin II-induced hypertension. <i>PLoS ONE</i> , 2019 , 14, e0213186	3.7	21
485	Gender differences in the distal radial artery diameter for the snuffbox approach. <i>Cardiology Journal</i> , 2018 , 25, 639-641	1.4	21
484	Incidence, Implications, and Predictors of Stent Thrombosis in Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2016 , 117, 1562-1568	3	21
483	Impact of postdischarge statin withdrawal on long-term outcomes in patients with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2015 , 115, 1-7	3	20
482	Effect of polymer-free TiO ₂ stent coated with abciximab or alpha lipoic acid in porcine coronary restenosis model. <i>Journal of Cardiology</i> , 2014 , 64, 409-18	3	20
481	Comparison of phytoncide with sirolimus as a novel drug candidate for drug-eluting stent. <i>Biomaterials</i> , 2015 , 44, 1-10	15.6	20
480	Impact of low level of high-density lipoprotein-cholesterol sampled in overnight fasting state on the clinical outcomes in patients with acute myocardial infarction (difference between ST-segment and non-ST-segment-elevation myocardial infarction). <i>Journal of Cardiology</i> , 2015 , 65, 63-70	3	20

479	Impact of renin-angiotensin system inhibitors on long-term clinical outcomes in patients with acute myocardial infarction treated with successful percutaneous coronary intervention with drug-eluting stents: Comparison between STEMI and NSTEMI. <i>Atherosclerosis</i> , 2019 , 280, 166-173	3.1	20
478	Gentisic acid attenuates pressure overload-induced cardiac hypertrophy and fibrosis in mice through inhibition of the ERK1/2 pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5964-5977	5.6	20
477	Effects of ticagrelor on neointimal hyperplasia and endothelial function, compared with clopidogrel and prasugrel, in a porcine coronary stent restenosis model. <i>International Journal of Cardiology</i> , 2017 , 240, 326-331	3.2	19
476	Bone-forming peptide-2 derived from BMP-7 enhances osteoblast differentiation from multipotent bone marrow stromal cells and bone formation. <i>Experimental and Molecular Medicine</i> , 2017 , 49, e328	12.8	19
475	Differences in the Korea Acute Myocardial Infarction Registry Compared with Western Registries. <i>Korean Circulation Journal</i> , 2017 , 47, 811-822	2.2	19
474	Interactions between pro-inflammatory cytokines and statins on depression in patients with acute coronary syndrome. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 80, 250-254	5.5	19
473	Impact of Percutaneous Coronary Intervention for Chronic Total Occlusion in Non-Infarct-Related Arteries in Patients With Acute Myocardial Infarction (from the COREA-AMI Registry). <i>American Journal of Cardiology</i> , 2016 , 117, 1039-46	3	19
472	Clinical impact of thrombus aspiration during primary percutaneous coronary intervention: results from Korea Acute Myocardial Infarction Registry. <i>Journal of Cardiology</i> , 2012 , 59, 249-57	3	19
471	Relationships of Factors Affecting Self-care Compliance in Acute Coronary Syndrome Patients Following Percutaneous Coronary Intervention. <i>Asian Nursing Research</i> , 2013 , 7, 205-11	2.5	18
470	Prognostic Impact of β -Blocker Dose After Acute Myocardial Infarction. <i>Circulation Journal</i> , 2019 , 83, 410-417	2.9	18
469	Atrial Fibrillation on Admission Is Related With Higher Mortality in ST-Segment Elevation Myocardial Infarction Patients. <i>International Heart Journal</i> , 2017 , 58, 486-494	1.8	17
468	Comparison of prasugrel versus clopidogrel in Korean patients with acute myocardial infarction undergoing successful revascularization. <i>Journal of Cardiology</i> , 2018 , 71, 36-43	3	17
467	Relationship between time to treatment and mortality among patients undergoing primary percutaneous coronary intervention according to Korea Acute Myocardial Infarction Registry. <i>Journal of Cardiology</i> , 2017 , 69, 377-382	3	17
466	Comparison of non-vitamin K antagonist oral anticoagulants and warfarin on clinical outcomes in atrial fibrillation patients with renal dysfunction. <i>Europace</i> , 2015 , 17 Suppl 2, ii69-75	3.9	17
465	Successful management of intractable coronary spasm with a coronary stent. <i>Japanese Circulation Journal</i> , 2000 , 64, 897-900		17
464	Unguided de-escalation from ticagrelor to clopidogrel in stabilised patients with acute myocardial infarction undergoing percutaneous coronary intervention (TALOS-AMI): an investigator-initiated, open-label, multicentre, non-inferiority, randomised trial. <i>Lancet, The</i> , 2021 , 398, 1305-1316	4.0	17
463	Augmented re-endothelialization and anti-inflammation of coronary drug-eluting stent by abluminal coating with magnesium hydroxide. <i>Biomaterials Science</i> , 2019 , 7, 2499-2510	7.4	16
462	Involvement of miR-34c in high glucose-insulted mesenchymal stem cells leads to inefficient therapeutic effect on myocardial infarction. <i>Cellular Signalling</i> , 2015 , 27, 2241-51	4.9	16

461	Impact of female gender on bleeding complications after transradial coronary intervention (from the Korean Transradial Coronary Intervention registry). <i>American Journal of Cardiology</i> , 2014 , 113, 2002-6	3	16
460	Clinical Characteristics and Outcomes of Acute ST-Segment Elevation Myocardial Infarction in Younger Korean Adults. <i>Korean Circulation Journal</i> , 2015 , 45, 275-84	2.2	16
459	Relationship between neutrophil-to-lymphocyte ratio and plaque components in patients with coronary artery disease: virtual histology intravascular ultrasound analysis. <i>Journal of Korean Medical Science</i> , 2014 , 29, 950-6	4.7	16
458	The scientific achievements of the decades in Korean Acute Myocardial Infarction Registry. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 703-12	2.5	16
457	Effects of Statin Intensity on Clinical Outcome in Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2018 , 82, 1112-1120	2.9	15
456	The role of optical coherence tomography in the setting of acute myocardial infarction. <i>Journal of Cardiology</i> , 2018 , 72, 186-192	3	15
455	Angiotensin-converting enzyme inhibitors versus angiotensin II receptor blockers in acute ST-segment elevation myocardial infarction patients with diabetes mellitus undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2017 , 249, 48-54	3.2	15
454	Effects of combination therapy of statin and N-acetylcysteine for the prevention of contrast-induced nephropathy in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2016 , 212, 188-93	3.2	15
453	Histone deacetylase inhibitor LMK235 attenuates vascular constriction and aortic remodeling in hypertension. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 2801-2812	5.6	14
452	Carotid plaque rather than intima-media thickness as a predictor of recurrent vascular events in patients with acute ischemic stroke. <i>Cardiovascular Ultrasound</i> , 2017 , 15, 19	2.4	14
451	Gallic acid attenuates calcium calmodulin-dependent kinase II-induced apoptosis in spontaneously hypertensive rats. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 1517-1526	5.6	14
450	Circadian Distribution of Acute Myocardial Infarction in Different Age Groups. <i>American Journal of Cardiology</i> , 2018 , 121, 1279-1284	3	14
449	Effect of Pitavastatin Compared with Atorvastatin and Rosuvastatin on New-Onset Diabetes Mellitus in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018 , 122, 922-928 ³		14
448	Thyroid stimulating hormone elevation as a predictor of long-term mortality in patients with acute myocardial infarction. <i>Clinical Cardiology</i> , 2018 , 41, 1367-1373	3.3	14
447	Polymer-free sirolimus-eluting stents in a large-scale all-comers population. <i>Open Heart</i> , 2017 , 4, e000593		14
446	Preparation of a biocompatible stent surface by plasma polymerization followed by chemical grafting of drug compounds. <i>Journal of Materials Chemistry</i> , 2009 , 19, 3248		14
445	Comparison of Long-Term Clinical Outcome Between Multivessel Percutaneous Coronary Intervention Versus Infarct-Related Artery-Only Revascularization for Patients With ST-Segment-Elevation Myocardial Infarction With Cardiogenic Shock. <i>Journal of the American Heart Association</i> , 2019 , 8, e013870	6	14
444	Long-Term Clinical Outcomes of Transient and Persistent No Reflow Phenomena following Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2016 , 46, 490-8	2.2	13

443	Benefit of statin therapy in patients with coronary spasm-induced acute myocardial infarction. <i>Journal of Cardiology</i> , 2016 , 68, 7-12	3	13
442	Dendropanax morbifera Prevents Cardiomyocyte Hypertrophy by Inhibiting the Sp1/GATA4 Pathway. <i>The American Journal of Chinese Medicine</i> , 2018 , 46, 1021-1044	6	13
441	Progressive dilation of the left atrium and ventricle after acute myocardial infarction is associated with high mortality. <i>Korean Circulation Journal</i> , 2013 , 43, 731-8	2.2	13
440	Nitrogen-doped TiO ₂ films as drug-binding matrices for the preparation of drug-eluting stents. <i>Journal of Materials Chemistry</i> , 2011 , 21, 8169		13
439	Comparison Between Beta-Blockers with Angiotensin-Converting Enzyme Inhibitors and Beta-Blockers with Angiotensin II Type I Receptor Blockers in ST-Segment Elevation Myocardial Infarction After Successful Percutaneous Coronary Intervention with Drug-Eluting Stents. <i>Cardiovascular Drugs and Therapy</i> , 2019 , 33, 55-67	3.9	13
438	Intravascular modality-guided versus angiography-guided percutaneous coronary intervention in acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 95, 696-703	2.7	13
437	A rapamycin derivative, biolimus, preferentially activates autophagy in vascular smooth muscle cells. <i>Scientific Reports</i> , 2018 , 8, 16551	4.9	13
436	One-year clinical outcomes between biodegradable-polymer-coated biolimus-eluting stent and durable-polymer-coated drug-eluting stents in STEMI patients with multivessel coronary artery disease undergoing culprit-only or multivessel PCI. <i>Atherosclerosis</i> , 2019 , 284, 102-109	3.1	12
435	Impacts of non-recovery of trastuzumab-induced cardiomyopathy on clinical outcomes in patients with breast cancer. <i>Clinical Research in Cardiology</i> , 2019 , 108, 892-900	6.1	12
434	Three-year clinical outcomes of staged, ad hoc and culprit-only percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction and multivessel disease. <i>International Journal of Cardiology</i> , 2014 , 176, 505-7	3.2	12
433	Comparative assessment of angiotensin II type 1 receptor blockers in the treatment of acute myocardial infarction: surmountable vs. insurmountable antagonist. <i>International Journal of Cardiology</i> , 2014 , 170, 291-7	3.2	12
432	Regulation of MMP/TIMP by HUVEC transplantation attenuates ventricular remodeling in response to myocardial infarction. <i>Life Sciences</i> , 2014 , 101, 15-26	6.8	12
431	The Effect of Alpha Lipoic Acid(Thioctacid HR [®]) on Endothelial Function in Diabetic and Hypertensive Patients. <i>Korean Circulation Journal</i> , 2006 , 36, 559	2.2	12
430	Clinical outcome of statin plus ezetimibe versus high-intensity statin therapy in patients with acute myocardial infarction propensity-score matching analysis. <i>International Journal of Cardiology</i> , 2016 , 225, 50-59	3.2	12
429	Comparison of prescription rates and clinical outcomes in acute coronary syndrome patients who underwent percutaneous coronary intervention using different P2Y inhibitors in a large observational study. <i>International Journal of Cardiology</i> , 2019 , 274, 21-26	3.2	12
428	Association between body mass index and 1-year outcome after acute myocardial infarction. <i>PLoS ONE</i> , 2019 , 14, e0217525	3.7	11
427	Efficacy of cilostazol on inhibition of platelet aggregation, inflammation and myonecrosis in acute coronary syndrome patients undergoing percutaneous coronary intervention: The ACCEL-LOADING-ACS (ACCElERated Inhibition of Platelet Aggregation, Inflammation and Myonecrosis by Adjunctive Cilostazol Loading in Patients With Acute Coronary Syndrome) study.	3.2	11
426	Novel Polymer-Free Everolimus-Eluting Stent Fabricated using Femtosecond Laser Improves Re-endothelialization and Anti-inflammation. <i>Scientific Reports</i> , 2018 , 8, 7383	4.9	11

425	Impact of smoking on clinical outcomes in female patients with acute myocardial infarction. <i>Korean Circulation Journal</i> , 2015 , 45, 22-7	2.2	11
424	Angiopoietin-like 4 is involved in the poor angiogenic potential of high glucose-insulted bone marrow stem cells. <i>Korean Circulation Journal</i> , 2014 , 44, 177-83	2.2	11
423	Piceatannol attenuates cardiac hypertrophy in an animal model through regulation of the expression and binding of the transcription factor GATA binding factor 6. <i>FEBS Letters</i> , 2014 , 588, 1529-36	3.8	11
422	Feasibility of primary percutaneous coronary intervention via the distal radial approach in patients with ST-elevation myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, S53-S61	2.5	11
421	Differential Clinical Implications of High-Degree Atrioventricular Block Complicating ST-Segment Elevation Myocardial Infarction according to the Location of Infarction in the Era of Primary Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2016 , 46, 315-23	2.2	11
420	Real World Comparison of Rivaroxaban and Warfarin in Korean Patients with Atrial Fibrillation: Propensity Matching Cohort Analysis. <i>Chonnam Medical Journal</i> , 2019 , 55, 54-61	1.3	11
419	Comparison of the effects of two low-density lipoprotein cholesterol goals for secondary prevention after acute myocardial infarction in real-world practice: 50% reduction from baseline versus . <i>International Journal of Cardiology</i> , 2015 , 187, 478-85	3.2	10
418	Effects of age on arterial stiffness and blood pressure variables in patients with newly diagnosed untreated hypertension. <i>Korean Circulation Journal</i> , 2015 , 45, 44-50	2.2	10
417	Predictive and protective role of high-density lipoprotein cholesterol in acute myocardial infarction. <i>Cardiology Journal</i> , 2019 , 26, 176-185	1.4	10
416	Chemotherapy-Induced Left Ventricular Dysfunction in Patients with Breast Cancer. <i>Journal of Breast Cancer</i> , 2016 , 19, 402-409	3	10
415	Two-year outcomes of statin therapy in patients with acute myocardial infarction with or without dyslipidemia after percutaneous coronary intervention in the era of new-generation drug-eluting stents within Korean population: Data from the Korea Acute Myocardial Infarction Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 1264-1275	2.7	10
414	Manual thrombus aspiration during primary percutaneous coronary intervention: Impact of total ischemic time. <i>Journal of Cardiology</i> , 2017 , 69, 428-435	3	9
413	Air pollution and short-term clinical outcomes of patients with acute myocardial infarction. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017 , 44, 631-638	3	9
412	Prognostic Significance of Presenting Blood Pressure in Patients With ST-Elevation Myocardial Infarction Undergoing Percutaneous Coronary Intervention. <i>American Journal of Hypertension</i> , 2015 , 28, 797-805	2.3	9
411	Results of a 10-Year Experience in Korea Using Drug-Eluting Stents During Percutaneous Coronary Intervention for Acute Myocardial Infarction (from the Korea Acute Myocardial Infarction Registry). <i>American Journal of Cardiology</i> , 2018 , 122, 365-373	3	9
410	Bilirubin coating attenuates the inflammatory response to everolimus-coated stents. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018 , 106, 1486-1495	3.5	9
409	Different prognostic factors according to left ventricular systolic function in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2016 , 221, 90-6	3.2	9
408	QRS morphology and ventricular dyssynchrony in patients with chronic right ventricular pacing. <i>International Journal of Cardiology</i> , 2014 , 176, 962-8	3.2	9

407	Comparison of zotarolimus- and everolimus-eluting stents in patients with ST-elevation myocardial infarction and chronic kidney disease undergoing primary percutaneous coronary intervention. <i>Journal of Cardiology</i> , 2014 , 64, 273-8	3	9
406	Gallic acid attenuates pulmonary fibrosis in a mouse model of transverse aortic contraction-induced heart failure. <i>Vascular Pharmacology</i> , 2017 , 99, 74-82	5.9	9
405	Current Practice of Transradial Coronary Angiography and Intervention: Results from the Korean Transradial Intervention Prospective Registry. <i>Korean Circulation Journal</i> , 2015 , 45, 457-68	2.2	9
404	Cardioprotective effect of fimasartan, a new angiotensin receptor blocker, in a porcine model of acute myocardial infarction. <i>Journal of Korean Medical Science</i> , 2015 , 30, 34-43	4.7	9
403	Characteristics, in-hospital and long-term clinical outcomes of nonagenarian compared with octogenarian acute myocardial infarction patients. <i>Journal of Korean Medical Science</i> , 2014 , 29, 527-35	4.7	9
402	Histopathological Comparison among Biolimus, Zotarolimus and Everolimus-Eluting Stents in Porcine Coronary Restenosis Model. <i>Korean Circulation Journal</i> , 2013 , 43, 744-51	2.2	9
401	Predictive factors for the second restenosis after coronary interventions. <i>Catheterization and Cardiovascular Interventions</i> , 2000 , 50, 34-9	2.7	9
400	The Predictive Role of Serum Triglyceride to High-Density Lipoprotein Cholesterol Ratio According to Renal Function in Patients with Acute Myocardial Infarction. <i>PLoS ONE</i> , 2016 , 11, e0165484	3.7	9
399	Temporal trends and in-hospital outcomes of primary percutaneous coronary intervention in nonagenarians with ST-segment elevation myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2015 , 30, 821-8	2.5	9
398	Impact of Intravascular Ultrasound on Long-Term Clinical Outcomes in Patients With Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 2431-2443	5	9
397	Effects of prediabetes on long-term clinical outcomes of patients with acute myocardial infarction who underwent PCI using new-generation drug-eluting stents. <i>Diabetes Research and Clinical Practice</i> , 2020 , 160, 107994	7.4	9
396	Gender differences in risk factors and clinical outcomes in young patients with acute myocardial infarction. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 1057-1064	5.1	9
395	A novel polymer-free drug-eluting stent coated with everolimus using nitrogen-doped titanium dioxide film deposition in a porcine coronary restenosis model. <i>International Journal of Cardiology</i> , 2016 , 222, 436-440	3.2	9
394	Impact of stent generation on 2-year clinical outcomes in ST-segment elevation myocardial infarction patients with multivessel disease who underwent culprit-only or multivessel percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 95, E40-E55	2.7	9
393	The efficacy and safety of co-administration of fimasartan and rosuvastatin to patients with hypertension and dyslipidemia. <i>BMC Pharmacology & Toxicology</i> , 2017 , 18, 2	2.6	8
392	Benefit of Vasodilating B-blockers in Patients With Acute Myocardial Infarction After Percutaneous Coronary Intervention: Nationwide Multicenter Cohort Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	8
391	Time-dependent prognostic effect of high sensitivity C-reactive protein with statin therapy in acute myocardial infarction. <i>Journal of Cardiology</i> , 2019 , 74, 74-83	3	8
390	Prognostic Effects of Treatment Strategies for Left Main Versus Non-Left Main Bifurcation Percutaneous Coronary Intervention With Current-Generation Drug-Eluting Stent. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008543	6	8

389	Clinical impact of immediate invasive strategy in patients with non-ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2016 , 221, 937-43	3.2	8
388	Intravascular Ultrasound-Guided Percutaneous Coronary Intervention with Drug-eluting Stent for Unprotected Left Main Disease via Left Snuffbox Approach. <i>Korean Circulation Journal</i> , 2018 , 48, 532-533 ²	3.2	8
387	Angiotensin-Converting Enzyme Inhibitors Provide Better Long-Term Survival Benefits to Patients With AMI Than Angiotensin II Receptor Blockers After Survival Hospital Discharge. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2018 , 1074248418795897	2.6	8
386	Comparison of peri-procedural platelet inhibition with prasugrel versus adjunctive cilostazol to dual anti-platelet therapy in patients with ST segment elevation myocardial infarction. <i>Journal of Cardiology</i> , 2014 , 63, 99-105	3	8
385	Comparison of sirolimus loaded PLGA-PEG Co-polymer coronary stent and bare metal stent in a porcine coronary restenosis model. <i>Macromolecular Research</i> , 2014 , 22, 639-646	1.9	8
384	Impaired Diastolic Recovery after Acute Myocardial Infarction as a Predictor of Adverse Events. <i>Journal of Cardiovascular Imaging</i> , 2015 , 23, 150-7	0	8
383	Cardiac involvement of churg-strauss syndrome as a reversible cause of dilated cardiomyopathy. <i>Journal of Cardiovascular Imaging</i> , 2015 , 23, 40-3	0	8
382	Predictors of recurrent sudden cardiac death in patients associated with coronary vasospasm. <i>International Journal of Cardiology</i> , 2014 , 172, 460-1	3.2	8
381	Preparation of a dual-drug-eluting stent by grafting of ALA with abciximab on a bare metal stent. <i>Journal of Materials Chemistry</i> , 2009 , 19, 8135		8
380	D-dimer/troponin ratio in the differential diagnosis of acute pulmonary embolism from non-ST elevation myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 1263-1271	2.5	8
379	Ticagrelor versus clopidogrel in acute myocardial infarction patients with multivessel disease; From Korea Acute Myocardial Infarction Registry-National Institute of Health. <i>Journal of Cardiology</i> , 2020 , 75, 478-484	3	8
378	Long-Term Outcomes of Patients With Late Presentation of ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1859-1870	15.1	8
377	Angiotensin II type 1 receptor blockers as a first choice in patients with acute myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 267-76	2.5	8
376	Risk Scoring System for Prognosis Estimation of Multivessel Disease Among Patients with ST-Segment Elevation Myocardial Infarction. <i>International Heart Journal</i> , 2019 , 60, 708-714	1.8	7
375	Cilostazol-based triple versus potent P2Y12 inhibitor-based dual antiplatelet therapy in patients with acute myocardial infarction undergoing percutaneous coronary intervention. <i>Heart and Vessels</i> , 2020 , 35, 1181-1192	2.1	7
374	Effect of beta-blocker therapy in patients with or without left ventricular systolic dysfunction after acute myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 475-482	6.4	7
373	Blood Pressure Targets and Clinical Outcomes in Patients with Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2017 , 47, 446-454	2.2	7
372	Intramyocardial Injection of Stem Cells in Pig Myocardial Infarction Model: The First Trial in Korea. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1708-1712	4.7	7

371	Clinical outcomes of the intra-aortic balloon pump for resuscitated patients with acute myocardial infarction complicated by cardiac arrest. <i>Journal of Cardiology</i> , 2016 , 67, 57-63	3	7
370	Comparison of transradial and transfemoral coronary intervention in octogenarians with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2016 , 202, 419-24	3.2	7
369	Optimal Timing of Percutaneous Coronary Intervention for Nonculprit Vessel in Patients with ST-Segment Elevation Myocardial Infarction and Multivessel Disease. <i>Korean Circulation Journal</i> , 2017 , 47, 36-43	2.2	7
368	The Contemporary Use of Angiography and Revascularization Among Patients With Non-ST-Segment Elevation Myocardial Infarction in the United States Compared With South Korea. <i>Clinical Cardiology</i> , 2015 , 38, 708-14	3.3	7
367	The Relationship among N-Terminal Pro-B-Type Natriuretic Peptide, High-Sensitivity C-Reactive Protein and Infarct Size in Patients with Acute ST-Elevation Myocardial Infarction. <i>Korean Circulation Journal</i> , 2015 , 45, 285-93	2.2	7
366	The association of socioeconomic status with three-year clinical outcomes in patients with acute myocardial infarction who underwent percutaneous coronary intervention. <i>Journal of Korean Medical Science</i> , 2014 , 29, 536-43	4.7	7
365	Successful treatment of a ruptured subclavian artery aneurysm presenting as hemoptysis with a covered stent. <i>Chonnam Medical Journal</i> , 2014 , 50, 70-3	1.3	7
364	Effect of atorvastatin-eluting stents in a rabbit iliac artery restenosis model. <i>Chonnam Medical Journal</i> , 2013 , 49, 118-24	1.3	7
363	Curcumin Attenuates Nuclear Factor- κ B, c-Jun N-Terminal Kinase and p38 in Tumor Necrosis Factor- β -Stimulated Endothelial Cells. <i>Korean Circulation Journal</i> , 2006 , 36, 482	2.2	7
362	The Preventive Effect on In-Stent Restenosis of Overlapped Drug-Eluting Stents for Treating Diffuse Coronary Artery Disease. <i>Korean Circulation Journal</i> , 2006 , 36, 17	2.2	7
361	The Prognostic Significance of Statin Therapy According to the Level of C-Reactive Protein in Acute Myocardial Infarction Patients who Underwent Percutaneous Coronary Intervention. <i>Sunhwangji</i> , 2003 , 33, 891		7
360	A case of successful primary coronary intervention for the total occlusion of left main stem with the aid of abciximab. <i>Journal of Korean Medical Science</i> , 2001 , 16, 509-11	4.7	7
359	BDNF Methylation and Suicidal Ideation in Patients with Acute Coronary Syndrome. <i>Psychiatry Investigation</i> , 2018 , 15, 1094-1097	3.1	7
358	Selective HDAC8 Inhibition Attenuates Isoproterenol-Induced Cardiac Hypertrophy and Fibrosis via p38 MAPK Pathway. <i>Frontiers in Pharmacology</i> , 2021 , 12, 677757	5.6	7
357	Differential Benefit of Statin in Secondary Prevention of Acute Myocardial Infarction according to the Level of Triglyceride and High Density Lipoprotein Cholesterol. <i>Korean Circulation Journal</i> , 2016 , 46, 324-34	2.2	7
356	Interaction between BDNF val66met polymorphism and personality on long-term cardiac outcomes in patients with acute coronary syndrome. <i>PLoS ONE</i> , 2019 , 14, e0226802	3.7	7
355	Dual antiplatelet therapy beyond 12 months versus for 12 months after drug-eluting stents for acute myocardial infarction. <i>Journal of Cardiology</i> , 2020 , 75, 66-73	3	7
354	Practical guidance for P2Y12 inhibitors in acute myocardial infarction undergoing percutaneous coronary intervention. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 112-124	6.4	7

353	Benefit of Early Statin Initiation within 48 Hours after Admission in Statin-Naïve Patients with Acute Myocardial Infarction Undergoing Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2019 , 49, 419-433	2.2	6
352	Incidence of cardiac death and recurrent stent thrombosis after treatment for angiographically confirmed stent thrombosis. <i>Journal of Cardiology</i> , 2019 , 74, 267-272	3	6
351	Development of a novel drug-eluting stent consisting of an abluminal and luminal coating layer dual therapy system. <i>RSC Advances</i> , 2015 , 5, 40700-40707	3.7	6
350	Clopidogrel versus Aspirin after Dual Antiplatelet Therapy in Acute Myocardial Infarction Patients Undergoing Drug-Eluting Stenting. <i>Korean Circulation Journal</i> , 2020 , 50, 120-129	2.2	6
349	Effect of the Metabolic Syndrome on Outcomes in Patients Aged 50 Years With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018 , 122, 192-198	3	6
348	Serum Copeptin Levels Predict Clinical Outcomes After Successful Percutaneous Coronary Intervention in Patients With Acute Myocardial Infarction. <i>Annals of Laboratory Medicine</i> , 2018 , 38, 538-544	3.1	6
347	Serotonin Transporter Gene Association Between Anxiety and Long-Term Cardiac Outcomes in Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 2706-2707	15.1	6
346	Impact of high admission blood pressure without history of hypertension on clinical outcomes of patients with acute myocardial infarction: from Korea Acute Myocardial Infarction Registry. <i>International Journal of Cardiology</i> , 2014 , 172, e54-8	3.2	6
345	Clinical impact of early intervention in octogenarians with non-ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2014 , 172, 462-4	3.2	6
344	Impact of patients' arrival time on the care and in-hospital mortality in patients with non-ST-elevation myocardial infarction. <i>American Journal of Cardiology</i> , 2014 , 113, 262-9	3	6
343	Relation between renal function and neointimal tissue characteristics after drug-eluting stent implantation: virtual histology-intravascular ultrasound analysis. <i>Journal of Cardiology</i> , 2014 , 64, 98-104	3	6
342	Contemporary Trends of Optimal Evidence-Based Medical Therapy at Discharge for Patients Surviving Acute Myocardial Infarction From the Korea Acute Myocardial Infarction Registry. <i>Clinical Cardiology</i> , 2015 , 38, 350-6	3.3	6
341	Comparison of second-generation drug-eluting versus bare-metal stents in octogenarian patients with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2014 , 177, 1081-4	3.2	6
340	CHA2DS2-VASc scoring system as an initial method for screening high-risk patients in acute myocardial infarction. <i>International Journal of Cardiology</i> , 2014 , 174, 777-80	3.2	6
339	One-year clinical impact of cardiac arrest in patients with first onset acute ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2014 , 175, 147-53	3.2	6
338	Fabrication and controlled release of electrosprayed ReoPro-loaded metal surface for vascular stent. <i>Macromolecular Research</i> , 2011 , 19, 501-506	1.9	6
337	The Inhibitory Effects of Platelet Glycoprotein IIb/IIIa Receptor Blocker-Coated Stent on Neointima Formation and Inflammatory Response in Porcine Coronary Stent Restenosis. <i>Sunhwangji</i> , 2003 , 33, 439		6
336	Comparing High-Intensity Versus Low-to Moderate-Intensity Statin Therapy in Korean Patients with Acute Myocardial Infarction. <i>Journal of Lipid and Atherosclerosis</i> , 2014 , 3, 97	3	6

335	Comparison of clinical outcomes between culprit vessel only and multivessel percutaneous coronary intervention for ST-segment elevation myocardial infarction patients with multivessel coronary diseases. <i>Journal of Geriatric Cardiology</i> , 2015 , 12, 208-17	1.7	6
334	2020 Korean Society of Myocardial Infarction Expert Consensus Document on Pharmacotherapy for Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2020 , 50, 845-866	2.2	6
333	Predictors of reversible severe functional tricuspid regurgitation in patients with atrial fibrillation. <i>Journal of Cardiology</i> , 2016 , 68, 419-425	3	6
332	Comparison of 1-year clinical outcomes between prasugrel and ticagrelor versus clopidogrel in type 2 diabetes patients with acute myocardial infarction underwent successful percutaneous coronary intervention. <i>Medicine (United States)</i> , 2019 , 98, e14833	1.8	6
331	Radial Versus Femoral Access With or Without Vascular Closure Device in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2019 , 123, 742-749	3	6
330	Which is the worst risk factor for the long-term clinical outcome? Comparison of long-term clinical outcomes between antecedent hypertension and diabetes mellitus in South Korean acute myocardial infarction patients after stent implantation. <i>Journal of Diabetes</i> , 2020 , 12, 119-133	3.8	6
329	Clinical characteristics of spontaneous coronary artery dissection in young female patients with acute myocardial infarction in Korea. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 106-113	2.5	6
328	Comparison of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers in patients with diabetes mellitus and non-ST-segment elevation myocardial infarction who underwent successful percutaneous coronary intervention. <i>Atherosclerosis</i> , 2018 , 277, 130-135	3.1	6
327	In vitro and in vivo evaluation of a novel polymer-free everolimus-eluting stent by nitrogen-doped titanium dioxide film deposition. <i>Materials Science and Engineering C</i> , 2018 , 91, 615-623	8.3	6
326	Comparison of Fixed-dose Combinations of Amlodipine/Losartan Potassium/Chlorthalidone and Amlodipine/Losartan Potassium in Patients With Stage 2 Hypertension Inadequately Controlled With Amlodipine/Losartan Potassium: A Randomized, Double-blind, Multicenter, Phase III Study. <i>Clinical Therapeutics</i> , 2017 , 39, 2049-2060	3.5	5
325	A comparison between statin with ACE inhibitor or ARB therapy in STEMI patients who underwent successful PCI with drug-eluting stents. <i>Atherosclerosis</i> , 2019 , 289, 109-117	3.1	5
324	Association between pulse pressure at discharge and clinical outcomes in patients with acute myocardial infarction: From the KAMIR-Korean-NIH registry. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 774-785	2.3	5
323	Comparison of Resolute zotarolimus-eluting stents versus everolimus-eluting stents in patients with metabolic syndrome and acute myocardial infarction: propensity score-matched analysis. <i>International Journal of Cardiology</i> , 2015 , 199, 53-62	3.2	5
322	24-Hour blood pressure response to lower dose (30 mg) fimasartan in Korean patients with mild to moderate essential hypertension. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 1025-1036	2.5	5
321	Clinical Outcomes according to the Achievement of Target Low Density Lipoprotein-Cholesterol in Patients with Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2017 , 47, 31-35	2.2	5
320	Comparison of Transradial and Transfemoral Approaches for Percutaneous Coronary Intervention in Patients With Acute Coronary Syndrome and Anemia. <i>American Journal of Cardiology</i> , 2016 , 117, 1582-1587	3.1587	5
319	Comparison of Clinical Outcomes Between Ticagrelor and Prasugrel in Patients With ST-Segment Elevation Myocardial Infarction - Results From the Korea Acute Myocardial Infarction Registry-National Institutes of Health. <i>Circulation Journal</i> , 2018 , 82, 1866-1873	2.9	5
318	Cardioprotective effect of substance P in a porcine model of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2018 , 271, 228-232	3.2	5

317	Determinants of quality of life in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2014 , 172, e300-2	3.2	5
316	Expression of Class I and Class II a/b Histone Deacetylase is Dysregulated in Hypertensive Animal Models. <i>Korean Circulation Journal</i> , 2017 , 47, 392-400	2.2	5
315	The Clinical Effect of Intracoronary Adenosine and Nicorandil on No-reflow in Acute Myocardial Infarction during Percutaneous Coronary Intervention. <i>Sunhwangji</i> , 2004 , 34, 258		5
314	The Effects of Mesenchymal Stem Cells Transduced with Akt in a Porcine Myocardial Infarction Model. <i>Korean Circulation Journal</i> , 2005 , 35, 734	2.2	5
313	Successful Coronary Stent Implantation Using Local Nitric Oxide Donor Delivery. <i>Journal of Interventional Cardiology</i> , 2000 , 13, 191-195	1.8	5
312	Huge calcified aneurysm of the sinus of Valsalva. <i>Japanese Circulation Journal</i> , 2001 , 65, 239-41		5
311	Dyslipidemia and Rate of Under-Target Low-Density Lipoprotein-Cholesterol in Patients with Coronary Artery Disease in Korea. <i>Journal of Lipid and Atherosclerosis</i> , 2019 , 8, 242-251	3	5
310	Genetic predisposition toward suicidal ideation in patients with acute coronary syndrome. <i>Oncotarget</i> , 2017 , 8, 94951-94958	3.3	5
309	The contribution of gender and age on early and late mortality following ST-segment elevation myocardial infarction: results from the Korean Acute Myocardial Infarction National Registry with Registries. <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 205-214	1.7	5
308	Pre-hospital delay and emergency medical services in acute myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 119-132	2.5	5
307	Comparison of short-term clinical outcomes between Resolute Onyx zotarolimus-eluting stents and everolimus-eluting stent in patients with acute myocardial infarction: Results from the Korea Acute Myocardial infarction Registry (KAMIR). <i>Cardiology Journal</i> , 2019 , 26, 469-476	1.4	5
306	Machine learning enhances the performance of short and long-term mortality prediction model in non-ST-segment elevation myocardial infarction. <i>Scientific Reports</i> , 2021 , 11, 12886	4.9	5
305	Prednisolone- and sirolimus-eluting stent: Anti-inflammatory approach for inhibiting in-stent restenosis. <i>Journal of Biomaterials Applications</i> , 2016 , 31, 36-44	2.9	5
304	Gentisic acid prevents the transition from pressure overload-induced cardiac hypertrophy to heart failure. <i>Scientific Reports</i> , 2019 , 9, 3018	4.9	5
303	Nature-inspired rollable electronics. <i>NPG Asia Materials</i> , 2019 , 11,	10.3	5
302	Two-year clinical outcomes of zotarolimus- and everolimus-eluting durable-polymer-coated stents versus biolimus-eluting biodegradable-polymer-coated stent in patients with acute myocardial infarction with dyslipidemia after percutaneous coronary intervention: data from the KAMIR. <i>Heart and Vessels</i> , 2019 , 34, 237-250	2.1	5
301	Association of baseline platelet count with all-cause mortality after acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 2048872620925257	4.3	5
300	2021 Korean Society of Myocardial Infarction Expert Consensus Document on Revascularization for Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2021 , 51, 289-307	2.2	5

299	Statin has more protective effects in AMI patients with higher plasma BNP or NT-proBNP level, but not with lower left ventricular ejection fraction. <i>Journal of Cardiology</i> , 2018 , 71, 375-381	3	5
298	Effects of Ivabradine on Left Ventricular Systolic Function and Cardiac Fibrosis in Rat Myocardial Ischemia-Reperfusion Model. <i>Chonnam Medical Journal</i> , 2018 , 54, 167-172	1.3	5
297	Utility of GRACE and ACUITY-HORIZONS risk scores to guide dual antiplatelet therapy in Korean patients with acute myocardial infarction undergoing drug-eluting stenting. <i>Journal of Cardiology</i> , 2018 , 72, 411-419	3	5
296	Long-term Prognosis and Clinical Characteristics of Patients with Newly Diagnosed Diabetes Mellitus Detected after First Acute Myocardial Infarction: from KAMIR-NIH Registry. <i>Korean Circulation Journal</i> , 2018 , 48, 134-147	2.2	5
295	Persistent Renal Dysfunction After Percutaneous Coronary Intervention in Patients With Acute Myocardial Infarction. <i>Angiology</i> , 2017 , 68, 159-167	2.1	4
294	Effect of renin-angiotensin system inhibitors on major clinical outcomes in patients with acute myocardial infarction and prediabetes or diabetes after successful implantation of newer-generation drug-eluting stents. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107574	3.2	4
293	Effect of Stents Coated with Artemisinin or Dihydroartemisinin in a Porcine Coronary Restenosis Model. <i>Korean Circulation Journal</i> , 2017 , 47, 115-122	2.2	4
292	Efficacy and safety of pitavastatin in patients with acute myocardial infarction: Livalo in Acute Myocardial Infarction Study (LAMIS) II. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 656-667	2.5	4
291	Optimal Timing of Percutaneous Coronary Intervention in Patients With Non-ST-Segment Elevation Myocardial Infarction Complicated by Acute Decompensated Heart Failure (from the Korea Acute Myocardial Infarction Registry-National Institutes of Health [KAMIR-NIH]). <i>American Journal of Cardiology</i> , 2018 , 121, 1285-1292	3	4
290	Hydrophilic surface modification of coronary stent using an atmospheric pressure plasma jet for endothelialization. <i>Journal of Biomaterials Applications</i> , 2018 , 32, 1083-1089	2.9	4
289	Comparison of Frequency of Bleeding and Major Adverse Cardiac Events After Transradial Versus Transfemoral Intervention in the Recent Antiplatelet Era. <i>American Journal of Cardiology</i> , 2016 , 117, 1588-1595	3	4
288	Efficacy and safety of azilsartan medoxomil, an angiotensin receptor blocker, in Korean patients with essential hypertension. <i>Clinical Hypertension</i> , 2018 , 24, 2	4.8	4
287	Impact of Suicidal Ideation on Long-Term Cardiac Outcomes in Patients with Acute Coronary Syndrome: Sex-Specific Differences. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 311-312	9.4	4
286	Social support deficit and depression treatment outcomes in patients with acute coronary syndrome: Findings from the EsDEPACS study. <i>International Journal of Psychiatry in Medicine</i> , 2019 , 54, 39-52	1	4
285	Modifying effects of depression on the association between BDNF methylation and prognosis of acute coronary syndrome. <i>Brain, Behavior, and Immunity</i> , 2019 , 81, 422-429	16.6	4
284	Characteristics of hypertension subtypes and treatment outcome among elderly Korean hypertensives. <i>Journal of the American Society of Hypertension</i> , 2014 , 8, 246-53		4
283	Clinical outcomes of everolimus- and zotarolimus-eluting stents in patients with acute myocardial infarction for small coronary artery disease. <i>Journal of Cardiology</i> , 2014 , 63, 409-17	3	4
282	Percutaneous Retrieval of Embolized Amplatzer Septal Occluder after Treatment of Double Atrial Septal Defect: A Case Report. <i>Journal of Korean Medical Science</i> , 2015 , 30, 1361-6	4.7	4

281	Coronary artery fistula with giant aneurysm and coronary stenosis treated by transcatheter embolization and stent. <i>Korean Circulation Journal</i> , 2015 , 45, 245-7	2.2	4
280	The Prognostic Value of the Left Ventricular Ejection Fraction Is Dependent upon the Severity of Mitral Regurgitation in Patients with Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2015 , 30, 903-10	4.7	4
279	Clinical impacts of high-sensitivity C-reactive protein reduction for secondary prevention in Asian patients with one-year survivor after acute myocardial infarction. <i>International Journal of Cardiology</i> , 2015 , 193, 20-2	3.2	4
278	Impact of non-chest pain complaint as a presenting symptom on door-to-balloon time and clinical outcomes in patients with acute ST-elevation myocardial infarction. <i>American Journal of Cardiology</i> , 2014 , 114, 1801-9	3	4
277	The Role of Nuclear Factor Kappa B Activation in Atherosclerosis and Ischemic Cardiac Injury. <i>Korean Circulation Journal</i> , 2006 , 36, 245	2.2	4
276	The Evolving Role of Platelet Glycoprotein IIb/IIIa Inhibitor in Acute Coronary Syndrome. <i>Sunhwangji</i> , 2000 , 30, 890		4
275	The Rescue Use of A Platelet Glycoprotein IIb/IIIa Receptor Blocker (Abciximab; Reo-Pro) in High-Risk Patients with Acute Myocardial Infarction Underwent Percutaneous Coronary Intervention. <i>Sunhwangji</i> , 2001 , 31, 492		4
274	Long-term clinical outcome between beta-blocker with ACEI or ARB in patients with NSTEMI who underwent PCI with drug-eluting stents. <i>Journal of Geriatric Cardiology</i> , 2019 , 16, 280-290	1.7	4
273	Prognostic significance of non-chest pain symptoms in patients with non-ST-segment elevation myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 1111-1118	2.5	4
272	Successful primary percutaneous coronary intervention in patient with ST-segment elevation myocardial infarction via left snuffbox approach: Patient advantages. <i>Cardiology Journal</i> , 2019 , 26, 198-199	1.4	4
271	Anti-restenotic and anti-thrombotic effect of polymer-free N-TiO ₂ film-based tacrolimus-eluting stent in a porcine model. <i>Materials Today Communications</i> , 2020 , 22, 100777	2.5	4
270	The effects of patient personality traits and family cohesion on the treatment delay for patients with first-episode schizophrenia spectrum disorder. <i>Microbial Biotechnology</i> , 2021 , 15, 889-895	3.3	4
269	Effects of stent generation on clinical outcomes after acute myocardial infarction compared between prediabetes and diabetes patients. <i>Scientific Reports</i> , 2021 , 11, 9364	4.9	4
268	The learning curve of the distal radial access for coronary intervention. <i>Scientific Reports</i> , 2021 , 11, 13217	4.9	4
267	A comparison of the impact of current smoking on 2-year major clinical outcomes of first- and second-generation drug-eluting stents in acute myocardial infarction: Data from the Korea Acute Myocardial Infarction Registry. <i>Medicine (United States)</i> , 2019 , 98, e14797	1.8	4
266	University athletes and changes in cardiac geometry: insight from the 2015 Gwangju Summer Universiade. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 407-416	4.1	4
265	Association of potent P2Y ₁₂ blockers with ischemic and bleeding outcomes in non-ST-segment elevation myocardial infarction. <i>Journal of Cardiology</i> , 2019 , 73, 142-150	3	4
264	HDAC5 inhibition reduces angiotensin II-induced vascular contraction, hypertrophy, and oxidative stress in a mouse model. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 134, 111162	7.5	4

263	Impact of current smoking on 2-year clinical outcomes between durable-polymer-coated stents and biodegradable-polymer-coated stents in acute myocardial infarction after successful percutaneous coronary intervention: Data from the KAMIR. <i>PLoS ONE</i> , 2018 , 13, e0205046	3.7	4
262	A new risk score for ventricular tachyarrhythmia in acute myocardial infarction with preserved left ventricular ejection fraction. <i>Journal of Cardiology</i> , 2018 , 72, 420-426	3	4
261	Protocatechuic acid attenuates isoproterenol-induced cardiac hypertrophy via downregulation of ROCK1-Sp1-PKC β axis. <i>Scientific Reports</i> , 2021 , 11, 17343	4.9	4
260	Recannulation of Distal Radial Artery for Staged Procedure After Successful Primary Percutaneous Coronary Intervention. <i>Journal of Invasive Cardiology</i> , 2018 , 30, E105-E106	0.7	4
259	Comparison of Resolute zotarolimus-eluting and Xience everolimus-eluting stents in patients with de novo long coronary artery lesions: a randomized LONG-DES VI trial. <i>Coronary Artery Disease</i> , 2019 , 30, 59-66	1.4	3
258	Predictors of In-Hospital Mortality in Korean Patients with Acute Myocardial Infarction. <i>Chonnam Medical Journal</i> , 2019 , 55, 40-46	1.3	3
257	Culprit-only versus multivessel or complete versus incomplete revascularization in patients with non-ST-segment elevation myocardial infarction and multivessel disease who underwent successful percutaneous coronary intervention using newer-generation drug-eluting stents. <i>Atherosclerosis</i> , 2020 , 301, 54-64	3.1	3
256	Development of Novel Drug-Eluting Stents for Acute Myocardial Infarction. <i>Chonnam Medical Journal</i> , 2017 , 53, 187-195	1.3	3
255	The Control of Drug Release and Vascular Endothelialization after Hyaluronic Acid-Coated Paclitaxel Multi-Layer Coating Stent Implantation in Porcine Coronary Restenosis Model. <i>Korean Circulation Journal</i> , 2017 , 47, 123-131	2.2	3
254	Left Ventricular Longitudinal Strain and Strain Rate Values According to Sex and Classifications of Sports in the Young University Athletes Who Participated in the 2015 Gwangju Summer Universiade. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 1719-1721	8.4	3
253	Influence of obesity and metabolic syndrome on clinical outcomes of ST-segment elevation myocardial infarction in men undergoing primary percutaneous coronary intervention. <i>Journal of Cardiology</i> , 2018 , 72, 328-334	3	3
252	Reverse Left Ventricular Remodelling in ST-Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention: Incidence, Predictors, and Impact on Outcome. <i>Heart Lung and Circulation</i> , 2018 , 27, 154-164	1.8	3
251	Comparisons of Clinical and Procedural Outcomes Between Transradial and Transfemoral Approaches in Percutaneous Coronary Intervention (from the Korean Transradial Intervention Prospective Registry). <i>American Journal of Cardiology</i> , 2016 , 117, 1272-81	3	3
250	Longitudinal associations of stressful life events and social support deficits with later functioning in patients with acute coronary syndrome: Social factors for functioning in ACS. <i>Journal of Affective Disorders</i> , 2019 , 256, 560-566	6.6	3
249	3D-printed biodegradable polymeric stent integrated with a battery-less pressure sensor for biomedical applications 2017 ,		3
248	Evaluation of ion implantation for anti-thrombogenic coronary stent in vitro and in vivo. <i>Journal of Industrial and Engineering Chemistry</i> , 2017 , 54, 290-297	6.3	3
247	Impact of renal function on changes of plaque characteristics in non-intervened coronary segments after rosuvastatin treatment in patients with angina pectoris and hypertension. <i>International Journal of Cardiology</i> , 2015 , 187, 286-7	3.2	3
246	Pheochromocytoma as a rare hidden cause of inverted stress cardiomyopathy. <i>Journal of Cardiovascular Imaging</i> , 2014 , 22, 80-3	0	3

245	Morphological property and in vitro enzymatic degradation of modified chitosan as a scaffold. <i>Macromolecular Research</i> , 2011 , 19, 1250-1256	1.9	3
244	The Long-Term Clinical Results of a Platelet Glycoprotein IIb/IIIa Receptor Blocker (Abciximab : ReoPro [®]) Coated Stent in Patients with Acute Myocardial Infarction. <i>Sunhwangji</i> , 2004 , 34, 1063		3
243	Early outcome and Restenosis rate after Coronary Artery Stenting in the Elderly. <i>Sunhwangji</i> , 2001 , 31, 31		3
242	A case of prominent epicardial fat mimicking a tumor on echocardiography. <i>Journal of Korean Medical Science</i> , 1999 , 14, 571-4	4.7	3
241	Clinical Outcomes in Patients With Delayed Hospitalization for Non-ST-Segment Elevation Myocardial Infarction.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 311-323	15.1	3
240	One-Year Clinical Outcomes between Single- versus Multi-Staged PCI for ST Elevation Myocardial Infarction with Multi-Vessel Coronary Artery Disease: from Korea Acute Myocardial Infarction Registry-National Institute of Health (KAMIR-NIH). <i>Korean Circulation Journal</i> , 2020 , 50, 220-233	2.2	3
239	A case of myocardial involvement in lung cancer that mimics ST segment elevation in myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 525-8	2.5	3
238	The Usefulness of Cardiac Troponin as a Marker for the Detection of Minor Myocardial Injury Following Percutaneous Coronary Intervention. <i>Sunhwangji</i> , 2002 , 32, 413		3
237	Impact of Anticoagulation Intensity in Korean Patients with Atrial Fibrillation: Is It Different from Western Population?. <i>Korean Circulation Journal</i> , 2020 , 50, 163-175	2.2	3
236	Very late stent thrombosis derived from thin-cap neoatheroma and fibroatheroma with plaque rupture assessed by optical coherence tomography. <i>Cardiology Journal</i> , 2017 , 24, 704-705	1.4	3
235	Assessment for ambiguous angiographic finding in patient with acute myocardial infarction by optical coherence tomography. <i>Cardiology Journal</i> , 2018 , 25, 536-537	1.4	3
234	The Frequency, Treatment and Clinical Outcomes of Stent Thrombosis after Use of TAXUS [®] Stent. <i>Korean Circulation Journal</i> , 2007 , 37, 641	2.2	3
233	A Fatal Case of Simultaneous, Very Late Thrombosis Involving Three Drug-Eluting Stents in Three Coronary Arteries. <i>Korean Circulation Journal</i> , 2008 , 38, 564	2.2	3
232	Coronary Circulatory Indexes in Non-Infarct-Related Vascular Territories in a Porcine Acute Myocardial Infarction Model. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 1155-1167	5	3
231	Multivessel percutaneous coronary intervention in patients with acute myocardial infarction and severe renal dysfunction. <i>EuroIntervention</i> , 2019 , 15, e1014-e1021	3.1	3
230	ACE Inhibitors Versus ARBs in Patients With NSTEMI With Preserved LV Systolic Function Who Underwent PCI With New Generation Drug-Eluting Stents. <i>Angiology</i> , 2020 , 71, 139-149	2.1	3
229	Long-Term Outcomes of Biodegradable Versus Second-Generation Durable Polymer Drug-Eluting Stent Implantations for Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 97-111	5	3
228	One-year clinical outcomes after sirolimus-eluting coronary stent implantation in diabetics enrolled in the worldwide e-SELECT registry. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 52-62	2.7	3

227	Methylation of the glucocorticoid receptor gene associated with depression in patients with acute coronary syndrome. <i>Psychoneuroendocrinology</i> , 2019 , 101, 42-49	5	3
226	Effects of a Titanium Dioxide Thin Film for Improving the Biocompatibility of Diamond-Like Coated Coronary Stents. <i>Metals and Materials International</i> , 2020 , 26, 1455-1462	2.4	3
225	Registration of angiographic image on real-time fluoroscopic image for image-guided percutaneous coronary intervention. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2018 , 13, 203-213	3.9	3
224	Safety and Efficacy of the Endeavor Resolute [®] Stent in Patients with Multivessel Disease: The HEART (Honam EndeAvor ResoluTe) Prospective, Multicenter Trial. <i>Chonnam Medical Journal</i> , 2018 , 54, 55-62	1.3	3
223	Optimal hemostasis duration for percutaneous coronary intervention via the snuffbox approach: A prospective, multi-center, observational study (HEMOBOX). <i>International Journal of Cardiology</i> , 2021 , 338, 79-82	3.2	3
222	Comparison of Two-Year Outcomes of Acute Myocardial Infarction Caused by Coronary Artery Spasm Versus that Caused by Coronary Atherosclerosis. <i>American Journal of Cardiology</i> , 2019 , 124, 1493-1500	3	2
221	Usefulness of Calculation of Cardiovascular Risk Factors to Predict Outcomes in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2019 , 124, 857-863	3	2
220	Therapeutic Effect of Fimasartan in a Rat Model of Myocardial Infarction Evaluated by Cardiac Positron Emission Tomography with [F]FPTP. <i>Chonnam Medical Journal</i> , 2019 , 55, 109-115	1.3	2
219	Successful Drug-Eluting Stent Overexpansion with Intravascular Ultrasound Guidance for Left Main Bifurcation Lesion Via Left Snuffbox Approach. <i>Chonnam Medical Journal</i> , 2019 , 55, 66-67	1.3	2
218	Clinical Outcomes at 2 Years Between Beta-Blockade with ACE Inhibitors or ARBs in Patients with AMI Who Underwent Successful PCI with DES: A Retrospective Analysis of 23,978 Patients in the Korea AMI Registry. <i>American Journal of Cardiovascular Drugs</i> , 2019 , 19, 403-414	4	2
217	Randomized Comparison of Everolimus- and Zotarolimus-Eluting Coronary Stents With Biolimus-Eluting Stents in All-Corner Patients. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008525	6	2
216	Unrestricted use of polymer-free sirolimus eluting stents in routine clinical practice. <i>Medicine (United States)</i> , 2020 , 99, e19119	1.8	2
215	Clinical Impact of Atypical Chest Pain and Diabetes Mellitus in Patients with Acute Myocardial Infarction from Prospective KAMIR-NIH Registry. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
214	Mechanical and physio-biological properties of peptide-coated stent for re-endothelialization. <i>Biomaterials Research</i> , 2020 , 24, 4	16.8	2
213	Polymer-free sirolimus-eluting stent use in Europe and Asia: Ethnic differences in demographics and clinical outcomes. <i>PLoS ONE</i> , 2020 , 15, e0226606	3.7	2
212	Real-World Dual Antiplatelet Therapy Following Polymer-Free Sirolimus-Eluting Stent Implantations to Treat Coronary Artery Disease. <i>Cardiovascular Drugs and Therapy</i> , 2020 , 34, 335-344	3.9	2
211	Synergistic effects of depression and NR3C1 methylation on prognosis of acute coronary syndrome. <i>Scientific Reports</i> , 2020 , 10, 5519	4.9	2
210	Comparison of the planned one- and elective two-stent techniques in patients with coronary bifurcation lesions with or without acute coronary syndrome from the COBIS II Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 1050-1060	2.7	2

209	Impact of Complete Revascularization on Six-Year Clinical Outcomes and Incidence of Acute Decompensated Heart Failure in Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2018 , 121, 544-551	3	2
208	Twelve-month clinical outcomes of acute non-ST versus ST-segment elevation myocardial infarction patients with reduced preprocedural thrombolysis in myocardial infarction flow undergoing percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2018 , 29, 416-422	1.4	2
207	Predictors of Left Ventricular Functional Recovery and Their Impact on Clinical Outcomes in Patients With Newly Diagnosed Dilated Cardiomyopathy and Heart Failure. <i>Heart Lung and Circulation</i> , 2018 , 27, 41-49	1.8	2
206	Risk Scoring System to Assess Outcomes in Patients Treated with Contemporary Guideline-Adherent Optimal Therapies after Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2018 , 48, 492-504	2.2	2
205	Snuffbox Approach for Coronary Chronic Total Occlusion Intervention Using a 7-French Sheath. <i>Chonnam Medical Journal</i> , 2019 , 55, 175-176	1.3	2
204	Effect of pretreatment of ezetimibe/simvastatin on arterial healing and endothelialization after drug-eluting stent implantation in a porcine coronary restenosis model. <i>Korean Circulation Journal</i> , 2015 , 45, 110-6	2.2	2
203	Therapeutic intravascular microrobot through compensation of resistance and mutual inductance in electromagnetic actuation system. <i>International Journal of Control, Automation and Systems</i> , 2015 , 13, 1465-1475	2.9	2
202	Current Status of Coronary Intervention in Patients with ST-Segment Elevation Myocardial Infarction and Multivessel Coronary Artery Disease. <i>Korean Circulation Journal</i> , 2014 , 44, 131-8	2.2	2
201	Unusual cause of heart failure: Mitral stenosis and pulmonary venous obstructions caused by the direct invasion of primary cardiac sarcoma. <i>Journal of Cardiology Cases</i> , 2012 , 6, e150-e153	0.6	2
200	Sequential development of cardiac tamponade and subacute stent thrombosis after primary percutaneous coronary intervention for acute ST-segment elevation myocardial infarction: A case report. <i>Journal of Cardiology Cases</i> , 2010 , 1, e75-e79	0.6	2
199	A Case of Coronary Air Embolism of the Left Coronary Arteries that Manifested as Cardiogenic Shock. <i>Korean Circulation Journal</i> , 2007 , 37, 334	2.2	2
198	Clinical Features and Long-Term Clinical Outcomes of Adult Atrial Septal Defects. <i>Korean Circulation Journal</i> , 2006 , 36, 695	2.2	2
197	The Effect of the Probucol-Loaded BiodivYsio™ DD Stent on Inhibition of Neointimal Proliferation in Porcine Coronary Stent Restenosis Model. <i>Sunhwanggi</i> , 2003 , 33, 1028		2
196	The Long-Term Clinical Outcomes of Low Molecular Weight Heparin Combined with Platelet Glycoprotein IIb/IIIa Inhibitor in Patients with Acute Coronary Syndrome. <i>Sunhwanggi</i> , 2003 , 33, 559		2
195	The Changes of Fractional Flow Reserve after Intracoronary Nitrate and Nicorandil Injection in Coronary Artery Ectasia. <i>Sunhwanggi</i> , 2003 , 33, 37		2
194	Successful Stent Grafting for a Coronary Aneurysm. <i>Sunhwanggi</i> , 2004 , 34, 507		2
193	New Drug-Eluting Stents. <i>Korean Circulation Journal</i> , 2005 , 35, 197	2.2	2
192	Long-Term Clinical Follow-up in A Case of Takayasu's Arteritis Involving the Ostium of Left Coronary Artery after Ostioplasty. <i>Sunhwanggi</i> , 2001 , 31, 246		2

191	The Effects of Serum Homocysteine on the Restenosis after Percutaneous Coronary Intervention. <i>Sunhwangji</i> , 2001 , 31, 560		2
190	Effects of Statin Therapy on Clinical Outcomes of Survivors of Acute Myocardial Infarction with Severe Systolic Heart Failure. <i>PLoS ONE</i> , 2015 , 10, e0144602	3.7	2
189	Optical Coherence Tomography Findings of Non-ST Elevation Myocardial Infarction with Multivessel Disease. <i>Korean Circulation Journal</i> , 2020 , 50, 88-90	2.2	2
188	Incremental age-related one-year MACCE after acute myocardial infarction in the drug-eluting stent era (from KAMIR-NIH registry). <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 574-584	1.7	2
187	Long-term outcomes in ST-elevation myocardial infarction patients treated according to hospital visit time. <i>Korean Journal of Internal Medicine</i> , 2021 ,	2.5	2
186	Influence of Local Myocardial Infarction on Endothelial Function, Neointimal Progression, and Inflammation in Target and Non-Target Vascular Territories in a Porcine Model of Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2019 , 34, e145	4.7	2
185	Masked inherited primary arrhythmia syndromes in sudden cardiac death patients accompanied by coronary vasospasm. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 836-846	2.5	2
184	A Case of Myocardial Abscess Mimicking Acute Myocardial Infarction. <i>Journal of Cardiovascular Imaging</i> , 2009 , 17, 73	0	2
183	Successful percutaneous coronary intervention in patients with recanalized thrombus: Saving a radial artery by snuffbox approach. <i>Cardiology Journal</i> , 2019 , 26, 292-293	1.4	2
182	Comparison of clinical outcomes between angiotensin-converting-enzyme inhibitors and ARBs in patients with acute myocardial infarction with dyslipidemia after a successful stent implantation. <i>Anatolian Journal of Cardiology</i> , 2020 , 23, 86-98	0.8	2
181	Effect of Renal Denervation on Suppression of PVC and QT Prolongation in a Porcine Model of Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2020 , 50, 38-49	2.2	2
180	Comparison of Clinical Outcomes between ST-Segment Elevation Myocardial Infarction and Non-ST-Segment Elevation Myocardial Infarction in Patients Younger Than 40 Years Who Underwent Percutaneous Coronary Artery Intervention. <i>Korean Journal of Medicine</i> , 2012 , 82, 175	0.5	2
179	Ischemic and Bleeding Events Associated with Thrombocytopenia and Thrombocytosis after Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
178	Efficacy and safety of drug-eluting stents in elderly patients: A meta-analysis of randomized trials. <i>Cardiology Journal</i> , 2021 , 28, 223-234	1.4	2
177	Comparison of 2-Stenting Strategies Depending on Sequence or Technique for Bifurcation Lesions in the Second-Generation Drug-Eluting Stent Era - Analysis From the COBIS (Coronary Bifurcation Stenting) III Registry. <i>Circulation Journal</i> , 2021 , 85, 1944-1955	2.9	2
176	Very late unusual thrombosis of the remnant pulmonary vasculatures after lung resection complicated by embolic events. <i>Journal of Cardiothoracic Surgery</i> , 2019 , 14, 196	1.6	2
175	Gender differences of in-hospital outcomes in patients undergoing percutaneous coronary intervention in the drug-eluting stent era. <i>Medicine (United States)</i> , 2019 , 98, e15557	1.8	2
174	Impact of depression at early and late phases following acute coronary syndrome on long-term cardiac outcomes. <i>Journal of Affective Disorders</i> , 2020 , 260, 592-596	6.6	2

173	Two-Year Clinical Outcomes Between Prediabetic and Diabetic Patients With STEMI and Multivessel Disease Who Underwent Successful PCI Using Drug-Eluting Stents. <i>Angiology</i> , 2021 , 72, 50-61 ^{2,1}		2
172	Long-term cardiac outcomes of depression screening, diagnosis and treatment in patients with acute coronary syndrome: the DEPACS study. <i>Psychological Medicine</i> , 2021 , 51, 964-974	6.9	2
171	Effect of statin treatment in patients with acute myocardial infarction with prediabetes and type 2 diabetes mellitus: A retrospective observational registry study. <i>Medicine (United States)</i> , 2021 , 100, e24733 ^{1,8}	7.8	2
170	Lower In-Hospital Ventricular Tachyarrhythmia in Patients With Acute Myocardial Infarction Receiving Prior Statin Therapy. <i>Angiology</i> , 2018 , 69, 892-899	2.1	2
169	Comparative effect of angiotensin converting enzyme inhibitor versus angiotensin ii type i receptor blocker in acute myocardial infarction with non-obstructive coronary arteries; from the Korea Acute Myocardial Infarction Registry - National Institute of Health. <i>Cardiology Journal</i> , 2021 , 28, 738-745	1.4	2
168	Gender Difference of Cardiac Remodeling in University Athletes: Results from 2015 Gwangju Summer Universiade. <i>Korean Circulation Journal</i> , 2021 , 51, 426-438	2.2	2
167	Comparison of Biolimus- and Everolimus-eluting stents in terms of clinical outcomes in patients with acute myocardial infarction: Results from the Korea Working Group on Myocardial Infarction (KorMI) Registry. <i>International Journal of Cardiology</i> , 2015 , 196, 50-2	3.2	1
166	Beta-Blocker and Renin-Angiotensin System Inhibitor Combination Therapy in Patients with Acute Myocardial Infarction and Prediabetes or Diabetes Who Underwent Successful Implantation of Newer-Generation Drug-Eluting Stents: A Retrospective Observational Registry Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
165	Blood Pressure at 6 Months After Acute Myocardial Infarction and Outcomes at 2 Years: The Perils Associated With Excessively Low Blood Pressures. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 1641-1648	3.8	1
164	Different Statin Effects of ST-elevation Versus Non-ST-Elevation Acute Myocardial Infarction After Stent Implantation. <i>American Journal of the Medical Sciences</i> , 2020 , 359, 156-167	2.2	1
163	Impact of Thrombus Aspiration on Clinical Outcomes in Korean Patients with ST Elevation Myocardial Infarction. <i>Chonnam Medical Journal</i> , 2020 , 56, 36-43	1.3	1
162	Effect of Low-Dose Nebivolol in Patients with Acute Myocardial Infarction: A Multi-Center Observational Study. <i>Chonnam Medical Journal</i> , 2020 , 56, 55-61	1.3	1
161	Door-to-balloon time and cardiac mortality in acute myocardial infarction by total occlusion of the left circumflex artery. <i>Coronary Artery Disease</i> , 2018 , 29, 409-415	1.4	1
160	Impacts of Predischarge Diastolic Functional Recovery on Clinical Outcomes in Patients With Hypertensive Heart Failure. <i>Circulation Journal</i> , 2018 , 82, 1651-1658	2.9	1
159	Clinical Outcomes of Elderly Patients with Non ST-Segment Elevation Myocardial Infarction Undergoing Coronary Artery Bypass Surgery. <i>Chonnam Medical Journal</i> , 2018 , 54, 41-47	1.3	1
158	Predictors of Plaque Progression in Hypertensive Angina Patients with Achieved Low-Density Lipoprotein Cholesterol Less Than 70 mg/dL after Rosuvastatin Treatment. <i>Chonnam Medical Journal</i> , 2015 , 51, 120-8	1.3	1
157	Successful endovascular aneurysm repair for abdominal aortic aneurysm in a patient with severe coronary artery disease undergoing off-pump coronary artery bypass grafting. <i>Chonnam Medical Journal</i> , 2014 , 50, 31-6	1.3	1
156	The Phase 4 Randomized, Public, Parallel, Comparative, Clinical Trial to Compare Efficacy and Safety of S(-)-Amlodipine Nicotinate with Ramipril in Hypertensive Patients. <i>Journal of the Korean Society of Hypertension</i> , 2011 , 17, 103		1

155	Congenital anomaly of the true double-lumen right coronary artery: An extremely rare case. <i>Journal of Cardiology Cases</i> , 2010 , 1, e6-e8	0.6	1
154	Successful management of huge floating thrombus within aortic arch in a patient with old myocardial infarction. <i>Journal of Cardiology Cases</i> , 2010 , 2, e1-e3	0.6	1
153	Predictors of Hospital Mortality for Patients With Acute Myocardial Infarction That was Treated With an Artificial Ventilator and/or an Intra-aortic Balloon Pump. <i>Korean Circulation Journal</i> , 2008 , 38, 257	2.2	1
152	The Clinical Outcome of Acute Myocardial Infarction with Normal Coronary Angiogram. <i>Sunhwangji</i> , 2003 , 33, 15		1
151	The Role of Extracellular Matrix within the Neointima in A Porcine Coronary Stent Restenosis Model. <i>Sunhwangji</i> , 2003 , 33, 121		1
150	A Comparison of Tenecteplase(TNK-tPA) and Alteplase(rt-PA) in Korean Patients with Acute Myocardial Infarction(A Randomized, Multi-Centered Coronary Angiographic Trial). <i>Sunhwangji</i> , 2003 , 33, 362		1
149	The Usefulness of Color M-mode Doppler Echocardiographic Indices in the Assessment of Left Ventricular Diastolic Function. <i>Sunhwangji</i> , 2004 , 34, 1082		1
148	A Successful Stenting of the Coarctation of the Distal Thoracic Aorta (Middle Aortic Syndrome) in an Adult. <i>Sunhwangji</i> , 2004 , 34, 420		1
147	The Effects of Radiation Using Ho-166 on Endothelial Function in a Porcine Coronary Model. <i>Sunhwangji</i> , 2002 , 32, 118		1
146	The Clinical Effects of a Combined Agent Including Losartan and Hydrochlorothiazide, Hyzaar(R), in Patients with Ischemic Heart Failure. <i>Sunhwangji</i> , 2002 , 32, 349		1
145	The Effects of Probucol Combined with Antiplatelets on the Coronary Stented Patients. <i>Sunhwangji</i> , 2000 , 30, 811		1
144	Long-term Clinical and Angiographic Results of Coronary Stenting in Diabetic Patients. <i>Sunhwangji</i> , 2001 , 31, 24		1
143	Predictive Factors for the Restenosis after Long Coronary Stent Implantation. <i>Sunhwangji</i> , 2001 , 31, 39		1
142	A Giant Aneurysm of the Sinus of Valsalva with Calcification. <i>Sunhwangji</i> , 2001 , 31, 114		1
141	The Effects of Lipoprotein(a) on Coronary Stent Restenosis. <i>Sunhwangji</i> , 2001 , 31, 476		1
140	Hdac8 Inhibitor Alleviates Transverse Aortic Constriction-Induced Heart Failure in Mice by Downregulating Ace1.. <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 6227330	6.7	1
139	Long-term Clinical Outcomes in Acute Myocardial Infarction Patients with Left Ventricular Dysfunction. <i>Journal of Lipid and Atherosclerosis</i> , 2016 , 5, 37	3	1
138	Clinical Benefit of Statins in Korean Patients with Acute Myocardial Infarction: Experience of the Korea Acute Myocardial Infarction Registry. <i>Journal of Lipid and Atherosclerosis</i> , 2020 , 9, 362-379	3	1

137	The impact of angiotensin-converting-enzyme inhibitors versus angiotensin receptor blockers on 3-year clinical outcomes in patients with acute myocardial infarction without hypertension. <i>PLoS ONE</i> , 2020 , 15, e0242314	3.7	1
136	Gender differences in clinical outcomes of acute myocardial infarction undergoing percutaneous coronary intervention: insights from the KAMIR-NIH Registry. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 680-693	1.7	1
135	Temporal Trends of Antithrombotic Therapy in Patients With Acute Myocardial Infarction and Atrial Fibrillation: Insight From the KAMIR-NIH Registry.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 762090	5.4	1
134	Clinical Impact of Single and Dual Antiplatelet Therapy Beyond 12 Months on Ischemic Risk in Patients With Acute Myocardial Infarction.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 783344	5.4	1
133	Invasive physiological assessment of myocardial bridge via the left snuffbox approach. <i>Kardiologia Polska</i> , 2019 , 77, 892-893	0.9	1
132	A score for decision making during percutaneous coronary intervention in acute myocardial infarction patients with multivessel disease. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 324-334	2.5	1
131	Pre-discharge anemia as a predictor of adverse clinical outcomes in patients with acute decompensated heart failure. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 549-558	2.5	1
130	Clinical characteristics and outcomes in acute myocardial infarction patients with versus without any cardiovascular risk factors. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 1040-1049	2.5	1
129	Carvedilol Inhibits Expressions of Vascular Cell Adhesion Molecule-1, Intercellular Adhesion Molecule-1, Monocyte Chemoattractant-1, and Interleukin-8 via NF-kappaB Inhibition in Human Endothelial Cells. <i>Korean Circulation Journal</i> , 2005 , 35, 576	2.2	1
128	The Comparative Clinical Effects of Valsartan and Ramipril in Patients With Heart Failure. <i>Korean Circulation Journal</i> , 2008 , 38, 101	2.2	1
127	Infolding Distortion of Evolut R Valve after Transcatheter Aortic Valve Replacement. <i>Korean Circulation Journal</i> , 2020 , 50, 539-541	2.2	1
126	Optimal drug-eluting stent implantation with the aid of optical coherence tomography in the stenotic lesion of ectatic coronary artery. <i>Cardiology Journal</i> , 2018 , 25, 534-535	1.4	1
125	Assessment of the conventional radial artery with optical coherent tomography after the snuffbox approach. <i>Cardiology Journal</i> , 2020 ,	1.4	1
124	Statin Use and COVID-19 Infectivity and Severity in South Korea: Two Population-Based Nationwide Cohort Studies. <i>JMIR Public Health and Surveillance</i> , 2021 , 7, e29379	11.4	1
123	Potent P2Y ₁₂ Receptor Inhibition in Korean Patients with Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2019 , 49, 1199-1200	2.2	1
122	Angiotensin Receptor Blockers as an Alternative to Angiotensin-Converting Enzyme Inhibitors in Patients with Acute Myocardial Infarction Undergoing Percutaneous Coronary Intervention. <i>Journal of Korean Medical Science</i> , 2019 , 34, e289	4.7	1
121	Intensity of Statin Treatment in Korean Patients with Acute Myocardial Infarction and Very Low LDL Cholesterol. <i>Journal of Lipid and Atherosclerosis</i> , 2019 , 8, 208-220	3	1
120	Successful Management of Spontaneous Dissection with Spasm in both Coronary Arteries. <i>Chonnam Medical Journal</i> , 2010 , 46, 112		1

119	Effects of Valsartan on Carotid Arterial Stiffness in Patients with Newly Diagnosed Hypertension: A Comparative Study with Global Arterial Stiffness. <i>Journal of the Korean Society of Hypertension</i> , 2014 , 20, 21		1
118	Predictors of the Development of Significant Tricuspid Regurgitation after Permanent Pacemaker Implantation. <i>Korean Journal of Medicine</i> , 2014 , 86, 577	0.5	1
117	The Influence of Admission Hypoglycemia on Clinical Outcomes in Acute Myocardial Infarction Patients with Diabetes Mellitus. <i>Korean Journal of Medicine</i> , 2014 , 87, 565	0.5	1
116	Prediction of 1-Year Mortality from Acute Myocardial Infarction Using Machine Learning. <i>American Journal of Cardiology</i> , 2020 , 133, 23-31	3	1
115	Impacts of renin-angiotensin system inhibitors on two-year clinical outcomes in diabetic and dyslipidemic acute myocardial infarction patients after a successful percutaneous coronary intervention using newer-generation drug-eluting stents. <i>Medicine (United States)</i> , 2020 , 99, e21289	1.8	1
114	MicroRNA-212-5p and its target PAFAH1B2 suppress vascular proliferation and contraction via the downregulation of RhoA. <i>PLoS ONE</i> , 2021 , 16, e0249146	3.7	1
113	Outcomes in prediabetes vs. diabetes in patients with non-ST-segment elevation myocardial infarction undergoing percutaneous intervention. <i>Coronary Artery Disease</i> , 2021 , 32, 211-223	1.4	1
112	Long-term efficacy of vasodilating β-blocker in patients with acute myocardial infarction: nationwide multicenter prospective registry. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, S62-S71	2.5	1
111	Left Ventricular Ejection Fraction 1 Year After Acute Myocardial Infarction Identifies the Benefits of the Long-Term Use of β-Blockers: Analysis of Data From the KAMIR-NIH Registry. <i>Circulation: Cardiovascular Interventions</i> , 2021 , 14, e010159	6	1
110	Feasibility and Safety of the Left Distal Radial Approach in Percutaneous Coronary Intervention for Bifurcation Lesions. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
109	Immediate Compared With Delayed Percutaneous Coronary Intervention for Patients With ST-Segment-Elevation Myocardial Infarction Presenting ≥2 Hours After Symptom Onset Is Not Associated With Improved Clinical Outcome. <i>Circulation: Cardiovascular Interventions</i> , 2021 , 14, e009863	6	1
108	Comparison of 4-French versus 5-French sheaths for diagnostic coronary angiography via the snuffbox approach. <i>Cardiology Journal</i> , 2021 , 28, 528-533	1.4	1
107	Higher Long-Term Mortality in Patients with Non-ST-Elevation Myocardial Infarction than ST-Elevation Myocardial Infarction after Discharge. <i>Yonsei Medical Journal</i> , 2021 , 62, 400-408	3	1
106	Prediabetes versus type 2 diabetes mellitus based on pre-percutaneous coronary intervention thrombolysis in myocardial infarction flow grade in patients with ST-segment elevation myocardial infarction after successful newer-generation drug-eluting stent implantation. <i>Diabetes and Vascular Disease Research</i> , 2021 , 18, 1479164121001505	3.3	1
105	Effects of Asian dust-derived particulate matter on ST-elevation myocardial infarction: retrospective, time series study. <i>BMC Public Health</i> , 2021 , 21, 68	4.1	1
104	New onset diabetes mellitus and cardiovascular events in Korean patients with acute myocardial infarction receiving high-intensity statins. <i>BMC Pharmacology & Toxicology</i> , 2021 , 22, 11	2.6	1
103	Recovery of High Degree Atrioventricular Block in a Patient with Cardiac Sarcoidosis by Corticosteroid Therapy. <i>Chonnam Medical Journal</i> , 2018 , 54, 74-75	1.3	1
102	Impact of Combination Therapy with Ezetimibe/Simvastatin Treatment on the Neointimal Response to Biodegradable Polymer Biolimus-Eluting Stent Implantation in Patients with Acute Myocardial Infarction: Serial Assessment with Optical Coherence Tomography. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 1868	2.6	1

101	Real-World Three-Year Clinical Outcomes of Biolimus-Eluting Stents versus Other Contemporary Drug-Eluting Stents in Patients with Acute Myocardial Infarction Patients: Data from the Korea Acute Myocardial Infarction Registry (KAMIR). <i>Journal of Interventional Cardiology</i> , 2021 , 2021, 6698582	1.8	1
100	Comparative effect of statin intensity between prediabetes and type 2 diabetes mellitus after implanting newer-generation drug-eluting stents in Korean acute myocardial infarction patients: a retrospective observational study. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 386	2.3	1
99	Usefulness of Diastolic Function Score as a Predictor of Long-Term Prognosis in Patients With Acute Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 730872	5.4	1
98	Visit-to-visit blood pressure variability and mortality and cardiovascular outcomes after acute myocardial infarction. <i>Journal of Human Hypertension</i> , 2021 ,	2.6	1
97	Role of Intravascular Ultrasound-Guided Percutaneous Coronary Intervention in Optimizing Outcomes in Acute Myocardial Infarction.. <i>Journal of the American Heart Association</i> , 2022 , e023481	6	1
96	J-curve relationship between long term glycemic control and mortality in diabetic patients with acute myocardial infarction undergoing percutaneous coronary intervention.. <i>Cardiovascular Diabetology</i> , 2021 , 20, 234	8.7	1
95	One-year efficacy and safety of everolimus-eluting bioresorbable scaffolds in the setting of acute myocardial infarction. <i>PLoS ONE</i> , 2020 , 15, e0235673	3.7	0
94	Intravascular Ultrasound-Guided Treatment for In-stent Restenosis Associated with Stent Fracture in Overlapped Drug-eluting Stents. <i>Chonnam Medical Journal</i> , 2019 , 55, 165-167	1.3	0
93	Comparison of Durable-Polymer- and Biodegradable-Polymer-Based Newer-Generation Drug-Eluting Stents in Patients with Acute Myocardial Infarction and Prediabetes After Successful Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2020 , 61, 673-684	1.8	0
92	Estrategia ptima para el tratamiento de lesiones en bifurcaci3 del tronco coronario izquierdo. <i>Revista Espanola De Cardiologia</i> , 2020 , 74, 691-691	1.5	0
91	Outcomes between prediabetes and type 2 diabetes mellitus in older adults with acute myocardial infarction in the era of newer-generation drug-eluting stents: a retrospective observational study. <i>BMC Geriatrics</i> , 2021 , 21, 653	4.1	0
90	Image of Statin-Induced Rhabdomyolysis. <i>Korean Circulation Journal</i> , 2020 , 50, 738-739	2.2	0
89	Transradial versus transfemoral intervention in non-ST-segment elevation acute coronary syndrome patients undergoing percutaneous coronary intervention: the Korean transradial intervention registry of 1 285 patients. <i>Cardiovascular Journal of Africa</i> , 2018 , 29, 374-380	0.7	0
88	Suicidal Ideation Predicts Functioning and Quality of Life Over One Year after Acute Coronary Syndrome. <i>Psychiatry Investigation</i> , 2019 , 16, 65-70	3.1	0
87	Effects of statin therapy on clinical outcomes after acute myocardial infarction in patients with advanced renal dysfunction: A propensity score-matched analysis. <i>PLoS ONE</i> , 2017 , 12, e0183059	3.7	0
86	Sex differences in long-term clinical outcomes of acute myocardial infarction according to the presence of diabetes mellitus. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, S99-S113	2.5	0
85	Derivation and validation of a combined in-hospital mortality and bleeding risk model in acute myocardial infarction. <i>IJC Heart and Vasculature</i> , 2021 , 33, 100732	2.4	0
84	Heart failure with mid-range ejection fraction and the effect of bblockers after acute myocardial infarction. <i>Heart and Vessels</i> , 2021 , 36, 1848-1855	2.1	0

83	The change in high-sensitivity troponin-T as a risk factor for significant coronary stenosis in patients with acute coronary syndrome. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 608-616	2.5	○
82	Two-Year Clinical Outcomes According to Pre-PCI TIMI Flow Grade and Reperfusion Timing in Non-STEMI After Newer-Generation Drug-Eluting Stents Implantation. <i>Angiology</i> , 2021 , 33197211012537 ^{2,1}		○
81	Letter by Kim et al Regarding Article, "Clinically Significant Bleeding With Ticagrelor Versus Clopidogrel in Korean Patients With Acute Coronary Syndromes Intended for Invasive Management: A Randomized Clinical Trial". <i>Circulation</i> , 2020 , 141, e737-e738	16.7	○
80	Benefit of a staged in-hospital revascularization strategy in hemodynamically stable patients with ST-segment elevation myocardial infarction and multivessel disease: Analyses by risk stratification. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, 1151-1159	2.7	○
79	Variation in treatment strategy for non-ST segment elevation myocardial infarction: A multilevel methodological approach. <i>International Journal of Cardiology</i> , 2021 , 328, 35-39	3.2	○
78	Effects of Smoking on Long-Term Clinical Outcomes and Lung Cancer in Patients with Acute Myocardial Infarction. <i>Korean Circulation Journal</i> , 2021 , 51, 336-348	2.2	○
77	Benefit of Extracorporeal Membrane Oxygenation before Revascularization in Patients with Acute Myocardial Infarction Complicated by Profound Cardiogenic Shock after Resuscitated Cardiac Arrest. <i>Korean Circulation Journal</i> , 2021 , 51, 533-544	2.2	○
76	Preclinical Evaluation of a Novel Polymer-free Everolimus-eluting Stent in a Mid-term Porcine Coronary Restenosis Model. <i>Journal of Korean Medical Science</i> , 2021 , 36, e259	4.7	○
75	Effects of Bisoprolol Are Comparable with Carvedilol in Secondary Prevention of Acute Myocardial Infarction in Patients Undergoing Percutaneous Coronary Intervention. <i>Chonnam Medical Journal</i> , 2018 , 54, 121-128	1.3	○
74	Effectiveness and Safety of Biolimus A9Eluting stEnt in Patients with AcUTE Coronary sYndrome; A Multicenter, Observational Study (BEAUTY Study). <i>Yonsei Medical Journal</i> , 2018 , 59, 72-79	3	○
73	Comparison of the Efficacy and Safety of Atorvastatin 40 mg/EB Fatty Acids 4 g Fixed-dose Combination and Atorvastatin 40 mg Monotherapy in Hypertriglyceridemic Patients who Poorly Respond to Atorvastatin 40 mg Monotherapy: An 8-week, Multicenter, Randomized, Double-blind Phase III Study. <i>Clinical Therapeutics</i> , 2021 , 43, 1419-1430	3.5	○
72	Impact of initial very low-level low-density lipoprotein cholesterol on the prognosis of acute myocardial infarction patients. <i>Coronary Artery Disease</i> , 2022 , 31, e44-e50	1.4	○
71	Comparison of two-year clinical outcomes according to glycemic status and renal function in patients with acute myocardial infarction following implantation of new-generation drug-eluting stents. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 108019	3.2	○
70	Prognostic Impact of Chronic Vasodilator Therapy in Patients With Vasospastic Angina.. <i>Journal of the American Heart Association</i> , 2022 , e023776	6	○
69	Renal Function Effect on the Association Between Body Mass Index and Mortality Risk After Acute Myocardial Infarction.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 765153	5.4	○
68	Age-Related Difference in the Impact of Diabetes Mellitus on All-Cause Mortality after Acute Myocardial Infarction.. <i>Diabetes and Metabolism</i> , 2022 , 101349	5.4	○
67	Reply to "Strike while the iron is hot; early invasive treatment in patients with non-ST-elevation acute coronary syndrome". <i>International Journal of Cardiology</i> , 2017 , 234, 116	3.2	
66	Outcomes of Acute Myocardial Infarction Patients Implanted With Biodegradable Polymer Biolimus-Eluting Stents Versus New-Generation Durable Polymer Drug-Eluting Stents: A Retrospective Analysis. <i>Angiology</i> , 2017 , 68, 698-706	2.1	

- 65 Multivessel Disease With Recanalized Thrombus - Etiologic Insights From Optical Coherence Tomography. *Circulation Journal*, **2019**, 83, 688 2.9
- 64 Supermoon-like Thrombus at the Mitral Valve: Struggle between the Bad and the Worse. *Heart Lung and Circulation*, **2015**, 24, e139-40 1.8
- 63 Author's reply. *Journal of Cardiology*, **2018**, 71, 213-214 3
- 62 Effects of Fimasartan/Amlodipine Fixed-Dose Combination on Left Ventricular Systolic Function and Infarct Size in Rat Myocardial Infarction Model. *Chonnam Medical Journal*, **2019**, 55, 144-149 1.3
- 61 Successful ¹³N-ammonia positron emission tomography-guided percutaneous coronary intervention in a patient with single coronary artery ostium suffering acute myocardial infarction. *International Journal of Cardiology*, **2014**, 174, e81-3 3.2
- 60 Response to Letter to Editor. *Journal of Cardiology Cases*, **2013**, 7, e121 0.6
- 59 Recent Update of Korea Acute Myocardial Infarction Registry (KAMIR). *Journal of the Japanese Coronary Association*, **2017**, 23, 207-211
- 58 Successful Percutaneous Coronary Intervention in a Young Male Systemic Lupus Erythematosus Patient with Acute Myocardial Infarction. *Journal of Lipid and Atherosclerosis*, **2013**, 2, 91 3
- 57 Successful Endovascular Aortic Repair in a Young Female with Takayasu's Arteritis Presenting with Uncontrolled Hypertension. *Journal of Lipid and Atherosclerosis*, **2013**, 2, 97 3
- 56 Inhibitory Effect of Double Coating with Echinomycin and Hydrophobic Heparin in a Porcine Coronary In-Stent Restenosis Model. *Chonnam Medical Journal*, **2009**, 45, 87
- 55 Impact of Different Definitions of Metabolic Syndrome on Clinical Outcome. *Circulation Journal*, **2012**, 76, 1803 2.9
- 54 A case of asymptomatic giant coronary aneurysm with atrioventricular fistula. *Journal of Cardiology Cases*, **2010**, 2, e71-e73 0.6
- 53 Are TIMI Frame Count and TIMI Myocardial Perfusion Grading System Adequate for the Assessment of Myocardial Perfusion?. *Sunhwangji*, **2003**, 33, 861
- 52 Long-Term Clinical Outcomes of Percutaneous Coronary Intervention According to the Lesion Location in Proximal Left Anterior Descending Artery. *Sunhwangji*, **2003**, 33, 884
- 51 A Case of Recurrent In-Stent Restenosis with Abundant Proteoglycan Component. *Sunhwangji*, **2003**, 33, 827
- 50 A Case of Acute Myocardial Infarction Associated with Hyperthyroidism. *Sunhwangji*, **2004**, 34, 209
- 49 Acute Myocardial Infarction due to Coronary Arteriovenous Fistula in the Left Main and Anterior Descending Coronary Artery. *Sunhwangji*, **2004**, 34, 314
- 48 Is Cilostazol Effective in the Prevention of Coronary Stent Restenosis?. *Sunhwangji*, **2004**, 34, 441

- 47 The Effects of (66)Ho-Loaded Radioactive Stent in a Porcine Model. *Sunhwangji*, **2002**, 32, 479
- 46 A Case of Successful Brachytherapy Using Local Delivery of 99mTc-HMPAO for the Recurrent Coronary Stent Restenosis. *Sunhwangji*, **2002**, 32, 1019
- 45 Is Thyroid Hormone a Risk Factor of Coronary Atherosclerosis in Korean Patients?. *Korean Circulation Journal*, **2005**, 35, 43 2.2
- 44 A Case of Variant Angina Presenting Alternative Spontaneous Occlusive Spasm of Left Coronary Artery. *Sunhwangji*, **2000**, 30, 871
- 43 The Long-term Clinical Outcomes after Rescue Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction. *Sunhwangji*, **2001**, 31, 173
- 42 Acute Inferior Myocardial Infarction due to Septic Embolism into the Left Anterior Descending Artery from Infected Bicuspid Aortic Valve in A Young Man. *Sunhwangji*, **2001**, 31, 353
- 41 Long-term clinical outcomes of type 1 type 2 myocardial infarction in patients who underwent angiography: data from the Korea acute myocardial infarction-national institute of health registry.. *Cardiovascular Diagnosis and Therapy*, **2022**, 12, 55-66 2.6
- 40 Differential Prognostic Impact of Off-Hours for Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock **2022**, 1, 7
- 39 Successful subclavian transcatheter aortic valve replacement in a nonagenarian patient: Case report and review of literature.. *Medicine (United States)*, **2022**, 101, e28702 1.8
- 38 A case of a gigantic thoracic aortic aneurysm initially mimicking acute coronary syndrome and treated endovascularly. *Korean Journal of Internal Medicine*, **2020**, 35, 1526-1527 2.5
- 37 Multivessel versus IRA-only PCI in patients with NSTEMI and severe left ventricular systolic dysfunction. *PLoS ONE*, **2021**, 16, e0258525 3.7
- 36 Acute and Long-term Clinical Outcomes after Coronary Stenting of CrossFlex, GFX and NIR Stents. *Sunhwangji*, **2001**, 31, 1004
- 35 The Effects of Beta-Radiation Using a Holmium-166 Coated Balloon on Neointimal Hyperplasia in a Porcine Coronary Stent Restenosis Model. *Sunhwangji*, **2002**, 32, 398
- 34 Two Cases with Thoracic Aortic Dissection Combined with Fusiform Abdominal Aortic Aneurysm. *Journal of the Korean Society of Echocardiography*, **2003**, 11, 119
- 33 Is Debulking Combined with Brachytherapy a New Therapeutic Approach for Diffuse Coronary Stent Restenosis?. *Sunhwangji*, **2004**, 34, 927
- 32 Multiple giant calcified aneurysms of three coronary arteries. *Korean Journal of Internal Medicine*, **2017**, 32, 1101-1103 2.5
- 31 Impact of Previous Angina on Clinical Outcomes in ST-Elevation Myocardial Infarction Underwent Percutaneous Coronary Intervention. *Chonnam Medical Journal*, **2020**, 56, 136-143 1.3
- 30 Long-Term Clinical Outcome according to Changes of Glomerular Filtration Rate in AMI Patients with Multivessel Disease after Percutaneous Coronary Intervention. *Chonnam Medical Journal*, **2020**, 56, 121-129 1.3

29	The Impacts of Living Alone in in-Hospital and One-Year Clinical Outcomes after Acute Myocardial Infarction in Korean Patients. <i>Journal of Lipid and Atherosclerosis</i> , 2015 , 4, 115	3
28	Early Initiation of Statin Treatment Immediately after Acute Myocardial Infarction Improves Clinical Outcomes. <i>Chonnam Medical Journal</i> , 2010 , 46, 25	
27	Recurrent Stent Thrombosis and Pulmonary Thromboembolism Associated with Hyperhomocysteinemia. <i>Journal of Lipid and Atherosclerosis</i> , 2012 , 1, 95	3
26	A Rapid Improvement of Heart Failure after Treatment of Hyperthyroidism. <i>Journal of Lipid and Atherosclerosis</i> , 2012 , 1, 101	3
25	Influence of the Obesity on Clinical Outcomes in the Young Korean Patients with Acute ST-Elevation Myocardial Infarction. <i>The Korean Journal of Obesity</i> , 2013 , 22, 215	
24	Comparison of Coronary Plaque and Stenosis Between Coronary Computed Tomography Angiography and Virtual Histology-Intravascular Ultrasound in Asymptomatic Patients with Risk Factors for Coronary Artery Disease. <i>Journal of Lipid and Atherosclerosis</i> , 2014 , 3, 79	3
23	Acute right heart failure caused by iatrogenic brachiocephalic arteriovenous fistula following orthopedic surgery. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 529-31	2.5
22	Optimal strategy for side branch treatment in patients with left main coronary bifurcation lesions. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 691-699	0.7
21	Comparison of First- and Second-Generation Drug-Eluting Stents in Patients with Acute Myocardial Infarction and Prediabetes Based on the Hemoglobin A1c Level. <i>Journal of Interventional Cardiology</i> , 2020 , 2020, 1710439	1.8
20	Usefulness of Cardiac Biomarkers in the Evaluation of Prognosis and Cardiac Involvement in Patients with Acute Aortic Syndrome. <i>Journal of Lipid and Atherosclerosis</i> , 2016 , 5, 27	3
19	Comparative Effects of Statin Therapy versus Renin-Angiotensin System Blocking Therapy in Patients with Ischemic Heart Failure Who Underwent Percutaneous Coronary Intervention. <i>Chonnam Medical Journal</i> , 2016 , 52, 128-35	1.3
18	Myocardial Infarction With Nonobstructive Coronary Arteries Assessed by 11C-Acetate Cardiac PET. <i>Clinical Nuclear Medicine</i> , 2019 , 44, e166-e167	1.7
17	Poly-l-lactide Polymer-Based Triple Drug-Eluting Stent with Abciximab, Alpha-Lipoic Acid and Sirolimus in Porcine Coronary Restenosis Model. <i>Macromolecular Research</i> , 2020 , 28, 9-14	1.9
16	Successful Treatment of Coronary Spasm with Atherosclerosis Rapidly Progressing to Acute Myocardial Infarction in a Young Woman. <i>Journal of Lipid and Atherosclerosis</i> , 2018 , 7, 68	3
15	Spontaneous Huge Subdural Spine Hematoma in a Patient Receiving Dual Anti-platelet Therapy after Drug-eluting Coronary Stent Implantation. <i>Chonnam Medical Journal</i> , 2018 , 54, 131-132	1.3
14	Predictors of Clinical Outcome in Patients with Angiographically Intermediate Lesions with Minimum Lumen Area Less than 4 mm Using Intravascular Ultrasound in Non-Proximal Epicardial Coronary Artery. <i>Chonnam Medical Journal</i> , 2018 , 54, 190-196	1.3
13	Association of pre-percutaneous coronary flow grade and clinical outcomes in patients with non-ST-segment elevation myocardial infarction: Data from the Korea Acute Myocardial Infarction Registry. <i>Medicine (United States)</i> , 2021 , 100, e26947	1.8
12	Transcatheter aortic valve replacement via a transsubclavian approach in a patient with severe aortic stenosis who had previously undergone kidney transplantation: A case report. <i>Medicine (United States)</i> , 2021 , 100, e27210	1.8

- 11 Percutaneous Coronary Intervention for Double Ostial Lesion Presenting with ST-Segment Elevation Myocardial Infarction: Chronic Total Occlusion at Left Main Ostium and Plaque Rupture at Right Coronary Artery Ostium. *Chonnam Medical Journal*, **2021**, 57, 99-101 1.3
- 10 Two Cases of Single Coronary Artery Ostium Presenting with Acute Myocardial Infarction: Right Coronary Artery Arising from Left Anterior Descending Artery. *Chonnam Medical Journal*, **2021**, 57, 162-163 1.3
- 9 Minimally Invasive Transcatheter Aortic Valve Replacement and Sequential Repair of Abdominal Aortic Aneurysm in an Octogenarian. *Chonnam Medical Journal*, **2021**, 57, 228-229 1.3
- 8 Bi-Caval Dual Lumen Catheter for Pediatric Patients Undergoing Venovenous Extracorporeal Membrane Oxygenation. *Chonnam Medical Journal*, **2021**, 57, 219-220 1.3
- 7 Staged Spasm Provocation Test Without Coronary Stenting in a Patient Presenting With ST-Segment Elevation Myocardial Infarction **2022**, 1, 90
- 6 Religious Affiliations and Clinical Outcomes in Korean Patients With Acute Myocardial Infarction.. *Frontiers in Cardiovascular Medicine*, **2022**, 9, 835969 5.4
- 5 Case Report: Intravascular Ultrasound-guided Intervention for Anastomosis Stenosis of the Left Main Coronary Artery Post-Cabrol Technique.. *Frontiers in Cardiovascular Medicine*, **2022**, 9, 778815 5.4
- 4 ST-segment elevation versus non-ST-segment elevation myocardial infarction in current smokers after newer-generation drug-eluting stent implantation. *Medicine (United States)*, **2021**, 100, e28214 1.8
- 3 Effects of Hypertension on Two-Year Outcomes According to Glycemic Status in Patients With Acute Myocardial Infarction Receiving Newer-Generation Drug-Eluting Stents.. *Angiology*, **2022**, 33197221098283 2.1
- 2 Off-hour presentation and outcomes for percutaneous coronary intervention in acute myocardial infarction with Killip III-IV.. *Korean Journal of Internal Medicine*, **2022**, 37, 591-604 2.5
- 1 Our Dedicated Effort to Save a COVID-19 Confirmed Patient with Myocardial Infarction. *Chonnam Medical Journal*, **2022**, 58, 85 1.3