

Kevin Matthew Black

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1110585/publications.pdf>

Version: 2024-02-01

473
papers

29,145
citations

6606

79
h-index

9579

142
g-index

495
all docs

495
docs citations

495
times ranked

12396
citing authors

#	ARTICLE	IF	CITATIONS
1	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
2	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
3	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
4	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2022, 82, 290.	1.4	18
5	Quality control of mass-produced GEM detectors for the CMS GE1/1 muon upgrade. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2022, 1034, 166716.	0.7	10
6	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
7	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
8	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
9	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
10	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
11	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
12	Measurement of the inclusive $\overline{t}t$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
13	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
14	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	4
15	Observation of $B^0 \rightarrow \psi(2S) K^0_{\text{S}} \mu^+ \mu^-$ and $B^0_{\text{S}} \rightarrow \psi(2S) K^0_{\text{S}} \mu^+ \mu^-$ decays. European Physical Journal C, 2022, 82, 1.	1.4	1
16	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 488.	1.4	35
17	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
18	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3

#	ARTICLE	IF	CITATIONS
19	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13, 13.6$ TeV in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
20	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13, 13.6$ TeV. European Physical Journal C, 2021, 81, 970.	1.4	18
21	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
22	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
23	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
24	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
25	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
26	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13, 13.6$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
27	Review of Particle Physics. Progress of Theoretical and Experimental Physics, 2020, 2020, .	1.8	3,177
28	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
29	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
30	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
31	Measurement of the $Z(\nu\bar{\nu}, \nu\bar{\nu}, \nu\bar{\nu})$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
32	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8, 13.6$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
33	Measurement of J/ψ production in association with a W^{\pm} boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
34	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
35	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
36	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13, 13.6$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124

#	ARTICLE	IF	CITATIONS
37	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
38	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
39	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
40	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
41	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
42	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
43	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
44	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
45	Search for scalar resonances decaying into $\tau^+\tau^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
46	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
47	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
48	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21
49	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
50	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
51	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
52	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
53	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	22
54	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27

#	ARTICLE	IF	CITATIONS
55	Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
56	Measurement of VH , $\mathcal{H} \rightarrow \overline{b}b$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
57	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
58	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
59	Measurements of inclusive and differential fiducial cross-sections of $t\gamma$ production in leptonic final states at $\sqrt{s} = 13 \text{ TeV}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
60	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
61	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
62	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
63	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
64	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
65	Measurement of the top quark mass in the $t \rightarrow \tau \tau$. European Physical Journal C, 2019, 79, 1.	1.4	47
66	Search for pair production of Higgs bosons in the $\overline{b}b$ final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
67	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
68	Measurement of the top-quark mass in $t + 1\text{-jet}$ events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
69	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
70	Measurement of ZZ production in the $\tau\tau$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
71	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
72	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9

#	ARTICLE	IF	CITATIONS
91	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
92	Search for heavy resonances decaying into WW in the $e \mu u e \hat{1}/2 \hat{1}/4 \hat{1}/2$ final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$, $s = 13 \text{ TeV}$, ext {TeV} TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
93	Direct top-quark decay width measurement in the $\mathbf{\vec{t}} t \hat{A}^-$ lepton+jets channel at $\sqrt{s}=8 \text{ TeV}$ $s = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
94	Search for W W/W Z resonance production in $\hat{a}, \hat{1}/2 qq$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
95	Measurement of the Higgs boson coupling properties in the $H \hat{a}^+ ZZ \hat{a}^- \hat{a}^+ 4 \hat{a},$ decay channel at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
96	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \hat{a}^+ aa \hat{a}^+ 4b$ channel in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
97	Measurement of the $Z \gamma o u \overline{u} \gamma$ production cross section in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
98	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ $s_{NN} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
99	Search for Higgs boson pair production in the $\gamma \gamma WW^* \hat{1}^3 WW \hat{a}^-$ channel using pp collision data recorded at $\sqrt{s}=13 \text{ TeV}$ $s = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
100	Measurement of colour flow using jet-pull observables in $t \bar{t} \hat{A}^-$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$ $s = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 847.	1.4	16
101	Angular analysis of $B^0 \rightarrow \hat{a}^+ \hat{a}^- K^+ \hat{1}/4 \hat{1}/4 \hat{a}^-$ decays in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
102	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
103	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
104	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
105	Search for Higgs boson pair production in the $\gamma \gamma \overline{b} b$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
106	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
107	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
108	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ $s = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	1.4	181

#	ARTICLE	IF	CITATIONS
109	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
110	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
111	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
112	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
113	Search for pair production of heavy vector-like quarks decaying into high- p_T W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
114	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
115	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
116	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
117	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tilde{l}_n \tilde{l}_m$, in the \tilde{l}_n +jets and \tilde{l}_n +lepton final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
118	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
119	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
120	Search for exclusive Higgs and Z boson decays to $\tilde{l}_n \tilde{l}_m$ and $\tilde{l}_n \tilde{l}_m$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
121	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
122	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
123	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
124	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
125	Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 092001	2.9	33
126	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27

#	ARTICLE	IF	CITATIONS
127	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	2.9	53
128	Search for a Structure in the $\langle \text{mml:msubsup} \langle \text{mml:mi} \rangle B \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle \langle \text{mml:mn} \rangle 0 \langle \text{mml:mn} \rangle \langle \text{mml:msubsup} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mn} \rangle$ Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	1.6	136
129	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
130	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
131	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
132	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
133	Measurement of $\sigma_{\text{au}} \dot{\sigma}$, polarisation in $Z/\gamma \rightarrow \text{au au}$. European Physical Journal C, 2018, 78, 163.	1.4	7
134	Searches for heavy ZZ and ZW resonances in the $\hat{a}, \hat{a}, \hat{q}q$ and $\hat{t}\hat{t}/2qq$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
135	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
136	Measurement of differential cross sections and W^+/W^0 cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
137	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
138	Measurement of the W-boson mass in pp collisions at ($\sqrt{s}=7$, $\sqrt{s}=13$) TeV with the ATLAS detector. , 2018, 78, 1.		1
139	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s}=13$, $\sqrt{s}=13$) TeV. , 2018, 78, 1.		1
140	Measurement of the $\sigma_{\text{tt}} \hat{A}^- Z$ and $\sigma_{\text{tt}} \hat{A}^- W$ production cross sections in multilepton final states using 3.2 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
141	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
142	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
143	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
144	Measurement of the W boson polarisation in $\text{tt} \hat{A}^-$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+ \hat{A} jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37

#	ARTICLE	IF	CITATIONS
163	Measurements of $\tilde{\chi}(2S)$ and $\tilde{\chi}(3872) \rightarrow J/\psi + \tilde{\chi}^0$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
164	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
165	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
166	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
167	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
168	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
169	Precision measurement and interpretation of inclusive W^+W^- , W^+W^+ , W^-W^- . European Physical Journal C, 2017, 77, 367.	1.4	145
170	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51
171	Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
172	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
173	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
174	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
175	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
176	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
177	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
178	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
179	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
180	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35

#	ARTICLE	IF	CITATIONS
181	Measurement of $WW/WZ \rightarrow \ell \ell q q'$ and $WZ \rightarrow \ell \ell q q'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
182	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
183	Searches for the $Z\tilde{\chi}^0_3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
184	Studies of $Z\tilde{\chi}^0_3$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
185	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
186	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \tilde{\chi}^0_3\tilde{\chi}^0_3$, in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
187	Study of $WW\gamma$ and $WZ\gamma$ production. European Physical Journal C, 2017, 77, 646.	1.4	30
188	Measurements of top quark spin observables in $t\bar{t} \rightarrow \ell\ell$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
189	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
190	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow \ell\ell$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
191	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
192	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
193	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
194	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
195	Measurement of the k_t splitting scales in $Z \rightarrow \ell\ell$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
196	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
197	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
198	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168

#	ARTICLE	IF	CITATIONS
199	Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
200	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
201	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
202	Measurement of event-shape observables in $Z \rightarrow e^+ e^- \gamma \gamma$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
203	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
204	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
205	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
206	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a Z^{\prime} boson in the au au , final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
207	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
208	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
209	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
210	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
211	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
212	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.	1.4	453
213	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
214	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
215	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
216	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71

#	ARTICLE	IF	CITATIONS
217	Search for flavour-changing neutral current top-quark decays to $\bar{q}Z$ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12.	1.4	39
218	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87.	1.4	39
219	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
220	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
221	Study of the rare decays of $B^0 \rightarrow B^0 s$ and $B^0 \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
222	Search for supersymmetry in a final state containing two photons and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 517.	1.4	24
223	Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
224	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
225	Measurement of the relative width difference of the $B^0 \rightarrow B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
226	Search for Higgs and Z boson decays to $\tau^+ \tau^-$ with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	2.9	13
227	Search for Higgs boson decaying to 2τ and 2.76 TeV pp collisions with the ATLAS Detector. Physical Review Letters, 2016, 116, 172301.	2.9	228
228	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
229	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.	1.4	298
230	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	2.9	185
231	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
232	Measurement of jet activity in top quark events using the e^+e^- final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
233	Measurement of the transverse momentum and $\phi_{\tau^+ \tau^-}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
234	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \mu^+\mu^-$ with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15

#	ARTICLE	IF	CITATIONS
235	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
236	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
237	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
238	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
239	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
240	Measurement of the differential cross-sections of prompt and non-prompt production of $\psi(2S)$ and $\psi(1S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
241	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
242	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
243	Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e^+e^- \rightarrow b\bar{b}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19
244	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
245	Searches for heavy diboson resonances in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
246	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
247	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
248	Measurement of the CP-violating phase $\arg(\lambda)$ and the B_s^0 meson decay width difference with $B_s^0 \rightarrow \mu^+\mu^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
249	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
250	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
251	A search for prompt lepton-jets in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
252	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13

#	ARTICLE	IF	CITATIONS
253	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
254	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
255	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
256	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
257	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
258	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
259	Probing lepton flavour violation via neutrinoless $\tau \rightarrow 3\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
260	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
261	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
262	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
263	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
264	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
265	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
266	Measurements of fiducial cross-sections for $t\bar{t}\hat{A}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
267	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
268	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s} = 8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
269	Search for new phenomena in dijet angular distributions in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review Letters, 2015, 114, 221802.	2.9	48
270	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	2.9	27

#	ARTICLE	IF	CITATIONS
271	Search for a Heavy Neutral Particle Decaying to a Heavy Neutral Particle and a Photon in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	2.9	20
272	Search for a Heavy Neutral Particle Decaying to a Heavy Neutral Particle and a Photon in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	2.9	30
273	Search for Dark Matter in Events With Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	2.9	49
274	Search for Dark Matter in Events With Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	2.9	23
275	Physical Review Letters, 2015, 115, 262001.	1.6	4
276	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
277	A search for high-mass resonances decaying to $\tilde{l}, +\tilde{l}, \tilde{a}^*$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
278	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
279	Search for lepton-flavour-violating $H \rightarrow \tilde{l} \tilde{l}^*$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
280	Measurement of four-jet differential cross sections in $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	66
281	A search for $t \bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
282	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
283	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
284	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
285	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
286	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	40
287	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s}=7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
288	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	

#	ARTICLE	IF	CITATIONS
289	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
290	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
291	Summary of the searches for squarks and gluinos using $s = 8 \sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
292	Determination of the top-quark pole mass using $t \bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
293	Measurement of the $t \bar{t} W$ and $t \bar{t} Z$ production cross sections in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
294	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
295	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
296	Combined Measurement of the Higgs Boson Mass in Collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS and CMS Experiments. Physical Review Letters, 2015, 114, 191803.	2.9	1,062
297	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
298	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
299	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
300	Search for $W' \rightarrow t \bar{t} q \bar{q}$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
301	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2015, 75, 158.	1.4	17
302	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
303	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow W W$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
304	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
305	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.4	41
306	Search for Higgs and W boson decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.		

#	ARTICLE	IF	CITATIONS
307	Search for Higgs Boson Pair Production in the $\text{b}\bar{\text{b}}\text{Final State Using pp Collision Data at } \sqrt{s} = 8 \text{ TeV from the ATLAS Detector. Physical Review Letters, 2015, 114, 081802. Measurements of the Nuclear Modification Factor for Jets in$	2.9	98
308	$\text{Pb-Pb Collisions at } \sqrt{s_{NN}} = 2.76 \text{ TeV. Physical Review Letters, 2015, 114, 072302. Collisions at } \sqrt{s} = 8 \text{ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17. Jet energy measurement and its systematic uncertainty in proton-proton collisions at } \sqrt{s} = 7 \text{ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17. Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at } \sqrt{s} = 8 \text{ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79. Search for resonant diboson production in the } q\bar{q} \text{ final state in } pp \text{ collisions at } \sqrt{s} = 8 \text{ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69. Measurements of the } W W \text{ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82. Search for dark matter in events with heavy quarks and missing transverse momentum in } pp \text{ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92. Measurement of the } t\bar{t} \text{ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. Measurement of the } W W + W Z \text{ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at } \sqrt{s} = 7 \text{ TeV. Journal of High Energy Physics, 2015, 2015, 1. Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at } \sqrt{s} = 8 \text{ TeV. Journal of High Energy Physics, 2015, 2015, 1. Search for the } b\bar{b} \text{ decay of the Standard Model Higgs boson in associated } (W/Z)H \text{ production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. Measurement of the inclusive jet cross-section in proton-proton collisions at } \sqrt{s} = 7 \text{ TeV using 4.5 fb}^{-1} \text{ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with } \sqrt{s} = 8 \text{ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. Search for charged Higgs bosons decaying via } H \rightarrow \tau^+ \tau^-, H \rightarrow \tau^+ \tau^0 \text{ in fully hadronic final states using pp collision data at } \sqrt{s} = 8 \text{ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. Search for production of } WW/WZ \text{ resonances decaying to a lepton, neutrino and jets in } pp \text{ collisions at } \sqrt{s} = 8 \text{ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209. Performance of the ATLAS muon trigger in pp collisions at } \sqrt{s} = 8 \text{ TeV. European Physical Journal C, 2015, 75, 120.}$	2.9	135
309	Search for Higgs Boson Pair Production in the $\text{b}\bar{\text{b}}\text{Final State Using pp Collision Data at } \sqrt{s} = 8 \text{ TeV from the ATLAS Detector. Physical Review Letters, 2015, 114, 081802. Measurements of the Nuclear Modification Factor for Jets in$	2.9	35
310	Search for Higgs Boson Pair Production in the $\text{b}\bar{\text{b}}\text{Final State Using pp Collision Data at } \sqrt{s} = 8 \text{ TeV from the ATLAS Detector. Physical Review Letters, 2015, 114, 081802. Measurements of the Nuclear Modification Factor for Jets in$	2.9	64
311	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
312	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
313	Search for resonant diboson production in the $q\bar{q}$ final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
314	Measurements of the WW production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
315	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
316	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
317	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
318	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
319	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated $(W/Z)H$ production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
320	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
321	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
322	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-, H \rightarrow \tau^+ \tau^0$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
323	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
324	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 120.	1.4	62

#	ARTICLE	IF	CITATIONS
325	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	1.4	39
326	Search for Higgs boson pair production in the $\bar{b}b \hat{A}^- b \hat{A}^-$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
327	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e \mu u \bar{W} W \hat{A}^- \hat{A}^+ e \hat{1}/2 \hat{1}/4 \hat{1}/2$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
328	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
329	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell \ell / \ell \ell u / u u + b \bar{b} \hat{A}^- \hat{A}^+, \hat{A}^-, \hat{A}^+, \hat{1}/2 / \hat{1}/2 \hat{1}/2 + b \bar{b} \hat{A}^-$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
330	Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
331	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
332	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
333	Observation and measurements of the production of prompt and non-prompt Υ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
334	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $\bar{b}b \hat{A}^-$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
335	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
336	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
337	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
338	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
339	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. , 2015, 2015, 1.		3
340	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.		1
341	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
342	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82

#	ARTICLE	IF	CITATIONS
343	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
344	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
345	A measurement of the ratio of the production cross sections for WW and ZZ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
346	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
347	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb ⁻¹ of $\sqrt{s}=8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
348	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
349	Measurement of the $t\bar{t}$ production cross-section using e^+e^- events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. Search for Quantum Black Hole Production in High-Invariant-Mass	1.4	143
350	Lepton+Jet Final States Using	2.9	35
351	Z Resonance in Collisions at	2.9	51
352	Evidence for Electroweak Production of W± Collisions at	2.9	123
353	Collision Data at	2.9	168
354	Observation of an Excited Bc State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.	2.9	12
355	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
356	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58
357	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
358	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
359	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
360	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46

#	ARTICLE	IF	CITATIONS
361	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
362	Measurement of the production cross-section of $\tilde{\chi}^0(2S) \rightarrow J/\psi(\psi + \psi) + \tilde{\chi}^0$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	21
363	Measurement of the $Z \rightarrow \tau^+ \tau^-$ boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
364	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
365	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
366	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
367	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
368	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
369	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
370	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
371	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
372	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
373	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
374	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
375	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
376	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
377	Measurement of the production cross section of prompt J/ψ mesons in association with a W^\pm boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
378	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36

#	ARTICLE	IF	CITATIONS
379	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	59
380	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	145
381	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	45
382	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	25
383	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	59
384	Measurement of $\bar{t}c1$ and $\bar{t}c2$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	32
385	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	10
386	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	45
387	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883.	1.4	55
388	Measurement of the (τ) production cross-section using (μ) events with (b) -tagged jets in (pp) collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
389	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	73
390	Measurement of the cross-section for W boson production in association with b -jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	53
391	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	32
392	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	137
393	Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and $ZZ\tilde{\chi}^0$ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	61
394	Search for charged Higgs bosons through the violation of lepton universality in (τ) events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	19
395	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	52
396	Measurement of k_T splitting scales in $W\hat{\tau}^0$, $\tau^{1/2}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	1.4	19

#	ARTICLE	IF	CITATIONS
397	Search for a light charged Higgs boson in the decay channel $H^{+} \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119
398	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	102
399	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
400	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
401	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
402	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105
403	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34

404

#	ARTICLE	IF	CITATIONS
415	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	1.4	45
416	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	1.4	209
417	Measurement of the $\sigma_{\tau\tau}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
418	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
419	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7, \text{ TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
420	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7, \text{ TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
421	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
422	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7, \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
423	A search for $\overline{t}t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
424	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau, \tau\tau, \tau\tau$ decay mode in $\sqrt{s} = 7, \text{ TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
425	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
426	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
427	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
428	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7, \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
429	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7, \text{ TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
430	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7, \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
431	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
432	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	100

#	ARTICLE	IF	CITATIONS
433	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7\text{-}\mathrm{TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	13
434	Measurement of τ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109
435	A search for τ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7\text{-}\mathrm{TeV}$. European Physical Journal C, 2012, 72, 2083.	1.4	25
436	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{-}\mathrm{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
437	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
438	Measurement of $W \hat{\pm} Z$ production in proton-proton collisions at $\sqrt{s}=7\text{-}\mathrm{TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
439	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
440	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{\mathbf{s}}=7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	22
441	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
442	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
443	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	36
444			

#	ARTICLE	IF	CITATIONS
451	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	15
452	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36

453

#	ARTICLE	IF	CITATIONS
469	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
470	Measurement of $W\hat{1}^3$ and $Z\hat{1}^3$ production in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
471	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
472	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
473	Measurement of the Top Quark Mass in the Lepton+Jets Channel using $D\tilde{A}$ Run II Data. International Journal of Modern Physics A, 2005, 20, 3203-3205.	0.5	2