

Dominique P Dardevet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1110827/dominique-p-dardevet-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

3,513
citations

34
h-index

56
g-index

110
ext. papers

3,967
ext. citations

5.2
avg, IF

4.75
L-index

#	Paper	IF	Citations
104	Important determinants to take into account to optimize protein nutrition in the elderly: solutions to a complex equation. <i>Proceedings of the Nutrition Society</i> , 2021 , 80, 207-220	2.9	4
103	Innovative plant Protein fibre and Physical activity solutions to address poor appetite and prevent undernutrition in older adults @APPETITE. <i>Nutrition Bulletin</i> , 2021 , 46, 486-496	3.5	0
102	Quels sont les déterminants importants à prendre en compte pour optimiser la nutrition protéique chez les personnes âgées : une équation complexe mais avec des solutions. <i>Cahiers De Nutrition Et De Diététique</i> , 2021 , 56, 333-333	0.2	
101	Postprandial NMR-Based Metabolic Exchanges Reflect Impaired Phenotypic Flexibility across Splanchnic Organs in the Obese Yucatan Mini-Pig. <i>Nutrients</i> , 2020 , 12,	6.7	1
100	Arterio-venous metabolomics exploration reveals major changes across liver and intestine in the obese Yucatan minipig. <i>Scientific Reports</i> , 2019 , 9, 12527	4.9	7
99	Profound Changes in Net Energy and Nitrogen Metabolites Fluxes within the Splanchnic Area during Overfeeding of Yucatan Mini Pigs That Remain Euglycemic. <i>Nutrients</i> , 2019 , 11,	6.7	1
98	4E-BP1 and 4E-BP2 double knockout mice are protected from aging-associated sarcopenia. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 696-709	10.3	10
97	Post Meal Energy Boluses Do Not Increase the Duration of Muscle Protein Synthesis Stimulation in Two Anabolic Resistant Situations. <i>Nutrients</i> , 2019 , 11,	6.7	1
96	Impaired Skeletal Muscle Branched-Chain Amino Acids Catabolism Contributes to Their Increased Circulating Levels in a Non-Obese Insulin-Resistant Fructose-Fed Rat Model. <i>Nutrients</i> , 2019 , 11,	6.7	12
95	A mix of dietary fermentable fibers improves lipids handling by the liver of overfed minipigs. <i>Journal of Nutritional Biochemistry</i> , 2019 , 65, 72-82	6.3	7
94	Efficacy of non-pharmacological interventions to treat malnutrition in older persons: A systematic review and meta-analysis. The SENATOR project ONTOP series and MaNuEL knowledge hub project. <i>Ageing Research Reviews</i> , 2019 , 49, 27-48	12	13
93	Sulfur Amino Acids and Skeletal Muscle 2019 , 335-363		4
92	Effects of nutritional state, aging and high chronic intake of sucrose on brain protein synthesis in rats: modulation of it by rutin and other micronutrients. <i>Food and Function</i> , 2018 , 9, 2922-2930	6.1	4
91	Effect of high chronic intake of sucrose on liver metabolism in aging rats. Modulation by rutin and micronutrients. <i>Journal of Physiology and Biochemistry</i> , 2018 , 74, 569-577	5	2
90	Fructose Feeding during the Postabsorptive State Alters Body Composition and Spares Nitrogen in Protein-Energy-Restricted Old Rats. <i>Journal of Nutrition</i> , 2018 , 148, 40-48	4.1	2
89	Impact of medication on protein and amino acid metabolism in the elderly: the sulfur amino acid and paracetamol case. <i>Nutrition Research Reviews</i> , 2018 , 31, 179-192	7	4
88	Metabolic adaptations to HFHS overfeeding: how whole body and tissues postprandial metabolic flexibility adapt in Yucatan mini-pigs. <i>European Journal of Nutrition</i> , 2018 , 57, 119-135	5.2	11

87	Metabolomics Reveals that the Type of Protein in a High-Fat Meal Modulates Postprandial Mitochondrial Overload and Incomplete Substrate Oxidation in Healthy Overweight Men. <i>Journal of Nutrition</i> , 2018 , 148, 876-884	4.1	6
86	Time-course changes in circulating branched-chain amino acid levels and metabolism in obese Yucatan minipig. <i>Nutrition</i> , 2018 , 50, 66-73	4.8	11
85	Peripheral Blood Mononuclear Cell Metabolism Acutely Adapted to Postprandial Transition and Mainly Reflected Metabolic Adipose Tissue Adaptations to a High-Fat Diet in Minipigs. <i>Nutrients</i> , 2018 , 10,	6.7	7
84	A meal with mixed soy/whey proteins is as efficient as a whey meal in counteracting the age-related muscle anabolic resistance only if the protein content and leucine levels are increased. <i>Food and Function</i> , 2018 , 9, 6526-6534	6.1	14
83	The Transplantation of β PUFA-Altered Gut Microbiota of fat-1 Mice to Wild-Type Littermates Prevents Obesity and Associated Metabolic Disorders. <i>Diabetes</i> , 2018 , 67, 1512-1523	0.9	45
82	Dairy products and inflammation: A review of the clinical evidence. <i>Critical Reviews in Food Science and Nutrition</i> , 2017 , 57, 2497-2525	11.5	91
81	Dietary proteins and amino acids in the control of the muscle mass during immobilization and aging: role of the MPS response. <i>Amino Acids</i> , 2017 , 49, 811-820	3.5	23
80	Similarities and interactions between the ageing process and high chronic intake of added sugars. <i>Nutrition Research Reviews</i> , 2017 , 30, 191-207	7	9
79	Glucagon's effect on liver protein metabolism in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017 , 313, E263-E272	6	10
78	Effects of high-intensity interval training and moderate-intensity continuous training on glycaemic control and skeletal muscle mitochondrial function in db/db mice. <i>Scientific Reports</i> , 2017 , 7, 204	4.9	35
77	Soluble Milk Proteins Improve Muscle Mass Recovery after Immobilization-Induced Muscle Atrophy in Old Rats but Do not Improve Muscle Functional Property Restoration. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 1133-1141	5.2	4
76	Reactive oxygen species enhance mitochondrial function, insulin sensitivity and glucose uptake in skeletal muscle of senescence accelerated prone mice SAMP8. <i>Free Radical Biology and Medicine</i> , 2017 , 113, 267-279	7.8	6
75	In the elderly, meat protein assimilation from rare meat is lower than that from meat that is well done. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 1257-1266	7	12
74	Dietary supplementation with cysteine prevents adverse metabolic outcomes of repeated cures with paracetamol in old rats. <i>British Journal of Nutrition</i> , 2017 , 118, 889-896	3.6	1
73	At same leucine intake, a whey/plant protein blend is not as effective as whey to initiate a transient post prandial muscle anabolic response during a catabolic state in mini pigs. <i>PLoS ONE</i> , 2017 , 12, e0186204	3.7	6
72	Long-term dietary supplementation with cystathionine improves tissue glutathione in ageing rats. <i>Aging Clinical and Experimental Research</i> , 2016 , 28, 781-5	4.8	1
71	Muscle Wasting and Resistance of Muscle Anabolism: The "Anabolic Threshold Concept" for Adapted Nutritional Strategies during Sarcopenia 2016 , 209-220		
70	Time Course of Molecular and Metabolic Events in the Development of Insulin Resistance in Fructose-Fed Rats. <i>Journal of Proteome Research</i> , 2016 , 15, 1862-74	5.6	18

69	Postprandial metabolic events in mini-pigs: new insights from a combined approach using plasma metabolomics, tissue gene expression, and enzyme activity. <i>Metabolomics</i> , 2015 , 11, 964-979	4.7	6
68	Assessment of protein modifications in liver of rats under chronic treatment with paracetamol (acetaminophen) using two complementary mass spectrometry-based metabolomic approaches. <i>Journal of Proteomics</i> , 2015 , 120, 194-203	3.9	9
67	Chronic Intake of Sucrose Accelerates Sarcopenia in Older Male Rats through Alterations in Insulin Sensitivity and Muscle Protein Synthesis. <i>Journal of Nutrition</i> , 2015 , 145, 923-30	4.1	20
66	The delayed recovery of the remobilized rat tibialis anterior muscle reflects a defect in proliferative and terminal differentiation that impairs early regenerative processes. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015 , 6, 73-83	10.3	10
65	Slight chronic elevation of C-reactive protein is associated with lower aerobic fitness but does not impair meal-induced stimulation of muscle protein metabolism in healthy old men. <i>Journal of Physiology</i> , 2015 , 593, 1259-72	3.9	10
64	Myostatin gene inactivation prevents skeletal muscle wasting in cancer. <i>Cancer Research</i> , 2014 , 74, 7344-51	15.1	65
63	High whey protein intake delayed the loss of lean body mass in healthy old rats, whereas protein type and polyphenol/antioxidant supplementation had no effects. <i>PLoS ONE</i> , 2014 , 9, e109098	3.7	17
62	Resistant starch intake partly restores metabolic and inflammatory alterations in the liver of high-fat-diet-fed rats. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 1920-30	6.3	35
61	Effects of meat cooking, and of ingested amount, on protein digestion speed and entry of residual proteins into the colon: a study in minipigs. <i>PLoS ONE</i> , 2013 , 8, e61252	3.7	79
60	Nutritional strategies to counteract muscle atrophy caused by disuse and to improve recovery. <i>Nutrition Research Reviews</i> , 2013 , 26, 149-65	7	49
59	Unilateral hindlimb casting induced a delayed generalized muscle atrophy during rehabilitation that is prevented by a whey or a high protein diet but not a free leucine-enriched diet. <i>PLoS ONE</i> , 2013 , 8, e70130	3.7	8
58	Whey proteins are more efficient than casein in the recovery of muscle functional properties following a casting induced muscle atrophy. <i>PLoS ONE</i> , 2013 , 8, e75408	3.7	22
57	A dietary supplementation with leucine and antioxidants is capable to accelerate muscle mass recovery after immobilization in adult rats. <i>PLoS ONE</i> , 2013 , 8, e81495	3.7	14
56	Curcumin treatment prevents increased proteasome and apoptosome activities in rat skeletal muscle during reloading and improves subsequent recovery. <i>Journal of Nutritional Biochemistry</i> , 2012 , 23, 245-51	6.3	34
55	Effects of leucine supplementation and resistance exercise on dexamethasone-induced muscle atrophy and insulin resistance in rats. <i>Nutrition</i> , 2012 , 28, 465-71	4.8	32
54	Spreading intake of a leucine-rich fast protein in energy-restricted overweight rats does not improve protein mass. <i>Nutrition</i> , 2012 , 28, 566-71	4.8	2
53	Therapeutic paracetamol treatment in older persons induces dietary and metabolic modifications related to sulfur amino acids. <i>Age</i> , 2012 , 34, 181-93		18
52	The worsening of tibialis anterior muscle atrophy during recovery post-immobilization correlates with enhanced connective tissue area, proteolysis, and apoptosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 303, E1335-47	6	25

51	Contrarily to whey and high protein diets, dietary free leucine supplementation cannot reverse the lack of recovery of muscle mass after prolonged immobilization during ageing. <i>Journal of Physiology</i> , 2012 , 590, 2035-49	3.9	49
50	Commentaries on Viewpoint: Muscle atrophy is not always sarcopenia. <i>Journal of Applied Physiology</i> , 2012 , 113, 680-4	3.7	7
49	Muscle wasting and resistance of muscle anabolism: the "anabolic threshold concept" for adapted nutritional strategies during sarcopenia. <i>Scientific World Journal, The</i> , 2012 , 2012, 269531	2.2	99
48	Differential effect of long-term leucine supplementation on skeletal muscle and adipose tissue in old rats: an insulin signaling pathway approach. <i>Age</i> , 2012 , 34, 371-87		54
47	Protein feeding pattern, casein feeding, or milk-soluble protein feeding did not change the evolution of body composition during a short-term weight loss program. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 303, E973-82	6	19
46	Portal glucose delivery stimulates muscle but not liver protein metabolism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 303, E1202-11	6	3
45	The nature of the ingested protein has no effect on lean body mass during energy restriction in overweight rats. <i>Obesity</i> , 2011 , 19, 1137-44	8	5
44	Role of physical bolus properties as sensory inputs in the trigger of swallowing. <i>PLoS ONE</i> , 2011 , 6, e21167	6.7	98
43	Lack of muscle recovery after immobilization in old rats does not result from a defect in normalization of the ubiquitin-proteasome and the caspase-dependent apoptotic pathways. <i>Journal of Physiology</i> , 2011 , 589, 511-24	3.9	33
42	Cysteine fluxes across the portal-drained viscera of enterally fed minipigs: effect of an acute intestinal inflammation. <i>Amino Acids</i> , 2011 , 40, 543-52	3.5	13
41	Leucine supplementation in rats induced a delay in muscle IR/PI3K signaling pathway associated with overall impaired glucose tolerance. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 219-26	6.3	41
40	Dietary protein regulates hepatic constitutive protein anabolism in rats in a dose-dependent manner and independently of energy nutrient composition. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010 , 299, R1720-30	3.2	7
39	Long-term effects of leucine supplementation on body composition. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010 , 13, 265-70	3.8	59
38	Antioxidant supplementation had positive effects in old rat muscle, but through better oxidative status in other organs. <i>Nutrition</i> , 2010 , 26, 1157-62	4.8	23
37	Presence of low-grade inflammation impaired postprandial stimulation of muscle protein synthesis in old rats. <i>Journal of Nutritional Biochemistry</i> , 2010 , 21, 325-31	6.3	66
36	Intestinal inflammation increases gastrointestinal threonine uptake and mucin synthesis in enterally fed minipigs. <i>Journal of Nutrition</i> , 2009 , 139, 720-6	4.1	42
35	Reduction of low grade inflammation restores blunting of postprandial muscle anabolism and limits sarcopenia in old rats. <i>Journal of Physiology</i> , 2009 , 587, 5483-92	3.9	146
34	Skeletal muscle proteolysis in aging. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2009 , 12, 37-41	3.8	104

33	Excessive energy intake does not modify fed-state tissue protein synthesis rates in adult rats. <i>Obesity</i> , 2009 , 17, 1348-55	8	15
32	Antioxidant supplementation restores defective leucine stimulation of protein synthesis in skeletal muscle from old rats. <i>Journal of Nutrition</i> , 2008 , 138, 2205-11	4.1	87
31	Effects of the nitric oxide donor SIN-1 on net hepatic glucose uptake in the conscious dog. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 294, E300-6	6	14
30	The ubiquitin-proteasome and the mitochondria-associated apoptotic pathways are sequentially downregulated during recovery after immobilization-induced muscle atrophy. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 295, E1181-90	6	58
29	Portal infusion of amino acids is more efficient than peripheral infusion in stimulating liver protein synthesis at the same hepatic amino acid load in dogs. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 986-96	7	10
28	The effect of vagal cooling on canine hepatic glucose metabolism in the presence of hyperglycemia of peripheral origin. <i>Metabolism: Clinical and Experimental</i> , 2007 , 56, 814-24	12.7	5
27	Postprandial leucine deficiency failed to alter muscle protein synthesis in growing and adult rats. <i>Nutrition</i> , 2007 , 23, 267-76	4.8	10
26	Increased availability of leucine with leucine-rich whey proteins improves postprandial muscle protein synthesis in aging rats. <i>Nutrition</i> , 2007 , 23, 323-31	4.8	85
25	Role of the hepatic sympathetic nerves in the regulation of net hepatic glucose uptake and the mediation of the portal glucose signal. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 290, E9-E16	6	47
24	Leucine supplementation improves muscle protein synthesis in elderly men independently of hyperaminoacidaemia. <i>Journal of Physiology</i> , 2006 , 575, 305-15	3.9	271
23	Altered responses in skeletal muscle protein turnover during aging in anabolic and catabolic periods. <i>International Journal of Biochemistry and Cell Biology</i> , 2005 , 37, 1962-73	5.6	91
22	A leucine-supplemented diet restores the defective postprandial inhibition of proteasome-dependent proteolysis in aged rat skeletal muscle. <i>Journal of Physiology</i> , 2005 , 569, 489-99	3.9	108
21	Insulin secretion-independent effects of GLP-1 on canine liver glucose metabolism do not involve portal vein GLP-1 receptors. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 289, G806-14	5.1	40
20	Interaction of a selective serotonin reuptake inhibitor with insulin in the control of hepatic glucose uptake in conscious dogs. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 288, E556-63	6	11
19	Portal infusion of a selective serotonin reuptake inhibitor enhances hepatic glucose disposal in conscious dogs. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004 , 287, E1057-63	6	17
18	Mitochondrial and sarcoplasmic proteins, but not myosin heavy chain, are sensitive to leucine supplementation in old rat skeletal muscle. <i>Experimental Gerontology</i> , 2004 , 39, 745-51	4.5	42
17	Glucocorticoid excess induces a prolonged leucine resistance on muscle protein synthesis in old rats. <i>Experimental Gerontology</i> , 2004 , 39, 1315-21	4.5	33
16	Insulin and amino acids both strongly participate to the regulation of protein metabolism. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2004 , 7, 71-7	3.8	43

15	Glucocorticoids regulate mRNA levels for subunits of the 19 S regulatory complex of the 26 S proteasome in fast-twitch skeletal muscles. <i>Biochemical Journal</i> , 2004 , 378, 239-46	3.8	57
14	Leucine: a key amino acid in ageing-associated sarcopenia?. <i>Nutrition Research Reviews</i> , 2003 , 16, 61-70	7	19
13	Leucine-supplemented meal feeding for ten days beneficially affects postprandial muscle protein synthesis in old rats. <i>Journal of Nutrition</i> , 2003 , 133, 1198-205	4.1	87
12	Acute phase protein levels and thymus, spleen and plasma protein synthesis rates differ in adult and old rats. <i>Journal of Nutrition</i> , 2003 , 133, 215-9	4.1	30
11	Pulse protein feeding pattern restores stimulation of muscle protein synthesis during the feeding period in old rats. <i>Journal of Nutrition</i> , 2002 , 132, 1002-8	4.1	50
10	Postprandial stimulation of muscle protein synthesis in old rats can be restored by a leucine-supplemented meal. <i>Journal of Nutrition</i> , 2002 , 132, 95-100	4.1	143
9	Evidence for an alteration of plasma and liver proteins response to dexamethasone in aging rats. <i>Mechanisms of Ageing and Development</i> , 2001 , 122, 105-20	5.6	10
8	Amino acids and insulin are both required to regulate assembly of the eIF4E. eIF4G complex in rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001 , 281, E565-74	6	72
7	Stimulation of in vitro rat muscle protein synthesis by leucine decreases with age. <i>Journal of Nutrition</i> , 2000 , 130, 2630-5	4.1	178
6	Insulin action on skeletal muscle protein metabolism during catabolic states. <i>Reproduction, Nutrition, Development</i> , 1999 , 39, 61-74		19
5	Diazoxide-induced insulin deficiency greatly reduced muscle protein synthesis in rats: involvement of eIF4E. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999 , 276, E50-61	6	11
4	Effect of glucocorticoid excess on skeletal muscle and heart protein synthesis in adult and old rats. <i>British Journal of Nutrition</i> , 1998 , 79, 297-304	3.6	60
3	Differential regulation of skeletal muscle protein turnover by insulin and IGF-I after bacteremia. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998 , 275, E584-93	6	32
2	Modulation of skeletal muscle lactate metabolism following bacteremia by insulin or insulin-like growth factor-I: effects of pentoxifylline. <i>Shock</i> , 1997 , 7, 432-8	3.4	13
1	Nutrient regulation of skeletal muscle protein metabolism in animals. The involvement of hormones and substrates. <i>Nutrition Research Reviews</i> , 1995 , 8, 67-91	7	34