Cheng-Haw Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11110157/publications.pdf

Version: 2024-02-01

		236612	2	253896
55	1,948	25		43
papers	citations	h-index		g-index
56	56	56		1703
all docs	docs citations	times ranked		citing authors

#	Article	IF	CITATIONS
1	An innovative emergency transportation scenario for mass casualty incident management. Medicine (United States), 2021, 100, e24482.	0.4	2
2	Evaluation of Climate Change Impact on Groundwater Recharge in Groundwater Regions in Taiwan. Water (Switzerland), 2021, 13, 1153.	1.2	11
3	Non-invasive survey technology for estimating the distribution of oxidant solution: A pilot injection study. Journal of Contaminant Hydrology, 2021, 239, 103779.	1.6	0
4	Attribution of Streamflow Variations in Southern Taiwan. Water (Switzerland), 2020, 12, 2465.	1.2	3
5	Noninvasive survey technology for LNAPL-contaminated site investigation. Journal of Hydrology, 2020, 587, 125002.	2.3	11
6	Mapping soil layers using electrical resistivity tomography and validation: Sandbox experiments. Journal of Hydrology, 2019, 575, 523-536.	2.3	10
7	Reproducibility of hydraulic tomography estimates and their predictions: A two-year case study in Taiwan. Journal of Hydrology, 2019, 569, 117-134.	2.3	4
8	Study of the Reducing Carbon Emission by Using Hot Spring Eggs. , 2018, , .		0
9	Mapping groundwater recharge potential zone using a GIS approach in Hualian River, Taiwan. Sustainable Environment Research, 2016, 26, 33-43.	2.1	275
10	Uniqueness, scale, and resolution issues in groundwater model parameter identification. Water Science and Engineering, 2015, 8, 175-194.	1.4	50
11	Spatial and Temporal Streamflow Trends in Northern Taiwan. Water (Switzerland), 2015, 7, 634-651.	1.2	40
12	SDI and Markov Chains for Regional Drought Characteristics. Sustainability, 2015, 7, 10789-10808.	1.6	20
13	Electrical resistivity tomography applied to groundwater aquifer at downstream of Chih-Ben Creek basin, Taiwan. Environmental Earth Sciences, 2015, 73, 4681-4687.	1.3	17
14	Rainfall characteristics for anisotropic conductivity of unsaturated soil slopes. Environmental Earth Sciences, 2015, 73, 8669-8681.	1.3	12
15	Combining gray system and poroelastic models to investigate subsidence problems in Tainan, Taiwan. Environmental Earth Sciences, 2015, 73, 7237-7253.	1.3	8
16	Identifying Seasonal Groundwater Recharge Using Environmental Stable Isotopes. Water (Switzerland), 2014, 6, 2849-2861.	1.2	55
17	Why Hydraulic Tomography Works?. Ground Water, 2014, 52, 168-172.	0.7	19
18	GIS and SBF for estimating groundwater recharge of a mountainous basin in the Wu River watershed, Taiwan. Journal of Earth System Science, 2014, 123, 503-516.	0.6	26

#	Article	IF	Citations
19	Soil water balance model for precipitation-induced shallow landslides. Environmental Earth Sciences, 2013, 70, 2691-2701.	1.3	27
20	An approach to evaluate groundwater recharge from streamflow and groundwater records. Geosciences Journal, 2013, 17, 353-362.	0.6	7
21	Necessary conditions for inverse modeling of flow through variably saturated porous media. Advances in Water Resources, 2013, 52, 50-61.	1.7	44
22	Groundwater recharge and exploitative potential zone mapping using GIS and GOD techniques. Environmental Earth Sciences, 2013, 68, 267-280.	1.3	39
23	Joint interpretation of sequential pumping tests in unconfined aquifers. Water Resources Research, 2013, 49, 1782-1796.	1.7	35
24	Crossâ€correlation analysis and information content of observed heads during pumping in unconfined aquifers. Water Resources Research, 2013, 49, 713-731.	1.7	39
25	Basin-scale groundwater response to precipitation variation and anthropogenic pumping in Chih-Ben watershed, Taiwan. Hydrogeology Journal, 2012, 20, 499-517.	0.9	13
26	Estimating mountain block recharge to downstream alluvial aquifers from standard methods. Journal of Hydrology, 2012, 426-427, 93-102.	2.3	10
27	Potentially toxic trace elements accumulating in marine sediment and bivalves in the outfall area of a desalination plant. Desalination and Water Treatment, 2011, 25, 106-112.	1.0	8
28	A revisit of drawdown behavior during pumping in unconfined aquifers. Water Resources Research, 2011, 47, .	1.7	37
29	Pollutant trends and hazard ranking in the desalination area of the Penghu Islands, Taiwan. Desalination, 2011, 281, 159-164.	4.0	1
30	Oxygen and hydrogen isotopes for the characteristics of groundwater recharge: a case study from the Chih-Pen Creek basin, Taiwan. Environmental Earth Sciences, 2011, 62, 393-402.	1.3	59
31	Dynamic analysis of the infiltration rate of artificial recharge of groundwater: a case study of Wanglong Lake, Pingtung, Taiwan. Environmental Earth Sciences, 2011, 63, 77-85.	1.3	19
32	Estimating aquifer transmissivity in a basin based on stream hydrograph records using an analytical approach. Environmental Earth Sciences, 2011, 63, 461-468.	1.3	10
33	Modeling spatial fracture intensity as a control on flow in fractured rock. Environmental Earth Sciences, 2011, 63, 1199-1211.	1.3	41
34	The effect of the variation of river water levels on the estimation of groundwater recharge in the Hsinhuwei River, Taiwan. Environmental Earth Sciences, 2010, 59, 1297-1307.	1.3	10
35	Infiltration mechanism simulation of artificial groundwater recharge: a case study at Pingtung Plain, Taiwan. Environmental Earth Sciences, 2010, 60, 1353-1360.	1.3	13
36	Application of fracture network model with crack permeability tensor on flow and transport in fractured rock. Engineering Geology, 2010, 116, 166-177.	2.9	51

3

#	Article	IF	CITATIONS
37	Application of Neural Network Model to Evaluate Hydro-Geological Parameters. , 2009, , .		O
38	An optimal water allocation for an irrigation district in Pingtung County, Taiwan. Irrigation and Drainage, 2009, 58, 287-306.	0.8	25
39	GIS for the assessment of the groundwater recharge potential zone. Environmental Geology, 2009, 58, 185-195.	1.2	231
40	The impact of tunneling construction on the hydrogeological environment of "Tseng-Wen Reservoir Transbasin Diversion Project―in Taiwan. Engineering Geology, 2009, 103, 39-58.	2.9	50
41	A simultaneous successive linear estimator and a guide for hydraulic tomography analysis. Water Resources Research, 2009, 45, .	1.7	114
42	River stage tomography: A new approach for characterizing groundwater basins. Water Resources Research, 2009, 45, .	1.7	30
43	Estimation of groundwater recharge using the soil moisture budget method and the base-flow model. Environmental Geology, 2008, 54, 1787-1797.	1.2	20
44	Fusion of hydrologic and geophysical tomographic surveys. Geosciences Journal, 2008, 12, 159-167.	0.6	16
45	Hydraulic Tomography for Detecting Fracture Zone Connectivity. Ground Water, 2008, 46, 183-192.	0.7	83
46	A view toward the future of subsurface characterization: CAT scanning groundwater basins. Water Resources Research, 2008, 44, .	1.7	44
47	Time to Change the Way We Collect and Analyze Data for Aquifer Characterization. Ground Water, 2007, 45, 116-118.	0.7	62
48	Estimation of groundwater recharge using water balance model. Water Resources, 2007, 34, 153-162.	0.3	30
49	Estimation of groundwater recharge using water balance coupled with base-flow-record estimation and stable-base-flow analysis. Environmental Geology, 2006, 51, 73-82.	1.2	78
50	A Water Budget Model for the Yun-Lin Plain, Taiwan. Water Resources Management, 2005, 19, 483-504.	1.9	19
51	Estimating ground-water recharge from streamflow records. Environmental Geology, 2003, 44, 257-265.	1.2	43
52	Evaluation of transport of radioactive contaminant in fractured rock. Environmental Geology, 2001, 41, 440-450.	1.2	12
53	Percolation and Dispersion of Mass Transport in Saturated Fracture Networks. Water Resources Management, 1998, 12, 409-432.	1.9	5
54	A continuum approach for estimating permeability in naturally fractured rocks. Engineering Geology, 1995, 39, 71-85.	2.9	43

#	Article	IF	CITATIONS
55	Fluid flow and connectivity in fractured rock. Water Resources Management, 1993, 7, 169-184.	1.9	14