

# Noula Shembade

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1111279/publications.pdf>

Version: 2024-02-01

19  
papers

1,834  
citations

687363

13  
h-index

794594

19  
g-index

19  
all docs

19  
docs citations

19  
times ranked

2615  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of NF- $\kappa$ B Signaling by A20 Through Disruption of Ubiquitin Enzyme Complexes. <i>Science</i> , 2010, 327, 1135-1139.	12.6	544
2	The E3 ligase Itch negatively regulates inflammatory signaling pathways by controlling the function of the ubiquitin-editing enzyme A20. <i>Nature Immunology</i> , 2008, 9, 254-262.	14.5	259
3	The ubiquitin-editing enzyme A20 requires RNF11 to downregulate NF- $\kappa$ B signalling. <i>EMBO Journal</i> , 2009, 28, 513-522.	7.8	196
4	Essential role for TAX1BP1 in the termination of TNF- $\alpha$ -, IL-1- and LPS-mediated NF- $\kappa$ B and JNK signaling. <i>EMBO Journal</i> , 2007, 26, 3910-3922.	7.8	174
5	Regulation of NF- $\kappa$ B signaling by the A20 deubiquitinase. <i>Cellular and Molecular Immunology</i> , 2012, 9, 123-130.	10.5	174
6	The Human T-Cell Leukemia Virus Type 1 Tax Oncoprotein Requires the Ubiquitin-Conjugating Enzyme Ubc13 for NF- $\kappa$ B Activation. <i>Journal of Virology</i> , 2007, 81, 13735-13742.	3.4	103
7	The kinase IKK $\alpha$ inhibits activation of the transcription factor NF- $\kappa$ B by phosphorylating the regulatory molecule TAX1BP1. <i>Nature Immunology</i> , 2011, 12, 834-843.	14.5	103
8	A20-mediated negative regulation of canonical NF- $\kappa$ B signaling pathway. <i>Immunologic Research</i> , 2013, 57, 166-171.	2.9	87
9	Human T-Cell Leukemia Virus Type 1 (HTLV-1) Tax Requires CADM1/TSLC1 for Inactivation of the NF- $\kappa$ B Inhibitor A20 and Constitutive NF- $\kappa$ B Signaling. <i>PLoS Pathogens</i> , 2015, 11, e1004721.	4.7	44
10	TAX1BP1 Restrains Virus-Induced Apoptosis by Facilitating Itch-Mediated Degradation of the Mitochondrial Adaptor MAVS. <i>Molecular and Cellular Biology</i> , 2017, 37, .	2.3	41
11	A20 inhibition of NF- $\kappa$ B and inflammation: Targeting E2:E3 ubiquitin enzyme complexes. <i>Cell Cycle</i> , 2010, 9, 2481-2482.	2.6	24
12	CADM1 is essential for KSHV-encoded vGPCR-and vFLIP-mediated chronic NF- $\kappa$ B activation. <i>PLoS Pathogens</i> , 2018, 14, e1006968.	4.7	19
13	Role of post-translational modifications of HTLV-1 Tax in NF- $\kappa$ B activation. <i>World Journal of Biological Chemistry</i> , 2010, 1, 13.	4.3	19
14	An Essential Role for Perforin-2 in Type I IFN Signaling. <i>Journal of Immunology</i> , 2020, 204, 2242-2256.	0.8	14
15	Elucidating Dynamic Protein-Protein Interactions and Ubiquitination in NF- $\kappa$ B Signaling Pathways. <i>Methods in Molecular Biology</i> , 2015, 1280, 283-295.	0.9	13
16	Lymphotropic Viruses: Chronic Inflammation and Induction of Cancers. <i>Biology</i> , 2020, 9, 390.	2.8	9
17	IKKi: a novel regulator of Act1, IL-17 signaling and pulmonary inflammation. <i>Cellular and Molecular Immunology</i> , 2011, 8, 447-449.	10.5	5
18	Outfoxing FoxO transcription factors: HTLV-1 Tax oncoprotein inactivates FoxO4 via the ubiquitin-proteasome pathway. <i>Future Virology</i> , 2011, 6, 1165-1168.	1.8	4

#	ARTICLE	IF	CITATIONS
19	LPS modifications and AvrA activity of Salmonella enterica serovar Typhimurium are required to prevent Perforin-2 expression by infected fibroblasts and intestinal epithelial cells. Microbial Pathogenesis, 2021, 154, 104852.	2.9	2