
Noula Shembade

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1111279/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	LPS modifications and AvrA activity of Salmonella enterica serovar Typhimurium are required to prevent Perforin-2 expression by infected fibroblasts and intestinal epithelial cells. Microbial Pathogenesis, 2021, 154, 104852.	2.9	2
2	Lymphotropic Viruses: Chronic Inflammation and Induction of Cancers. Biology, 2020, 9, 390.	2.8	9
3	An Essential Role for Perforin-2 in Type I IFN Signaling. Journal of Immunology, 2020, 204, 2242-2256.	0.8	14
4	CADM1 is essential for KSHV-encoded vGPCR-and vFLIP-mediated chronic NF-κB activation. PLoS Pathogens, 2018, 14, e1006968.	4.7	19
5	TAX1BP1 Restrains Virus-Induced Apoptosis by Facilitating Itch-Mediated Degradation of the Mitochondrial Adaptor MAVS. Molecular and Cellular Biology, 2017, 37, .	2.3	41
6	Human T-Cell Leukemia Virus Type 1 (HTLV-1) Tax Requires CADM1/TSLC1 for Inactivation of the NF-κB Inhibitor A20 and Constitutive NF-κB Signaling. PLoS Pathogens, 2015, 11, e1004721.	4.7	44
7	Elucidating Dynamic Protein–Protein Interactions and Ubiquitination in NF-κB Signaling Pathways. Methods in Molecular Biology, 2015, 1280, 283-295.	0.9	13
8	A20-mediated negative regulation of canonical NF-κB signaling pathway. Immunologic Research, 2013, 57, 166-171.	2.9	87
9	Regulation of NF-κB signaling by the A20 deubiquitinase. Cellular and Molecular Immunology, 2012, 9, 123-130.	10.5	174
10	IKKi: a novel regulator of Act1, IL-17 signaling and pulmonary inflammation. Cellular and Molecular Immunology, 2011, 8, 447-449.	10.5	5
11	Outfoxing FoxO transcription factors: HTLV-1 Tax oncoprotein inactivates FoxO4 via the ubiquitin–proteasome pathway. Future Virology, 2011, 6, 1165-1168.	1.8	4
12	The kinase IKKα inhibits activation of the transcription factor NF-κB by phosphorylating the regulatory molecule TAX1BP1. Nature Immunology, 2011, 12, 834-843.	14.5	103
13	Inhibition of NF-κB Signaling by A20 Through Disruption of Ubiquitin Enzyme Complexes. Science, 2010, 327, 1135-1139.	12.6	544
14	A20 inhibition of NFκB and inflammation: Targeting E2:E3 ubiquitin enzyme complexes. Cell Cycle, 2010, 9, 2481-2482.	2.6	24
15	Role of post-translational modifications of HTLV-1 Tax in NF-κB activation. World Journal of Biological Chemistry, 2010, 1, 13.	4.3	19
16	The ubiquitin-editing enzyme A20 requires RNF11 to downregulate NF-κB signalling. EMBO Journal, 2009, 28, 513-522.	7.8	196
17	The E3 ligase Itch negatively regulates inflammatory signaling pathways by controlling the function of the ubiquitin-editing enzyme A20. Nature Immunology, 2008, 9, 254-262.	14.5	259
18	The Human T-Cell Leukemia Virus Type 1 Tax Oncoprotein Requires the Ubiquitin-Conjugating Enzyme Ubc13 for NF-κB Activation. Journal of Virology, 2007, 81, 13735-13742.	3.4	103

#	Article	IF	CITATIONS
19	Essential role for TAX1BP1 in the termination of TNF-α-, IL-1- and LPS-mediated NF-κB and JNK signaling. EMBO Journal, 2007, 26, 3910-3922.	7.8	174