## Shayan Seyedin

## List of Publications by Citations

Source: https://exaly.com/author-pdf/1111319/shayan-seyedin-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,821 28 47 g-index

47 g-index

47 ext. papers

2,821 28 h-index

5.56 L-index

#	Paper	IF	Citations
44	Scalable Manufacturing of Free-Standing, Strong Ti C T MXene Films with Outstanding Conductivity. <i>Advanced Materials</i> , <b>2020</b> , 32, e2001093	24	268
43	Knitted Strain Sensor Textiles of Highly Conductive All-Polymeric Fibers. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2015</b> , 7, 21150-8	9.5	204
42	High-Performance Flexible All-Solid-State Supercapacitor from Large Free-Standing Graphene-PEDOT/PSS Films. <i>Scientific Reports</i> , <b>2015</b> , 5, 17045	4.9	195
41	Textile strain sensors: a review of the fabrication technologies, performance evaluation and applications. <i>Materials Horizons</i> , <b>2019</b> , 6, 219-249	14.4	193
40	Strain-Responsive Polyurethane/PEDOT:PSS Elastomeric Composite Fibers with High Electrical Conductivity. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 2957-2966	15.6	193
39	MXene Composite and Coaxial Fibers with High Stretchability and Conductivity for Wearable Strain Sensing Textiles. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 1910504	15.6	147
38	Knittable energy storing fiber with high volumetric performance made from predominantly MXene nanosheets. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 24076-24082	13	126
37	Knittable and Washable Multifunctional MXene-Coated Cellulose Yarns. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1905015	15.6	121
36	High-Performance Biscrolled MXene/Carbon Nanotube Yarn Supercapacitors. <i>Small</i> , <b>2018</b> , 14, e180227	2511	114
35	Development of Graphene Oxide/Polyaniline Inks for High Performance Flexible Microsupercapacitors via Extrusion Printing. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1706592	15.6	112
34	Highly Conductive Ti C T MXene Hybrid Fibers for Flexible and Elastic Fiber-Shaped Supercapacitors. <i>Small</i> , <b>2019</b> , 15, e1804732	11	98
33	Fast and scalable wet-spinning of highly conductive PEDOT:PSS fibers enables versatile applications. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 6401-6410	13	85
32	Achieving Outstanding Mechanical Performance in Reinforced Elastomeric Composite Fibers Using Large Sheets of Graphene Oxide. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 94-104	15.6	81
31	MXene: a potential candidate for yarn supercapacitors. <i>Nanoscale</i> , <b>2017</b> , 9, 18604-18608	7.7	81
30	Additive-Free MXene Liquid Crystals and Fibers. ACS Central Science, 2020, 6, 254-265	16.8	73
29	Evaluation of electrospun nanofiber pore structure parameters. <i>Korean Journal of Chemical Engineering</i> , <b>2008</b> , 25, 923-932	2.8	64
28	A new approach for optimization of electrospun nanofiber formation process. <i>Korean Journal of Chemical Engineering</i> , <b>2010</b> , 27, 340-354	2.8	58

## (2017-2011)

scaffolds conjugated with nerve growth factor. <i>Carbohydrate Polymers</i> , <b>2011</b> , 86, 526-535	10.3	54
Towards the Knittability of Graphene Oxide Fibres. <i>Scientific Reports</i> , <b>2015</b> , 5, 14946	4.9	53
Downsizing metalBrganic frameworks by bottom-up and top-down methods. <i>NPG Asia Materials</i> , <b>2020</b> , 12,	10.3	47
Continuous production of stretchable conductive multifilaments in kilometer scale enables facile knitting of wearable strain sensing textiles. <i>Applied Materials Today</i> , <b>2018</b> , 11, 255-263	6.6	40
Bath Electrospinning of Continuous and Scalable Multifunctional MXene-Infiltrated Nanoyarns. <i>Small</i> , <b>2020</b> , 16, e2002158	11	38
Facile Solution Processing of Stable MXene Dispersions towards Conductive Composite Fibers. <i>Global Challenges</i> , <b>2019</b> , 3, 1900037	4.3	38
Application of direct tracking method for measuring electrospun nanofiber diameter. <i>Brazilian Journal of Chemical Engineering</i> , <b>2009</b> , 26, 53-62	1.7	34
A facile approach to spinning multifunctional conductive elastomer fibres with nanocarbon fillers. <i>Smart Materials and Structures</i> , <b>2016</b> , 25, 035015	3.4	33
Tunable photocatalytic selectivity of TiO2/SiO2 nanocomposites: Effect of silica and isolation approach. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2018</b> , 552, 130-141	5.1	31
A New Image Analysis Based Method for Measuring Electrospun Nanofiber Diameter. <i>Nanoscale Research Letters</i> , <b>2007</b> , 2, 597-600	5	30
Compositional Effects of Large Graphene Oxide Sheets on the Spinnability and Properties of Polyurethane Composite Fibers. <i>Advanced Materials Interfaces</i> , <b>2016</b> , 3, 1500672	4.6	30
Distance transform algorithm for measuring nanofiber diameter. <i>Korean Journal of Chemical Engineering</i> , <b>2008</b> , 25, 905-918	2.8	24
Elastic Fiber Supercapacitors for Wearable Energy Storage. <i>Macromolecular Rapid Communications</i> , <b>2018</b> , 39, e1800103	4.8	21
Development and Applications of MXene-Based Functional Fibers. <i>ACS Applied Materials &amp; amp; Interfaces</i> , <b>2021</b> , 13, 36655-36669	9.5	19
Supercapacitors: Development of Graphene Oxide/Polyaniline Inks for High Performance Flexible Microsupercapacitors via Extrusion Printing (Adv. Funct. Mater. 21/2018). <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1870142	15.6	18
Simulated image of electrospun nonwoven web of PVA and corresponding nanofiber diameter distribution. <i>Korean Journal of Chemical Engineering</i> , <b>2008</b> , 25, 919-922	2.8	16
Multifunctional, biocompatible and pH-responsive carbon nanotube- and graphene oxide/tectomer hybrid composites and coatings. <i>Nanoscale</i> , <b>2017</b> , 9, 7791-7804	7.7	14
Liquid Crystals of Graphene Oxide: A Route Towards Solution-Based Processing and Applications.  Particle and Particle Systems Characterization, 2017, 34, 1600396	3.1	14
	Downsizing metalörganic frameworks by bottom-up and top-down methods. NPG Asia Materials, 2020, 12,  Continuous production of stretchable conductive multifilaments in kilometer scale enables facile knitting of wearable strain sensing textiles. Applied Materials Today, 2018, 11, 255-263  Bath Electrospinning of Continuous and Scalable Multifunctional MXene-Infiltrated Nanoyarns. Small, 2020, 16, e2002158  Facile Solution Processing of Stable MXene Dispersions towards Conductive Composite Fibers. Global Challenges, 2019, 3, 1900037  Application of direct tracking method for measuring electrospun nanofiber diameter. Brazilian Journal of Chemical Engineering, 2009, 26, 53-62  A facile approach to spinning multifunctional conductive elastomer fibres with nanocarbon fillers. Smart Materials and Structures, 2016, 25, 035015  Tunable photocatalytic selectivity of TiO2/SiO2 nanocomposites: Effect of silica and isolation approach. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 552, 130-141  A New Image Analysis Based Method for Measuring Electrospun Nanofiber Diameter. Nanoscale Research Letters, 2007, 2, 597-600  Compositional Effects of Large Graphene Oxide Sheets on the Spinnability and Properties of Polyurethane Composite Fibers. Advanced Materials Interfaces, 2016, 3, 1500672  Distance transform algorithm for measuring nanofiber diameter. Korean Journal of Chemical Engineering, 2008, 25, 905-918  Elastic Fiber Supercapacitors for Wearable Energy Storage. Macromolecular Rapid Communications, 2018, 39, e1800103  Development and Applications of MXene-Based Functional Fibers. ACS Applied Materials & Samp; Interfaces, 2021, 13, 36655-36669  Supercapacitors: Development of Graphene Oxide/Polyaniline Inks for High Performance Flexible Microsupercapacitors via Extrusion Printing (Adv. Funct. Mater. 21/2018). Advanced Functional Materials, 2018, 28, 1870142  Simulated image of electrospun nonwoven web of PVA and corresponding nanofiber diameter distribution. Korean Journal of Chemical Engineering, 20	Downsizing metalBrganic frameworks by bottom-up and top-down methods. NPG Asia Materials, 2020, 12,  Continuous production of stretchable conductive multifilaments in kilometer scale enables facile knitting of wearable strain sensing textiles. Applied Materials Today, 2018, 11, 255-263  Bath Electrospinning of Continuous and Scalable Multifunctional MXene-Infiltrated Nanoyarns. Small, 2020, 16, e2002158  Facile Solution Processing of Stable MXene Dispersions towards Conductive Composite Fibers. Global Challenges, 2019, 3, 1900037  Application of direct tracking method for measuring electrospun nanofiber diameter. Brazilian Journal of Chemical Engineering, 2009, 26, 53-62  A facile approach to spinning multifunctional conductive elastomer fibres with nanocarbon fillers. Smart Materials and Structures, 2016, 25, 035015  Tunable photocatalytic selectivity of TiO2/SiO2 nanocomposites: Effect of silica and isolation approach. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 552, 130-141  A New Image Analysis Based Method for Measuring Electrospun Nanofiber Diameter. Nanoscale Research Letters, 2007, 2, 597-600  Compositional Effects of Large Graphene Oxide Sheets on the Spinnability and Properties of Polyurethane Composite Fibers. Advanced Materials Interfaces, 2016, 3, 1500672  Distance transform algorithm for measuring nanofiber diameter. Korean Journal of Chemical Engineering, 2008, 25, 905-918  Elastic Fiber Supercapacitors for Wearable Energy Storage. Macromolecular Rapid Communications, 2018, 39, e1800103  Development and Applications of MXene-Based Functional Fibers. ACS Applied Materials & Bamp; Interfaces, 2021, 13, 36655-36669  Supercapacitors: Development of Graphene Oxide/Polyaniline Inks for High Performance Flexible Microsupercapacitors via Extrusion Printing (Adv. Funct. Mater. 21/2018). Advanced Functional Microsupercapacitors via Extrusion Printing (Adv. Funct. Mater. 21/2018). Advanced Functional Microsupercapacitors via Extrusion Printing (Adv. Funct. Mater. 21/2018). Advanc

9	Data on kilometer scale production of stretchable conductive multifilaments enables knitting wearable strain sensing textiles. <i>Data in Brief</i> , <b>2018</b> , 18, 1765-1772	1.2	10
8	Fibre electronics: towards scaled-up manufacturing of integrated e-textile systems. <i>Nanoscale</i> , <b>2021</b> , 13, 12818-12847	7.7	9
7	Measuring Electrospun Nanofibre Diameter: a Novel Approach. Chinese Physics Letters, 2008, 25, 3071-	30.784	7
6	Mechanical properties and foaming behavior of polypropylene/elastomer/recycled carbon fiber composites. <i>Polymer Composites</i> , <b>2021</b> , 42, 3482-3492	3	7
5	Reinforcing potential of recycled carbon fibers in compatibilized polypropylene composites. Journal of Polymer Research, <b>2021</b> , 28, 1	2.7	4
4	Molecularly Imprinted Polymer Nanoparticles Enable Rapid, Reliable, and Robust Point-of-Care Thermal Detection of SARS-CoV-2 ACS Sensors, <b>2022</b> ,	9.2	4
3	MXene Films: Scalable Manufacturing of Free-Standing, Strong Ti3C2Tx MXene Films with Outstanding Conductivity (Adv. Mater. 23/2020). <i>Advanced Materials</i> , <b>2020</b> , 32, 2070180	24	3
2	Two-dimensional oligoglycine tectomer adhesives for graphene oxide fiber functionalization. <i>Carbon</i> , <b>2019</b> , 147, 460-475	10.4	2
1	Nanogrooved carbon microtubes for wet three-dimensional printing of conductive composite structures. <i>Polymer International</i> , <b>2019</b> , 68, 922-928	3.3	2