

Rhonda D Kineman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1111359/publications.pdf>

Version: 2024-02-01

143
papers

6,944
citations

53939

47
h-index

78623

77
g-index

161
all docs

161
docs citations

161
times ranked

6009
citing authors

#	ARTICLE	IF	CITATIONS
1	Liver is a primary source of insulin-like growth factor-1 in skin wound healing. <i>Journal of Endocrinology</i> , 2022, 252, 59-70.	1.2	9
2	Growth Hormone and Insulin-Like Growth Factor 1 Regulation of Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 1812-1824.	1.8	32
3	Constitutively Active STAT5b Feminizes Mouse Liver Gene Expression. <i>Endocrinology</i> , 2022, 163, .	1.4	13
4	GH directly inhibits steatosis and liver injury in a sex-dependent and IGF1-independent manner. <i>Journal of Endocrinology</i> , 2021, 248, 31-44.	1.2	19
5	Parameter-Dependency of Low-Intensity Vibration for Wound Healing in Diabetic Mice. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 654920.	2.0	9
6	Sexual dimorphic impact of adult-onset somatopause on life span and age-induced osteoarthritis. <i>Aging Cell</i> , 2021, 20, e13427.	3.0	8
7	Rosiglitazone Requires Hepatocyte PPAR β Expression to Promote Steatosis in Male Mice With Diet-Induced Obesity. <i>Endocrinology</i> , 2021, 162, .	1.4	16
8	Towards Understanding the Direct and Indirect Actions of Growth Hormone in Controlling Hepatocyte Carbohydrate and Lipid Metabolism. <i>Cells</i> , 2021, 10, 2532.	1.8	21
9	Statins Directly Regulate Pituitary Cell Function and Exert Antitumor Effects in Pituitary Tumors. <i>Neuroendocrinology</i> , 2020, 110, 1028-1041.	1.2	12
10	Imaging and Manipulating Pituitary Function in the Awake Mouse. <i>Endocrinology</i> , 2019, 160, 2271-2281.	1.4	11
11	Dysregulation of the Splicing Machinery Is Associated to the Development of Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 3389-3402.	1.8	52
12	Tissue-dependent effects of cis-9,trans-11- and trans-10,cis-12-CLA isomers on glucose and lipid metabolism in adult male mice. <i>Journal of Nutritional Biochemistry</i> , 2019, 67, 90-100.	1.9	11
13	Neuronostatin exerts actions on pituitary that are unique from its sibling peptide somatostatin. <i>Journal of Endocrinology</i> , 2018, 237, 217-227.	1.2	11
14	Adult-Onset Hepatocyte GH Resistance Promotes NASH in Male Mice, Without Severe Systemic Metabolic Dysfunction. <i>Endocrinology</i> , 2018, 159, 3761-3774.	1.4	17
15	The Pituitary Gland is a Novel Major Site of Action of Metformin in Non-Human Primates: a Potential Path to Expand and Integrate Its Metabolic Actions. <i>Cellular Physiology and Biochemistry</i> , 2018, 49, 1444-1459.	1.1	11
16	40 YEARS of IGF1: Understanding the tissue-specific roles of IGF1/IGF1R in regulating metabolism using the Cre/loxP system. <i>Journal of Molecular Endocrinology</i> , 2018, 61, T187-T198.	1.1	72
17	BIM-23A760 influences key functional endpoints in pituitary adenomas and normal pituitaries: molecular mechanisms underlying the differential response in adenomas. <i>Scientific Reports</i> , 2017, 7, 42002.	1.6	27
18	Adipokines (Leptin, Adiponectin, Resistin) Differentially Regulate All Hormonal Cell Types in Primary Anterior Pituitary Cell Cultures from Two Primate Species. <i>Scientific Reports</i> , 2017, 7, 43537.	1.6	41

#	ARTICLE	IF	CITATIONS
19	Hepatocyte-specific, PPAR β -regulated mechanisms to promote steatosis in adult mice. <i>Journal of Endocrinology</i> , 2017, 232, 107-121.	1.2	66
20	Somatotroph-Specific Aip-Deficient Mice Display Pretumorigenic Alterations in Cell-Cycle Signaling. <i>Journal of the Endocrine Society</i> , 2017, 1, 78-95.	0.1	12
21	Growth Hormone Control of Hepatic Lipid Metabolism. <i>Diabetes</i> , 2016, 65, 3598-3609.	0.3	90
22	Hepatic PPAR β Is Not Essential for the Rapid Development of Steatosis After Loss of Hepatic GH Signaling, in Adult Male Mice. <i>Endocrinology</i> , 2016, 157, 1728-1735.	1.4	18
23	Islet insulin content and release are increased in male mice with elevated endogenous GH and IGF-I, without evidence of systemic insulin resistance or alterations in β -cell mass. <i>Growth Hormone and IGF Research</i> , 2015, 25, 189-195.	0.5	10
24	Melatonin Regulates Somatotrope and Lactotrope Function Through Common and Distinct Signaling Pathways in Cultured Primary Pituitary Cells From Female Primates. <i>Endocrinology</i> , 2015, 156, 1100-1110.	1.4	16
25	Truncated somatostatin receptor variant sst5TMD4 confers aggressive features (proliferation,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 3.2 72		
26	Growth Hormone Inhibits Hepatic De Novo Lipogenesis in Adult Mice. <i>Diabetes</i> , 2015, 64, 3093-3103.	0.3	85
27	Long- But Not Short-Term Adult-Onset, Isolated GH Deficiency in Male Mice Leads to Deterioration of β -Cell Function, Which Cannot Be Accounted for by Changes in β -Cell Mass. <i>Endocrinology</i> , 2014, 155, 726-735.	1.4	24
28	Differential impact of selective GH deficiency and endogenous GH excess on insulin-mediated actions in muscle and liver of male mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 307, E928-E934.	1.8	23
29	Obestatin Plays an Opposite Role in the Regulation of Pituitary Somatotrope and Corticotrope Function in Female Primates and Male/Female Mice. <i>Endocrinology</i> , 2014, 155, 1407-1417.	1.4	15
30	Both Estrogen Receptor α and β Stimulate Pituitary GH Gene Expression. <i>Molecular Endocrinology</i> , 2014, 28, 40-52.	3.7	58
31	Elevated GH/IGF-I promotes mammary tumors in high-fat, but not low-fat, fed mice. <i>Carcinogenesis</i> , 2014, 35, 2467-2473.	1.3	12
32	Nutritional, hormonal, and depot-dependent regulation of the expression of the small GTPase Rab18 in rodent adipose tissue. <i>Journal of Molecular Endocrinology</i> , 2013, 50, 19-29.	1.1	11
33	Adiponectin in mice with altered GH action: links to insulin sensitivity and longevity?. <i>Journal of Endocrinology</i> , 2013, 216, 363-374.	1.2	48
34	The Rise in Growth Hormone during Starvation Does Not Serve to Maintain Glucose Levels or Lean Mass but Is Required for Appropriate Adipose Tissue Response in Female Mice. <i>Endocrinology</i> , 2013, 154, 263-269.	1.4	32
35	Endogenous Somatostatin Is Critical in Regulating the Acute Effects of L-Arginine on Growth Hormone and Insulin Release in Mice. <i>Endocrinology</i> , 2013, 154, 2393-2398.	1.4	7
36	Insulin and IGF-I Inhibit GH Synthesis and Release in Vitro and in Vivo by Separate Mechanisms. <i>Endocrinology</i> , 2013, 154, 2410-2420.	1.4	45

#	ARTICLE	IF	CITATIONS
37	Peripubertal-onset but not adult-onset obesity increases IGF-I and drives development of lean mass, which may lessen the metabolic impairment in adult obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 303, E1151-E1157.	1.8	18
38	Homologous and Heterologous in Vitro Regulation of Pituitary Receptors for Somatostatin, Growth Hormone (GH)-Releasing Hormone, and Ghrelin in a Nonhuman Primate (<i>Papio anubis</i>). <i>Endocrinology</i> , 2012, 153, 264-272.	1.4	17
39	Ablation of Leptin Signaling to Somatotropes: Changes in Metabolic Factors that Cause Obesity. <i>Endocrinology</i> , 2012, 153, 4705-4715.	1.4	20
40	The Adult Pituitary Shows Stem/Progenitor Cell Activation in Response to Injury and Is Capable of Regeneration. <i>Endocrinology</i> , 2012, 153, 3224-3235.	1.4	87
41	Role of ghrelin system in neuroprotection and cognitive functions: Implications in Alzheimer's disease. <i>Peptides</i> , 2011, 32, 2225-2228.	1.2	91
42	A Novel Human Ghrelin Variant (In1-Ghrelin) and Ghrelin-O-Acyltransferase Are Overexpressed in Breast Cancer: Potential Pathophysiological Relevance. <i>PLoS ONE</i> , 2011, 6, e23302.	1.1	67
43	Does the pituitary somatotrope play a primary role in regulating GH output in metabolic extremes?. <i>Annals of the New York Academy of Sciences</i> , 2011, 1220, 82-92.	1.8	23
44	Elevated GH/IGF-I, Due to Somatotrope-Specific Loss of Both IGF-I and Insulin Receptors, Alters Glucose Homeostasis and Insulin Sensitivity in a Diet-Dependent Manner. <i>Endocrinology</i> , 2011, 152, 4825-4837.	1.4	32
45	Cortistatin Is Not a Somatostatin Analogue but Stimulates Prolactin Release and Inhibits GH and ACTH in a Gender-Dependent Fashion: Potential Role of Ghrelin. <i>Endocrinology</i> , 2011, 152, 4800-4812.	1.4	59
46	The Somatotrope as a Metabolic Sensor: Deletion of Leptin Receptors Causes Obesity. <i>Endocrinology</i> , 2011, 152, 69-81.	1.4	45
47	Impact of <i>hsp90</i> Oncogene on the mRNA Content for Somatostatin and Dopamine Receptors in Human Somatotropinomas. <i>Neuroendocrinology</i> , 2011, 93, 40-47.	1.2	19
48	Kisspeptin Regulates Gonadotroph and Somatotroph Function in Nonhuman Primate Pituitary via Common and Distinct Signaling Mechanisms. <i>Endocrinology</i> , 2011, 152, 957-966.	1.4	85
49	Somatostatin and its receptors contribute in a tissue-specific manner to the sex-dependent metabolic (fed/fasting) control of growth hormone axis in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 300, E46-E54.	1.8	34
50	Metabolic Impact of Adult-Onset, Isolated, Growth Hormone Deficiency (AOiGHD) Due to Destruction of Pituitary Somatotropes. <i>PLoS ONE</i> , 2011, 6, e15767.	1.1	60
51	Identification and characterization of new functional truncated variants of somatostatin receptor subtype 5 in rodents. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 1147-1163.	2.4	59
52	The Somatotrope as a Metabolic Sensor: Deletion of Leptin Receptors Causes Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5455-5455.	1.8	0
53	The Somatotrope as a Metabolic Sensor: Deletion of Leptin Receptors Causes Obesity. <i>Endocrine Reviews</i> , 2010, 31, 941-941.	8.9	1
54	Ileal apical Na ⁺ -dependent bile acid transporter ASBT is upregulated in rats with diabetes mellitus induced by low doses of streptozotocin. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, G898-G906.	1.6	13

#	ARTICLE	IF	CITATIONS
55	Targeted Deletion of Somatotroph Insulin-Like Growth Factor-I Signaling in a Cell-Specific Knockout Mouse Model. <i>Molecular Endocrinology</i> , 2010, 24, 1077-1089.	3.7	47
56	M1680 Reduced Npra Expression Impairs Somatostatin-Induced Inhibition of Gastric Acid Secretion. <i>Gastroenterology</i> , 2010, 138, S-397.	0.6	0
57	Metabolic regulation of ghrelin O-acyl transferase (GOAT) expression in the mouse hypothalamus, pituitary, and stomach. <i>Molecular and Cellular Endocrinology</i> , 2010, 317, 154-160.	1.6	101
58	Expression of the Ghrelin and Neurotensin Systems is Altered in the Temporal Lobe of Alzheimer's Disease Patients. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 819-828.	1.2	89
59	Use of the Metallothionein Promoter-Human Growth Hormone-Releasing Hormone (GHRH) Mouse to Identify Regulatory Pathways that Suppress Pituitary Somatotrope Hyperplasia and Adenoma Formation due to GHRH-Receptor Hyperactivation. <i>Endocrinology</i> , 2009, 150, 3177-3185.	1.4	16
60	Expression Analysis of Dopamine Receptor Subtypes in Normal Human Pituitaries, Nonfunctioning Pituitary Adenomas and Somatotropinomas, and the Association between Dopamine and Somatostatin Receptors with Clinical Response to Octreotide-LAR in Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 1931-1937.	1.8	120
61	W1651 Ileal Apical Sodium-Dependent Bile Acid Transporter (ASBT) Is Upregulated in Rat Model of Diabetes Mellitus. <i>Gastroenterology</i> , 2009, 136, A-710.	0.6	0
62	Eliminating leptin signals to somatotropes reduces GH and fertility and causes obesity in adults. <i>FASEB Journal</i> , 2009, 23, LB28.	0.2	0
63	Role of endogenous somatostatin in regulating GH output under basal conditions and in response to metabolic extremes. <i>Molecular and Cellular Endocrinology</i> , 2008, 286, 155-168.	1.6	42
64	Foreword. <i>Molecular and Cellular Endocrinology</i> , 2008, 286, 1-2.	1.6	5
65	Quantitative analysis of somatostatin receptor subtypes (1â€“5) gene expression levels in somatotropinomas and correlation to in vivo hormonal and tumor volume responses to treatment with octreotide LAR. <i>European Journal of Endocrinology</i> , 2008, 158, 295-303.	1.9	160
66	Disruption of Growth Hormone Signaling Retards Prostate Carcinogenesis in the Probasin/TAg Rat. <i>Endocrinology</i> , 2008, 149, 1366-1376.	1.4	31
67	Quantitative analysis of somatostatin receptor subtype (SSTR1â€“5) gene expression levels in somatotropinomas and non-functioning pituitary adenomas. <i>European Journal of Endocrinology</i> , 2007, 156, 65-74.	1.9	196
68	Effects of leptin replacement on hypothalamic-pituitary growth hormone axis function and circulating ghrelin levels in ob/ob mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E891-E899.	1.8	72
69	Nutritional regulation of adipose tissue apolipoprotein E expression. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E203-E209.	1.8	42
70	Reporter Expression, Induced by a Growth Hormone Promoter-Driven Cre Recombinase (rGHp-Cre) Transgene, Questions the Developmental Relationship between Somatotropes and Lactotropes in the Adult Mouse Pituitary Gland. <i>Endocrinology</i> , 2007, 148, 1946-1953.	1.4	63
71	Evidence that Ghrelin Is as Potent as Growth Hormone (GH)-Releasing Hormone (GHRH) in Releasing GH from Primary Pituitary Cell Cultures of a Nonhuman Primate (<i>Papio anubis</i>), Acting through Intracellular Signaling Pathways Distinct from GHRH. <i>Endocrinology</i> , 2007, 148, 4440-4449.	1.4	60
72	Severity of the Catabolic Condition Differentially Modulates Hypothalamic Expression of Growth Hormone-Releasing Hormone in the Fasted Mouse: Potential Role of Neuropeptide Y and Corticotropin-Releasing Hormone. <i>Endocrinology</i> , 2007, 148, 300-309.	1.4	74

#	ARTICLE	IF	CITATIONS
73	Regulation of Hypothalamic Expression of Kiss-1 and GPR54 Genes by Metabolic Factors: Analyses Using Mouse Models and a Cell Line. <i>Endocrinology</i> , 2007, 148, 4601-4611.	1.4	235
74	Identification of a mouse ghrelin gene transcript that contains intron 2 and is regulated in the pituitary and hypothalamus in response to metabolic stress. <i>Journal of Molecular Endocrinology</i> , 2007, 38, 511-521.	1.1	50
75	Gender-Dependent Role of Endogenous Somatostatin in Regulating Growth Hormone-Axis Function in Mice. <i>Endocrinology</i> , 2007, 148, 5998-6006.	1.4	40
76	A mutant allele of <i>BARA/LIN-9</i> rescues the <i>cdk4</i> ^{-/-} phenotype by releasing the repression on E2F-regulated genes. <i>Experimental Cell Research</i> , 2006, 312, 2465-2475.	1.2	12
77	Impact of Obesity on the Growth Hormone Axis: Evidence for a Direct Inhibitory Effect of Hyperinsulinemia on Pituitary Function. <i>Endocrinology</i> , 2006, 147, 2754-2763.	1.4	135
78	Identification of the Somatostatin Receptor Subtypes (<i>sst</i>) Mediating the Divergent, Stimulatory/Inhibitory Actions of Somatostatin on Growth Hormone Secretion. <i>Endocrinology</i> , 2006, 147, 2902-2908.	1.4	30
79	Examination of the direct effects of metabolic factors on somatotrope function in a non-human primate model, <i>Papio anubis</i> . <i>Journal of Molecular Endocrinology</i> , 2006, 37, 25-38.	1.1	60
80	Evidence that endogenous SST inhibits ACTH and ghrelin expression by independent pathways. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E395-E403.	1.8	69
81	Differential responses of the growth hormone axis in two rat models of streptozotocin-induced insulinopenic diabetes. <i>Journal of Endocrinology</i> , 2006, 188, 263-270.	1.2	44
82	Cortistatin mimics somatostatin by inducing a dual, dose-dependent stimulatory and inhibitory effect on growth hormone secretion in somatotropes. <i>Journal of Molecular Endocrinology</i> , 2006, 36, 547-556.	1.1	29
83	Mutation of <i>BARA/LIN-9</i> rescues the <i>CDK4</i> ^{Δnull} phenotype by releasing the repression on E2F-regulated genes. <i>FASEB Journal</i> , 2006, 20, A38.	0.2	0
84	Expression Analysis of Hypothalamic and Pituitary Components of the Growth Hormone Axis in Fasted and Streptozotocin-Treated Neuropeptide Y (NPY)-Intact (NPY ^{+/+}) and NPY-Knockout (NPY ^{-/-}) Mice. <i>Neuroendocrinology</i> , 2005, 81, 360-371.	1.2	33
85	Fasting-induced changes in the hypothalamic-pituitary-GH axis in the absence of GH expression: lessons from the spontaneous dwarf rat. <i>Journal of Endocrinology</i> , 2004, 180, 369-378.	1.2	47
86	Homologous and heterologous in vitro regulation of pig pituitary somatostatin receptor subtypes, <i>sst1</i> , <i>sst2</i> and <i>sst5</i> mRNA. <i>Journal of Molecular Endocrinology</i> , 2004, 32, 437-448.	1.1	21
87	Homologous and Heterologous Regulation of Pituitary Receptors for Ghrelin and Growth Hormone-Releasing Hormone. <i>Endocrinology</i> , 2004, 145, 3182-3189.	1.4	53
88	The Role of Pituitary Ghrelin in Growth Hormone (GH) Secretion: GH-Releasing Hormone-Dependent Regulation of Pituitary Ghrelin Gene Expression and Peptide Content. <i>Endocrinology</i> , 2004, 145, 3731-3738.	1.4	60
89	<i>Cdk4</i> Is Indispensable for Postnatal Proliferation of the Anterior Pituitary. <i>Journal of Biological Chemistry</i> , 2004, 279, 51100-51106.	1.6	69
90	Role of Glucocorticoids in the Regulation of Pituitary Somatostatin Receptor Subtype (<i>sst1</i> - <i>sst5</i>) mRNA Levels: Evidence for Direct and Somatostatin-Mediated Effects. <i>Neuroendocrinology</i> , 2003, 78, 163-175.	1.2	46

#	ARTICLE	IF	CITATIONS
91	Pituitary Hypoplasia and Lactotroph Dysfunction in Mice Deficient for Cyclin-Dependent Kinase-4. <i>Endocrinology</i> , 2002, 143, 3001-3008.	1.4	70
92	Growth hormone-releasing hormone and pituitary development, hyperplasia and tumorigenesis. <i>Trends in Endocrinology and Metabolism</i> , 2002, 13, 299-303.	3.1	66
93	Glucocorticoids Regulate Pituitary Growth Hormone Secretagogue Receptor Gene Expression. <i>Journal of Neuroendocrinology</i> , 2001, 12, 481-485.	1.2	56
94	Increase in mRNA Concentrations of Pituitary Receptors for Growth Hormone-Releasing Hormone and Growth Hormone Secretagogues After Neonatal Monosodium Glutamate Treatment. <i>Journal of Neuroendocrinology</i> , 2001, 12, 335-341.	1.2	9
95	The Growth Hormone (GH)-Axis of GH Receptor/Binding Protein Gene-Disrupted and Metallothionein-Human GH-Releasing Hormone Transgenic Mice: Hypothalamic Neuropeptide and Pituitary Receptor Expression in the Absence and Presence of GH Feedback*. <i>Endocrinology</i> , 2001, 142, 1117-1123.	1.4	42
96	Liver-Derived IGF-I Regulates GH Secretion at the Pituitary Level in Mice. <i>Endocrinology</i> , 2001, 142, 4762-4770.	1.4	74
97	p27Kip1-deficient mice exhibit accelerated growth hormone-releasing hormone (GHRH)-induced somatotrope proliferation and adenoma formation. <i>Oncogene</i> , 2000, 19, 1875-1884.	2.6	32
98	Isolated Familial Somatotropinomas: Establishment of Linkage to Chromosome 11q13.1-11q13.3 and Evidence for a Potential Second Locus at Chromosome 2p16-12. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 707-714.	1.8	83
99	Modulation of Pituitary Somatostatin Receptor Subtype (sst1-5) Messenger Ribonucleic Acid Levels by Changes in the Growth Hormone Axis*. <i>Endocrinology</i> , 2000, 141, 3556-3563.	1.4	34
100	Authors' Response: Isolated Familial Somatotropinomas: Does the Disease Map to 11q13 or to 2p16?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 4921-4921.	1.8	1
101	Antitumorigenic actions of growth hormone-releasing hormone antagonists. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 532-534.	3.3	44
102	Authors' Response: Isolated Familial Somatotropinomas: Does the Disease Map to 11q13 or to 2p16?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 4921-4921.	1.8	6
103	Isolated Familial Somatotropinomas: Establishment of Linkage to Chromosome 11q13.1-11q13.3 and Evidence for a Potential Second Locus at Chromosome 2p16-12. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 707-714.	1.8	75
104	New Insights in the Study of Growth Gained from the Use of Genetic and Transgenic Models. <i>Journal of Animal Science</i> , 1999, 77, 1.	0.2	31
105	Growth Hormone (GH)-Releasing Hormone (GHRH) and the GH Secretagogue (GHS), L692,585, Differentially Modulate Rat Pituitary GHS Receptor and GHRH Receptor Messenger Ribonucleic Acid Levels. <i>Endocrinology</i> , 1999, 140, 3581-3586.	1.4	56
106	Expression of Growth Hormone-Releasing Hormone (GHRH) Messenger Ribonucleic Acid and the Presence of Biologically Active GHRH in Human Breast, Endometrial, and Ovarian Cancers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 582-589.	1.8	96
107	Loss of Heterozygosity on Chromosome 11q13 in Two Families with Acromegaly/Gigantism Is Independent of Mutations of the Multiple Endocrine Neoplasia Type I Gene. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 249-256.	1.8	80
108	Growth Hormone-Releasing Hormone Receptor (GHRH-R) and Growth Hormone Secretagogue Receptor (GHS-R) mRNA Levels During Postnatal Development in Male and Female Rats. <i>Journal of Neuroendocrinology</i> , 1999, 11, 299-306.	1.2	63

#	ARTICLE	IF	CITATIONS
109	Familial Somatotropinomas. , 1999, 9, 277-285.		16
110	Animal Models of Growth Hormone Deficiency as Tools to Study Growth Hormone Releasing Mechanisms. , 1999, , 105-113.		2
111	Loss of Heterozygosity on Chromosome 11q13 in Two Families with Acromegaly/Gigantism Is Independent of Mutations of the Multiple Endocrine Neoplasia Type I Gene. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 249-256.	1.8	56
112	Expression of Growth Hormone-Releasing Hormone (GHRH) Messenger Ribonucleic Acid and the Presence of Biologically Active GHRH in Human Breast, Endometrial, and Ovarian Cancers. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 582-589.	1.8	70
113	Genetic and Transgenic Models to Investigate the Growth Hormone Axis and Sexual Dimorphism. , 1999, , 293-300.		0
114	Expression of a fusion gene consisting of the mouse growth hormone-releasing hormone gene promoter linked to the SV40 T-antigen gene in transgenic mice. Molecular and Cellular Endocrinology, 1998, 137, 161-168.	1.6	5
115	Hypothalamic/Pituitary-Axis of the Spontaneous Dwarf Rat: Autofeedback Regulation of Growth Hormone (GH) Includes Suppression of GH Releasing-Hormone Receptor Messenger Ribonucleic Acid*. Endocrinology, 1998, 139, 3554-3560.	1.4	62
116	Growth Hormone-Dependent Regulation of Pituitary GH Secretagogue Receptor (GHS-R) mRNA Levels in the Spontaneous Dwarf Rat. Neuroendocrinology, 1998, 68, 312-318.	1.2	52
117	Homologous Down-Regulation of Growth Hormone-Releasing Hormone Receptor Messenger Ribonucleic Acid Levels*. Endocrinology, 1997, 138, 1058-1065.	1.4	66
118	Effects of Antagonists of Growth Hormone-Releasing Hormone (GHRH) on GH and Insulin-Like Growth Factor I Levels in Transgenic Mice Overexpressing the Human GHRH Gene, an Animal Model of Acromegaly*. Endocrinology, 1997, 138, 4536-4542.	1.4	35
119	Enhanced Growth of Mice Lacking the Cyclin-Dependent Kinase Inhibitor Function of p27Kip1. Cell, 1996, 85, 721-732.	13.5	1,188
120	Role of guanine nucleotide-binding proteins, G α 3 and G α 1, in dopamine and thyrotropin-releasing hormone signal transduction: evidence for competition and commonality. Journal of Endocrinology, 1996, 148, 447-455.	1.2	15
121	Dynamic monitoring and quantification of gene expression in single, living cells: a molecular basis for secretory cell heterogeneity. Molecular Endocrinology, 1996, 10, 599-605.	3.7	30
122	Secretory characteristics and phenotypic plasticity of growth hormone- and prolactin-producing cell lines. Journal of Endocrinology, 1994, 140, 455-463.	1.2	11
123	Des-acetylated variants of β -melanocyte-stimulating hormone and β -endorphin can antagonize the mammatrope-recruiting activity of their acetylated forms. Journal of Endocrinology, 1993, 139, 295-300.	1.2	2
124	The ontogenic and functional relationships between growth hormone- and prolactin-releasing cells during the development of the bovine pituitary. Journal of Endocrinology, 1992, 134, 91-96.	1.2	30
125	Mammosomatotropes Are Abundant in Bovine Pituitaries: Influence of Gonadal Status*. Endocrinology, 1991, 128, 2229-2233.	1.4	34
126	Immunocytochemical Localization of Luteinizing Hormone-Releasing Hormone within the Olfactory Bulb of Pigs. Biology of Reproduction, 1991, 44, 299-304.	1.2	6

#	ARTICLE	IF	CITATIONS
127	Fluctuations in the Proportions of Growth Hormone- and Prolactin-Secreting Cells during the Bovine Estrous Cycle. Endocrinology, 1991, 129, 1221-1225.	1.4	34
128	Bovine Pituitary Cells Exhibit a Unique Form of Somatotrope Secretory Heterogeneity*. Endocrinology, 1990, 127, 2229-2235.	1.4	29
129	Effects of Prolactin on Target Cells. Neuroendocrine Perspectives, 1990, , 39-75.	0.6	0
130	Localization of Proopiomelanocortin (POMC) Immunoreactive Neurons in the Forebrain of the Pig. Biology of Reproduction, 1989, 40, 1119-1126.	1.2	41
131	Relative Importance of Newly Synthesized and Stored Hormone to Basal Secretion by Growth Hormone and Prolactin Cells*. Endocrinology, 1989, 125, 1904-1909.	1.4	23
132	A Cellular Basis for Growth Hormone Deficiency in the Dwarf Rat: Analysis of Growth Hormone and Prolactin Release by Reverse Hemolytic Plaque Assay*. Endocrinology, 1989, 125, 2035-2040.	1.4	24
133	Luteinizing hormone secretion following intracerebroventricular administration of morphine in the prepuberal gilt. Life Sciences, 1989, 45, 691-696.	2.0	10
134	Localization of Luteinizing Hormone-Releasing Hormone in the Forebrain of the Pig. Biology of Reproduction, 1988, 39, 665-672.	1.2	53
135	Mammary Growth Response of Holstein Heifers to Photoperiod. Journal of Dairy Science, 1985, 68, 86-90.	1.4	30
136	Steroids can modulate transdifferentiation of prolactin and growth hormone cells in bovine pituitary cultures. , 0, .		25
137	Homologous Down-Regulation of Growth Hormone-Releasing Hormone Receptor Messenger Ribonucleic Acid Levels. , 0, .		23
138	Liver-Derived IGF-I Regulates GH Secretion at the Pituitary Level in Mice. , 0, .		13
139	The Growth Hormone (GH)-Axis of GH Receptor/Binding Protein Gene-Disrupted and Metallothionein-Human GH-Releasing Hormone Transgenic Mice: Hypothalamic Neuropeptide and Pituitary Receptor Expression in the Absence and Presence of GH Feedback. , 0, .		22
140	Pituitary Hypoplasia and Lactotroph Dysfunction in Mice Deficient for Cyclin-Dependent Kinase-4. , 0, .		22
141	The consequences of changing endogenous GH/IGF1 levels on carcinogen-induced mammary gland tumorigenesis are dependent on metabolic status in mice. Endocrine Abstracts, 0, , .	0.0	0
142	Energy status and GH/IGF1 axis. Endocrine Abstracts, 0, , .	0.0	0
143	The dopastatin BIM-23A760 distinctly influences key functional endpoints in different types of pituitary adenomas and normal pituitaries: role of somatostatin and dopamine receptor profile. Endocrine Abstracts, 0, , .	0.0	0