Bert Bravenboer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11115479/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	COVID-19 and Cushing's disease in a patient with ACTH-secreting pituitary carcinoma. Endocrinology, Diabetes and Metabolism Case Reports, 2022, 2022, .	0.5	4
2	Consensus Recommendations for the Diagnosis and Management of X-Linked Hypophosphatemia in Belgium. Frontiers in Endocrinology, 2021, 12, 641543.	3.5	26
3	Undetectable thyroglobulin makes 123I whole-body scan and stimulated thyroglobulin obsolete in follow-up care of differentiated thyroid cancer: a retrospective study. Thyroid Research, 2021, 14, 23.	1.5	0
4	Long-Term Treatment with Calcitriol in Postsurgical Hypoparathyroidism Leads to Renal Function Decline. Hormone and Metabolic Research, 2019, 51, 362-366.	1.5	13
5	A Systematic Review and Meta-Analysis of Endocrine-Related Adverse Events Associated with Immune Checkpoint Inhibitors. Hormone and Metabolic Research, 2019, 51, 145-156.	1.5	234
6	Immune checkpoint inhibitors and type 1 diabetes mellitus: a case report and systematic review. European Journal of Endocrinology, 2019, 181, 363-374.	3.7	154
7	Pseudomalabsorption of Levothyroxine: A Challenge for the Endocrinologist in the Treatment of Hypothyroidism. European Thyroid Journal, 2017, 6, 52-56.	2.4	19
8	Introduction of the DiaGene study: clinical characteristics, pathophysiology and determinants of vascular complications of type 2 diabetes. Diabetology and Metabolic Syndrome, 2017, 9, 47.	2.7	18
9	Incidence of Thyroid-Related Adverse Events in Melanoma Patients Treated With Pembrolizumab. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4431-4439.	3.6	187
10	Iron metabolism is prospectively associated with insulin resistance and glucose intolerance over a 7-year follow-up period: the CODAM study. Acta Diabetologica, 2015, 52, 337-348.	2.5	40
11	Complement Factor 3 Is Associated With Insulin Resistance and With Incident Type 2 Diabetes Over a 7-Year Follow-up Period: The CODAM Study. Diabetes Care, 2014, 37, 1900-1909.	8.6	68
12	Leveraging Cross-Species Transcription Factor Binding Site Patterns: From Diabetes Risk Loci to Disease Mechanisms. Cell, 2014, 156, 343-358.	28.9	113
13	PS7 - 5. Complement factor 3 is longitudinally associated with insulin resistance, glucose tolerance, and incident type 2 diabetes mellitus over a 7-year follow-up period: the CODAM study Nederlands Tijdschrift Voor Diabetologie, 2013, 11, 156-156.	0.0	0
14	Iron Metabolism Is Associated With Adipocyte Insulin Resistance and Plasma Adiponectin. Diabetes Care, 2013, 36, 309-315.	8.6	95
15	Novel Loci for Adiponectin Levels and Their Influence on Type 2 Diabetes and Metabolic Traits: A Multi-Ethnic Meta-Analysis of 45,891 Individuals. PLoS Genetics, 2012, 8, e1002607.	3.5	419
16	PS13 - 65. Diabetes in patients with cirrhosis is associated with higher incidence of spontaneous bacterial peritonitis, but not with increased mortality. Nederlands Tijdschrift Voor Diabetologie, 2012, 10, 145-145.	0.0	0
17	Patients with chronic gastrointestinal ischemia have a higher cardiovascular disease risk and mortality. Atherosclerosis, 2012, 224, 235-241.	0.8	11
18	A Genome-Wide Association Search for Type 2 Diabetes Genes in African Americans. PLoS ONE, 2012, 7, e29202.	2.5	197

#	Article	IF	CITATIONS
19	Twelve type 2 diabetes susceptibility loci identified through large-scale association analysis. Nature Genetics, 2010, 42, 579-589.	21.4	1,631