
Hajime Hasegawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1111752/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Long-term effectiveness of a primary care practice facilitation program for chronic kidney disease management: an extended follow-up of a cluster-randomized FROM-J study. Nephrology Dialysis Transplantation, 2023, 38, 158-166.	0.7	6
2	Time to remission of proteinuria and incidence of relapse in patients with steroid-sensitive minimal change disease and focal segmental glomerulosclerosis: the Japan Nephrotic Syndrome Cohort Study. Journal of Nephrology, 2022, 35, 1135-1144.	2.0	3
3	Predictors of early remission of proteinuria in adult patients with minimal change disease: a retrospective cohort study. Scientific Reports, 2022, 12, .	3.3	3
4	Difficulty removing dialysis cuff catheter after its adhesion to the right atrium. Journal of Vascular Access, 2021, , 112972982199398.	0.9	0
5	Assessment of an Automatic Hot Water Sterilizing System-Equipped Dialysis Supply Device's Circuit Degradation, 7 Years Postinstallment. ASAIO Journal, 2021, Publish Ahead of Print, .	1.6	1
6	Reactive Oxygen Species Downregulate Transient Receptor Potential Melastatin 6 Expression Mediated by the Elevation of miR-24-3p in Renal Tubular Epithelial Cells. Cells, 2021, 10, 1893.	4.1	6
7	P0764STUDY OF 15 CASES OF CHOLESTEROL CRYSTAL EMBOLISM WITH LOW-DENSITY LIPOPROTEIN APHERESIS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
8	Tocilizumab-induced immunocomplex glomerulonephritis: a report of two cases. CEN Case Reports, 2020, 9, 318-325.	0.9	2
9	Incidence of remission and relapse of proteinuria, end-stage kidney disease, mortality, and major outcomes in primary nephrotic syndrome: the Japan Nephrotic Syndrome Cohort Study (JNSCS). Clinical and Experimental Nephrology, 2020, 24, 526-540.	1.6	33
10	Better remission rates in elderly Japanese patients with primary membranous nephropathy in nationwide real-world practice: The Japan Nephrotic Syndrome Cohort Study (JNSCS). Clinical and Experimental Nephrology, 2020, 24, 893-909.	1.6	6
11	Rescue of tight junctional localization of a claudin-16 mutant D97S by antimalarial medicine primaquine in Madin-Darby canine kidney cells. Scientific Reports, 2019, 9, 9647.	3.3	5
12	Upregulation of transient receptor potential melastatin 6 channel expression by rosiglitazone and allâ€ŧransâ€retinoic acid in erlotinibâ€ŧreated renal tubular epithelial cells. Journal of Cellular Physiology, 2019, 234, 8951-8962.	4.1	4
13	Regional variations in immunosuppressive therapy in patients with primary nephrotic syndrome: the Japan nephrotic syndrome cohort study. Clinical and Experimental Nephrology, 2018, 22, 1266-1280.	1.6	21
14	The renoprotective effect and safety of a DPP-4 inhibitor, sitagliptin, at a small dose in type 2 diabetic patients with a renal dysfunction when changed from other DPP-4 inhibitors: REAL trial. Clinical and Experimental Nephrology, 2018, 22, 825-834.	1.6	7
15	SP067HIGH FRUCTOSE DIET INDUCES THE DYSFUNCTION OF ENERGY METABOLISM (ATP DEPLETION) AND HYPERTENSION. Nephrology Dialysis Transplantation, 2018, 33, i368-i368.	0.7	1
16	Sodium Citrate Increases Expression and Flux of Mg2+ Transport Carriers Mediated by Activation of MEK/ERK/c-Fos Pathway in Renal Tubular Epithelial Cells. Nutrients, 2018, 10, 1345.	4.1	8
17	Down-regulation of magnesium transporting molecule, claudin-16, as a possible cause of hypermagnesiuria with the development of tubulo-interstitial nephropathy. Magnesium Research, 2018, 31, 11-23.	0.5	5
18	The RING finger- and PDZ domain-containing protein PDZRN3 controls localization of the Mg2+ regulator claudin-16 in renal tube epithelial cells. Journal of Biological Chemistry, 2017, 292, 13034-13044.	3.4	21

HAJIME HASEGAWA

#	Article	IF	CITATIONS
19	Severe hyponatremia in a patient with schizophrenia associated with prolonged consciousness disturbance. CEN Case Reports, 2017, 6, 5-11.	0.9	1
20	Upâ€Regulation of Transient Receptor Potential Melastatin 6 Channel Expression by Tumor Necrosis Factorâ€i± in the Presence of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor. Journal of Cellular Physiology, 2017, 232, 2841-2850.	4.1	6
21	Clinical Assessment of Warfarin Therapy in Patients with Maintenance Dialysis-Clinical Efficacy, Risks and Development of Calciphylaxis. Annals of Vascular Diseases, 2017, 10, 170-177.	0.5	5
22	MP059TOLVAPTAN TREATMENT-RELATED INITIAL CHANGES IN SERUM SODIUM LEVELS, GLOMERULAR FILTRATION AND PHYSIOLOGICAL STATUS DURING THE FIRST 7 DAYS OF HOSPITAL ADMISSION. Nephrology Dialysis Transplantation, 2016, 31, i362-i362.	0.7	0
23	SP336HIGH-FRUCTOSE DIET INDUCES ATP-DEPLETION RESULTING IN THE RENAL INTERSTITIAL DAMAGE AND FIBROSIS. Nephrology Dialysis Transplantation, 2016, 31, i202-i202.	0.7	Ο
24	How to Monitor Vascular Access in Our Hospital. Journal of Vascular Access, 2015, 16, S50-S52.	0.9	3
25	FP601CONTRIBUTION OF VOLUME STATUS TO RESIDUAL RENAL FUNCTION IN PATIENTS ON PERITONEAL DIALYSIS. Nephrology Dialysis Transplantation, 2015, 30, iii273-iii273.	0.7	0
26	Clinical significance of fractional magnesium excretion (FEMg) as a predictor of interstitial nephropathy and its correlation with conventional parameters. Clinical and Experimental Nephrology, 2015, 19, 1071-1078.	1.6	12
27	Downregulation of transient receptor potential M6 channels as a cause of hypermagnesiuric hypomagnesemia in obese type 2 diabetic rats. American Journal of Physiology - Renal Physiology, 2015, 308, F1386-F1397.	2.7	23
28	Interaction of zotepine and chlorprothixene with URAT1-mediated urate transport . Gout and Nucleic Acid Metabolism, 2015, 39, 147-153.	0.0	0
29	Tight Junctional Localization of Claudin-16 Is Regulated by Syntaxin 8 in Renal Tubular Epithelial Cells. Journal of Biological Chemistry, 2014, 289, 13112-13123.	3.4	19
30	Renoprotective Effect of Pioglitazone by the Prevention of Glomerular Hyperfiltration through the Possible Restoration of Altered Macula Densa Signaling in Rats with Type 2 Diabetic Nephropathy. Nephron Experimental Nephrology, 2013, 122, 83-94.	2.2	11
31	A case of the syndrome of inappropriate secretion of antidiuretic hormone (SIADH) associated with lupus erythematosus in the central nervous system. CEN Case Reports, 2013, 2, 17-22.	0.9	4
32	Release From Glomerular Overload by the Addition of Low-dose Thiazide in Patients With Angiotensin Receptor Blocker-Resistant Hypertension. Kidney and Blood Pressure Research, 2013, 37, 521-530.	2.0	4
33	Significance of estimated salt excretion as a possible predictor of the efficacy of concomitant angiotensin receptor blocker (ARB) and low-dose thiazide in patients with ARB resistance. Hypertension Research, 2013, 36, 776-782.	2.7	9
34	A Case of Water Intoxication with Prolonged Hyponatremia Caused by Excessive Water Drinking and Secondary SIADH. Case Reports in Nephrology and Urology, 2013, 3, 147-152.	1.5	7
35	Prevention of lipopolysaccharide-induced peritoneal damage by eplerenone in rats undergoing peritoneal dialysis. Journal of Nephrology, 2013, 26, 1160-1169.	2.0	2
36	Brachial artery blood flow measurement: A simple and noninvasive method to evaluate the need for arteriovenous fistula repair. Dialysis and Transplantation, 2011, 40, 206-210.	0.2	17