Annibal Duarte Pereira Netto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/111189/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Determination of formaldehyde in bovine milk by micellar electrokinetic chromatography with diode array detection. LWT - Food Science and Technology, 2022, 163, 113473.	2.5	6
2	Commercial raw materials from algaculture and natural stocks of Ulva spp Journal of Applied Phycology, 2021, 33, 1805-1818.	1.5	5
3	Ochratoxin a levels in fermented specialty coffees from Caparaó, Brazil: Is it a cause of concern for coffee drinkers?. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2021, 38, 1948-1957.	1.1	3
4	Isolation of mitraphylline from Uncaria tomentosa (Willd. ex Schult.) DC. barks and development of spectrophotometric method for total alkaloids determination in Cat's Claw samples. Phytochemical Analysis, 2020, 31, 262-272.	1.2	3
5	Effect of pH on the Complex Coacervation and on the Formation of Layers of Sodium Alginate and PDADMAC. Langmuir, 2020, 36, 2510-2523.	1.6	10
6	Caffeine exposure ameliorates acute ischemic cell death in avian developing retina. Purinergic Signalling, 2020, 16, 41-59.	1.1	7
7	Development and validation of a multipurpose and multicomponent method for the simultaneous determination of six synthetic dyes in different foodstuffs by HPLC-UV-DAD. Food Chemistry, 2020, 323, 126811.	4.2	12
8	Development and validation of a method for simultaneous determination of trace levels of five macrocyclic lactones in cheese by HPLC-fluorescence after solid–liquid extraction with low temperature partitioning. Food Chemistry, 2019, 272, 148-156.	4.2	12
9	Diterpenes from the brown alga Dictyota mertensii. Biochemical Systematics and Ecology, 2019, 86, 103926.	0.6	3
10	Simultaneous determination of alpha-, beta- and gamma-hydroxybutyric acids in micro-pulverized human hair by GC-MS: Method development, validation and application. Talanta, 2019, 194, 576-584.	2.9	5
11	Development and Validation of Sensitive HPLC-UV-DAD Method for Determination of Diosgenin in Plants of Species of Dioscorea Genus. Revista Virtual De Quimica, 2019, 11, 1302-1317.	0.1	0
12	Polycyclic aromatic hydrocarbons in biochar amended soils: Long-term experiments in Brazilian tropical areas. Chemosphere, 2018, 200, 641-648.	4.2	36
13	Combination Therapy with Sulfasalazine and Valproic Acid Promotes Human Glioblastoma Cell Death Through Imbalance of the Intracellular Oxidative Response. Molecular Neurobiology, 2018, 55, 6816-6833.	1.9	17
14	Direct determination of amino acids in brewery worts produced by different processes by capillary zone electrophoresis. Electrophoresis, 2018, 39, 1613-1620.	1.3	10
15	Decontamination of Mikania glomerata Leaves by Gamma Irradiation: Coumarin Determination by HPLC-DAD, Microbiological Control and Genotoxicological Studies. Planta Medica, 2018, 84, 65-72.	0.7	1
16	RELATIVE IMPORTANCE AND INTERACTION OF ROASTING VARIABLES IN COFFEE ROASTING PROCESS. Coffee Science, 2018, 13, 379.	0.5	5
17	Feasibility study for development of candidate reference material for food analysis: Chloramphenicol in milk powder. Measurement: Journal of the International Measurement Confederation, 2017, 98, 300-304.	2.5	8
18	Polycyclic aromatic hydrocarbons (PAHs) in street dust of Rio de Janeiro and Niterói, Brazil: Particle size distribution, sources and cancer risk assessment. Science of the Total Environment, 2017, 599-600, 305-313.	3.9	88

#	Article	IF	CITATIONS
19	Repeated subcutaneous administrations of krokodil causes skin necrosis and internal organs toxicity in Wistar rats: putative human implications. Human Psychopharmacology, 2017, 32, e2572.	0.7	9
20	Street-Like Synthesis of Krokodil Results in the Formation of an Enlarged Cluster of Known and New Morphinans. Chemical Research in Toxicology, 2017, 30, 1609-1621.	1.7	16
21	Determination of formaldehyde in bovine milk using a high sensitivity HPLC-UV method. Microchemical Journal, 2017, 134, 383-389.	2.3	42
22	GC-MS Method for the Analysis of Thirteen Opioids, Cocaine and Cocaethylene in Whole Blood Based on a Modified Quechers Extraction. Current Pharmaceutical Analysis, 2017, 13, 215-223.	0.3	18
23	Determination of polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) in Brazilian cow milk. Science of the Total Environment, 2016, 572, 177-184.	3.9	13
24	Development, validation, and application of a method for selected avermectin determination in rural waters using high performance liquid chromatography and fluorescence detection. Ecotoxicology and Environmental Safety, 2016, 133, 424-432.	2.9	9
25	Characterization of the variation of carbonyl compounds concentrations before, during, and after the renovation of an apartment at NiterÃ ³ i, Brazil. Environmental Science and Pollution Research, 2016, 23, 15605-15615.	2.7	10
26	Determination of ascorbic acid in the retina during chicken embryo development using high performance liquid chromatography and UV detection. Analytical Methods, 2016, 8, 5441-5447.	1.3	27
27	Data analysis of "krokodil―samples obtained by street-like synthesis. Data in Brief, 2016, 6, 83-88.	0.5	8
28	Early changes in system <mml:math <br="" altimg="si1.gif" xmlns:mml="http://www.w3.org/1998/Math/MathML">overflow="scroll"><mml:mrow><mml:msup><mml:mrow><mml:msub><mml:mtext>x</mml:mtext> mathvariant="normal">â^²</mml:msub></mml:mrow></mml:msup></mml:mrow></mml:math> and glutathione in the retina of diabetic rats. Experimental Eye Research, 2016, 146, 35-42.	:t>c< <i> </i> mml: 1.2	:mtext>20
29	Evaluation of sampling inhalable PM10 particulate matter (≤0 μm) using co-located high volume samplers. Journal of Physics: Conference Series, 2015, 575, 012034.	0.3	3
30	Capillary zone electrophoresis method for the direct determination of amino acids in recombinant human erythropoietin preparations used for the treatment of anemia. Electrophoresis, 2015, 36, 1179-1185.	1.3	11
31	Analysis of 31 Hydrazones of Carbonyl Compounds by RRLC-UV and RRLC-MS(/MS): A Comparison of Methods. Journal of Spectroscopy, 2015, 2015, 1-11.	0.6	17
32	The validation of a new high throughput method for determination of chloramphenicol in milk using liquid–liquid extraction with low temperature partitioning (LLE-LTP) and isotope-dilution liquid chromatography tandem mass spectrometry (ID-LC-MS/MS). Analytical Methods, 2015, 7, 4699-4707.	1.3	18
33	Simultaneous evaluation of polycyclic aromatic hydrocarbons and carbonyl compounds in the atmosphere of NiterÃ ³ i City, RJ, Brazil. Atmospheric Environment, 2015, 106, 24-33.	1.9	11
34	The harmful chemistry behind krokodil (desomorphine) synthesis and mechanisms of toxicity. Forensic Science International, 2015, 249, 207-213.	1.3	41
35	Development and validation of a method for the determination of low-ppb levels of macrocyclic lactones in butter, using HPLC-fluorescence. Food Chemistry, 2015, 179, 239-245.	4.2	19
36	The harmful chemistry behind "krokodil― Street-like synthesis and product analysis. Forensic Science International, 2015, 257, 76-82.	1.3	29

#	Article	IF	CITATIONS
37	Evaluation of the concentrations and distribution of carbonyl compounds in selected areas of a Brazilian bus terminal. Environmental Science and Pollution Research, 2015, 22, 9413-9423.	2.7	9
38	Short communication: Macrocyclic lactone residues in butter from Brazilian markets. Journal of Dairy Science, 2015, 98, 3695-3700.	1.4	12
39	High throughput pyrogenic carbon (biochar) characterisation and quantification by liquid chromatography. Analytical Methods, 2015, 7, 8190-8196.	1.3	6
40	Validation of a method of high performance liquid chromatography with fluorescence detection for melamine determination in UHT whole bovine milk. Food Control, 2015, 51, 402-407.	2.8	30
41	Chemical similarity between Dictyota caribaea and Dictyota menstrualis (Dictyotaceae, Phaeophyceae) from the coast of Rio de Janeiro, Brazil. Biochemical Systematics and Ecology, 2015, 58, 97-101.	0.6	5
42	Permanganometry for the Determination of Strontium and Strontium Ranelate in Pharmaceutical Formulation for the Treatment of Postmenopausal Osteoporosis. Revista Virtual De Quimica, 2015, 7, 2124-2138.	0.1	0
43	Characterization of newfound natural luminescent properties of melamine, and development and validation of a method of high performance liquid chromatography with fluorescence detection for its determination in kitchen plastic ware. Talanta, 2014, 123, 128-134.	2.9	26
44	Photochemical derivatization of amitriptyline using a green chemistry approach: fluorimetric determination and photochemical reaction mechanism. Analytical Methods, 2014, 6, 4022.	1.3	4
45	Simultaneous determination of strontium ranelate and aspartame in pharmaceutical formulation for the treatment of postmenopausal osteoporosis by capillary zone electrophoresis. Microchemical Journal, 2014, 117, 214-219.	2.3	15
46	Application of ultraviolet radiation as a contribution to green chemistry and construction of an alternative and low-cost photochemical reactor for pre-treatment of samples Quimica Nova, 2014, 37, .	0.3	1
47	Metabolomics Based on1H NMR and Partial Least Squares-Discriminant Analysis. Revista Virtual De Quimica, 2014, 6, .	0.1	1
48	ls it possible to screen for milk or whey protein adulteration with melamine, urea and ammonium sulphate, combining Kjeldahl and classical spectrophotometric methods?. Food Chemistry, 2013, 141, 3649-3655.	4.2	86
49	An alternative derivatization reaction to the determination of doramectin in bovine milk using spectrofluorimetry. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2013, 100, 127-130.	2.0	5
50	Occupational exposure to formaldehyde in an institute of morphology in Brazil: a comparison of area and personal sampling. Environmental Science and Pollution Research, 2012, 19, 2813-2819.	2.7	21
51	Seasonal variation of polycyclic aromatic hydrocarbons concentrations in urban streams at Niterói City, RJ, Brazil. Marine Pollution Bulletin, 2012, 64, 2834-2838.	2.3	13
52	Characterization and Distribution of Polycyclic Aromatic Hydrocarbons in Sediments from SuruÃ- Mangrove, Guanabara Bay, Rio de Janeiro, Brazil. Journal of Coastal Research, 2012, 278, 156-162.	0.1	11
53	Desenvolvimento e aplicação de métodos para a determinação de ivermectina em medicamentos de uso veterinário. Quimica Nova, 2012, 35, 616-622.	0.3	5
54	Removal of Malachite Green from Aqueous Medium Employing Polyurethane Foam as Adsorbent and Sodium Dodecylsulfate as Carrier. Water, Air, and Soil Pollution, 2012, 223, 1303-1313.	1.1	12

#	Article	IF	CITATIONS
55	Conjugated Linoleic Acids (CLA) - The Benefits they Have on Human Health and the Main Analytical Methodologies Applied to its Determination in Milk. Revista Virtual De Quimica, 2012, 4, .	0.1	1
56	Antioxidant Activity of Polyphenols from Green and Toasted Mate Tea. Natural Product Communications, 2011, 6, 1934578X1100600.	0.2	5
57	Evaluation of C1–C13 carbonyl compounds by RRLC-UV in the atmosphere of Niterói City, Brazil. Atmospheric Environment, 2011, 45, 5183-5190.	1.9	24
58	Multivariate optimization of a spectrophotometric method for copper determination in Brazilian sugar-cane spirits using the Doehlert design. Microchemical Journal, 2011, 99, 118-124.	2.3	28
59	Intralaboratory validation, comparison and application of HPLC-UV-DAD methods for simultaneous determination of benzalkonium chloride, chlorexidine digluconate and triclosan. Journal of the Brazilian Chemical Society, 2011, 22, 1913-1920.	0.6	7
60	Antioxidant activity of polyphenols from green and toasted mate tea. Natural Product Communications, 2011, 6, 651-6.	0.2	9
61	Geomicrobiology of cores from SuruÃ-Mangrove – Guanabara Bay – Brazil. Marine Pollution Bulletin, 2010, 60, 1674-1681.	2.3	19
62	Superficial distribution of aromatic compounds and geomicrobiology of sediments from SuruÃ- Mangrove, Guanabara Bay, RJ, Brazil. Anais Da Academia Brasileira De Ciencias, 2010, 82, 1013-1030.	0.3	10
63	Optimization and comparison of HPLC and RRLC conditions for the analysis of carbonyl-DNPH derivatives. Talanta, 2010, 81, 521-529.	2.9	23
64	Optimization and application of methods of triacylglycerol evaluation for characterization of olive oil adulteration by soybean oil with HPLC–APCI-MS–MS. Talanta, 2010, 81, 1116-1125.	2.9	107
65	Polycyclic aromatic hydrocarbons in TripuÃ-River, Ouro Preto, MG, Brazil. Journal of Hazardous Materials, 2009, 165, 447-453.	6.5	13
66	Determination of synthetic dyes in selected foodstuffs by high performance liquid chromatography with UV-DAD detection. Food Chemistry, 2008, 107, 489-496.	4.2	204
67	Multivariate optimization of a liquid–liquid extraction of the EPA-PAHs from natural contaminated waters prior to determination by liquid chromatography with fluorescence detection. Talanta, 2008, 74, 1392-1399.	2.9	58
68	Optimization of an improved analytical method for the determination of 1-nitropyrene in milligram diesel soot samples by high-performance liquid chromatography–mass spectrometry. Journal of Chromatography A, 2007, 1163, 219-227.	1.8	16
69	Determination of Cu, Fe, Mn and Zn by flame atomic absorption spectrometry in multivitamin/multimineral dosage forms or tablets after an acidic extraction. Journal of Pharmaceutical and Biomedical Analysis, 2007, 43, 304-310.	1.4	37
70	Spatial distribution of polycyclic aromatic hydrocarbons in Terminalia catappa L. (Combretaceae) bark from a selected heavy road traffic area of Rio de Janeiro City, Brazil. Journal of Hazardous Materials, 2007, 142, 389-396.	6.5	19
71	Characterization of solid-phase extraction of Fe(III) by unloaded polyurethane foam as thiocyanate complex. Journal of Colloid and Interface Science, 2007, 315, 63-69.	5.0	20
72	Multivariate optimization of a microwave-assisted leaching procedure using dilute acid solutions, for FAAS determination of Cu, Fe, Mn, and Zn in multivitamin/multimineral supplements. Analytical and Bioanalytical Chemistry, 2007, 387, 1113-1120.	1.9	18

#	Article	IF	CITATIONS
73	PAHs and BTEX in Groundwater of Gasoline Stations from Rio de Janeiro City, Brazil. Bulletin of Environmental Contamination and Toxicology, 2007, 79, 660-664.	1.3	23
74	PAHs in SD:Polycyclic aromatic hydrocarbons levels in street dust in the central area of Niterói City, RJ, Brazil. Water, Air, and Soil Pollution, 2006, 176, 57-67.	1.1	50
75	PAHs in Diurnal and Nocturnal Samples of Total Suspended Particulate in a Highly Trafficked Area of Rio de Janeiro City, Brazil. Bulletin of Environmental Contamination and Toxicology, 2005, 75, 1004-1011.	1.3	6
76	Configuration interaction simulation of the NEXAFS photoabsorption spectrum of naphthalene. Journal of the Brazilian Chemical Society, 2005, 16, .	0.6	12
77	Persistence of Polycyclic Aromatic Hydrocarbons in the Soil of a Burned Area for Agricultural Purposes in Brazil. Bulletin of Environmental Contamination and Toxicology, 2004, 73, 1072-1077.	1.3	14
78	Short-term and spatial variation of selected metals in the atmosphere of Niterói City, Brazil. Microchemical Journal, 2004, 78, 85-90.	2.3	17
79	Identification of Polycyclic Aromatic Hydrocarbons in Street Dust of Niterói City, RJ, Brazil. Bulletin of Environmental Contamination and Toxicology, 2002, 68, 831-838.	1.3	16
80	Polycyclic Aromatic Hydrocarbons in Total Suspended Particulate of Niterói, RJ, Brazil: A Comparison of Summer and Winter Samples. Bulletin of Environmental Contamination and Toxicology, 2002, 69, 173-180.	1.3	14
81	Preliminary Comparison of PAH in Total Suspended Particulate Samples Taken at Niterói and Rio de Janeiro Cities, Brazil. Bulletin of Environmental Contamination and Toxicology, 2001, 66, 36-43.	1.3	11
82	Trace Metals in the Atmosphere of Niterói City, RJ, Brazil. Bulletin of Environmental Contamination and Toxicology, 2001, 67, 271-275.	1.3	3
83	Avaliação da contaminação humana por hidrocarbonetos policÃelicos aromáticos (HPAs) e seus derivados nitrados (NHPAs): uma revisão metodológica. Quimica Nova, 2000, 23, 765-773.	0.3	96
84	Fatty acids of Trypanosoma cruzi. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1982, 71, 397-402.	0.2	8