

Motonori Hoshi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11119206/publications.pdf>

Version: 2024-02-01

123
papers

2,712
citations

201575

27
h-index

243529

44
g-index

123
all docs

123
docs citations

123
times ranked

1119
citing authors

#	ARTICLE	IF	CITATIONS
1	Ca ²⁺ spikes in the flagellum control chemotactic behavior of sperm. <i>EMBO Journal</i> , 2005, 24, 2741-2752.	3.5	165
2	Evidence for participation of sperm proteinases in fertilization of the solitary ascidian, <i>Halocynthia roretzi</i> : Effects of protease inhibitors. <i>Developmental Biology</i> , 1981, 86, 117-121.	0.9	94
3	Structure and function of asterosaps, sperm-activating peptides from the jelly coat of starfish eggs. <i>Zygote</i> , 1996, 4, 237-245.	0.5	84
4	A sperm-activating peptide controls a cGMP-signaling pathway in starfish sperm. <i>Developmental Biology</i> , 2003, 260, 314-324.	0.9	81
5	Trypsin-like hatching protease from mouse embryos: Evidence for the presence in culture medium and its enzymatic properties. <i>The Journal of Experimental Zoology</i> , 1990, 254, 83-87.	1.4	79
6	Pertussis toxin inhibits 1-methyladenine-induced maturation in starfish oocytes. <i>Developmental Biology</i> , 1989, 133, 605-608.	0.9	72
7	Evidence for acrosin-like enzyme in sperm extract and its involvement in fertilization of the ascidian, <i>halocynthia roretzi</i> . <i>Gamete Research</i> , 1982, 5, 291-301.	1.7	70
8	Egg and sperm recognition systems during fertilization. <i>Development Growth and Differentiation</i> , 2008, 50, S221-38.	0.6	66
9	Gangliosides from the Eggs of the Sea Urchin, <i>Anthocidaris crassispina</i> 1. <i>Journal of Biochemistry</i> , 1990, 108, 185-192.	0.9	61
10	Properties of 1-methyladenine receptors in starfish oocyte membranes: Involvement of pertussis toxin-sensitive GTP-binding protein in the receptor-mediated signal transduction. <i>Biochemical and Biophysical Research Communications</i> , 1992, 186, 114-121.	1.0	51
11	Structure of the Main Saccharide Chain in the Acrosome Reaction-inducing Substance of the Starfish, <i>Asterias amurensis</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 10372-10376.	1.6	51
12	Biochemical Studies on the Acrosome Reaction of the Starfish, <i>Asterias Amurensis</i> I. Factors Participating in the Acrosome Reaction. <i>Development Growth and Differentiation</i> , 1981, 23, 73-80.	0.6	48
13	The primary structure of the alpha subunit of a starfish guanosine-nucleotide-binding regulatory protein involved in 1-methyladenine-induced oocyte maturation. <i>FEBS Journal</i> , 1992, 207, 833-838.	0.2	47
14	Switching from Asexual to Sexual Reproduction in the Planarian <i>Dugesia ryukyuensis</i> : Bioassay System and Basic Description of Sexualizing Process. <i>Zoological Science</i> , 1999, 16, 291-298.	0.3	45
15	A 130-kDa Membrane Protein of Sperm Flagella Is the Receptor for Asterosaps, Sperm-Activating Peptides of Starfish <i>Asterias amurensis</i> . <i>Developmental Biology</i> , 2000, 219, 154-162.	0.9	43
16	Induction of the Acrosome Reaction in Starfish. (acrosome reaction/starfish sperm/egg) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,142 Td (je</i>	0.6	42
17	Glucosylceramide Having a Novel Tri-Unsaturated Long-Chain Base from the Spermatozoa of the Starfish, <i>Asterias amurensis</i> 1. <i>Journal of Biochemistry</i> , 1990, 107, 578-586.	0.9	42
18	Biochemical Studies on the Acrosome Reaction of the Starfish, <i>Asterias Amurensis</i> II. Purification and Characterization of Acrosome Reaction-Inducing Substance. <i>Development Growth and Differentiation</i> , 1981, 23, 81-88.	0.6	41

#	ARTICLE	IF	CITATIONS
19	Switching from Asexual to Sexual Reproduction in the Planarian <i>Dugesia ryukyuensis</i> : Change of the Fissiparous Capacity along with the Sexualizing Process. <i>Zoological Science</i> , 2002, 19, 661-666.	0.3	41
20	Arylsulfatase of sea urchin sperm. <i>Developmental Biology</i> , 1980, 74, 343-350.	0.9	39
21	Lysins. , 1985, , 431-462.		35
22	Effects of hydrolase inhibitors on fertilization of sea urchins: I. Protease inhibitors. <i>Gamete Research</i> , 1979, 2, 107-119.	1.7	34
23	Hemocytes Release Phenoloxidase upon Contact Reaction, an Allogeneic Interaction, in the Ascidian <i>Halocynthia roretzi</i> . <i>Cell Structure and Function</i> , 1995, 20, 81-87.	0.5	33
24	Structure of acrosome reaction-inducing substance in the jelly coat of starfish eggs: A mini review. <i>Biochemical and Biophysical Research Communications</i> , 2012, 425, 595-598.	1.0	33
25	Purification and Characterization of Hatching Enzyme of <i>Strongylocentrotus intermedius</i> . <i>FEBS Journal</i> , 1979, 100, 257-265.	0.2	31
26	Effects of protease inhibitors on binding of sperm to the vitelline coat of ascidian eggs: Implications for participation of a proteasome (multicatalytic proteinase complex). <i>The Journal of Experimental Zoology</i> , 1993, 267, 86-91.	1.4	29
27	Intracellular pH Changes of Starfish Sperm Upon the Acrosome Reaction. (acrosome) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 427</i> <i>Differentiation</i> , 1986, 28, 359-368.	0.6	28
28	Structures of the sugar chains of a major glycoprotein present in the egg jelly coat of a starfish, <i>Asterias amurensis</i> . <i>Archives of Biochemistry and Biophysics</i> , 1987, 252, 105-112.	1.4	28
29	Purification and characterization of a GTP-binding protein serving as pertussis toxin substrate in starfish oocytes. <i>Archives of Biochemistry and Biophysics</i> , 1991, 290, 411-417.	1.4	28
30	Participation of 650-kDa protease (20 S proteasome) in starfish oocyte maturation. <i>Developmental Biology</i> , 1992, 150, 414-418.	0.9	28
31	Correlation Between the Molecular Structure and the Biological Activity of Co-ARIS, a Cofactor for Acrosome Reaction-Inducing Substance. <i>Development Growth and Differentiation</i> , 1987, 29, 171-176.	0.6	27
32	Transcriptional pattern of a novel gene, expressed specifically after the point-of-no-return during sexualization, in planaria. <i>Development Genes and Evolution</i> , 2003, 212, 585-592.	0.4	27
33	Switch from Asexual to Sexual Reproduction in the Planarian <i>Dugesia ryukyuensis</i> . <i>Integrative and Comparative Biology</i> , 2003, 43, 242-246.	0.9	27
34	Acrosome Reaction-Inducing Substance Purified from the Egg Jelly Inhibits the Jelly-Induced Acrosome Reaction in Starfish: An Apparent Contradiction. (acrosome reaction/starfish sperm/egg) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 137 Td (j</i>	0.6	26
35	Inhibition of starfish oocyte maturation by leupeptin analogs, potent trypsin inhibitors. <i>Developmental Biology</i> , 1989, 133, 609-612.	0.9	26
36	Chymotrypsin-like enzymes are involved in sperm penetration through the vitelline coat of <i>Ciona intestinalis</i> egg. <i>Molecular Reproduction and Development</i> , 1990, 26, 319-323.	1.0	26

#	ARTICLE	IF	CITATIONS
37	The <i>Dugesia ryukyuensis</i> Database as a Molecular Resource for Studying Switching of the Reproductive System. <i>Zoological Science</i> , 2007, 24, 31-37.	0.3	26
38	Structural Analysis of N-Linked Oligosaccharides of Equine Chorionic Gonadotropin and Lutropin .beta.-Subunits. <i>Biochemistry</i> , 1994, 33, 14039-14048.	1.2	25
39	Cortical changes in starfish (<i>Asterina pectinifera</i>) oocytes during 1-methyladenine-induced maturation and fertilisation/activation. <i>Zygote</i> , 1995, 3, 225-239.	0.5	24
40	Synthesis of ganglioside M5 from sea urchin egg. <i>Tetrahedron Letters</i> , 1994, 35, 2701-2704.	0.7	23
41	Re-Examination of Sibling Cross-Sterility in the Ascidian, <i>Ciona intestinalis</i> : Genetic Background of the Self-Sterility. <i>Zoological Science</i> , 2002, 19, 527-538.	0.3	23
42	Differential distribution of gangliosides in adult rat ovary during the oestrous cycle. <i>Glycobiology</i> , 1995, 5, 299-309.	1.3	21
43	Signification of the Sexualizing Substance Produced by the Sexualized Planarians. <i>Zoological Science</i> , 2002, 19, 667-672.	0.3	21
44	Purification of Co-ARIS, a Cofactor for Acrosome Reaction-Inducing Substance, from the Egg Jelly of Starfish. <i>Development Growth and Differentiation</i> , 1987, 29, 161-169.	0.6	20
45	Comparative Study of Glycosphingolipid Composition in Mammalian Lenses. <i>Experimental Eye Research</i> , 1994, 59, 653-664.	1.2	20
46	A Periodic Network of G Protein β Subunit Coexisting with Cytokeratin Filament in Starfish Oocytes. <i>Developmental Biology</i> , 1995, 169, 415-420.	0.9	20
47	Characterization and partial purification of arylsulfatase from the seminal plasma of the sea urchin, <i>Strongylocentrotus intermedius</i> . <i>Archives of Biochemistry and Biophysics</i> , 1980, 201, 216-223.	1.4	19
48	Sex-inducing effect of a hydrophilic fraction on reproductive switching in the planarian <i>Dugesia ryukyuensis</i> (Seriata, Tricladida). <i>Frontiers in Zoology</i> , 2011, 8, 23.	0.9	19
49	Structure of acrosome reaction-inducing steroidal saponins from the egg jelly of the starfish, <i>Asterias amurensis</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1987, 35, 1829-1832.	0.6	18
50	Acrosome reaction-related steroidal saponin, Co-ARIS, from the starfish induces structural changes in microdomains. <i>Developmental Biology</i> , 2010, 347, 147-153.	0.9	18
51	Physiological inducers of the acrosome reaction. <i>Cell Differentiation and Development</i> , 1988, 25, 19-24.	0.4	17
52	Three Phases of Cortical Maturation during Meiosis Reinitiation in Starfish Oocytes. (starfish) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 447-451.	0.6	17
53	Purification and characterization of a vitelline coat lysin from <i>Ciona intestinalis</i> spermatozoa. <i>Molecular Reproduction and Development</i> , 1992, 32, 383-388.	1.0	17
54	Specific binding of acrosome-reaction-inducing substance to the head of starfish spermatozoa. <i>Zygote</i> , 1993, 1, 121-127.	0.5	17

#	ARTICLE	IF	CITATIONS
55	Sequence analysis of cDNAs encoding precursors of starfish asterosaps. , 1999, 25, 130-136.		17
56	Seasonal Changes in the Sexualization of the Planarian <i>Dugesia ryukyuensis</i> . <i>Zoological Science</i> , 2002, 19, 1267-1278.	0.3	17
57	Immunocytochemical Study of the Distribution of a Ganglioside in Sea Urchin Eggs ¹ . <i>Journal of Biochemistry</i> , 1990, 108, 193-199.	0.9	16
58	Sulfated O-linked glycans of the vitelline coat as ligands in gamete interaction in the ascidian, <i>Halocynthia roretzi</i> . <i>Development Growth and Differentiation</i> , 1999, 41, 357-364.	0.6	16
59	Melibiosylceramide as the Sole Ceramide Dihexoside from the Eggs of the Sea Urchin, <i>Anthocidaris crassispina</i> ¹ . <i>Journal of Biochemistry</i> , 1988, 104, 755-760.	0.9	15
60	Ceramide Dihexosides from the Spermatozoa of the Starfish, <i>Asterias amurensis</i> , Consist of Gentiobiosyl-, Cellobiosyl-, and Lactosylamide ¹ . <i>Journal of Biochemistry</i> , 1990, 108, 531-536.	0.9	15
61	Biochemical characterization of inner sugar chains of acrosome reaction-inducing substance in jelly coat of starfish eggs. <i>Glycobiology</i> , 2003, 13, 567-580.	1.3	15
62	Peptide-induced hyperactivation-like vigorous flagellar movement in starfish sperm. <i>Zygote</i> , 2006, 14, 23-32.	0.5	15
63	The identification of d-tryptophan as a bioactive substance for postembryonic ovarian development in the planarian <i>Dugesia ryukyuensis</i> . <i>Scientific Reports</i> , 2017, 7, 45175.	1.6	15
64	A novel saccharide structure, Xyl 1 α '3 Gal 1 α ' (SO ₃ $\hat{\alpha}$) ₃ , 4 Fuc $\hat{\alpha}$ ' ¹ , is present in acrosome reaction-inducing substance of the starfish, <i>Asterias amurensis</i> . <i>Biochemical and Biophysical Research Communications</i> , 1992, 186, 405-410.	1.0	14
65	Trypsin-like Hatching Enzyme of Mouse Blastocysts: Evidence for Its Participation in Hatching Process before Zona Shedding of Embryos ⁶ . (embryo/hatching enzyme/protease/trypsin/strypsin). <i>Development Growth and Differentiation</i> , 1994, 36, 149-154.	0.6	14
66	Age-related changes in ganglioside composition in human lens. <i>Experimental Eye Research</i> , 1995, 60, 317-323.	1.2	14
67	Localization of Lewisx, sialyl-Lewisx and $\hat{\alpha}$ -galactosyl epitopes on glycosphingolipids in lens tissues. <i>Glycobiology</i> , 1998, 8, 95-105.	1.3	14
68	Glycosphingolipids in cultured lens epithelial cells from dog and rhesus monkey. <i>Glycobiology</i> , 1994, 4, 375-382.	1.3	13
69	Localization of neutral and acidic glycosphingolipids in rat lens. <i>Glycobiology</i> , 1995, 5, 187-194.	1.3	13
70	Regulation of the starfish sperm acrosome reaction by cGMP, pH, cAMP and Ca ²⁺ . <i>International Journal of Developmental Biology</i> , 2008, 52, 523-526.	0.3	13
71	Non-plasmalemmal localisation of the major ganglioside in sea urchin eggs. <i>Zygote</i> , 1993, 1, 215-223.	0.5	12
72	Activation of the Proteasomes of Sand Dollar Eggs at Fertilization Depends on the Intracellular pH Rise. <i>Developmental Biology</i> , 1999, 209, 52-59.	0.9	12

#	ARTICLE	IF	CITATIONS
73	G-Protein $\beta\gamma$ Subunit-Dependent Phosphorylation of 62-kDa Protein in the Early Signaling Pathway of Starfish Oocyte Maturation Induced by 1-Methyladenine. <i>Developmental Biology</i> , 1999, 209, 200-209.	0.9	12
74	Acrosome reaction is subfamily specific in sea star fertilization. <i>Developmental Biology</i> , 2006, 298, 597-604.	0.9	12
75	Existence of Two Sexual Races in the Planarian Species Switching between Asexual and Sexual Reproduction. <i>Zoological Science</i> , 2012, 29, 265.	0.3	12
76	Biochemical studies of the hatching process in sea urchin embryos. I. Effects of protease inhibitors. <i>The Journal of Experimental Zoology</i> , 1979, 209, 129-134.	1.4	11
77	A Novel Ceramide Trihexoside from the Eggs of the Sea Urchin, <i>Hemicentrotus pulcherrimus</i> 1. <i>Journal of Biochemistry</i> , 1992, 111, 726-731.	0.9	11
78	A Novel Difucosylated Neutral Glycosphingolipid from the Eggs of the Sea Urchin, <i>Hemicentrotus pulcherrimus</i> : II. Structural Determination by Two-Dimensional NMR1. <i>Journal of Biochemistry</i> , 1992, 112, 286-289.	0.9	11
79	Ultrastructural localization of acrosome reaction-inducing substance (ARIS) on sperm of the starfish <i>Asterias amurensis</i> . <i>Molecular Reproduction and Development</i> , 1995, 41, 91-99.	1.0	11
80	Characterization of neutral glycosphingolipids in rat lens. <i>Experimental Eye Research</i> , 1995, 60, 193-198.	1.2	11
81	Induction of Germinal Vesicle Breakdown in a Cell-Free Preparation from Starfish Oocytes. <i>Developmental Biology</i> , 1999, 205, 217-223.	0.9	11
82	Characterization of the Sperm Receptor for Acrosome Reaction-Inducing Substance of the Starfish, <i>Asterias Amurensis</i> . <i>Zoological Science</i> , 2002, 19, 435-442.	0.3	11
83	Asterosap-induced elevation in intracellular pH is indispensable for ARIS-induced sustained increase in intracellular Ca ²⁺ and following acrosome reaction in starfish spermatozoa. <i>Zygote</i> , 2005, 13, 63-71.	0.5	11
84	Pertussis toxin-sensitive G protein participating in starfish oocyte maturation induced by 1-methyladenine. <i>Invertebrate Reproduction and Development</i> , 1992, 22, 1-9.	0.3	10
85	Egg jelly components responsible for histone degradation and acrosome reaction in the starfish, <i>Asterina pectinifera</i> . <i>Biochemical and Biophysical Research Communications</i> , 1992, 187, 274-278.	1.0	10
86	Treatment of Starfish Sperm with Egg Jelly Induces the Degradation of Histones. (sperm/egg) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 34, 99-106.	0.6	10
87	Detection of In Vivo Proteasome Activity in a Starfish Oocyte Using Membrane-Impermeant Substrate. <i>Journal of Biochemistry</i> , 1997, 122, 286-293.	0.9	10
88	Neutral and Acidic Glycosphingolipids in Glucocorticoid-induced Cataract in Chick Lens. <i>Experimental Eye Research</i> , 1999, 68, 229-236.	1.2	10
89	Effects of 17 β -Estradiol and Bisphenol A on the Formation of Reproductive Organs in Planarians. <i>Biological Bulletin</i> , 2011, 220, 47-56.	0.7	10
90	A Novel Difucosylated Neutral Glycosphingolipid from the Eggs of the Sea Urchin, <i>Hemicentrotus pulcherrimus</i> :. I. Purification and Structural Determination of the Glycolipid1. <i>Journal of Biochemistry</i> , 1992, 112, 281-285.	0.9	9

#	ARTICLE	IF	CITATIONS
91	Developmental changes in carbohydrate antigens in embryonic rat lens. <i>Glycobiology</i> , 1997, 7, 605-615.	1.3	9
92	Expression of Sialylated LewisxGangliosides in Cultured Lens Epithelial Cells from Rhesus Monkey. <i>Experimental Eye Research</i> , 1998, 66, 765-773.	1.2	9
93	Na ⁺ /Ca ²⁺ exchanger contributes to asterosap-induced elevation of intracellular Ca ²⁺ concentration in starfish spermatozoa. <i>Zygote</i> , 2006, 14, 133-141.	0.5	9
94	Neoblastâ€enriched fraction rescues eye formation in eyeâ€defective planarian â€menashiâ€™™<i>Dugesia ryukyensis</i>. <i>Development Growth and Differentiation</i> , 2008, 50, 689-696.	0.6	9
95	Conserved sequences of sperm-activating peptide and its receptor throughout evolution, despite speciation in the sea star <i>Asterias amurensis</i> and closely related species. <i>Zygote</i> , 2008, 16, 229-237.	0.5	9
96	Production of asexual and sexual offspring in the triploid sexual planarian <i>Dugesia ryukyensis</i>. <i>Integrative Zoology</i> , 2009, 4, 265-271.	1.3	9
97	Production of diploid and triploid offspring by inbreeding of the triploid planarian <i>Dugesia ryukyensis</i> . <i>Chromosoma</i> , 2008, 117, 289-296.	1.0	8
98	Novel conserved structural domains of acrosome reactionâ€inducing substance are widespread in invertebrates. <i>Molecular Reproduction and Development</i> , 2011, 78, 57-66.	1.0	8
99	Anion Channel Blockers Inhibit the Acrosome Reaction of Echinoderm Sperm. (anion channel) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 377 Td</i> 1985, 27, 461-468.	0.6	7
100	Maitotoxin, A Presumed Calcium Channel Activator, Induces the Acrosome Reaction in Mussel Spermatozoa. (maitotoxin/acrosome reaction/calcium channel activator/calcium channel) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 377 Td</i>		
101	Identification and synthetic pathway of sialyl-Lewisx-containing neolacto-series gangliosides in lens tissues. I. Characterization of gangliosides in human senile cataractous lens. <i>Lipids and Lipid Metabolism</i> , 1995, 1256, 166-174.	2.6	7
102	Association of the major ganglioside in sea urchin eggs with yolk lipoproteins. <i>Glycobiology</i> , 1997, 7, 391-398.	1.3	7
103	Comparative study of eye defective worm â€menashiâ€™™ and regenerating wild-type in planarian, <i>Dugesia ryukyensis</i> . <i>Pigment Cell & Melanoma Research</i> , 2005, 18, 86-91.	4.0	7
104	Stem cells from innate sexual but not acquired sexual planarians have the capability to form a sexual individual. <i>Molecular Reproduction and Development</i> , 2012, 79, 757-766.	1.0	7
105	G-protein-mediated signal transduction for meiosis reinitiation in starfish oocyte. , 1995, 1, 255-263.		7
106	Characterization of the sulfated fucose-containing trisaccharides by fast atom bombardment tandem mass spectrometry in the study of the acrosome reaction-inducing substance of the starfish, <i>Asterias amurensis</i> . , 1998, 33, 35-44.		6
107	Estimation by radiation inactivation of the minimum functional size of acrosome-reaction-including substance (ARIS) in the starfish, <i>Asterias amurensis</i> . <i>Zygote</i> , 1995, 3, 351-355.	0.5	5
108	G protein function in starfish oocyte maturation. <i>Invertebrate Reproduction and Development</i> , 1996, 30, 117-122.	0.3	5

#	ARTICLE	IF	CITATIONS
109	Guanylyl cyclase and cGMP-specific phosphodiesterase participate in the acrosome reaction of starfish sperm. <i>Zygote</i> , 2004, 12, 345-355.	0.5	5
110	Mass Isolation of Germinal Vesicles from Starfish Oocytes*. (germinal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (vesicle/nucleus/oc 277-282.	0.6	4
111	Activation of Starfish Oocytes Modifies their Hormone Dependent Period for 1-Methyladenine in Meiosis Reinitiation. (starfish oocyte/maturation/hormone dependent period/fertilization/A23187). <i>Development Growth and Differentiation</i> , 1989, 31, 453-458.	0.6	4
112	Introduction to the symposium on oocyte maturation and fertilization. <i>Invertebrate Reproduction and Development</i> , 1996, 30, 1-5.	0.3	4
113	Inhibition of Mouse Blastocyst Hatching by Subsite-Specific Trypsin Inhibitors, Peptidyl Argininals1. <i>Development Growth and Differentiation</i> , 1992, 34, 357-362.	0.6	3
114	Pretreatment effects of jelly components on the sperm acrosome reaction and histone degradation in the starfish, <i>Asterina pectinifera</i> . <i>Biochemical and Biophysical Research Communications</i> , 1992, 187, 268-273.	1.0	2
115	Species-specificity of the acrosome reaction in starfish. <i>Zygote</i> , 1999, 8, S62-S62.	0.5	2
116	A Chloride Ion Channel in <i>Halocynthia roretzi</i> Hemocytes is Associated with PO Activity but Not Pigmentation During the Contact Reaction. <i>Zoological Science</i> , 2008, 25, 1130-1138.	0.3	2
117	Arylsulfatase of sea urchin spermâ€”Distribution of arylsulfatase in the gonads and gametes of echinoderms. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1979, 64, 293-296.	0.2	1
118	Participation of sperm proteinases in fertilization of the solitary ascidian, <i>Halocynthia roretzi</i> . <i>Cell Differentiation</i> , 1982, 11, 261-262.	1.3	1
119	Low-Na+Seawater Induces the Acrosome Reaction and Histone Degradation of Starfish Sperm in the Absence of Egg Jelly. (starfish/sperm/histone degradation/acrosome reaction/low-Na+ seawater). <i>Development Growth and Differentiation</i> , 1993, 35, 521-529.	0.6	1
120	Identification and synthetic pathway of sialyl-Lewisx-containing neolacto-series gangliosides in lens tissues. 2. Enzymatic synthesis of sialyl-Lewisx gangliosides in monkey and rat lenses. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1996, 1315, 29-36.	1.8	1
121	Acrosome reaction in starfish: signal molecules in the jelly coat and their receptors. <i>Zygote</i> , 1999, 8, S26-S27.	0.5	1
122	Cyclic AMP-dependent PKA phosphorylates starfish sperm proteins during acrosome reaction. <i>Open Life Sciences</i> , 2007, 2, 109-121.	0.6	0
123	Analysis of the Self-sterility in <i>Halocynthia roretzi</i> . , 2001, , 9-13.		0