## Janne Petersen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1111925/publications.pdf

Version: 2024-02-01

236612 197535 2,882 108 25 49 citations h-index g-index papers 116 116 116 4849 times ranked docs citations citing authors all docs

| #  | Article   | lF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Circulating soluble urokinase plasminogen activator receptor predicts cancer, cardiovascular disease, diabetes and mortality in the general population. Journal of Internal Medicine, 2010, 268, 296-308.   | 2.7 | 327       |
| 2  | Use of plasma C-reactive protein, procalcitonin, neutrophils, macrophage migration inhibitory factor, soluble urokinase-type plasminogen activator receptor, and soluble triggering receptor expressed on myeloid cells-1 in combination to diagnose infections: a prospective study. Critical Care, 2007, 11, R38. | 2.5 | 240       |
| 3  | Twenty-Four-Hour Mobility During Acute Hospitalization in Older Medical Patients. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 331-337.   | 1.7 | 186       |
| 4  | Failure to thrive: the prevalence and concurrence of anthropometric criteria in a general infant population. Archives of Disease in Childhood, 2006, 92, 109-114.   | 1.0 | 118       |
| 5  | Plasma Soluble CD163 Level Independently Predicts All-Cause Mortality in HIV-1–Infected Individuals.<br>Journal of Infectious Diseases, 2016, 214, 1198-1204.   | 1.9 | 109       |
| 6  | Plasma suPAR levels are associated with mortality, admission time, and Charlson Comorbidity Index in the acutely admitted medical patient: a prospective observational study. Critical Care, 2012, 16, R130.  | 2.5 | 95        |
| 7  | Improving T-Cell Assays for the Diagnosis of Latent TB Infection: Potential of a Diagnostic Test Based on IP-10. PLoS ONE, 2008, 3, e2858.  | 1.1 | 93        |
| 8  | Differential effects of risk factors on infant wheeze and atopic dermatitis emphasize a different etiology. Journal of Allergy and Clinical Immunology, 2006, 117, 184-189.   | 1.5 | 91        |
| 9  | Predicting mortality in patients with systemic inflammatory response syndrome: an evaluation of two prognostic models, two soluble receptors, and a macrophage migration inhibitory factor. European Journal of Clinical Microbiology and Infectious Diseases, 2008, 27, 375-383.                                   | 1.3 | 84        |
| 10 | Early Progressive Strength Training to Enhance Recovery After Fastâ€Track Total Knee Arthroplasty: A Randomized Controlled Trial. Arthritis Care and Research, 2014, 66, 1856-1866.   | 1.5 | 70        |
| 11 | Acute Hospitalization of the Older Patient. American Journal of Physical Medicine and Rehabilitation, 2013, 92, 789-796.  | 0.7 | 62        |
| 12 | Developing and validating COVID-19 adverse outcome risk prediction models from a bi-national European cohort of 5594 patients. Scientific Reports, 2021, 11, 3246.  | 1.6 | 62        |
| 13 | The relationship of alcohol consumption to total immunoglobulin E and the development of immunoglobulin E sensitization: the Copenhagen Allergy Study. Clinical and Experimental Allergy, 2003, 33, 192-198.  | 1.4 | 57        |
| 14 | Feasibility and Inter-Rater Reliability of Physical Performance Measures in Acutely Admitted Older Medical Patients. PLoS ONE, 2015, 10, e0118248.  | 1.1 | 56        |
| 15 | Mild Cognitive Impairment Status and Mobility Performance: An Analysis From the Boston RISE Study.<br>Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 1511-1518.   | 1.7 | 53        |
| 16 | Alcohol during pregnancy and atopic dermatitis in the offspring. Clinical and Experimental Allergy, 2004, 34, 1678-1683.  | 1.4 | 45        |
| 17 | Association between routine laboratory tests and long-term mortality among acutely admitted older medical patients: a cohort study. BMC Geriatrics, 2017, 17, 62.   | 1.1 | 45        |
| 18 | Prediction of Mobility Limitations after Hospitalization in Older Medical Patients by Simple Measures of Physical Performance Obtained at Admission to the Emergency Department. PLoS ONE, 2016, 11, e0154350.  | 1.1 | 44        |

| #  | Article  | lF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Satisfaction in everyday life for frail 85-year-old adults: A Danish population study. Scandinavian Journal of Occupational Therapy, 2004, $11$ , $3$ - $11$ .   | 1.1 | 43        |
| 20 | Potentially inappropriate medication related to weakness in older acute medical patients. International Journal of Clinical Pharmacy, 2014, 36, 570-580.   | 1.0 | 41        |
| 21 | Barriers and facilitators for implementing a new screening tool in an emergency department: A qualitative study applying the Theoretical Domains Framework. Journal of Clinical Nursing, 2016, 25, 2786-2797.  | 1.4 | 39        |
| 22 | Success and spontaneous pregnancy rates following systemic methotrexate versus laparoscopic surgery for tubal pregnancies: A randomized trial. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 1331-1337.   | 1.3 | 38        |
| 23 | <p>Patterns of Multimorbidity and Differences in Healthcare Utilization and Complexity Among<br/>Acutely Hospitalized Medical Patients (≥65 Years) – A Latent Class Approach</p> . Clinical<br>Epidemiology, 2020, Volume 12, 245-259.   | 1.5 | 37        |
| 24 | Long-term Consequences of Undiagnosed Celiac Seropositivity. American Journal of Gastroenterology, 2020, 115, 1681-1688.   | 0.2 | 28        |
| 25 | A Collaborative Medication Review Including Deprescribing for Older Patients in an Emergency<br>Department: A Longitudinal Feasibility Study. Journal of Clinical Medicine, 2020, 9, 348.  | 1.0 | 28        |
| 26 | Testing a two step nursing intervention focused on decreasing rehospitalizations and nursing home admission post discharge from acute care. Geriatric Nursing, 2013, 34, 477-485.  | 0.9 | 26        |
| 27 | Use of prescription drugs in the older adult population—a nationwide pharmacoepidemiological study. European Journal of Clinical Pharmacology, 2019, 75, 1125-1133.  | 0.8 | 23        |
| 28 | Progression of disease preceding lower extremity amputation in Denmark: a longitudinal registry study of diagnoses, use of medication and healthcare services 14 years prior to amputation. BMJ Open, 2017, 7, e016030.  | 0.8 | 22        |
| 29 | Efficacy of Supervised Pelvic Floor Muscle Training and Biofeedback vs Attention-Control Treatment in Adults With Fecal Incontinence. Clinical Gastroenterology and Hepatology, 2019, 17, 2253-2261.e4.  | 2.4 | 21        |
| 30 | Association of GDF15 With Inflammation and Physical Function During Aging and Recovery After Acute Hospitalization: A Longitudinal Study of Older Patients and Age-Matched Controls. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 964-974. | 1.7 | 21        |
| 31 | Treatment patterns in patients with treatment-resistant depression in Danish patients with major depressive disorder. Journal of Affective Disorders, 2021, 287, 204-213.  | 2.0 | 21        |
| 32 | The effect of chorionicity and twin-to-twin delivery time interval on short-term outcome of the second twin. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 42-47.   | 0.7 | 20        |
| 33 | Altered self-recognition in patients with schizophrenia. Schizophrenia Research, 2020, 218, 116-123.   | 1.1 | 20        |
| 34 | Feasibility of progressive sit-to-stand training among older hospitalized patients. PeerJ, 2015, 3, e1500.   | 0.9 | 20        |
| 35 | The Mental Vulnerability Questionnaire: A psychometric evaluation. Scandinavian Journal of Psychology, 2010, 51, 548-554.  | 0.8 | 19        |
| 36 | Leptin, IL-6, and suPAR reflect distinct inflammatory changes associated with adiposity, lipodystrophy and low muscle mass in HIV-infected patients and controls. Immunity and Ageing, 2015, 12, 9.  | 1.8 | 19        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Kidney function estimates using cystatin C versus creatinine: Impact on medication prescribing in acutely hospitalized elderly patients. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 466-478.   | 1.2 | 19        |
| 38 | Risk factors for weight faltering in infancy according to age at onset. Paediatric and Perinatal Epidemiology, 2010, 24, 370-382.  | 0.8 | 18        |
| 39 | Inflammation in HIV-Infected Patients: Impact of HIV, Lifestyle, Body Composition, and Demography – A Cross Sectional Cohort Study. PLoS ONE, 2012, 7, e51698.   | 1.1 | 17        |
| 40 | A Parametric Model for Analyzing Anticipation in Genetically Predisposed Families. Statistical Applications in Genetics and Molecular Biology, 2009, 8, 1-11.  | 0.2 | 16        |
| 41 | Predicting Latent Class Scores for Subsequent Analysis. Psychometrika, 2012, 77, 244-262.  | 1.2 | 16        |
| 42 | The effect of protein intake and resistance training on muscle mass in acutely ill old medical patients $\hat{a} \in \mathbb{C}$ A randomized controlled trial. Clinical Nutrition, 2016, 35, 59-66.   | 2.3 | 16        |
| 43 | Prevalence and overlap of Disease Management Program diseases in older hospitalized patients.<br>European Journal of Ageing, 2017, 14, 283-293.  | 1.2 | 16        |
| 44 | An early intervention to promote maternal sensitivity in the perinatal period for women with psychosocial vulnerabilities: study protocol of a randomized controlled trial. BMC Psychology, 2020, 8, 41.   | 0.9 | 16        |
| 45 | Relatives of patients with severe brain injury: Growth curve analysis of anxiety and depression the first year after injury. Brain Injury, 2015, 29, 822-829.  | 0.6 | 15        |
| 46 | Risk of Malnutrition upon Admission and after Discharge in Acutely Admitted Older Medical Patients: A Prospective Observational Study. Nutrients, 2021, 13, 2757.  | 1.7 | 15        |
| 47 | One-Stop Dispensing: Hospital Costs and Patient Perspectives on Self-Management of Medication. Pharmacy (Basel, Switzerland), 2018, 6, 46.   | 0.6 | 14        |
| 48 | Differences in function and recovery profiles between patterns of multimorbidity among older medical patients the first year after an acute admissionâ€"An exploratory latent class analysis. Archives of Gerontology and Geriatrics, 2020, 86, 103956.                        | 1.4 | 14        |
| 49 | Immunosenescence of the CD8+ T cell compartment is associated with HIV-infection, but only weakly reflects age-related processes of adipose tissue, metabolism, and muscle in antiretroviral therapy-treated HIV-infected patients and controls. BMC Immunology, 2015, 16, 72. | 0.9 | 13        |
| 50 | Increased risk of male cancer and identification of a potential prostate cancer cluster region in $\langle i \rangle$ BRCA2 $\langle i \rangle$ . Acta OncolÃ <sup>3</sup> gica, 2016, 55, 38-44.  | 0.8 | 13        |
| 51 | Alterations of monocyte NF-κB p65/RelA signaling in a cohort of older medical patients, age-matched controls, and healthy young adults. Immunity and Ageing, 2020, 17, 25.   | 1.8 | 13        |
| 52 | Serum Ionised Calcium and Cardiovascular Disease in 45-years Old Men and Women Followed for 18 Years. European Journal of Epidemiology, 2006, 21, 123-127.   | 2.5 | 12        |
| 53 | Post-hospital medical respite care for homeless people in Denmark: a randomized controlled trial and cost-utility analysis. BMC Health Services Research, 2020, 20, 508.   | 0.9 | 12        |
| 54 | Prevalence of SARS-CoV-2 IgG/IgM Antibodies among Danish and Swedish Falck Emergency and Non-Emergency Healthcare Workers. International Journal of Environmental Research and Public Health, 2021, 18, 923.   | 1.2 | 12        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Mental vulnerability—a risk factor for ischemic heart disease. Journal of Psychosomatic Research, 2006, 60, 169-176.  | 1.2 | 11        |
| 56 | A tailored strategy for designing the Walk-Copenhagen (WALK-Cph) intervention to increase mobility in hospitalised older medical patients: a protocol for the qualitative part of the WALK-Cph project. BMJ Open, 2018, 8, e020272.   | 0.8 | 11        |
| 57 | Associations between body mass index trajectories in childhood and cardiovascular risk factors in adulthood. Atherosclerosis, 2020, 314, 10-17.   | 0.4 | 11        |
| 58 | Optimization of Nutrition And Medication (OptiNAM) for acutely admitted older patients: protocol for a randomized single-blinded controlled trial. Trials, 2021, 22, 616.   | 0.7 | 11        |
| 59 | The growth pattern of 0–1-year-old Danish children, when screened by public health nurses—The Copenhagen County Child Cohort 2000. Annals of Human Biology, 2005, 32, 297-315.  | 0.4 | 9         |
| 60 | Low bone turnover phenotype in Rett syndrome: results of biochemical bone marker analysis. Pediatric Research, 2014, 75, 551-558.   | 1.1 | 9         |
| 61 | BRCA1/BRCA2 founder mutations and cancer risks: impact in the western Danish population. Familial Cancer, 2016, 15, 507-512.  | 0.9 | 9         |
| 62 | Absorption of Bupivacaine after Administration of a Lozenge as Topical Treatment for Pain from Oral Mucositis. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 71-78.  | 1.2 | 9         |
| 63 | Salt Reduction Intervention in Families Investigating Metabolic, Behavioral and Health Effects of Targeted Intake Reductions: Study Protocol for a Four Months Three-Armed, Randomized, Controlled "Real-Life―Trial. International Journal of Environmental Research and Public Health, 2019, 16, 3532. | 1.2 | 9         |
| 64 | Duloxetine Exposure During Pregnancy and the Risk of Spontaneous and Elective Abortion: A Danish Nationwide Observational Study. Drugs - Real World Outcomes, 2021, 8, 289-299.   | 0.7 | 9         |
| 65 | Assessment of $\langle i \rangle$ in situ $\langle i \rangle$ adipose tissue inflammation by microdialysis. Clinical Physiology and Functional Imaging, 2015, 35, 110-119.  | 0.5 | 8         |
| 66 | How inflammation underlies physical and organ function in acutely admitted older medical patients. Mechanisms of Ageing and Development, 2017, 164, 67-75.  | 2.2 | 8         |
| 67 | A randomized controlled trial of the effect of supervised progressive cross-continuum strength training and protein supplementation in older medical patients: the STAND-Cph trial. Trials, 2019, 20, 655.  | 0.7 | 8         |
| 68 | Dysphagia Prevalence, Time Course, and Association with Probable Sarcopenia, Inactivity, Malnutrition, and Disease Status in Older Patients Admitted to an Emergency Department: A Secondary Analysis of Cohort Study Data. Geriatrics (Switzerland), 2021, 6, 46.                                      | 0.6 | 8         |
| 69 | Exposure to duloxetine during pregnancy and risk of congenital malformations and stillbirth: A nationwide cohort study in Denmark and Sweden. PLoS Medicine, 2021, 18, e1003851.  | 3.9 | 8         |
| 70 | Bupivacaine Lozenge Compared with Lidocaine Spray as Topical Pharyngeal Anesthetic before Unsedated Upper Gastrointestinal Endoscopy: A Randomized, Controlled Trial. Clinical Medicine Insights Gastroenterology, 2014, 7, CGast.S18019.   | 1.0 | 7         |
| 71 | Low-dose growth hormone therapy reduces inflammation in HIV-infected patients: a randomized placebo-controlled study. Infectious Diseases, 2016, 48, 829-837.   | 1.4 | 7         |
| 72 | A high-protein diet during hospitalization is associated with an accelerated decrease in soluble urokinase plasminogen activator receptor levels in acutely ill elderly medical patients with SIRS. Nutrition Research, 2017, 41, 56-64.  | 1.3 | 7         |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | Traveling health-promoting infrastructures: A meta-ethnographic analysis. Health (United Kingdom), 2020, 24, 606-622.   | 0.9 | 7         |
| 74 | Characterization of burning mouth syndrome profiles based on response to a local anaesthetic lozenge. Oral Diseases, 2020, 26, 656-669.   | 1.5 | 7         |
| 75 | Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. GeroScience, 2021, 43, 1835-1849.   | 2.1 | 7         |
| 76 | Profiling Bispebjerg Acute Cohort: Database Formation, Acute Contact Characteristics of a Metropolitan Hospital, and Comparisons to Urban and Rural Hospitals in Denmark. Clinical Epidemiology, 2022, Volume 14, 409-424.                            | 1.5 | 7         |
| 77 | Supervised progressive cross-continuum strength training compared with usual care in older medical patients: study protocol for a randomized controlled trial (the STAND-Cph trial). Trials, 2016, 17, 176.   | 0.7 | 6         |
| 78 | Creatinine-Based Renal Function Estimates and Dosage of Postoperative Pain Management for Elderly Acute Hip Fracture Patients. Pharmaceuticals, $2018$ , $11$ , $88$ .  | 1.7 | 6         |
| 79 | Differences in Kidney Function Estimates Based on Creatinine and/or Cystatin C in Non-Traumatic Amputation Patients and Their Impact on Drug Prescribing. Journal of Clinical Medicine, 2019, 8, 89.  | 1.0 | 6         |
| 80 | Development of the "chronic condition measurement guide†a new tool to measure chronic conditions in older people based on ICD-10 and ATC-codes. European Geriatric Medicine, 2019, 10, 431-444.   | 1.2 | 6         |
| 81 | Effect of bupivacaine lozenges on oral mucositis pain: a randomized controlled multicenter phase II study. Pain Reports, 2017, 2, e619.   | 1.4 | 5         |
| 82 | Homeless people's experiences of medical respite care following acute hospitalisation in Denmark. Health and Social Care in the Community, 2018, 26, 538-546.   | 0.7 | 5         |
| 83 | Variations in physical activity and sedentary behavior during and after hospitalization in acutely admitted older medical patients: a longitudinal study. BMC Geriatrics, 2022, 22, 209.  | 1.1 | 5         |
| 84 | Shortâ€term mortality following tramadol poisonings in Denmark. Basic and Clinical Pharmacology and Toxicology, 2022, 131, 83-92.   | 1.2 | 5         |
| 85 | A novel lozenge containing bupivacaine as topical alleviation of oral mucositis pain in patients with head and neck cancer: a pilot study. Pain Reports, $2016$ , $1$ , $e571$ .  | 1.4 | 4         |
| 86 | Perceptions and experiences of nutritional care following the overwhelming experience of lower extremity amputation: A qualitative study. Journal of Clinical Nursing, 2018, 27, e808-e819.   | 1.4 | 4         |
| 87 | Histological and Molecular Adipose Tissue Changes Are Related to Metabolic Syndrome Rather Than<br>Lipodystrophy in Human Immunodeficiency Virus-Infected Patients: A Cross-Sectional Study. Journal of<br>Infectious Diseases, 2018, 218, 1090-1098. | 1.9 | 4         |
| 88 | Organizational transformation in health care: an activity theoretical analysis. Journal of Health Organization and Management, 2019, 33, 547-562.   | 0.6 | 4         |
| 89 | Validation of registration of pharmacological treatment in the Danish Hip and Knee Arthroplasty<br>Registers. Basic and Clinical Pharmacology and Toxicology, 2021, 128, 455-462.   | 1.2 | 4         |
| 90 | Symptoms and biomarkers associated with undiagnosed celiac seropositivity. BMC Gastroenterology, 2021, 21, 90.  | 0.8 | 4         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Mapping Outcomes and Registries Used in Current Danish Pharmacoepidemiological Research. Clinical Epidemiology, 2022, Volume 14, 521-542.  | 1.5 | 4         |
| 92  | No evidence of increased breast cancer risk for proven noncarriers from BRCA1 and BRCA2 families. Familial Cancer, 2016, 15, 523-528.  | 0.9 | 3         |
| 93  | Validation of the Eating Pattern Inventory for Children in a General Population Sample of 11- to 12-Year-Old Children. Assessment, 2017, 24, 810-819.  | 1.9 | 3         |
| 94  | Supervised pelvic floor muscle training versus attention-control massage treatment in patients with faecal incontinence: Statistical analysis plan for a randomised controlled trial. Contemporary Clinical Trials Communications, 2017, 8, 192-202. | 0.5 | 3         |
| 95  | Physicians' Nonâ€Uniform Approach to Prescribing Drugs to Older Patients – A Qualitative Study. Basic and Clinical Pharmacology and Toxicology, 2017, 121, 505-511.  | 1.2 | 3         |
| 96  | The effectiveness of body age-based intervention in workplace health promotion: Results of a cohort study on 9851 Danish employees. PLoS ONE, 2020, 15, e0239337.  | 1.1 | 3         |
| 97  | Can we identify allergic rhinitis from administrative data: A validation study. Pharmacoepidemiology and Drug Safety, 2020, 29, 1423-1431.   | 0.9 | 3         |
| 98  | Thromboembolic and bleeding complications following primary total knee arthroplasty. Bone and Joint Journal, 2021, 103-B, 1571-1577.   | 1.9 | 3         |
| 99  | Prophylactic anticoagulation with low molecular weight heparin in COVID-19: cohort studies in Denmark and Sweden. Clinical Microbiology and Infection, 2022, 28, 1291.e1-1291.e5.  | 2.8 | 3         |
| 100 | Trajectories of Infant Weight Gain from Birth to 12ÂMonths and Adult-Onset Coronary Heart Disease. Journal of Pediatrics, 2022, 246, 123-130.e4.   | 0.9 | 2         |
| 101 | From expected to actual barriers and facilitators when implementing a new screening tool: A qualitative study applying the Theoretical Domains Framework. Journal of Clinical Nursing, 0, , .  | 1.4 | 2         |
| 102 | Outcomes measures in current Danish pharmacoepidemiological research: a protocol for a systematic mapping review. F1000Research, 0, 10, 368.   | 0.8 | 1         |
| 103 | Number of traumatic brain injuries and temporal associations with depression: A registerâ€based cohort study. Acta Psychiatrica Scandinavica, 2021, 144, 407-414.  | 2.2 | 1         |
| 104 | Reply, Letter to Editor – Combined intervention of protein supplementation and resistance training in medical patients. Clinical Nutrition, 2015, 34, 1035-1036.   | 2.3 | 0         |
| 105 | BIOLOGICAL AGING IS ASSOCIATED WITH INCREASED MONOCYTE INFLAMMATORY ACTIVITY IN OLDER ADULTS. Innovation in Aging, 2019, 3, S908-S909.   | 0.0 | 0         |
| 106 | Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. Innovation in Aging, 2021, 5, 669-669.   | 0.0 | 0         |
| 107 | Longitudinal course of GDF15 levels before acute hospitalization and death in the general population. Innovation in Aging, 2021, 5, 666-666.   | 0.0 | 0         |
| 108 | Factors Associated With Older Adults' In-Hospital Mobility: A Comparison Between Israel and Denmark. Innovation in Aging, 2021, 5, 26-26.  | 0.0 | 0         |