

Emmanuel Stamatakis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1111957/publications.pdf>

Version: 2024-02-01

322
papers

21,654
citations

11639

70
h-index

12258

133
g-index

329
all docs

329
docs citations

329
times ranked

24113
citing authors

#	ARTICLE	IF	CITATIONS
1	World Health Organization 2020 guidelines on physical activity and sedentary behaviour. <i>British Journal of Sports Medicine</i> , 2020, 54, 1451-1462.	3.1	4,050
2	Daily Sitting Time and All-Cause Mortality: A Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e80000.	1.1	635
3	The ABC of Physical Activity for Health: A consensus statement from the British Association of Sport and Exercise Sciences. <i>Journal of Sports Sciences</i> , 2010, 28, 573-591.	1.0	465
4	Metabolically Healthy Obesity and Risk of All-Cause and Cardiovascular Disease Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 2482-2488.	1.8	465
5	Association between psychological distress and mortality: individual participant pooled analysis of 10 prospective cohort studies. <i>BMJ</i> , The, 2012, 345, e4933-e4933.	3.0	457
6	Sitting Time, Physical Activity, and Risk of Mortality in Adults. <i>Journal of the American College of Cardiology</i> , 2019, 73, 2062-2072.	1.2	349
7	Childhood obesity and overweight prevalence trends in England: evidence for growing socioeconomic disparities. <i>International Journal of Obesity</i> , 2010, 34, 41-47.	1.6	331
8	Screen-Based Entertainment Time, All-Cause Mortality, and Cardiovascular Events. <i>Journal of the American College of Cardiology</i> , 2011, 57, 292-299.	1.2	317
9	Body mass index, waist circumference and waist-hip ratio: which is the better discriminator of cardiovascular disease mortality risk? Evidence from an individual participant meta-analysis of 82,864 participants from nine cohort studies. <i>Obesity Reviews</i> , 2011, 12, 680-687.	3.1	317
10	Case-mix, care pathways, and outcomes in patients with traumatic brain injury in CENTER-TBI: a European prospective, multicentre, longitudinal, cohort study. <i>Lancet Neurology</i> , The, 2019, 18, 923-934.	4.9	304
11	Association of Weekend Warrior and Other Leisure Time Physical Activity Patterns With Risks for All-Cause, Cardiovascular Disease, and Cancer Mortality. <i>JAMA Internal Medicine</i> , 2017, 177, 335.	2.6	294
12	Meta-analysis of the relationship between breaks in sedentary behavior and cardiometabolic health. <i>Obesity</i> , 2015, 23, 1800-1810.	1.5	261
13	Effect of Moderate to Vigorous Physical Activity on All-Cause Mortality in Middle-aged and Older Australians. <i>JAMA Internal Medicine</i> , 2015, 175, 970.	2.6	259
14	How does light-intensity physical activity associate with adult cardiometabolic health and mortality? Systematic review with meta-analysis of experimental and observational studies. <i>British Journal of Sports Medicine</i> , 2019, 53, 370-376.	3.1	254
15	Dose-response relationship between physical activity and mental health: the Scottish Health Survey. <i>British Journal of Sports Medicine</i> , 2009, 43, 1111-1114.	3.1	249
16	Psychological distress in relation to site specific cancer mortality: pooling of unpublished data from 16 prospective cohort studies. <i>BMJ: British Medical Journal</i> , 2017, 356, j108.	2.4	245
17	Overweight and obesity trends from 1974 to 2003 in English children: what is the role of socioeconomic factors?. <i>Archives of Disease in Childhood</i> , 2005, 90, 999-1004.	1.0	243
18	Psychological Distress as a Risk Factor for Cardiovascular Events. <i>Journal of the American College of Cardiology</i> , 2008, 52, 2156-2162.	1.2	239

#	ARTICLE	IF	CITATIONS
19	Overweight and obesity in infants and pre- school children in the European Union: a review of existing data. <i>Obesity Reviews</i> , 2010, 11, 389-398.	3.1	230
20	Is the time right for quantitative public health guidelines on sitting? A narrative review of sedentary behaviour research paradigms and findings. <i>British Journal of Sports Medicine</i> , 2019, 53, 377-382.	3.1	199
21	Prospective Study of Sedentary Behavior, Risk of Depression, and Cognitive Impairment. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 718-723.	0.2	188
22	Traditional and Emerging Lifestyle Risk Behaviors and All-Cause Mortality in Middle-Aged and Older Adults: Evidence from a Large Population-Based Australian Cohort. <i>PLoS Medicine</i> , 2015, 12, e1001917.	3.9	180
23	Associations of Diet and Physical Activity with Risk for Gestational Diabetes Mellitus: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2018, 10, 698.	1.7	179
24	All cause mortality and the case for age specific alcohol consumption guidelines: pooled analyses of up to 10 population based cohorts. <i>BMJ</i> , The, 2015, 350, h384-h384.	3.0	170
25	Advancing the global physical activity agenda: recommendations for future research by the 2020 WHO physical activity and sedentary behavior guidelines development group. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 143.	2.0	166
26	Marital status, gender and cardiovascular mortality: Behavioural, psychological distress and metabolic explanations. <i>Social Science and Medicine</i> , 2009, 69, 223-228.	1.8	160
27	Associations between multiple indicators of objectively-measured and self-reported sedentary behaviour and cardiometabolic risk in older adults. <i>Preventive Medicine</i> , 2012, 54, 82-87.	1.6	154
28	Physically active lessons as physical activity and educational interventions: A systematic review of methods and results. <i>Preventive Medicine</i> , 2015, 72, 116-125.	1.6	148
29	Effects of Interrupting Prolonged Sitting with Physical Activity Breaks on Blood Glucose, Insulin and Triacylglycerol Measures: A Systematic Review and Meta-analysis. <i>Sports Medicine</i> , 2020, 50, 295-330.	3.1	148
30	The prevalence and correlates of sitting in European adults - a comparison of 32 Eurobarometer-participating countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 107.	2.0	147
31	Temporal trends in physical activity in England: The Health Survey for England 1991 to 2004. <i>Preventive Medicine</i> , 2007, 45, 416-423.	1.6	141
32	Implementing the 27 PRISMA 2020 Statement items for systematic reviews in the sport and exercise medicine, musculoskeletal rehabilitation and sports science fields: the PERSiST (implementing Prisma) Tj ETQq0 0 0 rgBT /Overlock 10 Tt <i>Medicine</i> , 2022, 56, 175-195.	3.1	140
33	Television- and Screen-Based Activity and Mental Well-Being in Adults. <i>American Journal of Preventive Medicine</i> , 2010, 38, 375-380.	1.6	137
34	Psychological Distress, Television Viewing, and Physical Activity in Children Aged 4 to 12 Years. <i>Pediatrics</i> , 2009, 123, 1263-1268.	1.0	132
35	Does Strength-Promoting Exercise Confer Unique Health Benefits? A Pooled Analysis of Data on 11 Population Cohorts With All-Cause, Cancer, and Cardiovascular Mortality Endpoints. <i>American Journal of Epidemiology</i> , 2018, 187, 1102-1112.	1.6	132
36	Physical activity patterns in nonobese and obese children assessed using minute-by-minute accelerometry. <i>International Journal of Obesity</i> , 2005, 29, 1070-1076.	1.6	131

#	ARTICLE	IF	CITATIONS
37	Trends in obesity among adults in England from 1993 to 2004 by age and social class and projections of prevalence to 2012. <i>Journal of Epidemiology and Community Health</i> , 2008, 63, 140-146.	2.0	131
38	Physically active lessons in schools and their impact on physical activity, educational, health and cognition outcomes: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020, 54, 826-838.	3.1	129
39	Associations of specific types of sports and exercise with all-cause and cardiovascular-disease mortality: a cohort study of 80â€¦306 British adults. <i>British Journal of Sports Medicine</i> , 2017, 51, 812-817.	3.1	128
40	Temporal trends in adults' sports participation patterns in England between 1997 and 2006: the Health Survey for England. <i>British Journal of Sports Medicine</i> , 2008, 42, 601-608.	3.1	127
41	The descriptive epidemiology of total physical activity, muscle-strengthening exercises and sedentary behaviour among Australian adults â€” results from the National Nutrition and Physical Activity Survey. <i>BMC Public Health</i> , 2015, 16, 73.	1.2	125
42	Is running associated with a lower risk of all-cause, cardiovascular and cancer mortality, and is the more the better? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020, 54, 898-905.	3.1	121
43	New global guidelines on sedentary behaviour and health for adults: broadening the behavioural targets. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 151.	2.0	121
44	All-cause mortality effects of replacing sedentary time with physical activity and sleeping using an isotemporal substitution model: a prospective study of 201,129 mid-aged and older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 121.	2.0	120
45	Hypertension Awareness and Psychological Distress. <i>Hypertension</i> , 2010, 56, 547-550.	1.3	119
46	Sedentary time in relation to cardio-metabolic risk factors: differential associations for self-report vs accelerometry in working age adults. <i>International Journal of Epidemiology</i> , 2012, 41, 1328-1337.	0.9	117
47	A non-exercise testing method for estimating cardiorespiratory fitness: associations with all-cause and cardiovascular mortality in a pooled analysis of eight population-based cohorts. <i>European Heart Journal</i> , 2013, 34, 750-758.	1.0	116
48	Low-intensity physical activity is associated with reduced risk of incident type 2 diabetes in older adults: evidence from the English Longitudinal Study of Ageing. <i>Diabetologia</i> , 2010, 53, 1877-1885.	2.9	114
49	Physical activity and obesity mediate the association between childhood motor function and adolescentsâ€™ academic achievement. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1917-1922.	3.3	113
50	Parent and Child Screen-Viewing Time and Home Media Environment. <i>American Journal of Preventive Medicine</i> , 2012, 43, 150-158.	1.6	112
51	Time trends in childhood and adolescent obesity in England from 1995 to 2007 and projections of prevalence to 2015. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 167-174.	2.0	110
52	Physical activity education in the undergraduate curricula of all UK medical schools. Are tomorrow's doctors equipped to follow clinical guidelines?. <i>British Journal of Sports Medicine</i> , 2012, 46, 1024-1026.	3.1	107
53	Effects of Substituting Sedentary Time with Physical Activity on Metabolic Risk. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1946-1950.	0.2	102
54	The association between physical activity and low back pain: a systematic review and meta-analysis of observational studies. <i>Scientific Reports</i> , 2019, 9, 8244.	1.6	101

#	ARTICLE	IF	CITATIONS
55	Screen-Based Sedentary Behavior, Physical Activity, and Muscle Strength in the English Longitudinal Study of Ageing. <i>PLoS ONE</i> , 2013, 8, e66222.	1.1	98
56	Socioeconomic status as a risk factor for dementia death: individual participant meta-analysis of 86 508 men and women from the UK. <i>British Journal of Psychiatry</i> , 2013, 203, 10-17.	1.7	96
57	Too much sitting and all-cause mortality: is there a causal link?. <i>BMC Public Health</i> , 2016, 16, 635.	1.2	96
58	Sleep and physical activity in relation to all-cause, cardiovascular disease and cancer mortality risk. <i>British Journal of Sports Medicine</i> , 2022, 56, 718-724.	3.1	96
59	Television food advertising and the prevalence of childhood overweight and obesity: a multicountry comparison. <i>Public Health Nutrition</i> , 2010, 13, 1003-1012.	1.1	92
60	Association of C-Reactive Protein With Cardiovascular Disease Mortality According to Diabetes Status. <i>Diabetes Care</i> , 2012, 35, 396-403.	4.3	90
61	Physical activity behaviour and coronary heart disease mortality among South Asian people in the UK: an observational longitudinal study. <i>Heart</i> , 2011, 97, 655-659.	1.2	87
62	Associations between objectively assessed and self-reported sedentary time with mental health in adults: an analysis of data from the Health Survey for England. <i>BMJ Open</i> , 2014, 4, e004580.	0.8	86
63	Assessment of physical activity levels in South Asians in the UK: findings from the Health Survey for England. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 517-521.	2.0	85
64	Association Between Psychological Distress and Liver Disease Mortality: A Meta-analysis of Individual Study Participants. <i>Gastroenterology</i> , 2015, 148, 958-966.e4.	0.6	85
65	High-Density Lipoprotein Cholesterol and Mortality. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 669-672.	1.1	85
66	Moderate-to-vigorous physical activity and sedentary behaviours in relation to body mass index-defined and waist circumference-defined obesity. <i>British Journal of Nutrition</i> , 2009, 101, 765-773.	1.2	83
67	Undue industry influences that distort healthcare research, strategy, expenditure and practice: a review. <i>European Journal of Clinical Investigation</i> , 2013, 43, 469-475.	1.7	83
68	Television viewing and other screen-based entertainment in relation to multiple socioeconomic status indicators and area deprivation: the Scottish Health Survey 2003. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 734-740.	2.0	78
69	Physical Activity, Mortality, and Cardiovascular Disease: Is Domestic Physical Activity Beneficial?: The Scottish Health Survey-1995, 1998, and 2003. <i>American Journal of Epidemiology</i> , 2009, 169, 1191-1200.	1.6	76
70	Objectively Assessed Secondhand Smoke Exposure and Mental Health in Adults. <i>Archives of General Psychiatry</i> , 2010, 67, 850.	13.8	75
71	Age- and Sex-Specific Criterion Validity of the Health Survey for England Physical Activity and Sedentary Behavior Assessment Questionnaire as Compared With Accelerometry. <i>American Journal of Epidemiology</i> , 2014, 179, 1493-1502.	1.6	75
72	Is Cohort Representativeness PassÃ©? Poststratified Associations of Lifestyle Risk Factors with Mortality in the UK Biobank. <i>Epidemiology</i> , 2021, 32, 179-188.	1.2	74

#	ARTICLE	IF	CITATIONS
73	Sitting Behavior and Obesity. <i>American Journal of Preventive Medicine</i> , 2013, 44, 132-138.	1.6	73
74	Low Socioeconomic Status and Psychological Distress as Synergistic Predictors of Mortality From Stroke and Coronary Heart Disease. <i>Psychosomatic Medicine</i> , 2013, 75, 311-316.	1.3	73
75	Are Sitting Occupations Associated with Increased All-Cause, Cancer, and Cardiovascular Disease Mortality Risk? A Pooled Analysis of Seven British Population Cohorts. <i>PLoS ONE</i> , 2013, 8, e73753.	1.1	73
76	Association of physical activity with all-cause mortality and incident and prevalent cardiovascular disease among patients with type 1 diabetes: the EURODIAB Prospective Complications Study. <i>Diabetologia</i> , 2013, 56, 82-91.	2.9	71
77	Muscle-Strengthening Exercise Among 397,423 U.S. Adults: Prevalence, Correlates, and Associations With Health Conditions. <i>American Journal of Preventive Medicine</i> , 2018, 55, 864-874.	1.6	71
78	The Combined Association of Psychological Distress and Socioeconomic Status With All-Cause Mortality. <i>JAMA Internal Medicine</i> , 2013, 173, 22.	2.6	68
79	How can global physical activity surveillance adapt to evolving physical activity guidelines? Needs, challenges and future directions. <i>British Journal of Sports Medicine</i> , 2020, 54, 1468-1473.	3.1	68
80	Physical Activity and Risk of Cardiovascular Disease Events. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1206-1211.	0.2	67
81	Self-rated walking pace and all-cause, cardiovascular disease and cancer mortality: individual participant pooled analysis of 50 225 walkers from 11 population British cohorts. <i>British Journal of Sports Medicine</i> , 2018, 52, 761-768.	3.1	66
82	Associations of health-behavior patterns, mental health and self-rated health. <i>Preventive Medicine</i> , 2019, 118, 295-303.	1.6	66
83	Domestic Physical Activity in Relationship to Multiple CVD Risk Factors. <i>American Journal of Preventive Medicine</i> , 2007, 32, 320-327.e3.	1.6	65
84	Associations of sitting behaviours with all-cause mortality over a 16-year follow-up: the Whitehall II study. <i>International Journal of Epidemiology</i> , 2015, 44, 1909-1916.	0.9	65
85	High sitting time or obesity: Which came first? Bidirectional association in a longitudinal study of 31,787 Australian adults. <i>Obesity</i> , 2014, 22, 2126-2130.	1.5	60
86	Association of Systemic Inflammation With Risk of Completed Suicide in the General Population. <i>JAMA Psychiatry</i> , 2016, 73, 993.	6.0	60
87	Children's and adolescents' sedentary behaviour in relation to socioeconomic position. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 868-874.	2.0	59
88	Companion dog acquisition and mental well-being: a community-based three-arm controlled study. <i>BMC Public Health</i> , 2019, 19, 1428.	1.2	56
89	Objectively Measured Secondhand Smoke Exposure and Risk of Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2010, 56, 18-23.	1.2	55
90	Dancing Participation and Cardiovascular Disease Mortality. <i>American Journal of Preventive Medicine</i> , 2016, 50, 756-760.	1.6	54

#	ARTICLE	IF	CITATIONS
91	Yoga practice in England 1997-2008: prevalence, temporal trends, and correlates of participation. BMC Research Notes, 2014, 7, 172.	0.6	53
92	Comparison of physical behavior estimates from three different thigh-worn accelerometers brands: a proof-of-concept for the Prospective Physical Activity, Sitting, and Sleep consortium (ProPASS). International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 65.	2.0	53
93	Lifestyle risk factors, obesity and infectious disease mortality in the general population: Linkage study of 97,844 adults from England and Scotland. Preventive Medicine, 2019, 123, 65-70.	1.6	53
94	Active Video Games in Schools and Effects on Physical Activity and Health: A Systematic Review. Journal of Pediatrics, 2016, 172, 40-46.e5.	0.9	52
95	Emerging collaborative research platforms for the next generation of physical activity, sleep and exercise medicine guidelines: the Prospective Physical Activity, Sitting, and Sleep consortium (ProPASS). British Journal of Sports Medicine, 2020, 54, 435-437.	3.1	51
96	Psychiatric Hospital Admissions, Behavioral Risk Factors, and All-Cause Mortality. Archives of Internal Medicine, 2008, 168, 2474.	4.3	50
97	Standing time and all-cause mortality in a large cohort of Australian adults. Preventive Medicine, 2014, 69, 187-191.	1.6	50
98	Normal-Weight Central Obesity and Risk for Mortality. Annals of Internal Medicine, 2017, 166, 917.	2.0	50
99	Inflammation as an intermediate pathway in the association between psychosocial stress and obesity. Physiology and Behavior, 2008, 94, 536-539.	1.0	49
100	Objectively-assessed and self-reported sedentary time in relation to multiple socioeconomic status indicators among adults in England: a cross-sectional study. BMJ Open, 2014, 4, e006034.	0.8	49
101	Height in relation to dementia death: individual participant meta-analysis of 18 UK prospective cohort studies. British Journal of Psychiatry, 2014, 205, 348-354.	1.7	49
102	Physical Activity and Cardiovascular Mortality Risk. Medicine and Science in Sports and Exercise, 2012, 44, 84-88.	0.2	48
103	Sedentary Time in Late Childhood and Cardiometabolic Risk in Adolescence. Pediatrics, 2015, 135, e1432-e1441.	1.0	48
104	Trends in prolonged sitting time among European adults: 27 country analysis. Preventive Medicine, 2015, 77, 11-16.	1.6	47
105	Development of a novel walkability index for London, United Kingdom: cross-sectional application to the Whitehall II Study. BMC Public Health, 2016, 16, 416.	1.2	47
106	Physical activity and mortality in men and women with diagnosed cardiovascular disease. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 156-160.	3.1	45
107	The combined influence of hypertension and common mental disorder on all-cause and cardiovascular disease mortality. Journal of Hypertension, 2010, 28, 2401-2406.	0.3	45
108	Psychological Distress as a Risk Factor for Dementia Death. Archives of Internal Medicine, 2011, 171, 1859.	4.3	45

#	ARTICLE	IF	CITATIONS
109	Physical Activity and Risk of All-Cause and Cardiovascular Disease Mortality in Diabetic Adults From Great Britain: Pooled Analysis of 10 Population-Based Cohorts. <i>Diabetes Care</i> , 2014, 37, 1016-1023.	4.3	45
110	Expectations for dog ownership: Perceived physical, mental and psychosocial health consequences among prospective adopters. <i>PLoS ONE</i> , 2018, 13, e0200276.	1.1	45
111	Objectively Measured Secondhand Smoke Exposure and Mental Health in Children. <i>JAMA Pediatrics</i> , 2011, 165, 326-31.	3.6	44
112	Early adulthood television viewing and cardiometabolic risk profiles in early middle age: results from a population, prospective cohort study. <i>Diabetologia</i> , 2012, 55, 311-320.	2.9	44
113	Gamma-glutamyltransferase and risk of cardiovascular disease mortality in people with and without diabetes: Pooling of three British Health Surveys. <i>Journal of Hepatology</i> , 2012, 57, 1083-1089.	1.8	43
114	Association of Very Highly Elevated C-Reactive Protein Concentration with Cardiovascular Events and All-Cause Mortality. <i>Clinical Chemistry</i> , 2010, 56, 132-135.	1.5	42
115	Physical activity training in US medical schools: Preparing future physicians to engage in primary prevention. <i>Physician and Sportsmedicine</i> , 2015, 43, 388-394.	1.0	42
116	An evaluation of physical activity training in Australian medical school curricula. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 534-538.	0.6	42
117	Dose-Response Association Between Psychological Distress and Risk of Completed Suicide in the General Population. <i>JAMA Psychiatry</i> , 2015, 72, 1254.	6.0	41
118	Low-Dose Physical Activity Attenuates Cardiovascular Disease Mortality in Men and Women With Clustered Metabolic Risk Factors. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, 494-499.	0.9	40
119	Type-Specific Screen Time Associations with Cardiovascular Risk Markers in Children. <i>American Journal of Preventive Medicine</i> , 2013, 44, 481-488.	1.6	39
120	Associations between objectively assessed and questionnaire-based sedentary behaviour with BMI-defined obesity among general population children and adolescents living in England. <i>BMJ Open</i> , 2015, 5, e007172-e007172.	0.8	39
121	Efficacy of a Multi-component m-Health Weight-loss Intervention in Overweight and Obese Adults: A Randomised Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6200.	1.2	39
122	Thigh-worn accelerometry for measuring movement and posture across the 24-hour cycle: a scoping review and expert statement. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000874.	1.4	39
123	Does physical activity moderate the association between alcohol drinking and all-cause, cancer and cardiovascular diseases mortality? A pooled analysis of eight British population cohorts. <i>British Journal of Sports Medicine</i> , 2017, 51, 651-657.	3.1	38
124	Short and sporadic bouts in the 2018 US physical activity guidelines: is high-intensity incidental physical activity the new HIIT?. <i>British Journal of Sports Medicine</i> , 2019, 53, 1137-1139.	3.1	38
125	Objectively assessed physical activity, fitness and subjective wellbeing. <i>Mental Health and Physical Activity</i> , 2010, 3, 67-71.	0.9	37
126	Psychological distress and risk of peripheral vascular disease, abdominal aortic aneurysm, and heart failure: Pooling of sixteen cohort studies. <i>Atherosclerosis</i> , 2014, 236, 385-388.	0.4	37

#	ARTICLE	IF	CITATIONS
127	Psychological Distress, Glycated Hemoglobin, and Mortality in Adults With and Without Diabetes. <i>Psychosomatic Medicine</i> , 2010, 72, 882-886.	1.3	36
128	Anaemia, Haemoglobin Level and Cause-Specific Mortality in People with and without Diabetes. <i>PLoS ONE</i> , 2012, 7, e41875.	1.1	36
129	Objectively measured physical activity, cardiorespiratory fitness and cardiometabolic risk factors in the Health Survey for England. <i>Preventive Medicine</i> , 2013, 57, 201-205.	1.6	36
130	Feasibility of Measuring Sedentary Time Using Data From a Thigh-Worn Accelerometer. <i>American Journal of Epidemiology</i> , 2020, 189, 963-971.	1.6	36
131	The impact of physical activity on all-cause mortality in men and women after a cancer diagnosis. <i>Cancer Causes and Control</i> , 2009, 20, 225-231.	0.8	35
132	Pulmonary function as a risk factor for dementia death: an individual participant meta-analysis of six UK general population cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 550-556.	2.0	34
133	Associations between indicators of screen time and adiposity indices in Portuguese children. <i>Preventive Medicine</i> , 2013, 56, 299-303.	1.6	33
134	Explaining the excess mortality in Scotland compared with England: pooling of 18 cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 20-27.	2.0	33
135	Is the Metabolically Healthy Obesity Phenotype an Irrelevant Artifact for Public Health?. <i>American Journal of Epidemiology</i> , 2015, 182, 737-741.	1.6	33
136	Muscle Strengthening, Aerobic Exercise, and Obesity: A Pooled Analysis of 1.7 Million US Adults. <i>Obesity</i> , 2020, 28, 371-378.	1.5	33
137	Association of alcohol consumption with morbidity and mortality in patients with cardiovascular disease: original data and meta-analysis of 48,423 men and women. <i>BMC Medicine</i> , 2021, 19, 167.	2.3	33
138	Psychological distress as a risk factor for death from cerebrovascular disease. <i>Cmaj</i> , 2012, 184, 1461-1466.	0.9	32
139	Measuring physical activity in children and adolescents for dietary surveys: practicalities, problems and pitfalls. <i>Proceedings of the Nutrition Society</i> , 2014, 73, 218-225.	0.4	32
140	Associations of Physical Activity and Sedentary Behavior With Adolescent Academic Achievement. <i>Journal of Research on Adolescence</i> , 2016, 26, 432-442.	1.9	32
141	The physiological function of oxytocin in humans and its acute response to human-dog interactions: A review of the literature. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2019, 30, 25-32.	0.5	32
142	Medicolegal neglect? The case for physical activity promotion and Exercise Medicine: Table 1. <i>British Journal of Sports Medicine</i> , 2012, 46, 228-232.	3.1	31
143	Associations between socio-economic position and sedentary behaviour in a large population sample of Australian middle and older-aged adults: The Social, Economic, and Environmental Factor (SEEF) Study. <i>Preventive Medicine</i> , 2014, 63, 72-80.	1.6	31
144	Associations of vigorous physical activity with all-cause, cardiovascular and cancer mortality among 64 913 adults. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000596.	1.4	31

#	ARTICLE	IF	CITATIONS
145	Physical activity and chronic back conditions: A population-based pooled study of 60,134 adults. <i>Journal of Sport and Health Science</i> , 2019, 8, 386-393.	3.3	31
146	High Levels of Physical Activity and Cardiorespiratory Fitness are Associated With Good Self-Rated Health in Adolescents. <i>Journal of Physical Activity and Health</i> , 2015, 12, 266-272.	1.0	30
147	Association between physical activity and sub-types of cardiovascular disease death causes in a general population cohort. <i>European Journal of Epidemiology</i> , 2019, 34, 483-487.	2.5	30
148	Untapping the Health Enhancing Potential of Vigorous Intermittent Lifestyle Physical Activity (VILPA): Rationale, Scoping Review, and a 4-Pillar Research Framework. <i>Sports Medicine</i> , 2021, 51, 1-10.	3.1	30
149	Prevalence and correlates of low physical activity in the Iranian population: National survey on non-communicable diseases in 2011. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 1916-1924.	1.3	28
150	Psychological distress and infectious disease mortality in the general population. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 280-283.	2.0	28
151	Overweight and obese cardiac patients have better prognosis despite reporting worse perceived health and more conventional risk factors. <i>Preventive Medicine</i> , 2013, 57, 12-16.	1.6	27
152	Prospective association of TV viewing with acute phase reactants and coagulation markers: English Longitudinal Study of Ageing. <i>Atherosclerosis</i> , 2015, 239, 322-327.	0.4	27
153	A single session of hatha yoga improves stress reactivity and recovery after an acute psychological stress task: A counterbalanced, randomized-crossover trial in healthy individuals. <i>Complementary Therapies in Medicine</i> , 2017, 35, 120-126.	1.3	27
154	Can physical activity eliminate the mortality risk associated with poor sleep? A 15-year follow-up of 341,248 MJ Cohort participants. <i>Journal of Sport and Health Science</i> , 2022, 11, 596-604.	3.3	27
155	The accumulative effects of modifiable risk factors on inflammation and haemostasis. <i>Brain, Behavior, and Immunity</i> , 2008, 22, 1041-1043.	2.0	25
156	Low leisure-based sitting time and being physically active were associated with reduced odds of death and diabetes in people with chronic obstructive pulmonary disease: a cohort study. <i>Journal of Physiotherapy</i> , 2018, 64, 114-120.	0.7	25
157	Associations between alcohol and obesity in more than 100 000 adults in England and Scotland. <i>British Journal of Nutrition</i> , 2018, 119, 222-227.	1.2	25
158	Injury Fear, Stigma, and Reporting in Professional Dancers. <i>Safety and Health at Work</i> , 2019, 10, 260-264.	0.3	25
159	Physical activity in the UK: a unique crossroad?. <i>British Journal of Sports Medicine</i> , 2010, 44, 912-914.	3.1	24
160	Dog ownership and all-cause mortality in a population cohort in Norway: The HUNT study. <i>PLoS ONE</i> , 2017, 12, e0179832.	1.1	24
161	Dog Ownership and Mortality in England: A Pooled Analysis of Six Population-based Cohorts. <i>American Journal of Preventive Medicine</i> , 2018, 54, 289-293.	1.6	24
162	Physically Active Lessons Improve Lesson Activity and On-Task Behavior: A Cluster-Randomized Controlled Trial of the "Virtual Traveller" Intervention. <i>Health Education and Behavior</i> , 2018, 45, 945-956.	1.3	24

#	ARTICLE	IF	CITATIONS
163	Striking the Right Balance: Evidence to Inform Combined Physical Activity and Sedentary Behavior Recommendations. <i>Journal of Physical Activity and Health</i> , 2021, 18, 631-637.	1.0	24
164	Reducing Office Workersâ€™ Sitting Time at Work Using Sit-Stand Protocols. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 543-549.	0.9	23
165	The association between leisure-time physical activity, low HDL-cholesterol and mortality in a pooled analysis of nine population-based cohorts. <i>European Journal of Epidemiology</i> , 2017, 32, 559-566.	2.5	23
166	Lifestyle risk factors and infectious disease mortality, including COVID-19, among middle aged and older adults: Evidence from a community-based cohort study in the United Kingdom. <i>Brain, Behavior, and Immunity</i> , 2021, 96, 18-27.	2.0	23
167	Physical activity, diet quality and all-cause cardiovascular disease and cancer mortality: a prospective study of 346 627 UK Biobank participants. <i>British Journal of Sports Medicine</i> , 2022, 56, 1148-1156.	3.1	23
168	Is the lack of physical activity strategy for children complicit mass child neglect?. <i>British Journal of Sports Medicine</i> , 2014, 48, 1010-1013.	3.1	22
169	Watching sport on television, physical activity, and risk of obesity in older adults. <i>BMC Public Health</i> , 2014, 14, 10.	1.2	22
170	Modifiable cardiovascular disease risk factors as predictors of dementia death: pooling of ten general population-based cohort studies. <i>Journal of Negative Results in BioMedicine</i> , 2014, 13, 8.	1.4	22
171	Virtual field trips as physically active lessons for children: a pilot study. <i>BMC Public Health</i> , 2015, 15, 366.	1.2	22
172	Daily steps and diet, but not sleep, are related to mortality in older Australians. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 276-282.	0.6	22
173	Effect of physical activity and exercise on telomere length: Systematic review with meta-analysis. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 3285-3300.	1.3	22
174	Linking Young Peopleâ€™s Knowledge of Public Health Guidelines to Physical Activity Levels in England. <i>Pediatric Exercise Science</i> , 2010, 22, 467-476.	0.5	21
175	Does the Framingham cardiovascular disease risk score also have predictive utility for dementia death? An individual participant meta-analysis of 11,887 men and women. <i>Atherosclerosis</i> , 2013, 228, 256-258.	0.4	21
176	The bidirectional association between sleep and physical activity: A 6.9Â½years longitudinal analysis of 38,601 UK Biobank participants. <i>Preventive Medicine</i> , 2021, 143, 106315.	1.6	21
177	Should health policy focus on physical activity rather than obesity? Yes. <i>BMJ: British Medical Journal</i> , 2010, 340, c2603-c2603.	2.4	21
178	Sitting behaviour is not associated with incident diabetes over 13 years: the Whitehall II cohort study. <i>British Journal of Sports Medicine</i> , 2017, 51, 818-823.	3.1	19
179	Associations of total and type-specific physical activity with mortality in chronic obstructive pulmonary disease: a population-based cohort study. <i>BMC Public Health</i> , 2018, 18, 268.	1.2	19
180	Run, lift, or both? Associations between concurrent aerobicâ€“muscle strengthening exercise with adverse cardiometabolic biomarkers among Korean adults. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 738-748.	0.8	19

#	ARTICLE	IF	CITATIONS
181	Workplace physical activity promotion: why so many failures and few successes? The need for new thinking. <i>British Journal of Sports Medicine</i> , 2021, 55, 650-651.	3.1	19
182	Self-reported physical activity before a COVID-19 "lockdown": is it just a matter of opinion?. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001088.	1.4	19
183	A behaviour change intervention to reduce sedentary time in people with chronic obstructive pulmonary disease: protocol for a randomised controlled trial. <i>Journal of Physiotherapy</i> , 2017, 63, 182.	0.7	18
184	The 2018 Physical Activity Guidelines for Americans: What's New? Implications for Clinicians and the Public. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 487-490.	1.7	18
185	Effects of Human-Dog Interactions on Salivary Oxytocin Concentrations and Heart Rate Variability: A Four-Condition Cross-Over Trial. <i>Anthrozoos</i> , 2020, 33, 37-52.	0.7	18
186	Failure to validate the Health Survey for England physical activity module in a cardiac population. <i>Health Policy</i> , 2007, 84, 262-268.	1.4	17
187	Weekend warrior physical activity pattern and common mental disorder: a population wide study of 108,011 British adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 96.	2.0	17
188	Is Dog Ownership Associated with Mental Health? A Population Study of 68,362 Adults Living in England. <i>Anthrozoos</i> , 2019, 32, 729-739.	0.7	17
189	Statement on Methods in Sport Injury Research From the First METHODS MATTER Meeting, Copenhagen, 2019. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 226-233.	1.7	17
190	Long overdue remarriage for better physical activity advice for all: bringing together the public health and occupational health agendas. <i>British Journal of Sports Medicine</i> , 2020, 54, 1377-1378.	3.1	17
191	Estimated cardiorespiratory fitness in childhood and cardiometabolic health in adulthood: 1970 British Cohort Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 932-938.	1.3	17
192	Validity of a Non-Proprietary Algorithm for Identifying Lying Down Using Raw Data from Thigh-Worn Triaxial Accelerometers. <i>Sensors</i> , 2021, 21, 904.	2.1	17
193	Joint Associations of Alcohol Consumption and Physical Activity With All-Cause and Cardiovascular Mortality. <i>American Journal of Cardiology</i> , 2013, 112, 380-386.	0.7	16
194	Relationships between exercise, smoking habit and mortality in more than 100,000 adults. <i>International Journal of Cancer</i> , 2017, 140, 1819-1827.	2.3	16
195	How the 2018 US Physical Activity Guidelines are a Call to Promote and Better Understand Acute Physical Activity for Cognitive Function Gains. <i>Sports Medicine</i> , 2019, 49, 1625-1627.	3.1	16
196	Statement on methods in sport injury research from the 1st METHODS MATTER Meeting, Copenhagen, 2019. <i>British Journal of Sports Medicine</i> , 2020, 54, 941-941.	3.1	16
197	Privileging the privileged: the public health focus on leisure time physical activity has contributed to widening socioeconomic inequalities in health. <i>British Journal of Sports Medicine</i> , 2021, 55, 525-526.	3.1	16
198	Developmental trajectories of sleep during childhood and adolescence are related to health in young adulthood. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 2435-2444.	0.7	16

#	ARTICLE	IF	CITATIONS
199	Light-intensity physical activity and mental ill health: a systematic review of observational studies in the general population. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 123.	2.0	16
200	Temporal trends in diabetes prevalence and key diabetes risk factors in Scotland, 2003â€“2008. <i>Diabetic Medicine</i> , 2011, 28, 595-598.	1.2	15
201	The Importance of Vigorous-Intensity Leisure-Time Physical Activity in Reducing Cardiovascular Disease Mortality Risk in the Obese. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1096-1103.	1.4	15
202	Associations of self-reported stair climbing with all-cause and cardiovascular mortality: The Harvard Alumni Health Study. <i>Preventive Medicine Reports</i> , 2019, 15, 100938.	0.8	15
203	Canine Endogenous Oxytocin Responses to Dog-Walking and Affiliative Humanâ€“Dog Interactions. <i>Animals</i> , 2019, 9, 51.	1.0	15
204	The effectiveness of incidental physical activity interventions compared to other interventions in the management of people with low back pain: A systematic review and meta-analysis of randomised controlled trials. <i>Physical Therapy in Sport</i> , 2019, 36, 34-42.	0.8	15
205	Putting physical activity in the â€“must-doâ€™ list of the global agenda. <i>British Journal of Sports Medicine</i> , 2020, 54, 1445-1446.	3.1	15
206	Is There a Link between Different Types of Alcoholic Drinks and Obesity? An Analysis of 280,183 UK Biobank Participants. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5178.	1.2	15
207	The Extent to Which Adiposity Markers Explain the Association Between Sedentary Behavior and Cardiometabolic Risk Factors. <i>Obesity</i> , 2012, 20, 229-232.	1.5	14
208	Patterns and Correlates of Sedentary Behaviour Accumulation and Physical Activity in People with Chronic Obstructive Pulmonary Disease: A Cross-Sectional Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020, 17, 156-164.	0.7	14
209	Cardiorespiratory Fitness Is Associated With Early Death Among Healthy Young and Middle-Aged Baby Boomers and Generation Xers. <i>American Journal of Medicine</i> , 2020, 133, 961-968.e3.	0.6	14
210	Joint associations of adiposity and alcohol consumption with liver disease-related morbidity and mortality risk: findings from the UK Biobank. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 74-83.	1.3	14
211	Associations between multiple indicators of socio-economic status and muscle-strengthening activity participation in a nationally representative population sample of Australian adults. <i>Preventive Medicine</i> , 2017, 102, 44-48.	1.6	13
212	Mixed method evaluation of the Virtual Traveller physically active lesson intervention: An analysis using the RE-AIM framework. <i>Evaluation and Program Planning</i> , 2018, 70, 107-114.	0.9	13
213	Examining associations between physical activity and cardiovascular mortality using negative control outcomes. <i>International Journal of Epidemiology</i> , 2019, 48, 1161-1166.	0.9	13
214	Epidemiology of Dance-Related Injuries Presenting to Emergency Departments in the United States, 2000-2013. <i>Medical Problems of Performing Artists</i> , 2017, 32, 170-175.	0.2	12
215	Association of sedentary patterns with body fat distribution among US children and adolescents: a population-based study. <i>International Journal of Obesity</i> , 2021, 45, 2048-2057.	1.6	12
216	Prospective Associations of Accelerometerâ€“Assessed Physical Activity With Mortality and Incidence of Cardiovascular Disease Among Adults With Hypertension: The UK Biobank Study. <i>Journal of the American Heart Association</i> , 2022, 11, e023290.	1.6	12

#	ARTICLE	IF	CITATIONS
217	Utility of C-Reactive Protein for Cardiovascular Risk Stratification Across Three Age Groups in Subjects Without Existing Cardiovascular Diseases. <i>American Journal of Cardiology</i> , 2009, 104, 538-542.	0.7	11
218	Fibrinogen and future cardiovascular disease in people with diabetes: Aetiological associations and risk prediction using individual participant data from nine community-based prospective cohort studies. <i>Diabetes and Vascular Disease Research</i> , 2013, 10, 143-151.	0.9	11
219	Associations of objectively measured moderate-to-vigorous-intensity physical activity and sedentary time with all-cause mortality in a population of adults at high risk of type 2 diabetes mellitus. <i>Preventive Medicine Reports</i> , 2017, 5, 285-288.	0.8	11
220	Physical Activity and Sedentary Behaviors Levels of Kuwaiti Adolescents: The Study of Health and Activity Among Adolescents in Kuwait. <i>Journal of Physical Activity and Health</i> , 2018, 15, 255-262.	1.0	11
221	Sitting behaviour and physical activity: two sides of the same cardiovascular health coin?. <i>British Journal of Sports Medicine</i> , 2019, 53, 852-853.	3.1	11
222	Associations of sitting and physical activity with grip strength and balance in mid-life: 1970 British Cohort Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 2371-2381.	1.3	11
223	Cross-sectional associations of device-measured sedentary behaviour and physical activity with cardio-metabolic health in the 1970 British Cohort Study. <i>Diabetic Medicine</i> , 2021, 38, e14392.	1.2	11
224	Development and feasibility of a mobile phone application designed to support physically inactive employees to increase walking. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 23.	1.5	11
225	Prevalence of overweight and obesity and associations with socioeconomic indicators: the study of health and activity among adolescents in Kuwait. <i>Minerva Pediatrica</i> , 2019, 71, 326-332.	2.6	11
226	Comparison of risk factors for fatal stroke and ischemic heart disease: A prospective follow up of the health survey for England. <i>Atherosclerosis</i> , 2011, 219, 807-810.	0.4	10
227	Temporal trends in socioeconomic inequalities in obesity prevalence among economically-active working-age adults in Scotland between 1995 and 2011: a population-based repeated cross-sectional study. <i>BMJ Open</i> , 2015, 5, e006739-e006739.	0.8	10
228	Protocol for the "Virtual Traveller" cluster-randomised controlled trial: a behaviour change intervention to increase physical activity in primary-school Maths and English lessons. <i>BMJ Open</i> , 2016, 6, e011982.	0.8	10
229	Do all daily metabolic equivalent task units (METs) bring the same health benefits?. <i>British Journal of Sports Medicine</i> , 2019, 53, 991-992.	3.1	10
230	Does a physically active lifestyle attenuate the association between alcohol consumption and mortality risk? Findings from the UK biobank. <i>Preventive Medicine</i> , 2020, 130, 105901.	1.6	10
231	How do travelers manage jetlag and travel fatigue? A survey of passengers on long-haul flights. <i>Chronobiology International</i> , 2020, 37, 1621-1628.	0.9	10
232	Association between TV viewing and heart disease mortality: observational study using negative control outcome. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 391-394.	2.0	10
233	The role of conventional and novel mechanisms in explaining increased risk of cardiovascular events in offspring with positive parental history. <i>Journal of Hypertension</i> , 2009, 27, 1966-1971.	0.3	9
234	Prevention of cardiovascular disease: why do we neglect the most potent intervention?. <i>Heart</i> , 2010, 96, 261-262.	1.2	9

#	ARTICLE	IF	CITATIONS
235	Benefit of adding lifestyle-related risk factors for prediction of cardiovascular death among cardiac patients. <i>International Journal of Cardiology</i> , 2013, 163, 196-200.	0.8	9
236	The "weekend warrior" physical activity pattern: how little is enough?. <i>British Journal of Sports Medicine</i> , 2017, 51, 1384-1385.	3.1	9
237	What Hippocrates called "Man's best medicine": walking is humanity's path to a better world. <i>British Journal of Sports Medicine</i> , 2018, 52, 753-754.	3.1	9
238	Let's share, help deliver and sustain the WHO global action plan on physical activity. <i>British Journal of Sports Medicine</i> , 2019, 53, 794-796.	3.1	9
239	Joint associations of device-measured physical activity and sleep duration with cardiometabolic health in the 1970 British Cohort Study. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 1191-1196.	0.6	9
240	Methods matter and the "too much, too soon" theory (part 2): what is the goal of your sports injury research? Are you describing, predicting or drawing a causal inference?. <i>British Journal of Sports Medicine</i> , 2020, 54, 1307-1309.	3.1	9
241	Internal consistency and convergent and divergent validity of the Liverpool jetlag questionnaire. <i>Chronobiology International</i> , 2020, 37, 218-226.	0.9	9
242	Six-week behaviour change intervention to reduce sedentary behaviour in people with chronic obstructive pulmonary disease: a randomised controlled trial. <i>Thorax</i> , 2022, 77, 231-238.	2.7	9
243	Preventing the "24-hour Babel": the need for a consensus on a consistent terminology scheme for physical activity, sedentary behaviour and sleep. <i>British Journal of Sports Medicine</i> , 2022, 56, 367-368.	3.1	9
244	Revisiting the "physical activity paradox" in a Chinese context: Occupational physical activity and mortality in 142,302 urban working adults from the China Kadoorie Biobank study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 23, 100457.	1.3	9
245	Physical inactivity is associated with earlier mortality " the evidence is incontrovertible. <i>British Journal of General Practice</i> , 2011, 61, 719.3-720.	0.7	8
246	The Influence of Global Heating on Discretionary Physical Activity: An Important and Overlooked Consequence of Climate Change. <i>Journal of Physical Activity and Health</i> , 2013, 10, 765-768.	1.0	8
247	Nonexercise Equations to Estimate Fitness in White European and South Asian Men. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 854-859.	0.2	8
248	Differences in the occurrence and characteristics of injuries between full-time and part-time dancers. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000324.	1.4	8
249	Examining the efficacy of a multicomponent m-Health physical activity, diet and sleep intervention for weight loss in overweight and obese adults: randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e026179.	0.8	8
250	Relative proportion of vigorous physical activity, total volume of moderate to vigorous activity, and body mass index in youth: the Millennium Cohort Study. <i>International Journal of Obesity</i> , 2018, 42, 1239-1242.	1.6	8
251	The bold sedentary behavior recommendations in the new Canadian guidelines: are they evidence-based? Response to "Sedentary Behavior Research Network members support new Canadian 24-Hour Movement Guideline recommendations". <i>Journal of Sport and Health Science</i> , 2020, 9, 482-484.	3.3	8
252	Are people in the bush really physically active? A systematic review and meta-analysis of physical activity and sedentary behaviour in rural Australians populations. <i>Journal of Global Health</i> , 2020, 10, 010410.	1.2	8

#	ARTICLE	IF	CITATIONS
253	Informed consent procedures in patients with an acute inability to provide informed consent: Policy and practice in the CENTER-TBI study. <i>Journal of Critical Care</i> , 2020, 59, 6-15.	1.0	8
254	Does dog acquisition improve physical activity, sedentary behaviour and biological markers of cardiometabolic health? Results from a three-arm controlled study. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000703.	1.4	8
255	Sedentary behaviour: redefining its meaning and links to chronic disease. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2011, 72, 192-195.	0.2	7
256	Reporting bias in the literature on the associations of health-related behaviors and statins with cardiovascular disease and all-cause mortality. <i>PLoS Biology</i> , 2018, 16, e2005761.	2.6	7
257	Screen media use by Portuguese children in 2009 and 2016: a repeated cross-sectional study. <i>Annals of Human Biology</i> , 2021, 48, 1-7.	0.4	7
258	The athlete's sleep paradox prompts us to reconsider the dose-response relationship of physical activity and sleep. <i>British Journal of Sports Medicine</i> , 2021, 55, 887-888.	3.1	7
259	Sliding down the risk factor rankings: reasons for and consequences of the dramatic downgrading of physical activity in the Global Burden of Disease 2019. <i>British Journal of Sports Medicine</i> , 2021, 55, 1222-1223.	3.1	7
260	Device-measured physical activity and sedentary behaviour in relation to mental wellbeing: An analysis of the 1970 British cohort study. <i>Preventive Medicine</i> , 2021, 145, 106434.	1.6	7
261	Infographic. Self-rated walking pace and all-cause, cardiovascular disease and cancer mortality: individual participant pooled analysis of 50 225 walkers from 11 population British cohorts. <i>British Journal of Sports Medicine</i> , 2019, 53, 1381-1382.	3.1	6
262	Testing Differential Associations Between Smoking and Chronic Disease Across Socioeconomic Groups. <i>Epidemiology</i> , 2019, 30, 48-51.	1.2	6
263	Any public health guidelines should always be developed from a consistent, clear evidence base. <i>British Journal of Sports Medicine</i> , 2019, 53, 1555-1556.	3.1	6
264	Infographic. Is running associated with a lower risk of all-cause, cardiovascular and cancer mortality, and is more better? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020, 54, 817-818.	3.1	6
265	The descriptive epidemiology of standing activity during free-living in 5412 middle-aged adults: the 1970 British Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-213783.	2.0	6
266	Trends in Walking, Moderate, and Vigorous Physical Activity Participation Across the Socioeconomic Gradient in New South Wales, Australia From 2002 to 2015. <i>Journal of Physical Activity and Health</i> , 2020, 17, 1125-1133.	1.0	6
267	Different conceptual constructs for modelling sedentary behaviour and physical activity: the impact on the correlates of behaviour. <i>BMC Research Notes</i> , 2014, 7, 921.	0.6	5
268	U-Shaped Association Between Body Mass Index and Psychological Distress in a Population Sample of 114,218 British Adults. <i>Mayo Clinic Proceedings</i> , 2017, 92, 1865-1866.	1.4	5
269	Temporal trends in dancing among adults between 1994 and 2012: The Health Survey for England. <i>Preventive Medicine</i> , 2018, 106, 200-208.	1.6	5
270	Associations between objectively assessed and questionnaire-based sedentary behaviour with body mass index and systolic blood pressure in Kuwaiti adolescents. <i>BMC Research Notes</i> , 2019, 12, 588.	0.6	5

#	ARTICLE	IF	CITATIONS
271	Does Dog Ownership Really Prolong Survival?. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020, 13, e006907.	0.9	5
272	Does adequate physical activity attenuate the associations of alcohol and alcohol-related cancer mortality? A pooled study of 54%686 British adults. <i>International Journal of Cancer</i> , 2020, 147, 2754-2763.	2.3	5
273	Behavioural mediators of reduced energy intake in a physical activity, diet, and sleep behaviour weight loss intervention in adults. <i>Appetite</i> , 2021, 165, 105273.	1.8	5
274	Physical Activity and Health-Related Quality of Life in People With Back Pain: A Population-Based Pooled Study of 27,273 Adults. <i>Journal of Physical Activity and Health</i> , 2020, 17, 177-188.	1.0	5
275	Pencil-point needle bevel direction influences ED50 of isobaric ropivacaine with fentanyl in spinal anesthesia for cesarean delivery: a prospective, double-blind sequential allocation study. <i>International Journal of Obstetric Anesthesia</i> , 2015, 24, 225-229.	0.2	4
276	Physical inactivity among older adults: Implications for life expectancy among non-overweight and overweight or obese individuals. <i>Obesity Research and Clinical Practice</i> , 2015, 9, 175-179.	0.8	4
277	The associations between participation in certain sports and lower mortality are not explained by affluence and other socioeconomic factors. <i>British Journal of Sports Medicine</i> , 2017, 51, 1514-1515.	3.1	4
278	Launch of new series: bright spots, physical activity investments that work. <i>British Journal of Sports Medicine</i> , 2017, 51, 1388-1388.	3.1	4
279	Sedentary Behaviour and Cardiovascular Disease. <i>Springer Series on Epidemiology and Public Health</i> , 2018, , 215-243.	0.5	4
280	Sociodemographic correlates of prospective dog owners' intentions to participate in controlled trials of dog ownership and human health. <i>BMC Research Notes</i> , 2018, 11, 169.	0.6	4
281	Do different sit-stand workstations influence lumbar kinematics, lumbar muscle activity and musculoskeletal pain in office workers? A secondary analysis of a randomized controlled trial. <i>International Journal of Occupational Safety and Ergonomics</i> , 2020, , 1-8.	1.1	4
282	Childhood Obesity and Device-Measured Sedentary Behavior: An Instrumental Variable Analysis of 3,864 Mother-Offspring Pairs. <i>Obesity</i> , 2021, 29, 220-225.	1.5	4
283	Comparison of a Thigh-Worn Accelerometer Algorithm With Diary Estimates of Time in Bed and Time Asleep: The 1970 British Cohort Study. <i>Journal for the Measurement of Physical Behaviour</i> , 2021, 4, 60-67.	0.5	4
284	Wearables-based walking program in addition to usual physiotherapy care for the management of patients with low back pain at medium or high risk of chronicity: A pilot randomized controlled trial. <i>PLoS ONE</i> , 2021, 16, e0256459.	1.1	4
285	Geographical Patterning of Physical Activity Prevalence in Iran: Spatial Analysis of 4 Pooled National Health Surveys Among 119,560 Adults. <i>Journal of Physical Activity and Health</i> , 2019, 16, 1071-1077.	1.0	4
286	Alcohol intake and mortality risk of COVID-19, pneumonia, and other infectious diseases: An analysis of 437191 UK biobank participants. <i>Preventive Medicine Reports</i> , 2022, 26, 101751.	0.8	4
287	Dose-response association between step count and cardiovascular disease risk markers in middle-aged adults. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2022, 32, 1161-1165.	1.3	4
288	Physical Functional Health and Risk of Future Cardiovascular Disease: The Scottish Health Survey. <i>Archives of Internal Medicine</i> , 2011, 171, 593.	4.3	3

#	ARTICLE	IF	CITATIONS
289	Psychological Distress and Risk of Accidental Death in the General Population. <i>Epidemiology</i> , 2016, 27, e38-e40.	1.2	3
290	Estimating changes in physical behavior during lockdowns using accelerometry-based simulations in a large UK cohort. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 2221-2229.	1.3	3
291	Associations of changes in physical activity and discretionary screen time with incident obesity and adiposity changes: longitudinal findings from the UK Biobank. <i>International Journal of Obesity</i> , 2021, , .	1.6	3
292	Association of Changes in Physical Activity and Adiposity With Mortality and Incidence of Cardiovascular Disease: Longitudinal Findings From the UK Biobank. <i>Mayo Clinic Proceedings</i> , 2022, 97, 847-861.	1.4	3
293	The Surveillance of Physical Activity, Sedentary Behavior, and Sleep: Protocol for the Development and Feasibility Evaluation of a Novel Measurement System. <i>JMIR Research Protocols</i> , 2022, 11, e35697.	0.5	3
294	Association between sitting time in midlife and common mental disorder symptoms: Whitehall II prospective cohort study. <i>Journal of Psychiatric Research</i> , 2014, 57, 182-184.	1.5	2
295	Infographic: Health benefits of specific types of sports. <i>British Journal of Sports Medicine</i> , 2017, 51, 824-824.	3.1	2
296	Is Weekend-Only Physical Activity Enough to Compensate for a Sedentary Lifestyle?â€”Reply. <i>JAMA Internal Medicine</i> , 2017, 177, 1224.	2.6	2
297	Alcohol drinking in one's thirties and forties is associated with body mass index in men, but not in women: A longitudinal analysis of the 1970 British Cohort Study. <i>Preventive Medicine</i> , 2021, 153, 106811.	1.6	2
298	Intensity-Weighted Physical Activity Volume and Risk of All-Cause and Cardiovascular Mortality: Does the Use of Absolute or Corrected Intensity Matter?. <i>Journal of Physical Activity and Health</i> , 2019, 16, 1054-1059.	1.0	2
299	Effect of severe versus moderate energy restriction on physical activity among postmenopausal female adults with obesity: a pre-specified secondary analysis of the TEMPO Diet randomized controlled Trial. <i>American Journal of Clinical Nutrition</i> , 2022, , .	2.2	2
300	Response: Selection bias in cohorts of cases. <i>Preventive Medicine</i> , 2013, 57, 249.	1.6	1
301	Rey-LÃ³pez et al. Respond to â€œThe Metabolically Healthy Obesity Phenotypeâ€. <i>American Journal of Epidemiology</i> , 2015, 182, 745-746.	1.6	1
302	Cardiorespiratory Fitness and Long-Term Mortality. <i>Journal of the American College of Cardiology</i> , 2018, 72, 996-998.	1.2	1
303	The new <i>BMJ</i> <i>Open</i> <i>Sport</i> & <i>Exercise</i> <i>Medicine</i> in the everchanging publishing landscape. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000603.	1.4	1
304	Accelerometer-based facilitated walking program in addition to usual care for the management of patients with low back pain at medium or high risk of chronicity: a randomised controlled trial protocol. <i>International Journal of Clinical Trials</i> , 2019, 6, 23.	0.0	1
305	Obesity guidance. <i>British Journal of General Practice</i> , 2009, 59, 944.1-944.	0.7	0
306	Response to Knowing Hypertension Awareness and Psychological Distress in Primary Prevention. <i>Hypertension</i> , 2010, 56, .	1.3	0

#	ARTICLE	IF	CITATIONS
307	Commentary: Physical functioning and coronary heart disease development: is physical activity the missing link?. <i>International Journal of Epidemiology</i> , 2010, 39, 1004-1005.	0.9	0
308	PS6 - 32. The association between physical activity and cardiovascular disease and all-cause mortality in patients with type 1 diabetes mellitus; The EURODIAB Prospective Complications Study. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011, 9, 113-113.	0.0	0
309	We need to move away from relying on drugs to prevent lifestyle induced chronic disease. <i>BMJ, The</i> , 2012, 344, e3214-e3214.	3.0	0
310	Physical activity and health: it is a democratic right to ignore scientific evidence and common sense, but it is not wise. <i>British Journal of General Practice</i> , 2012, 62, 70.3-71.	0.7	0
311	A Current Assessment of Physical Activity Training within Medical School. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 389.	0.2	0
312	Isolating the independent influence of body fat on thermoregulatory responses to exercise. <i>European Journal of Applied Physiology</i> , 2015, 115, 1601-1602.	1.2	0
313	Is Uncontrolled Hypertension a Contraindication for Leisure Time Physical Activity?. <i>Mayo Clinic Proceedings</i> , 2018, 93, 808-810.	1.4	0
314	Exercise trials for blood pressure control: keeping it REAL. <i>British Journal of Sports Medicine</i> , 2019, 53, 1443-1444.	3.1	0
315	Ready. Set. Move! Sports Medicine Australia advocates movement as medicine for all!. <i>British Journal of Sports Medicine</i> , 2019, 53, 985-985.	3.1	0
316	Infographic: The "weekend warrior"™ physical activity pattern and mortality. <i>British Journal of Sports Medicine</i> , 2019, 53, 469-470.	3.1	0
317	Dietary risk versus physical inactivity: a forced comparison with policy implications?. <i>Lancet, The</i> , 2021, 397, 1709-1710.	6.3	0
318	Intracranial Subdural Haematoma after Thoracic Epidural without Signs of Dural Puncture. <i>West Indian Medical Journal</i> , 2015, 64, 169-70.	0.4	0
319	Physical Activity Training in Australian Medical Education. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 82-83.	0.2	0
320	Sedentary behaviour in an Australian cohort of people with COPD. , 2018, , .		0
321	Associations of sedentary behaviour and physical activity phenotypes with health outcomes in COPD: a cohort study. , 2018, , .		0
322	Deep neuromuscular blockade in gynecological laparoscopic surgery: a review. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2017, 44, 824-833.	0.1	0