

Emmanuel Stamatakis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1111957/publications.pdf>

Version: 2024-02-01

322
papers

21,654
citations

11608

70
h-index

12233

133
g-index

329
all docs

329
docs citations

329
times ranked

24113
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Can physical activity eliminate the mortality risk associated with poor sleep? A 15-year follow-up of 341,248 MJ Cohort participants. <i>Journal of Sport and Health Science</i> , 2022, 11, 596-604. | 3.3 | 27 |
| 2 | Joint associations of adiposity and alcohol consumption with liver disease-related morbidity and mortality risk: findings from the UK Biobank. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 74-83. | 1.3 | 14 |
| 3 | Sleep and physical activity in relation to all-cause, cardiovascular disease and cancer mortality risk. <i>British Journal of Sports Medicine</i> , 2022, 56, 718-724. | 3.1 | 96 |
| 4 | Six-week behaviour change intervention to reduce sedentary behaviour in people with chronic obstructive pulmonary disease: a randomised controlled trial. <i>Thorax</i> , 2022, 77, 231-238. | 2.7 | 9 |
| 5 | Preventing the "24-hour Babel": the need for a consensus on a consistent terminology scheme for physical activity, sedentary behaviour and sleep. <i>British Journal of Sports Medicine</i> , 2022, 56, 367-368. | 3.1 | 9 |
| 6 | Implementing the 27 PRISMA 2020 Statement items for systematic reviews in the sport and exercise medicine, musculoskeletal rehabilitation and sports science fields: the PERSiST (implementing Prisma) Tj ETQqO 0 0,rgBT /Overlock 10 T <i>British Journal of Sports Medicine</i> , 2022, 56, 175-195. | 3.1 | 140 |
| 7 | Effect of severe versus moderate energy restriction on physical activity among postmenopausal female adults with obesity: a pre-specified secondary analysis of the TEMPO Diet randomized controlled Trial. <i>American Journal of Clinical Nutrition</i> , 2022, , . | 2.2 | 2 |
| 8 | Prospective Associations of Accelerometer-Assessed Physical Activity With Mortality and Incidence of Cardiovascular Disease Among Adults With Hypertension: The UK Biobank Study. <i>Journal of the American Heart Association</i> , 2022, 11, e023290. | 1.6 | 12 |
| 9 | Association of Changes in Physical Activity and Adiposity With Mortality and Incidence of Cardiovascular Disease: Longitudinal Findings From the UK Biobank. <i>Mayo Clinic Proceedings</i> , 2022, 97, 847-861. | 1.4 | 3 |
| 10 | Alcohol intake and mortality risk of COVID-19, pneumonia, and other infectious diseases: An analysis of 437191 UK biobank participants. <i>Preventive Medicine Reports</i> , 2022, 26, 101751. | 0.8 | 4 |
| 11 | Dose-response association between step count and cardiovascular disease risk markers in middle-aged adults. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2022, 32, 1161-1165. | 1.3 | 4 |
| 12 | The Surveillance of Physical Activity, Sedentary Behavior, and Sleep: Protocol for the Development and Feasibility Evaluation of a Novel Measurement System. <i>JMIR Research Protocols</i> , 2022, 11, e35697. | 0.5 | 3 |
| 13 | Revisiting the "physical activity paradox" in a Chinese context: Occupational physical activity and mortality in 142,302 urban working adults from the China Kadoorie Biobank study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 23, 100457. | 1.3 | 9 |
| 14 | Physical activity, diet quality and all-cause cardiovascular disease and cancer mortality: a prospective study of 346 627 UK Biobank participants. <i>British Journal of Sports Medicine</i> , 2022, 56, 1148-1156. | 3.1 | 23 |
| 15 | The bidirectional association between sleep and physical activity: A 6.9-year longitudinal analysis of 38,601 UK Biobank participants. <i>Preventive Medicine</i> , 2021, 143, 106315. | 1.6 | 21 |
| 16 | Privileging the privileged: the public health focus on leisure time physical activity has contributed to widening socioeconomic inequalities in health. <i>British Journal of Sports Medicine</i> , 2021, 55, 525-526. | 3.1 | 16 |
| 17 | Workplace physical activity promotion: why so many failures and few successes? The need for new thinking. <i>British Journal of Sports Medicine</i> , 2021, 55, 650-651. | 3.1 | 19 |
| 18 | Childhood Obesity and Device-Measured Sedentary Behavior: An Instrumental Variable Analysis of 3,864 Mother-Offspring Pairs. <i>Obesity</i> , 2021, 29, 220-225. | 1.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Untapping the Health Enhancing Potential of Vigorous Intermittent Lifestyle Physical Activity (VLPA): Rationale, Scoping Review, and a 4-Pillar Research Framework. <i>Sports Medicine</i> , 2021, 51, 1-10. | 3.1 | 30 |
| 20 | Cross-sectional associations of device-measured sedentary behaviour and physical activity with cardio-metabolic health in the 1970 British Cohort Study. <i>Diabetic Medicine</i> , 2021, 38, e14392. | 1.2 | 11 |
| 21 | Development and feasibility of a mobile phone application designed to support physically inactive employees to increase walking. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 23. | 1.5 | 11 |
| 22 | Screen media use by Portuguese children in 2009 and 2016: a repeated cross-sectional study. <i>Annals of Human Biology</i> , 2021, 48, 1-7. | 0.4 | 7 |
| 23 | Validity of a Non-Proprietary Algorithm for Identifying Lying Down Using Raw Data from Thigh-Worn Triaxial Accelerometers. <i>Sensors</i> , 2021, 21, 904. | 2.1 | 17 |
| 24 | Is Cohort Representativeness Passable? Poststratified Associations of Lifestyle Risk Factors with Mortality in the UK Biobank. <i>Epidemiology</i> , 2021, 32, 179-188. | 1.2 | 74 |
| 25 | The athlete's sleep paradox prompts us to reconsider the dose-response relationship of physical activity and sleep. <i>British Journal of Sports Medicine</i> , 2021, 55, 887-888. | 3.1 | 7 |
| 26 | Comparison of a Thigh-Worn Accelerometer Algorithm With Diary Estimates of Time in Bed and Time Asleep: The 1970 British Cohort Study. <i>Journal for the Measurement of Physical Behaviour</i> , 2021, 4, 60-67. | 0.5 | 4 |
| 27 | Sliding down the risk factor rankings: reasons for and consequences of the dramatic downgrading of physical activity in the Global Burden of Disease 2019. <i>British Journal of Sports Medicine</i> , 2021, 55, 1222-1223. | 3.1 | 7 |
| 28 | Device-measured physical activity and sedentary behaviour in relation to mental wellbeing: An analysis of the 1970 British cohort study. <i>Preventive Medicine</i> , 2021, 145, 106434. | 1.6 | 7 |
| 29 | Developmental trajectories of sleep during childhood and adolescence are related to health in young adulthood. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 2435-2444. | 0.7 | 16 |
| 30 | Dietary risk versus physical inactivity: a forced comparison with policy implications?. <i>Lancet, The</i> , 2021, 397, 1709-1710. | 6.3 | 0 |
| 31 | Self-reported physical activity before a COVID-19 "lockdown": is it just a matter of opinion?. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001088. | 1.4 | 19 |
| 32 | Association of sedentary patterns with body fat distribution among US children and adolescents: a population-based study. <i>International Journal of Obesity</i> , 2021, 45, 2048-2057. | 1.6 | 12 |
| 33 | Effect of physical activity and exercise on telomere length: Systematic review with meta-analysis. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 3285-3300. | 1.3 | 22 |
| 34 | Striking the Right Balance: Evidence to Inform Combined Physical Activity and Sedentary Behavior Recommendations. <i>Journal of Physical Activity and Health</i> , 2021, 18, 631-637. | 1.0 | 24 |
| 35 | Association of alcohol consumption with morbidity and mortality in patients with cardiovascular disease: original data and meta-analysis of 48,423 men and women. <i>BMC Medicine</i> , 2021, 19, 167. | 2.3 | 33 |
| 36 | Lifestyle risk factors and infectious disease mortality, including COVID-19, among middle aged and older adults: Evidence from a community-based cohort study in the United Kingdom. <i>Brain, Behavior, and Immunity</i> , 2021, 96, 18-27. | 2.0 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Wearables-based walking program in addition to usual physiotherapy care for the management of patients with low back pain at medium or high risk of chronicity: A pilot randomized controlled trial. PLoS ONE, 2021, 16, e0256459. | 1.1 | 4 |
| 38 | Estimating changes in physical behavior during lockdowns using accelerometry-based simulations in a large UK cohort. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 2221-2229. | 1.3 | 3 |
| 39 | Light-intensity physical activity and mental ill health: a systematic review of observational studies in the general population. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 123. | 2.0 | 16 |
| 40 | Behavioural mediators of reduced energy intake in a physical activity, diet, and sleep behaviour weight loss intervention in adults. Appetite, 2021, 165, 105273. | 1.8 | 5 |
| 41 | Alcohol drinking in one's thirties and forties is associated with body mass index in men, but not in women: A longitudinal analysis of the 1970 British Cohort Study. Preventive Medicine, 2021, 153, 106811. | 1.6 | 2 |
| 42 | Associations of changes in physical activity and discretionary screen time with incident obesity and adiposity changes: longitudinal findings from the UK Biobank. International Journal of Obesity, 2021, , . | 1.6 | 3 |
| 43 | Run, lift, or both? Associations between concurrent aerobic and muscle strengthening exercise with adverse cardiometabolic biomarkers among Korean adults. European Journal of Preventive Cardiology, 2020, 27, 738-748. | 0.8 | 19 |
| 44 | Emerging collaborative research platforms for the next generation of physical activity, sleep and exercise medicine guidelines: the Prospective Physical Activity, Sitting, and Sleep consortium (ProPASS). British Journal of Sports Medicine, 2020, 54, 435-437. | 3.1 | 51 |
| 45 | Effects of Interrupting Prolonged Sitting with Physical Activity Breaks on Blood Glucose, Insulin and Triacylglycerol Measures: A Systematic Review and Meta-analysis. Sports Medicine, 2020, 50, 295-330. | 3.1 | 148 |
| 46 | Physically active lessons in schools and their impact on physical activity, educational, health and cognition outcomes: a systematic review and meta-analysis. British Journal of Sports Medicine, 2020, 54, 826-838. | 3.1 | 129 |
| 47 | Daily steps and diet, but not sleep, are related to mortality in older Australians. Journal of Science and Medicine in Sport, 2020, 23, 276-282. | 0.6 | 22 |
| 48 | Is running associated with a lower risk of all-cause, cardiovascular and cancer mortality, and is the more the better? A systematic review and meta-analysis. British Journal of Sports Medicine, 2020, 54, 898-905. | 3.1 | 121 |
| 49 | Muscle Strengthening, Aerobic Exercise, and Obesity: A Pooled Analysis of 1.7 Million US Adults. Obesity, 2020, 28, 371-378. | 1.5 | 33 |
| 50 | Does a physically active lifestyle attenuate the association between alcohol consumption and mortality risk? Findings from the UK biobank. Preventive Medicine, 2020, 130, 105901. | 1.6 | 10 |
| 51 | Infographic. Is running associated with a lower risk of all-cause, cardiovascular and cancer mortality, and is more better? A systematic review and meta-analysis. British Journal of Sports Medicine, 2020, 54, 817-818. | 3.1 | 6 |
| 52 | Does Dog Ownership Really Prolong Survival?. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e006907. | 0.9 | 5 |
| 53 | The bold sedentary behavior recommendations in the new Canadian guidelines: are they evidence-based? Response to "Sedentary Behavior Research Network members support new Canadian 24-Hour Movement Guideline recommendations". Journal of Sport and Health Science, 2020, 9, 482-484. | 3.3 | 8 |
| 54 | How can global physical activity surveillance adapt to evolving physical activity guidelines? Needs, challenges and future directions. British Journal of Sports Medicine, 2020, 54, 1468-1473. | 3.1 | 68 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | World Health Organization 2020 guidelines on physical activity and sedentary behaviour. <i>British Journal of Sports Medicine</i> , 2020, 54, 1451-1462. | 3.1 | 4,050 |
| 56 | New global guidelines on sedentary behaviour and health for adults: broadening the behavioural targets. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 151. | 2.0 | 121 |
| 57 | Putting physical activity in the "must-do" list of the global agenda. <i>British Journal of Sports Medicine</i> , 2020, 54, 1445-1446. | 3.1 | 15 |
| 58 | Advancing the global physical activity agenda: recommendations for future research by the 2020 WHO physical activity and sedentary behavior guidelines development group. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 143. | 2.0 | 166 |
| 59 | Associations of sitting and physical activity with grip strength and balance in mid-life: 1970 British Cohort Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 2371-2381. | 1.3 | 11 |
| 60 | Is There a Link between Different Types of Alcoholic Drinks and Obesity? An Analysis of 280,183 UK Biobank Participants. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5178. | 1.2 | 15 |
| 61 | Joint associations of device-measured physical activity and sleep duration with cardiometabolic health in the 1970 British Cohort Study. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 1191-1196. | 0.6 | 9 |
| 62 | Methods matter and the "too much, too soon" theory (part 2): what is the goal of your sports injury research? Are you describing, predicting or drawing a causal inference?. <i>British Journal of Sports Medicine</i> , 2020, 54, 1307-1309. | 3.1 | 9 |
| 63 | Do different sit-stand workstations influence lumbar kinematics, lumbar muscle activity and musculoskeletal pain in office workers? A secondary analysis of a randomized controlled trial. <i>International Journal of Occupational Safety and Ergonomics</i> , 2020, , 1-8. | 1.1 | 4 |
| 64 | How do travelers manage jetlag and travel fatigue? A survey of passengers on long-haul flights. <i>Chronobiology International</i> , 2020, 37, 1621-1628. | 0.9 | 10 |
| 65 | Efficacy of a Multi-component m-Health Weight-loss Intervention in Overweight and Obese Adults: A Randomised Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6200. | 1.2 | 39 |
| 66 | Statement on Methods in Sport Injury Research From the First METHODS MATTER Meeting, Copenhagen, 2019. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 226-233. | 1.7 | 17 |
| 67 | The descriptive epidemiology of standing activity during free-living in 5412 middle-aged adults: the 1970 British Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-213783. | 2.0 | 6 |
| 68 | Long overdue remarriage for better physical activity advice for all: bringing together the public health and occupational health agendas. <i>British Journal of Sports Medicine</i> , 2020, 54, 1377-1378. | 3.1 | 17 |
| 69 | Are people in the bush really physically active? A systematic review and meta-analysis of physical activity and sedentary behaviour in rural Australians populations. <i>Journal of Global Health</i> , 2020, 10, 010410. | 1.2 | 8 |
| 70 | Does adequate physical activity attenuate the associations of alcohol and alcohol-related cancer mortality? A pooled study of 54%686 British adults. <i>International Journal of Cancer</i> , 2020, 147, 2754-2763. | 2.3 | 5 |
| 71 | Statement on methods in sport injury research from the 1st METHODS MATTER Meeting, Copenhagen, 2019. <i>British Journal of Sports Medicine</i> , 2020, 54, 941-941. | 3.1 | 16 |
| 72 | Feasibility of Measuring Sedentary Time Using Data From a Thigh-Worn Accelerometer. <i>American Journal of Epidemiology</i> , 2020, 189, 963-971. | 1.6 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Patterns and Correlates of Sedentary Behaviour Accumulation and Physical Activity in People with Chronic Obstructive Pulmonary Disease: A Cross-Sectional Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2020, 17, 156-164. | 0.7 | 14 |
| 74 | Estimated cardiorespiratory fitness in childhood and cardiometabolic health in adulthood: 1970 British Cohort Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 932-938. | 1.3 | 17 |
| 75 | Association between TV viewing and heart disease mortality: observational study using negative control outcome. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 391-394. | 2.0 | 10 |
| 76 | Effects of Human-Dog Interactions on Salivary Oxytocin Concentrations and Heart Rate Variability: A Four-Condition Cross-Over Trial. <i>Anthrozoos</i> , 2020, 33, 37-52. | 0.7 | 18 |
| 77 | Internal consistency and convergent and divergent validity of the Liverpool jetlag questionnaire. <i>Chronobiology International</i> , 2020, 37, 218-226. | 0.9 | 9 |
| 78 | Cardiorespiratory Fitness Is Associated With Early Death Among Healthy Young and Middle-Aged Baby Boomers and Generation Xers. <i>American Journal of Medicine</i> , 2020, 133, 961-968.e3. | 0.6 | 14 |
| 79 | Informed consent procedures in patients with an acute inability to provide informed consent: Policy and practice in the CENTER-TBI study. <i>Journal of Critical Care</i> , 2020, 59, 6-15. | 1.0 | 8 |
| 80 | Physical Activity and Health-Related Quality of Life in People With Back Pain: A Population-Based Pooled Study of 27,273 Adults. <i>Journal of Physical Activity and Health</i> , 2020, 17, 177-188. | 1.0 | 5 |
| 81 | Trends in Walking, Moderate, and Vigorous Physical Activity Participation Across the Socioeconomic Gradient in New South Wales, Australia From 2002 to 2015. <i>Journal of Physical Activity and Health</i> , 2020, 17, 1125-1133. | 1.0 | 6 |
| 82 | Thigh-worn accelerometry for measuring movement and posture across the 24-hour cycle: a scoping review and expert statement. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000874. | 1.4 | 39 |
| 83 | Does dog acquisition improve physical activity, sedentary behaviour and biological markers of cardiometabolic health? Results from a three-arm controlled study. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000703. | 1.4 | 8 |
| 84 | Is the time right for quantitative public health guidelines on sitting? A narrative review of sedentary behaviour research paradigms and findings. <i>British Journal of Sports Medicine</i> , 2019, 53, 377-382. | 3.1 | 199 |
| 85 | Do all daily metabolic equivalent task units (METs) bring the same health benefits?. <i>British Journal of Sports Medicine</i> , 2019, 53, 991-992. | 3.1 | 10 |
| 86 | Sitting behaviour and physical activity: two sides of the same cardiovascular health coin?. <i>British Journal of Sports Medicine</i> , 2019, 53, 852-853. | 3.1 | 11 |
| 87 | Associations of self-reported stair climbing with all-cause and cardiovascular mortality: The Harvard Alumni Health Study. <i>Preventive Medicine Reports</i> , 2019, 15, 100938. | 0.8 | 15 |
| 88 | The 2018 Physical Activity Guidelines for Americans: What's New? Implications for Clinicians and the Public. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 487-490. | 1.7 | 18 |
| 89 | Companion dog acquisition and mental well-being: a community-based three-arm controlled study. <i>BMC Public Health</i> , 2019, 19, 1428. | 1.2 | 56 |
| 90 | Is Dog Ownership Associated with Mental Health? A Population Study of 68,362 Adults Living in England. <i>Anthrozoos</i> , 2019, 32, 729-739. | 0.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Comparison of physical behavior estimates from three different thigh-worn accelerometers brands: a proof-of-concept for the Prospective Physical Activity, Sitting, and Sleep consortium (ProPASS). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 65. | 2.0 | 53 |
| 92 | Case-mix, care pathways, and outcomes in patients with traumatic brain injury in CENTER-TBI: a European prospective, multicentre, longitudinal, cohort study. <i>Lancet Neurology</i> , The, 2019, 18, 923-934. | 4.9 | 304 |
| 93 | How the 2018 US Physical Activity Guidelines are a Call to Promote and Better Understand Acute Physical Activity for Cognitive Function Gains. <i>Sports Medicine</i> , 2019, 49, 1625-1627. | 3.1 | 16 |
| 94 | Associations between objectively assessed and questionnaire-based sedentary behaviour with body mass index and systolic blood pressure in Kuwaiti adolescents. <i>BMC Research Notes</i> , 2019, 12, 588. | 0.6 | 5 |
| 95 | The association between physical activity and low back pain: a systematic review and meta-analysis of observational studies. <i>Scientific Reports</i> , 2019, 9, 8244. | 1.6 | 101 |
| 96 | Exercise trials for blood pressure control: keeping it REAL. <i>British Journal of Sports Medicine</i> , 2019, 53, 1443-1444. | 3.1 | 0 |
| 97 | Injury Fear, Stigma, and Reporting in Professional Dancers. <i>Safety and Health at Work</i> , 2019, 10, 260-264. | 0.3 | 25 |
| 98 | Sitting Time, Physical Activity, and Risk of Mortality in Adults. <i>Journal of the American College of Cardiology</i> , 2019, 73, 2062-2072. | 1.2 | 349 |
| 99 | Lifestyle risk factors, obesity and infectious disease mortality in the general population: Linkage study of 97,844 adults from England and Scotland. <i>Preventive Medicine</i> , 2019, 123, 65-70. | 1.6 | 53 |
| 100 | Infographic. Self-rated walking pace and all-cause, cardiovascular disease and cancer mortality: individual participant pooled analysis of 50 225 walkers from 11 population British cohorts. <i>British Journal of Sports Medicine</i> , 2019, 53, 1381-1382. | 3.1 | 6 |
| 101 | Testing Differential Associations Between Smoking and Chronic Disease Across Socioeconomic Groups. <i>Epidemiology</i> , 2019, 30, 48-51. | 1.2 | 6 |
| 102 | Canine Endogenous Oxytocin Responses to Dog-Walking and Affiliative Human-Dog Interactions. <i>Animals</i> , 2019, 9, 51. | 1.0 | 15 |
| 103 | Short and sporadic bouts in the 2018 US physical activity guidelines: is high-intensity incidental physical activity the new HIIT?. <i>British Journal of Sports Medicine</i> , 2019, 53, 1137-1139. | 3.1 | 38 |
| 104 | Any public health guidelines should always be developed from a consistent, clear evidence base. <i>British Journal of Sports Medicine</i> , 2019, 53, 1555-1556. | 3.1 | 6 |
| 105 | Ready. Set. Move! Sports Medicine Australia advocates movement as medicine for all!. <i>British Journal of Sports Medicine</i> , 2019, 53, 985-985. | 3.1 | 0 |
| 106 | The new <i>BMJ Open Sport & Exercise Medicine</i> in the everchanging publishing landscape. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000603. | 1.4 | 1 |
| 107 | Associations of vigorous physical activity with all-cause, cardiovascular and cancer mortality among 64 913 adults. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000596. | 1.4 | 31 |
| 108 | Psychological distress and infectious disease mortality in the general population. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 280-283. | 2.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The effectiveness of incidental physical activity interventions compared to other interventions in the management of people with low back pain: A systematic review and meta-analysis of randomised controlled trials. <i>Physical Therapy in Sport</i> , 2019, 36, 34-42. | 0.8 | 15 |
| 110 | Examining associations between physical activity and cardiovascular mortality using negative control outcomes. <i>International Journal of Epidemiology</i> , 2019, 48, 1161-1166. | 0.9 | 13 |
| 111 | Association between physical activity and sub-types of cardiovascular disease death causes in a general population cohort. <i>European Journal of Epidemiology</i> , 2019, 34, 483-487. | 2.5 | 30 |
| 112 | Letâ€™s share, help deliver and sustain the WHO global action plan on physical activity. <i>British Journal of Sports Medicine</i> , 2019, 53, 794-796. | 3.1 | 9 |
| 113 | Physical activity and chronic back conditions: A population-based pooled study of 60,134 adults. <i>Journal of Sport and Health Science</i> , 2019, 8, 386-393. | 3.3 | 31 |
| 114 | The physiological function of oxytocin in humans and its acute response to human-dog interactions: A review of the literature. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2019, 30, 25-32. | 0.5 | 32 |
| 115 | Associations of health-behavior patterns, mental health and self-rated health. <i>Preventive Medicine</i> , 2019, 118, 295-303. | 1.6 | 66 |
| 116 | Infographic: The "weekend warrior" physical activity pattern and mortality. <i>British Journal of Sports Medicine</i> , 2019, 53, 469-470. | 3.1 | 0 |
| 117 | How does light-intensity physical activity associate with adult cardiometabolic health and mortality? Systematic review with meta-analysis of experimental and observational studies. <i>British Journal of Sports Medicine</i> , 2019, 53, 370-376. | 3.1 | 254 |
| 118 | Geographical Patterning of Physical Activity Prevalence in Iran: Spatial Analysis of 4 Pooled National Health Surveys Among 119,560 Adults. <i>Journal of Physical Activity and Health</i> , 2019, 16, 1071-1077. | 1.0 | 4 |
| 119 | Accelerometer-based facilitated walking program in addition to usual care for the management of patients with low back pain at medium or high risk of chronicity: a randomised controlled trial protocol. <i>International Journal of Clinical Trials</i> , 2019, 6, 23. | 0.0 | 1 |
| 120 | Prevalence of overweight and obesity and associations with socioeconomic indicators: the study of health and activity among adolescents in Kuwait. <i>Minerva Pediatrica</i> , 2019, 71, 326-332. | 2.6 | 11 |
| 121 | Intensity-Weighted Physical Activity Volume and Risk of All-Cause and Cardiovascular Mortality: Does the Use of Absolute or Corrected Intensity Matter?. <i>Journal of Physical Activity and Health</i> , 2019, 16, 1054-1059. | 1.0 | 2 |
| 122 | Physical Activity and Sedentary Behaviors Levels of Kuwaiti Adolescents: The Study of Health and Activity Among Adolescents in Kuwait. <i>Journal of Physical Activity and Health</i> , 2018, 15, 255-262. | 1.0 | 11 |
| 123 | The Importance of Vigorous-Intensity Leisure-Time Physical Activity in Reducing Cardiovascular Disease Mortality Risk in the Obese. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1096-1103. | 1.4 | 15 |
| 124 | Differences in the occurrence and characteristics of injuries between full-time and part-time dancers. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000324. | 1.4 | 8 |
| 125 | Low leisure-based sitting time and being physically active were associated with reduced odds of death and diabetes in people with chronic obstructive pulmonary disease: a cohort study. <i>Journal of Physiotherapy</i> , 2018, 64, 114-120. | 0.7 | 25 |
| 126 | Sedentary Behaviour and Cardiovascular Disease. <i>Springer Series on Epidemiology and Public Health</i> , 2018, , 215-243. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Temporal trends in dancing among adults between 1994 and 2012: The Health Survey for England. <i>Preventive Medicine</i> , 2018, 106, 200-208. | 1.6 | 5 |
| 128 | High-Density Lipoprotein Cholesterol and Mortality. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 669-672. | 1.1 | 85 |
| 129 | Associations between alcohol and obesity in more than 100 000 adults in England and Scotland. <i>British Journal of Nutrition</i> , 2018, 119, 222-227. | 1.2 | 25 |
| 130 | Dog Ownership and Mortality in England: A Pooled Analysis of Six Population-based Cohorts. <i>American Journal of Preventive Medicine</i> , 2018, 54, 289-293. | 1.6 | 24 |
| 131 | Does Strength-Promoting Exercise Confer Unique Health Benefits? A Pooled Analysis of Data on 11 Population Cohorts With All-Cause, Cancer, and Cardiovascular Mortality Endpoints. <i>American Journal of Epidemiology</i> , 2018, 187, 1102-1112. | 1.6 | 132 |
| 132 | Associations of total and type-specific physical activity with mortality in chronic obstructive pulmonary disease: a population-based cohort study. <i>BMC Public Health</i> , 2018, 18, 268. | 1.2 | 19 |
| 133 | Physically Active Lessons Improve Lesson Activity and On-Task Behavior: A Cluster-Randomized Controlled Trial of the "Virtual Traveller" Intervention. <i>Health Education and Behavior</i> , 2018, 45, 945-956. | 1.3 | 24 |
| 134 | Mixed method evaluation of the Virtual Traveller physically active lesson intervention: An analysis using the RE-AIM framework. <i>Evaluation and Program Planning</i> , 2018, 70, 107-114. | 0.9 | 13 |
| 135 | Prevalence and correlates of low physical activity in the Iranian population: National survey on non-communicable diseases in 2011. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 1916-1924. | 1.3 | 28 |
| 136 | Muscle-Strengthening Exercise Among 397,423 U.S. Adults: Prevalence, Correlates, and Associations With Health Conditions. <i>American Journal of Preventive Medicine</i> , 2018, 55, 864-874. | 1.6 | 71 |
| 137 | Examining the efficacy of a multicomponent m-Health physical activity, diet and sleep intervention for weight loss in overweight and obese adults: randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e026179. | 0.8 | 8 |
| 138 | Self-rated walking pace and all-cause, cardiovascular disease and cancer mortality: individual participant pooled analysis of 50 225 walkers from 11 population British cohorts. <i>British Journal of Sports Medicine</i> , 2018, 52, 761-768. | 3.1 | 66 |
| 139 | What Hippocrates called "Man's best medicine": walking is humanity's path to a better world. <i>British Journal of Sports Medicine</i> , 2018, 52, 753-754. | 3.1 | 9 |
| 140 | Expectations for dog ownership: Perceived physical, mental and psychosocial health consequences among prospective adopters. <i>PLoS ONE</i> , 2018, 13, e0200276. | 1.1 | 45 |
| 141 | Associations of Diet and Physical Activity with Risk for Gestational Diabetes Mellitus: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2018, 10, 698. | 1.7 | 179 |
| 142 | Sociodemographic correlates of prospective dog owners' intentions to participate in controlled trials of dog ownership and human health. <i>BMC Research Notes</i> , 2018, 11, 169. | 0.6 | 4 |
| 143 | Cardiorespiratory Fitness and Long-Term Mortality. <i>Journal of the American College of Cardiology</i> , 2018, 72, 996-998. | 1.2 | 1 |
| 144 | Is Uncontrolled Hypertension a Contraindication for Leisure Time Physical Activity?. <i>Mayo Clinic Proceedings</i> , 2018, 93, 808-810. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Relative proportion of vigorous physical activity, total volume of moderate to vigorous activity, and body mass index in youth: the Millennium Cohort Study. <i>International Journal of Obesity</i> , 2018, 42, 1239-1242. | 1.6 | 8 |
| 146 | Reporting bias in the literature on the associations of health-related behaviors and statins with cardiovascular disease and all-cause mortality. <i>PLoS Biology</i> , 2018, 16, e2005761. | 2.6 | 7 |
| 147 | Sedentary behaviour in an Australian cohort of people with COPD. , 2018, , . | | 0 |
| 148 | Associations of sedentary behaviour and physical activity phenotypes with health outcomes in COPD: a cohort study. , 2018, , . | | 0 |
| 149 | Relationships between exercise, smoking habit and mortality in more than 100,000 adults. <i>International Journal of Cancer</i> , 2017, 140, 1819-1827. | 2.3 | 16 |
| 150 | Associations of objectively measured moderate-to-vigorous-intensity physical activity and sedentary time with all-cause mortality in a population of adults at high risk of type 2 diabetes mellitus. <i>Preventive Medicine Reports</i> , 2017, 5, 285-288. | 0.8 | 11 |
| 151 | Association of "Weekend Warrior" and Other Leisure Time Physical Activity Patterns With Risks for All-Cause, Cardiovascular Disease, and Cancer Mortality. <i>JAMA Internal Medicine</i> , 2017, 177, 335. | 2.6 | 294 |
| 152 | Sitting behaviour is not associated with incident diabetes over 13 years: the Whitehall II cohort study. <i>British Journal of Sports Medicine</i> , 2017, 51, 818-823. | 3.1 | 19 |
| 153 | The "weekend warrior"™ physical activity pattern: how little is enough?. <i>British Journal of Sports Medicine</i> , 2017, 51, 1384-1385. | 3.1 | 9 |
| 154 | Does physical activity moderate the association between alcohol drinking and all-cause, cancer and cardiovascular diseases mortality? A pooled analysis of eight British population cohorts. <i>British Journal of Sports Medicine</i> , 2017, 51, 651-657. | 3.1 | 38 |
| 155 | The associations between participation in certain sports and lower mortality are not explained by affluence and other socioeconomic factors. <i>British Journal of Sports Medicine</i> , 2017, 51, 1514-1515. | 3.1 | 4 |
| 156 | Infographic: Health benefits of specific types of sports. <i>British Journal of Sports Medicine</i> , 2017, 51, 824-824. | 3.1 | 2 |
| 157 | Normal-Weight Central Obesity and Risk for Mortality. <i>Annals of Internal Medicine</i> , 2017, 166, 917. | 2.0 | 50 |
| 158 | Reducing Office Workers'™ Sitting Time at Work Using Sit-Stand Protocols. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 543-549. | 0.9 | 23 |
| 159 | A behaviour change intervention to reduce sedentary time in people with chronic obstructive pulmonary disease: protocol for a randomised controlled trial. <i>Journal of Physiotherapy</i> , 2017, 63, 182. | 0.7 | 18 |
| 160 | Associations of specific types of sports and exercise with all-cause and cardiovascular-disease mortality: a cohort study of 80â€¦306 British adults. <i>British Journal of Sports Medicine</i> , 2017, 51, 812-817. | 3.1 | 128 |
| 161 | The association between leisure-time physical activity, low HDL-cholesterol and mortality in a pooled analysis of nine population-based cohorts. <i>European Journal of Epidemiology</i> , 2017, 32, 559-566. | 2.5 | 23 |
| 162 | Is Weekend-Only Physical Activity Enough to Compensate for a Sedentary Lifestyle?"Reply. <i>JAMA Internal Medicine</i> , 2017, 177, 1224. | 2.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | A single session of hatha yoga improves stress reactivity and recovery after an acute psychological stress taskâ€”A counterbalanced, randomized-crossover trial in healthy individuals. <i>Complementary Therapies in Medicine</i> , 2017, 35, 120-126. | 1.3 | 27 |
| 164 | Launch of new series: bright spots, physical activity investments that work. <i>British Journal of Sports Medicine</i> , 2017, 51, 1388-1388. | 3.1 | 4 |
| 165 | Associations between multiple indicators of socio-economic status and muscle-strengthening activity participation in a nationally representative population sample of Australian adults. <i>Preventive Medicine</i> , 2017, 102, 44-48. | 1.6 | 13 |
| 166 | An evaluation of physical activity training in Australian medical school curricula. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 534-538. | 0.6 | 42 |
| 167 | U-Shaped Association Between Body Mass Index and Psychological Distress in a Population Sample of 114,218 British Adults. <i>Mayo Clinic Proceedings</i> , 2017, 92, 1865-1866. | 1.4 | 5 |
| 168 | Dog ownership and all-cause mortality in a population cohort in Norway: The HUNT study. <i>PLoS ONE</i> , 2017, 12, e0179832. | 1.1 | 24 |
| 169 | Psychological distress in relation to site specific cancer mortality: pooling of unpublished data from 16 prospective cohort studies. <i>BMJ: British Medical Journal</i> , 2017, 356, j108. | 2.4 | 245 |
| 170 | Weekend warrior physical activity pattern and common mental disorder: a population wide study of 108,011 British adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 96. | 2.0 | 17 |
| 171 | Epidemiology of Dance-Related Injuries Presenting to Emergency Departments in the United States, 2000-2013. <i>Medical Problems of Performing Artists</i> , 2017, 32, 170-175. | 0.2 | 12 |
| 172 | Deep neuromuscular blockade in gynecological laparoscopic surgery: a review. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2017, 44, 824-833. | 0.1 | 0 |
| 173 | Development of a novel walkability index for London, United Kingdom: cross-sectional application to the Whitehall II Study. <i>BMC Public Health</i> , 2016, 16, 416. | 1.2 | 47 |
| 174 | Nonexercise Equations to Estimate Fitness in White European and South Asian Men. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 854-859. | 0.2 | 8 |
| 175 | Protocol for the â€”Virtual Travellerâ€™ cluster-randomised controlled trial: a behaviour change intervention to increase physical activity in primary-school Maths and English lessons. <i>BMJ Open</i> , 2016, 6, e011982. | 0.8 | 10 |
| 176 | Associations of Physical Activity and Sedentary Behavior With Adolescent Academic Achievement. <i>Journal of Research on Adolescence</i> , 2016, 26, 432-442. | 1.9 | 32 |
| 177 | Too much sitting and all-cause mortality: is there a causal link?. <i>BMC Public Health</i> , 2016, 16, 635. | 1.2 | 96 |
| 178 | Association of Systemic Inflammation With Risk of Completed Suicide in the General Population. <i>JAMA Psychiatry</i> , 2016, 73, 993. | 6.0 | 60 |
| 179 | Psychological Distress and Risk of Accidental Death in the General Population. <i>Epidemiology</i> , 2016, 27, e38-e40. | 1.2 | 3 |
| 180 | Active Video Games in Schools and Effects on Physical Activity and Health: A Systematic Review. <i>Journal of Pediatrics</i> , 2016, 172, 40-46.e5. | 0.9 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Dancing Participation and Cardiovascular Disease Mortality. <i>American Journal of Preventive Medicine</i> , 2016, 50, 756-760. | 1.6 | 54 |
| 182 | Physical Activity Training in Australian Medical Education. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 82-83. | 0.2 | 0 |
| 183 | The descriptive epidemiology of total physical activity, muscle-strengthening exercises and sedentary behaviour among Australian adults – results from the National Nutrition and Physical Activity Survey. <i>BMC Public Health</i> , 2015, 16, 73. | 1.2 | 125 |
| 184 | Physical activity training in US medical schools: Preparing future physicians to engage in primary prevention. <i>Physician and Sportsmedicine</i> , 2015, 43, 388-394. | 1.0 | 42 |
| 185 | High Levels of Physical Activity and Cardiorespiratory Fitness are Associated With Good Self-Rated Health in Adolescents. <i>Journal of Physical Activity and Health</i> , 2015, 12, 266-272. | 1.0 | 30 |
| 186 | Associations between objectively assessed and questionnaire-based sedentary behaviour with BMI-defined obesity among general population children and adolescents living in England. <i>BMJ Open</i> , 2015, 5, e007172-e007172. | 0.8 | 39 |
| 187 | All-cause mortality effects of replacing sedentary time with physical activity and sleeping using an isotemporal substitution model: a prospective study of 201,129 mid-aged and older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 121. | 2.0 | 120 |
| 188 | Meta-analysis of the relationship between breaks in sedentary behavior and cardiometabolic health. <i>Obesity</i> , 2015, 23, 1800-1810. | 1.5 | 261 |
| 189 | A Current Assessment of Physical Activity Training within Medical School. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 389. | 0.2 | 0 |
| 190 | Sedentary Time in Late Childhood and Cardiometabolic Risk in Adolescence. <i>Pediatrics</i> , 2015, 135, e1432-e1441. | 1.0 | 48 |
| 191 | Dose-Response Association Between Psychological Distress and Risk of Completed Suicide in the General Population. <i>JAMA Psychiatry</i> , 2015, 72, 1254. | 6.0 | 41 |
| 192 | Temporal trends in socioeconomic inequalities in obesity prevalence among economically-active working-age adults in Scotland between 1995 and 2011: a population-based repeated cross-sectional study. <i>BMJ Open</i> , 2015, 5, e006739-e006739. | 0.8 | 10 |
| 193 | Association Between Psychological Distress and Liver Disease Mortality: A Meta-analysis of Individual Study Participants. <i>Gastroenterology</i> , 2015, 148, 958-966.e4. | 0.6 | 85 |
| 194 | Prospective association of TV viewing with acute phase reactants and coagulation markers: English Longitudinal Study of Ageing. <i>Atherosclerosis</i> , 2015, 239, 322-327. | 0.4 | 27 |
| 195 | Physically active lessons as physical activity and educational interventions: A systematic review of methods and results. <i>Preventive Medicine</i> , 2015, 72, 116-125. | 1.6 | 148 |
| 196 | Pulmonary function as a risk factor for dementia death: an individual participant meta-analysis of six UK general population cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 550-556. | 2.0 | 34 |
| 197 | Isolating the independent influence of body fat on thermoregulatory responses to exercise. <i>European Journal of Applied Physiology</i> , 2015, 115, 1601-1602. | 1.2 | 0 |
| 198 | All cause mortality and the case for age specific alcohol consumption guidelines: pooled analyses of up to 10 population based cohorts. <i>BMJ</i> , The, 2015, 350, h384-h384. | 3.0 | 170 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Explaining the excess mortality in Scotland compared with England: pooling of 18 cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 20-27. | 2.0 | 33 |
| 200 | Trends in prolonged sitting time among European adults: 27 country analysis. <i>Preventive Medicine</i> , 2015, 77, 11-16. | 1.6 | 47 |
| 201 | Pencil-point needle bevel direction influences ED50 of isobaric ropivacaine with fentanyl in spinal anesthesia for cesarean delivery: a prospective, double-blind sequential allocation study. <i>International Journal of Obstetric Anesthesia</i> , 2015, 24, 225-229. | 0.2 | 4 |
| 202 | Virtual field trips as physically active lessons for children: a pilot study. <i>BMC Public Health</i> , 2015, 15, 366. | 1.2 | 22 |
| 203 | Effect of Moderate to Vigorous Physical Activity on All-Cause Mortality in Middle-aged and Older Australians. <i>JAMA Internal Medicine</i> , 2015, 175, 970. | 2.6 | 259 |
| 204 | Physical inactivity among older adults: Implications for life expectancy among non-overweight and overweight or obese individuals. <i>Obesity Research and Clinical Practice</i> , 2015, 9, 175-179. | 0.8 | 4 |
| 205 | Associations of sitting behaviours with all-cause mortality over a 16-year follow-up: the Whitehall II study. <i>International Journal of Epidemiology</i> , 2015, 44, 1909-1916. | 0.9 | 65 |
| 206 | Is the Metabolically Healthy Obesity Phenotype an Irrelevant Artifact for Public Health?. <i>American Journal of Epidemiology</i> , 2015, 182, 737-741. | 1.6 | 33 |
| 207 | Rey-López et al. Respond to "The Metabolically Healthy Obesity Phenotype". <i>American Journal of Epidemiology</i> , 2015, 182, 745-746. | 1.6 | 1 |
| 208 | Traditional and Emerging Lifestyle Risk Behaviors and All-Cause Mortality in Middle-Aged and Older Adults: Evidence from a Large Population-Based Australian Cohort. <i>PLoS Medicine</i> , 2015, 12, e1001917. | 3.9 | 180 |
| 209 | Intracranial Subdural Haematoma after Thoracic Epidural without Signs of Dural Puncture. <i>West Indian Medical Journal</i> , 2015, 64, 169-70. | 0.4 | 0 |
| 210 | Different conceptual constructs for modelling sedentary behaviour and physical activity: the impact on the correlates of behaviour. <i>BMC Research Notes</i> , 2014, 7, 921. | 0.6 | 5 |
| 211 | Is the lack of physical activity strategy for children complicit mass child neglect?. <i>British Journal of Sports Medicine</i> , 2014, 48, 1010-1013. | 3.1 | 22 |
| 212 | Age- and Sex-Specific Criterion Validity of the Health Survey for England Physical Activity and Sedentary Behavior Assessment Questionnaire as Compared With Accelerometry. <i>American Journal of Epidemiology</i> , 2014, 179, 1493-1502. | 1.6 | 75 |
| 213 | Associations between objectively assessed and self-reported sedentary time with mental health in adults: an analysis of data from the Health Survey for England. <i>BMJ Open</i> , 2014, 4, e004580. | 0.8 | 86 |
| 214 | Objectively-assessed and self-reported sedentary time in relation to multiple socioeconomic status indicators among adults in England: a cross-sectional study. <i>BMJ Open</i> , 2014, 4, e006034. | 0.8 | 49 |
| 215 | Physical Activity and Risk of All-Cause and Cardiovascular Disease Mortality in Diabetic Adults From Great Britain: Pooled Analysis of 10 Population-Based Cohorts. <i>Diabetes Care</i> , 2014, 37, 1016-1023. | 4.3 | 45 |
| 216 | Effects of Substituting Sedentary Time with Physical Activity on Metabolic Risk. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1946-1950. | 0.2 | 102 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Prospective Study of Sedentary Behavior, Risk of Depression, and Cognitive Impairment. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 718-723. | 0.2 | 188 |
| 218 | Measuring physical activity in children and adolescents for dietary surveys: practicalities, problems and pitfalls. <i>Proceedings of the Nutrition Society</i> , 2014, 73, 218-225. | 0.4 | 32 |
| 219 | Watching sport on television, physical activity, and risk of obesity in older adults. <i>BMC Public Health</i> , 2014, 14, 10. | 1.2 | 22 |
| 220 | Associations between socio-economic position and sedentary behaviour in a large population sample of Australian middle and older-aged adults: The Social, Economic, and Environmental Factor (SEEF) Study. <i>Preventive Medicine</i> , 2014, 63, 72-80. | 1.6 | 31 |
| 221 | Height in relation to dementia death: individual participant meta-analysis of 18 UK prospective cohort studies. <i>British Journal of Psychiatry</i> , 2014, 205, 348-354. | 1.7 | 49 |
| 222 | High sitting time or obesity: Which came first? Bidirectional association in a longitudinal study of 31,787 Australian adults. <i>Obesity</i> , 2014, 22, 2126-2130. | 1.5 | 60 |
| 223 | Standing time and all-cause mortality in a large cohort of Australian adults. <i>Preventive Medicine</i> , 2014, 69, 187-191. | 1.6 | 50 |
| 224 | Modifiable cardiovascular disease risk factors as predictors of dementia death: pooling of ten general population-based cohort studies. <i>Journal of Negative Results in BioMedicine</i> , 2014, 13, 8. | 1.4 | 22 |
| 225 | Yoga practice in England 1997-2008: prevalence, temporal trends, and correlates of participation. <i>BMC Research Notes</i> , 2014, 7, 172. | 0.6 | 53 |
| 226 | Psychological distress and risk of peripheral vascular disease, abdominal aortic aneurysm, and heart failure: Pooling of sixteen cohort studies. <i>Atherosclerosis</i> , 2014, 236, 385-388. | 0.4 | 37 |
| 227 | Association between sitting time in midlife and common mental disorder symptoms: Whitehall II prospective cohort study. <i>Journal of Psychiatric Research</i> , 2014, 57, 182-184. | 1.5 | 2 |
| 228 | Association of physical activity with all-cause mortality and incident and prevalent cardiovascular disease among patients with type 1 diabetes: the EURODIAB Prospective Complications Study. <i>Diabetologia</i> , 2013, 56, 82-91. | 2.9 | 71 |
| 229 | Overweight and obese cardiac patients have better prognosis despite reporting worse perceived health and more conventional risk factors. <i>Preventive Medicine</i> , 2013, 57, 12-16. | 1.6 | 27 |
| 230 | The prevalence and correlates of sitting in European adults - a comparison of 32 Eurobarometer-participating countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 107. | 2.0 | 147 |
| 231 | Physical activity and obesity mediate the association between childhood motor function and adolescents' academic achievement. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1917-1922. | 3.3 | 113 |
| 232 | Objectively measured physical activity, cardiorespiratory fitness and cardiometabolic risk factors in the Health Survey for England. <i>Preventive Medicine</i> , 2013, 57, 201-205. | 1.6 | 36 |
| 233 | Benefit of adding lifestyle-related risk factors for prediction of cardiovascular death among cardiac patients. <i>International Journal of Cardiology</i> , 2013, 163, 196-200. | 0.8 | 9 |
| 234 | Sitting Behavior and Obesity. <i>American Journal of Preventive Medicine</i> , 2013, 44, 132-138. | 1.6 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Associations between indicators of screen time and adiposity indices in Portuguese children. <i>Preventive Medicine</i> , 2013, 56, 299-303. | 1.6 | 33 |
| 236 | Response: Selection bias in cohorts of cases. <i>Preventive Medicine</i> , 2013, 57, 249. | 1.6 | 1 |
| 237 | Does the Framingham cardiovascular disease risk score also have predictive utility for dementia death? An individual participant meta-analysis of 11,887 men and women. <i>Atherosclerosis</i> , 2013, 228, 256-258. | 0.4 | 21 |
| 238 | A non-exercise testing method for estimating cardiorespiratory fitness: associations with all-cause and cardiovascular mortality in a pooled analysis of eight population-based cohorts. <i>European Heart Journal</i> , 2013, 34, 750-758. | 1.0 | 116 |
| 239 | Joint Associations of Alcohol Consumption and Physical Activity With All-Cause and Cardiovascular Mortality. <i>American Journal of Cardiology</i> , 2013, 112, 380-386. | 0.7 | 16 |
| 240 | Type-Specific Screen Time Associations with Cardiovascular Risk Markers in Children. <i>American Journal of Preventive Medicine</i> , 2013, 44, 481-488. | 1.6 | 39 |
| 241 | Socioeconomic status as a risk factor for dementia death: individual participant meta-analysis of 86 508 men and women from the UK. <i>British Journal of Psychiatry</i> , 2013, 203, 10-17. | 1.7 | 96 |
| 242 | Children's and adolescents' sedentary behaviour in relation to socioeconomic position. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 868-874. | 2.0 | 59 |
| 243 | Low Socioeconomic Status and Psychological Distress as Synergistic Predictors of Mortality From Stroke and Coronary Heart Disease. <i>Psychosomatic Medicine</i> , 2013, 75, 311-316. | 1.3 | 73 |
| 244 | Fibrinogen and future cardiovascular disease in people with diabetes: Aetiological associations and risk prediction using individual participant data from nine community-based prospective cohort studies. <i>Diabetes and Vascular Disease Research</i> , 2013, 10, 143-151. | 0.9 | 11 |
| 245 | Undue industry influences that distort healthcare research, strategy, expenditure and practice: a review. <i>European Journal of Clinical Investigation</i> , 2013, 43, 469-475. | 1.7 | 83 |
| 246 | The Influence of Global Heating on Discretionary Physical Activity: An Important and Overlooked Consequence of Climate Change. <i>Journal of Physical Activity and Health</i> , 2013, 10, 765-768. | 1.0 | 8 |
| 247 | The Combined Association of Psychological Distress and Socioeconomic Status With All-Cause Mortality. <i>JAMA Internal Medicine</i> , 2013, 173, 22. | 2.6 | 68 |
| 248 | Screen-Based Sedentary Behavior, Physical Activity, and Muscle Strength in the English Longitudinal Study of Ageing. <i>PLoS ONE</i> , 2013, 8, e66222. | 1.1 | 98 |
| 249 | Daily Sitting Time and All-Cause Mortality: A Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e80000. | 1.1 | 635 |
| 250 | Are Sitting Occupations Associated with Increased All-Cause, Cancer, and Cardiovascular Disease Mortality Risk? A Pooled Analysis of Seven British Population Cohorts. <i>PLoS ONE</i> , 2013, 8, e73753. | 1.1 | 73 |
| 251 | Medicolegal neglect? The case for physical activity promotion and Exercise Medicine: Table 1. <i>British Journal of Sports Medicine</i> , 2012, 46, 228-232. | 3.1 | 31 |
| 252 | Physical activity education in the undergraduate curricula of all UK medical schools. Are tomorrow's doctors equipped to follow clinical guidelines?. <i>British Journal of Sports Medicine</i> , 2012, 46, 1024-1026. | 3.1 | 107 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Physical Activity and Cardiovascular Mortality Risk. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 84-88. | 0.2 | 48 |
| 254 | Sedentary time in relation to cardio-metabolic risk factors: differential associations for self-report vs accelerometry in working age adults. <i>International Journal of Epidemiology</i> , 2012, 41, 1328-1337. | 0.9 | 117 |
| 255 | Association of C-Reactive Protein With Cardiovascular Disease Mortality According to Diabetes Status. <i>Diabetes Care</i> , 2012, 35, 396-403. | 4.3 | 90 |
| 256 | Metabolically Healthy Obesity and Risk of All-Cause and Cardiovascular Disease Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 2482-2488. | 1.8 | 465 |
| 257 | Psychological distress as a risk factor for death from cerebrovascular disease. <i>Cmaj</i> , 2012, 184, 1461-1466. | 0.9 | 32 |
| 258 | Association between psychological distress and mortality: individual participant pooled analysis of 10 prospective cohort studies. <i>BMJ, The</i> , 2012, 345, e4933-e4933. | 3.0 | 457 |
| 259 | Low-Dose Physical Activity Attenuates Cardiovascular Disease Mortality in Men and Women With Clustered Metabolic Risk Factors. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, 494-499. | 0.9 | 40 |
| 260 | The Extent to Which Adiposity Markers Explain the Association Between Sedentary Behavior and Cardiometabolic Risk Factors. <i>Obesity</i> , 2012, 20, 229-232. | 1.5 | 14 |
| 261 | Gamma-glutamyltransferase and risk of cardiovascular disease mortality in people with and without diabetes: Pooling of three British Health Surveys. <i>Journal of Hepatology</i> , 2012, 57, 1083-1089. | 1.8 | 43 |
| 262 | Parent and Child Screen-Viewing Time and Home Media Environment. <i>American Journal of Preventive Medicine</i> , 2012, 43, 150-158. | 1.6 | 112 |
| 263 | Anaemia, Haemoglobin Level and Cause-Specific Mortality in People with and without Diabetes. <i>PLoS ONE</i> , 2012, 7, e41875. | 1.1 | 36 |
| 264 | We need to move away from relying on drugs to prevent lifestyle induced chronic disease. <i>BMJ, The</i> , 2012, 344, e3214-e3214. | 3.0 | 0 |
| 265 | Physical activity and health: it is a democratic right to ignore scientific evidence and common sense, but it is not wise. <i>British Journal of General Practice</i> , 2012, 62, 70.3-71. | 0.7 | 0 |
| 266 | Associations between multiple indicators of objectively-measured and self-reported sedentary behaviour and cardiometabolic risk in older adults. <i>Preventive Medicine</i> , 2012, 54, 82-87. | 1.6 | 154 |
| 267 | Early adulthood television viewing and cardiometabolic risk profiles in early middle age: results from a population, prospective cohort study. <i>Diabetologia</i> , 2012, 55, 311-320. | 2.9 | 44 |
| 268 | Screen-Based Entertainment Time, All-Cause Mortality, and Cardiovascular Events. <i>Journal of the American College of Cardiology</i> , 2011, 57, 292-299. | 1.2 | 317 |
| 269 | Comparison of risk factors for fatal stroke and ischemic heart disease: A prospective follow up of the health survey for England. <i>Atherosclerosis</i> , 2011, 219, 807-810. | 0.4 | 10 |
| 270 | Physical Functional Health and Risk of Future Cardiovascular Disease: The Scottish Health Survey. <i>Archives of Internal Medicine</i> , 2011, 171, 593. | 4.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Physical inactivity is associated with earlier mortality – the evidence is incontrovertible. <i>British Journal of General Practice</i> , 2011, 61, 719.3-720. | 0.7 | 8 |
| 272 | Objectively Measured Secondhand Smoke Exposure and Mental Health in Children. <i>JAMA Pediatrics</i> , 2011, 165, 326-31. | 3.6 | 44 |
| 273 | Sedentary behaviour: redefining its meaning and links to chronic disease. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2011, 72, 192-195. | 0.2 | 7 |
| 274 | Temporal trends in diabetes prevalence and key diabetes risk factors in Scotland, 2003–2008. <i>Diabetic Medicine</i> , 2011, 28, 595-598. | 1.2 | 15 |
| 275 | Body mass index, waist circumference and waist–hip ratio: which is the better discriminator of cardiovascular disease mortality risk? Evidence from an individual–participant meta–analysis of 82–f864 participants from nine cohort studies. <i>Obesity Reviews</i> , 2011, 12, 680-687. | 3.1 | 317 |
| 276 | PS6 - 32. The association between physical activity and cardiovascular disease and all-cause mortality in patients with type 1 diabetes mellitus; The EURODIAB Prospective Complications Study. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011, 9, 113-113. | 0.0 | 0 |
| 277 | Physical activity behaviour and coronary heart disease mortality among South Asian people in the UK: an observational longitudinal study. <i>Heart</i> , 2011, 97, 655-659. | 1.2 | 87 |
| 278 | Assessment of physical activity levels in South Asians in the UK: findings from the Health Survey for England. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 517-521. | 2.0 | 85 |
| 279 | Psychological Distress as a Risk Factor for Dementia Death. <i>Archives of Internal Medicine</i> , 2011, 171, 1859. | 4.3 | 45 |
| 280 | Objectively Assessed Secondhand Smoke Exposure and Mental Health in Adults. <i>Archives of General Psychiatry</i> , 2010, 67, 850. | 13.8 | 75 |
| 281 | Psychological Distress, Glycated Hemoglobin, and Mortality in Adults With and Without Diabetes. <i>Psychosomatic Medicine</i> , 2010, 72, 882-886. | 1.3 | 36 |
| 282 | Linking Young People’s Knowledge of Public Health Guidelines to Physical Activity Levels in England. <i>Pediatric Exercise Science</i> , 2010, 22, 467-476. | 0.5 | 21 |
| 283 | Low-intensity physical activity is associated with reduced risk of incident type 2 diabetes in older adults: evidence from the English Longitudinal Study of Ageing. <i>Diabetologia</i> , 2010, 53, 1877-1885. | 2.9 | 114 |
| 284 | Childhood obesity and overweight prevalence trends in England: evidence for growing socioeconomic disparities. <i>International Journal of Obesity</i> , 2010, 34, 41-47. | 1.6 | 331 |
| 285 | Overweight and obesity in infants and pre–school children in the European Union: a review of existing data. <i>Obesity Reviews</i> , 2010, 11, 389-398. | 3.1 | 230 |
| 286 | The combined influence of hypertension and common mental disorder on all-cause and cardiovascular disease mortality. <i>Journal of Hypertension</i> , 2010, 28, 2401-2406. | 0.3 | 45 |
| 287 | Hypertension Awareness and Psychological Distress. <i>Hypertension</i> , 2010, 56, 547-550. | 1.3 | 119 |
| 288 | Response to Knowing Hypertension Awareness and Psychological Distress in Primary Prevention. <i>Hypertension</i> , 2010, 56, . | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Commentary: Physical functioning and coronary heart disease development: is physical activity the missing link?. <i>International Journal of Epidemiology</i> , 2010, 39, 1004-1005. | 0.9 | 0 |
| 290 | Television food advertising and the prevalence of childhood overweight and obesity: a multicountry comparison. <i>Public Health Nutrition</i> , 2010, 13, 1003-1012. | 1.1 | 92 |
| 291 | Association of Very Highly Elevated C-Reactive Protein Concentration with Cardiovascular Events and All-Cause Mortality. <i>Clinical Chemistry</i> , 2010, 56, 132-135. | 1.5 | 42 |
| 292 | Physical activity in the UK: a unique crossroad?. <i>British Journal of Sports Medicine</i> , 2010, 44, 912-914. | 3.1 | 24 |
| 293 | Prevention of cardiovascular disease: why do we neglect the most potent intervention?. <i>Heart</i> , 2010, 96, 261-262. | 1.2 | 9 |
| 294 | Objectively Measured Secondhand Smoke Exposure and Risk of Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2010, 56, 18-23. | 1.2 | 55 |
| 295 | Objectively assessed physical activity, fitness and subjective wellbeing. <i>Mental Health and Physical Activity</i> , 2010, 3, 67-71. | 0.9 | 37 |
| 296 | Time trends in childhood and adolescent obesity in England from 1995 to 2007 and projections of prevalence to 2015. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 167-174. | 2.0 | 110 |
| 297 | The ABC of Physical Activity for Health: A consensus statement from the British Association of Sport and Exercise Sciences. <i>Journal of Sports Sciences</i> , 2010, 28, 573-591. | 1.0 | 465 |
| 298 | Television- and Screen-Based Activity and Mental Well-Being in Adults. <i>American Journal of Preventive Medicine</i> , 2010, 38, 375-380. | 1.6 | 137 |
| 299 | Should health policy focus on physical activity rather than obesity? Yes. <i>BMJ: British Medical Journal</i> , 2010, 340, c2603-c2603. | 2.4 | 21 |
| 300 | Obesity guidance. <i>British Journal of General Practice</i> , 2009, 59, 944.1-944. | 0.7 | 0 |
| 301 | Dose-response relationship between physical activity and mental health: the Scottish Health Survey. <i>British Journal of Sports Medicine</i> , 2009, 43, 1111-1114. | 3.1 | 249 |
| 302 | Television viewing and other screen-based entertainment in relation to multiple socioeconomic status indicators and area deprivation: the Scottish Health Survey 2003. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 734-740. | 2.0 | 78 |
| 303 | Physical Activity, Mortality, and Cardiovascular Disease: Is Domestic Physical Activity Beneficial?: The Scottish Health Survey-1995, 1998, and 2003. <i>American Journal of Epidemiology</i> , 2009, 169, 1191-1200. | 1.6 | 76 |
| 304 | Physical activity and mortality in men and women with diagnosed cardiovascular disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 156-160. | 3.1 | 45 |
| 305 | Psychological Distress, Television Viewing, and Physical Activity in Children Aged 4 to 12 Years. <i>Pediatrics</i> , 2009, 123, 1263-1268. | 1.0 | 132 |
| 306 | Marital status, gender and cardiovascular mortality: Behavioural, psychological distress and metabolic explanations. <i>Social Science and Medicine</i> , 2009, 69, 223-228. | 1.8 | 160 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Utility of C-Reactive Protein for Cardiovascular Risk Stratification Across Three Age Groups in Subjects Without Existing Cardiovascular Diseases. <i>American Journal of Cardiology</i> , 2009, 104, 538-542. | 0.7 | 11 |
| 308 | The impact of physical activity on all-cause mortality in men and women after a cancer diagnosis. <i>Cancer Causes and Control</i> , 2009, 20, 225-231. | 0.8 | 35 |
| 309 | The role of conventional and novel mechanisms in explaining increased risk of cardiovascular events in offspring with positive parental history. <i>Journal of Hypertension</i> , 2009, 27, 1966-1971. | 0.3 | 9 |
| 310 | Physical Activity and Risk of Cardiovascular Disease Events. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1206-1211. | 0.2 | 67 |
| 311 | Moderate-to-vigorous physical activity and sedentary behaviours in relation to body mass index-defined and waist circumference-defined obesity. <i>British Journal of Nutrition</i> , 2009, 101, 765-773. | 1.2 | 83 |
| 312 | Psychological Distress as a Risk Factor for Cardiovascular Events. <i>Journal of the American College of Cardiology</i> , 2008, 52, 2156-2162. | 1.2 | 239 |
| 313 | Inflammation as an intermediate pathway in the association between psychosocial stress and obesity. <i>Physiology and Behavior</i> , 2008, 94, 536-539. | 1.0 | 49 |
| 314 | The accumulative effects of modifiable risk factors on inflammation and haemostasis. <i>Brain, Behavior, and Immunity</i> , 2008, 22, 1041-1043. | 2.0 | 25 |
| 315 | Trends in obesity among adults in England from 1993 to 2004 by age and social class and projections of prevalence to 2012. <i>Journal of Epidemiology and Community Health</i> , 2008, 63, 140-146. | 2.0 | 131 |
| 316 | Temporal trends in adults' sports participation patterns in England between 1997 and 2006: the Health Survey for England. <i>British Journal of Sports Medicine</i> , 2008, 42, 601-608. | 3.1 | 127 |
| 317 | Psychiatric Hospital Admissions, Behavioral Risk Factors, and All-Cause Mortality. <i>Archives of Internal Medicine</i> , 2008, 168, 2474. | 4.3 | 50 |
| 318 | Temporal trends in physical activity in England: The Health Survey for England 1991 to 2004. <i>Preventive Medicine</i> , 2007, 45, 416-423. | 1.6 | 141 |
| 319 | Domestic Physical Activity in Relationship to Multiple CVD Risk Factors. <i>American Journal of Preventive Medicine</i> , 2007, 32, 320-327.e3. | 1.6 | 65 |
| 320 | Failure to validate the Health Survey for England physical activity module in a cardiac population. <i>Health Policy</i> , 2007, 84, 262-268. | 1.4 | 17 |
| 321 | Physical activity patterns in nonobese and obese children assessed using minute-by-minute accelerometry. <i>International Journal of Obesity</i> , 2005, 29, 1070-1076. | 1.6 | 131 |
| 322 | Overweight and obesity trends from 1974 to 2003 in English children: what is the role of socioeconomic factors?. <i>Archives of Disease in Childhood</i> , 2005, 90, 999-1004. | 1.0 | 243 |