## Maureen Rischmueller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11120846/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | <scp>47XXY</scp> and <scp>47XXX</scp> in Scleroderma and Myositis. ACR Open Rheumatology, 2022,<br>4, 528-533.   | 2.1  | 8         |
| 2  | Characterization and outcomes of 414 patients with primary SS who developed haematological malignancies. Rheumatology, 2022, 62, 243-255.  | 1.9  | 12        |
| 3  | Upadacitinib monotherapy versus methotrexate monotherapy in methotrexate-naÃ <sup>-</sup> ve Japanese patients<br>with rheumatoid arthritis: a sub-analysis of the Phase 3 SELECT-EARLY study. Modern Rheumatology,<br>2021, 31, 534-542.  | 1.8  | 6         |
| 4  | Influence of the age at diagnosis in the disease expression of primary Sjögren syndrome. Analysis of<br>12,753 patients from the Sjögren Big Data Consortium. Clinical and Experimental Rheumatology, 2021,<br>39, 166-174.  | 0.8  | 12        |
| 5  | Influence of the age at diagnosis in the disease expression of primary Sj¶gren syndrome. Analysis of<br>12,753 patients from the Sj¶gren Big Data Consortium Clinical and Experimental Rheumatology, 2021,<br>39 Suppl 133, 166-174.   | 0.8  | 0         |
| 6  | Epidemiological profile and north–south gradient driving baseline systemic involvement of primary<br>Sjögren's syndrome. Rheumatology, 2020, 59, 2350-2359.  | 1.9  | 54        |
| 7  | Trial of Upadacitinib or Abatacept in Rheumatoid Arthritis. New England Journal of Medicine, 2020, 383, 1511-1521.   | 27.0 | 151       |
| 8  | Increased Serum IgG4 Associates with Asthma and Tissue Eosinophilia in Chronic Rhinosinusitis<br>Patients. Pathogens, 2020, 9, 828.  | 2.8  | 2         |
| 9  | Efficacy and Safety of Upadacitinib Monotherapy in Methotrexateâ€Naive Patients With<br>Moderatelyâ€toâ€Severely Active Rheumatoid Arthritis (SELECTâ€EARLY): A Multicenter, Multiâ€Country,<br>Randomized, Doubleâ€Blind, Active Comparator–Controlled Trial. Arthritis and Rheumatology, 2020, 72,<br>1607-1620. | 5.6  | 126       |
| 10 | Lymphoma Driver Mutations in the Pathogenic Evolution of an Iconic Human Autoantibody. Cell, 2020, 180, 878-894.e19.   | 28.9 | 82        |
| 11 | Primary Sjögren's syndrome in South Australia. Clinical and Experimental Rheumatology, 2020, 38<br>Suppl 126, 57-63.   | 0.8  | 2         |
| 12 | When B cells break bad: development of pathogenic B cells in Sjögren's syndrome. Clinical and<br>Experimental Rheumatology, 2020, 38 Suppl 126, 271-282.   | 0.8  | 4         |
| 13 | Systemic phenotype related to primary Sjögren's syndrome in 279 patients carrying isolated anti-La/SSB<br>antibodies. Clinical and Experimental Rheumatology, 2020, 38 Suppl 126, 85-94.   | 0.8  | 2         |
| 14 | Serum and urinary macrophage migration inhibitory factor (MIF) in primary Sjögren's syndrome. Joint<br>Bone Spine, 2019, 86, 393-395.  | 1.6  | 4         |
| 15 | Serum soluble Fas and Fas ligand (FasL) in primary Sjögren's syndrome. Clinical and Experimental<br>Rheumatology, 2019, 37 Suppl 118, 254-256.   | 0.8  | 1         |
| 16 | Pomalidomide in Patients with Interstitial Lung Disease due to Systemic Sclerosis: A Phase II,<br>Multicenter, Randomized, Double-blind, Placebo-controlled, Parallel-group Study. Journal of<br>Rheumatology, 2018, 45, 405-410.  | 2.0  | 31        |
| 17 | Influence of geolocation and ethnicity on the phenotypic expression of primary Sjögren's syndrome at<br>diagnosis in 8310 patients: a cross-sectional study from the Big Data SjA¶gren Project Consortium.<br>Annals of the Rheumatic Diseases, 2017, 76, 1042-1050.   | 0.9  | 132       |
| 18 | Efficacy and safety of tofacitinib monotherapy, tofacitinib with methotrexate, and adalimumab with<br>methotrexate in patients with rheumatoid arthritis (ORAL Strategy): a phase 3b/4, double-blind,<br>head-to-head, randomised controlled trial. Lancet, The, 2017, 390, 457-468.                               | 13.7 | 360       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Brief Report: Rare X Chromosome Abnormalities in Systemic Lupus Erythematosus and Sjögren's<br>Syndrome. Arthritis and Rheumatology, 2017, 69, 2187-2192.  | 5.6  | 35        |
| 20 | Tertiary lymphoid organs in recalcitrant chronic rhinosinusitis. Journal of Allergy and Clinical<br>Immunology, 2017, 139, 1371-1373.e6.   | 2.9  | 21        |
| 21 | ldentification of a SJ¶gren's syndrome susceptibility locus at OAS1 that influences isoform switching, protein expression, and responsiveness to type I interferons. PLoS Genetics, 2017, 13, e1006820.  | 3.5  | 60        |
| 22 | X Chromosome Dose and Sex Bias in Autoimmune Diseases: Increased Prevalence of 47,XXX in Systemic<br>Lupus Erythematosus and Sjögren's Syndrome. Arthritis and Rheumatology, 2016, 68, 1290-1300.  | 5.6  | 114       |
| 23 | Active Foot Synovitis in Patients With Rheumatoid Arthritis: Unstable Remission Status, Radiographic<br>Progression, and Worse Functional Outcomes in Patients With Foot Synovitis in Apparent Remission.<br>Arthritis Care and Research, 2016, 68, 1616-1623. | 3.4  | 31        |
| 24 | <i>PTPN22</i> R620W minor allele is a genetic risk factor for giant cell arteritis. RMD Open, 2016, 2, e000246.  | 3.8  | 9         |
| 25 | Klinefelter's syndrome (47,XXY) is in excess among men with Sjögren's syndrome. Clinical Immunology,<br>2016, 168, 25-29.  | 3.2  | 68        |
| 26 | Primary Sjögren's syndrome. Best Practice and Research in Clinical Rheumatology, 2016, 30, 189-220.  | 3.3  | 88        |
| 27 | The IRF5–TNPO3 association with systemic lupus erythematosus has two components that other autoimmune disorders variably share. Human Molecular Genetics, 2015, 24, 582-596.   | 2.9  | 74        |
| 28 | Fish oil in recent onset rheumatoid arthritis: a randomised, double-blind controlled trial within algorithm-based drug use. Annals of the Rheumatic Diseases, 2015, 74, 89-95.   | 0.9  | 129       |
| 29 | Variants at multiple loci implicated in both innate and adaptive immune responses are associated with Sjögren's syndrome. Nature Genetics, 2013, 45, 1284-1292.  | 21.4 | 427       |
| 30 | Epistasis with HLA DR3 implicates the P2X7 receptor in the pathogenesis of primary Sjögren's syndrome.<br>Arthritis Research and Therapy, 2013, 15, R71.   | 3.5  | 17        |
| 31 | Response to: The interaction of Sjogren's syndrome, gastroesophageal reflux and sleep by Tufik et al<br>Sleep Medicine, 2013, 14, 222-223.   | 1.6  | 0         |
| 32 | No Association between FCÎ <sup>3</sup> R3B Copy Number Variation and Susceptibility to Biopsy-Proven Giant Cell<br>Arteritis. Arthritis, 2013, 2013, 1-4.   | 2.0  | 1         |
| 33 | Susceptibility for Lupus Nephritis by Low Copy Number of the <i>FCGR3B</i> Gene Is Linked to Increased Levels of Pathogenic Autoantibodies. Autoimmune Diseases, 2013, 2013, 1-6.  | 0.6  | 6         |
| 34 | Low Copy Number of the Fc-γ Receptor 3B Gene <i>FCGR3B</i> Is a Risk Factor for Primary Sjögren's<br>Syndrome. Journal of Rheumatology, 2012, 39, 2142-2147.   | 2.0  | 33        |
| 35 | Sleep disordered breathing in patients with primary Sjögren's syndrome: A group controlled study.<br>Sleep Medicine, 2012, 13, 1066-1070.  | 1.6  | 42        |
| 36 | Low copy number of the FCGR3B gene and rheumatoid arthritis: a case-control study and meta-analysis. Arthritis Research and Therapy, 2012, 14, R28.  | 3.5  | 34        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Active foot synovitis in patients with rheumatoid arthritis: Applying clinical criteria for disease activity and remission may result in underestimation of foot joint involvement. Arthritis and Rheumatism, 2012, 64, 1316-1322.   | 6.7 | 45        |
| 38 | Activation of the Alternative NFήB Pathway Improves Disease Symptoms in a Model of Sjogren's<br>Syndrome. PLoS ONE, 2011, 6, e28727.   | 2.5 | 26        |
| 39 | Mortality in Patients with Biopsy-proven Giant Cell Arteritis: A South Australian Population-based<br>Study. Journal of Rheumatology, 2011, 38, 2215-2217.   | 2.0 | 47        |
| 40 | Sjögren's Syndrome in Australia: Clinical Practice and Research. , 2011, , 423-424.  |     | 0         |
| 41 | Risk of cancer in patients with biopsy-proven giant cell arteritis. Rheumatology, 2010, 49, 756-759.   | 1.9 | 23        |
| 42 | Mild autonomic dysfunction in primary Sjögren's syndrome: a controlled study. Arthritis Research<br>and Therapy, 2008, 10, R31.  | 3.5 | 36        |
| 43 | Upper Airway Surface Tension but not Upper Airway Collapsibility is Elevated in Primary Sjögren's<br>Syndrome. Sleep, 2008, 31, 367-374.   | 1.1 | 27        |
| 44 | Response-Driven Combination Therapy with Conventional Disease-Modifying Antirheumatic Drugs Can<br>Achieve High Response Rates in Early Rheumatoid Arthritis with Minimal Glucocorticoid and<br>Nonsteroidal Anti-Inflammatory Drug Use. Seminars in Arthritis and Rheumatism, 2007, 37, 99-111. | 3.4 | 63        |
| 45 | Influence ofCTLA4 haplotypes on susceptibility and some extraglandular manifestations in primary<br>SjA¶gren's syndrome. Arthritis and Rheumatism, 2006, 54, 2434-2440.  | 6.7 | 56        |
| 46 | Neutralization of Muscarinic Receptor Autoantibodies by Intravenous Immunoglobulin in Sjögren<br>Syndrome. Human Immunology, 2005, 66, 411-416.  | 2.4 | 36        |
| 47 | Muscarinic receptor autoantibodies in Sjögren's syndrome. , 2004, , 233-239.   |     | 0         |
| 48 | Humoral immunity to Ro52 is not associated with the Ro52 9571 C/T polymorphism in Australian patients with primary SjA¶gren's syndrome. Arthritis and Rheumatism, 2003, 48, 3293-3294.   | 6.7 | 1         |
| 49 | Increased severity of lower urinary tract symptoms and daytime somnolence in primary Sjögren's syndrome. Journal of Rheumatology, 2003, 30, 2406-12.   | 2.0 | 42        |
| 50 | Inhibitory effects of muscarinic receptor autoantibodies on parasympathetic neurotransmission in<br>Sjögren's syndrome. Arthritis and Rheumatism, 2000, 43, 1647-1654.   | 6.7 | 235       |
| 51 | Determinant spreading: lessons from animal models and human disease. Immunological Reviews, 1998, 164, 209-229.  | 6.0 | 131       |
| 52 | Human leukocyte antigen phenotype imposes complex constraints on the antigen-specific cytotoxic T<br>lymphocyte repertoire. European Journal of Immunology, 1997, 27, 178-182.   | 2.9 | 37        |
| 53 | Cross-reactive memory T cells for Epstein-Barr virus augment the alloresponse to common human<br>leukocyte antigens: degenerate recognition of major histocompatibility complex-bound peptide by T<br>cells and its role in alloreactivity. European Journal of Immunology, 1997, 27, 1726-1736. | 2.9 | 161       |
| 54 | Nonprecipitating Anti-La(SS-B) Autoantibodies in Primary Sjögren's Syndrome. Clinical Immunology and<br>Immunopathology, 1996, 79, 314-318.  | 2.0 | 26        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Rapid and sensitive detection of anti-ro (SS-A) antibodies by indirect immunofluorescence of 60kDa Ro<br>HEp-2 transfectants. Pathology, 1996, 28, 54-57. | 0.6 | 25        |
| 56 | How Does Autoimmunity to La and Ro Initiate and Spread?. Autoimmunity, 1994, 18, 87-92.   | 2.6 | 18        |