

# Zhong He

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/11121502/zhong-he-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121  
papers

1,570  
citations

19  
h-index

37  
g-index

158  
ext. papers

1,937  
ext. citations

2.1  
avg, IF

4.76  
L-index

#	Paper	IF	Citations
121	Region of Interest Image Reconstruction for Compton Imaging Using 3D Position Sensing CdZnTe. <i>IEEE Transactions on Nuclear Science</i> , <b>2022</b> , 1-1	1.7	
120	Sub-Pixel Sensing for Charge Sharing Events in Pixelated CdZnTe Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2022</b> , 1-1	1.7	
119	CsPbBr <sub>3</sub> perovskite detectors with 1.4% energy resolution for high-energy $\gamma$ -rays. <i>Nature Photonics</i> , <b>2021</b> , 15, 36-42	33.9	79
118	Cram�-Rao Bound Evaluations of Compton Imager Designs for Proton Beam Range Verification. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , <b>2021</b> , 1-1	4.2	
117	Performance of Larger-Volume 40 $\times$ 40 $\times$ 10- and 40 $\times$ 40 $\times$ 5-mm <sup>3</sup> CdZnTe Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2021</b> , 68, 250-255	1.7	1
116	Filtered Backprojection in Compton Imaging Using a Spherical Harmonic Wiener Filter With Pixelated CdZnTe. <i>IEEE Transactions on Nuclear Science</i> , <b>2021</b> , 68, 211-219	1.7	0
115	Artifacts in High-Energy Compton Imaging With 3-D Position-Sensitive CdZnTe. <i>IEEE Transactions on Nuclear Science</i> , <b>2020</b> , 67, 1920-1928	1.7	4
114	Thallium Bromide Gamma-Ray Spectrometers and Pixel Arrays. <i>Frontiers in Physics</i> , <b>2020</b> , 8,	3.9	4
113	Computational model for detector timing effects in Compton-camera based prompt-gamma imaging for proton radiotherapy. <i>Physics in Medicine and Biology</i> , <b>2020</b> , 65, 125004	3.8	6
112	Time-Encoded Gamma-Ray Imaging Using a 3-D Position-Sensitive CdZnTe Detector Array. <i>IEEE Transactions on Nuclear Science</i> , <b>2020</b> , 67, 464-472	1.7	2
111	Intrinsic photopeak efficiency measurement and simulation for pixelated CdZnTe detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 980, 164501	1.2	4
110	Gamma-ray tracking for high energy gamma-ray imaging in pixelated CdZnTe. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 954, 161443	1.2	3
109	FRAM v5.2 estimation of plutonium and uranium isotopics using digitized 3-D position-sensitive CdZnTe detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 954, 161339	1.2	1
108	Efficient temperature corrections for gamma-ray energy reconstruction in 3-D position-sensitive CdZnTe detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 954, 161340	1.2	2
107	Qualitative measurement of spatial shielding isotopics via Compton imaging neutron-induced gamma rays using 3-D CdZnTe detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 935, 214-221	1.2	2
106	Identification of Intervening Materials in Gamma-Ray Spectroscopy Measurements Using Angularly Deconvolved Spectra With Multiple Sources in the Field of View. <i>IEEE Transactions on Nuclear Science</i> , <b>2018</b> , 65, 924-931	1.7	1
105	Accurate Determination of the Ionization Energy in Pixelated TlBr Correcting for Charge Collection Efficiency. <i>IEEE Transactions on Nuclear Science</i> , <b>2018</b> , 65, 950-954	1.7	4

104	Analysis of High-Energy Tailing in TlBr Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2018</b> , 65, 955-960.	1.7	1
103	Development of large-volume high-performance monolithic CZT radiation detector <b>2018</b> ,		7
102	Measurement of Electron Mobility-Lifetime Product in 3-D Position-Sensitive CdZnTe Detectors Using the VAD_UMv2.2 Digital Readout System. <i>IEEE Transactions on Nuclear Science</i> , <b>2018</b> , 65, 2834-2837.	1.7	2
101	Coded-Aperture Imaging with High-Resolution Large-Volume CZT <b>2018</b> ,		2
100	Fast Neutron Detection Using Pixelated CdZnTe Spectrometers. <i>IEEE Transactions on Nuclear Science</i> , <b>2017</b> , 64, 1920-1926	1.7	5
99	Evaluation of Compton Imaging Efficiency Degradation Factors in Large Volume, Pixelated CdZnTe Sensors <b>2017</b> ,		1
98	Angular Detection and Shielding Characterization of Simulated 235U Using Time Encoded Imaging and 3D Position Sensitive CdZnTe Detectors <b>2017</b> ,		2
97	1-D Fast Neutron Source Localization Using Digital Pixelated 3-D Position-Sensitive CdZnTe Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2017</b> , 64, 2531-2535	1.7	3
96	Unbiased Filtered Back-Projection in 4pi Compton Imaging With 3D Position Sensitive Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2016</b> , 63, 2750-2756	1.7	5
95	Special Nuclear Material Characterization Using Digital 3-D Position Sensitive CdZnTe Detectors and High Purity Germanium Spectrometers. <i>IEEE Transactions on Nuclear Science</i> , <b>2016</b> , 63, 2649-2656	1.7	17
94	A Correction Factor to the Two-Bias Method for Determining Mobility-Lifetime Products in Pixelated Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2016</b> , 63, 1832-1838	1.7	3
93	Comparison of a large area CZT detector to a spectroscopic CdTe detector for X-ray fluorescence computed tomography <b>2016</b> ,		2
92	A Method to Estimate the Atomic Number and Mass Thickness of Intervening Materials in Uranium and Plutonium Gamma-Ray Spectroscopy Measurements. <i>IEEE Transactions on Nuclear Science</i> , <b>2016</b> , 63, 2639-2648	1.7	9
91	The Polaris-H imaging spectrometer. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2015</b> , 784, 377-381	1.2	87
90	Improvements in room temperature lifetime of pixelated TlBr detectors from surface etching <b>2015</b> ,		2
89	CdZnTe gamma-ray spectroscopy in high flux environments using digital pulse processing techniques <b>2015</b> ,		1
88	Quantification of the Conditioning Phase in Cooled Pixelated TlBr Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2015</b> , 62, 1785-1790	1.7	4
87	Signal modeling of charge sharing effect in simple pixelated CdZnTe detector. <i>Journal of the Korean Physical Society</i> , <b>2014</b> , 64, 1336-1345	0.6	7

86	Characterization of a digital ASIC readout system for 1111 pixelated TlBr detectors <b>2014</b> ,		1
85	New nonlinearity calibration method for 3-D position-sensitive CdZnTe detectors <b>2014</b> ,		1
84	Quantitative Investigation of Room-Temperature Breakdown Effects in Pixelated TlBr Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2014</b> , 61, 2573-2578	1.7	4
83	Study of Long-Term CdZnTe Stability Using the Polaris System. <i>IEEE Transactions on Nuclear Science</i> , <b>2013</b> , 60, 1086-1093	1.7	3
82	Transient Behavior in TlBr Gamma-Ray Detectors and Its Analysis Using 3-D Position Sensing. <i>IEEE Transactions on Nuclear Science</i> , <b>2013</b> , 60, 1162-1167	1.7	8
81	Improvement of Sub-Pixel Position Sensing in Nonuniform Large-Volume Pixelated CdZnTe Crystals. <i>IEEE Transactions on Nuclear Science</i> , <b>2013</b> , 60, 1201-1207	1.7	3
80	Identification and Reconstruction of Single-Pixel Incomplete Charge Collection Events. <i>IEEE Transactions on Nuclear Science</i> , <b>2013</b> , 60, 1243-1247	1.7	2
79	Model-Based Reconstruction of Spectral and Spatial Source Distribution for Objects With Known Motion. <i>IEEE Transactions on Nuclear Science</i> , <b>2013</b> , 60, 3981-3989	1.7	
78	Source Detection Performance Prediction for a CdZnTe Array. <i>IEEE Transactions on Nuclear Science</i> , <b>2013</b> , 60, 204-212	1.7	1
77	Low electronic noise digital ASIC array system and its non-linearity <b>2013</b> ,		1
76	New measurement technique for the product of the electron mobility and mean free drift time for pixelated semiconductor detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2012</b> , 671, 1-5	1.2	10
75	. <i>IEEE Transactions on Nuclear Science</i> , <b>2012</b> , 59, 469-478	1.7	13
74	UMImaging: A Software Package for Image Reconstruction From 3D-Position-Sensitive Gamma-Ray Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2012</b> , 59, 1672-1680	1.7	3
73	Results From Testing of 145 3D Position-Sensitive, Pixelated CdZnTe Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2012</b> , 59, 3332-3338	1.7	6
72	Improvement of Compton imaging efficiency by using side-neighbor events. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2012</b> , 687, 62-68	1.2	4
71	Impact of drift time variation on the Compton image from large-volume CdZnTe crystals. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2012</b> , 683, 53-62	1.2	10
70	Performance of a 2-keV digitizer ASIC for 3-D position-sensitive pixelated semiconductor detectors <b>2012</b> ,		8
69	Characterization of the polarization process in thallium-bromide detectors <b>2012</b> ,		2

68	. <i>IEEE Transactions on Nuclear Science</i> , <b>2012</b> , 59, 236-242	1.7	52
67	Spectroscopic performance of recent TlBr detectors <b>2012</b> ,		2
66	Sub-Pixel Position Sensing for Pixelated, 3-D Position Sensitive, Wide Band-Gap, Semiconductor, Gamma-Ray Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2011</b> , 58, 1400-1409	1.7	35
65	Charge sharing in common-grid pixelated CdZnTe detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2011</b> , 654, 233-243	1.2	64
64	Gamma-Ray Point-Source Detection in Unknown Background Using 3D-Position-Sensitive Semiconductor Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2011</b> , 58, 605-613	1.7	9
63	Asymptotic Source Detection Performance of Gamma-Ray Imaging Systems Under Model Mismatch. <i>IEEE Transactions on Signal Processing</i> , <b>2011</b> , 59, 5141-5151	4.8	3
62	High-flux experiments and simulations of pulse-mode 3D-position-sensitive CdZnTe pixelated detectors <b>2011</b> ,		1
61	Impact of electric field non-uniformity on large CdZnTe crystals <b>2011</b> ,		1
60	Including pair-production events in the system response function for energy-imaging integrated deconvolution algorithm <b>2011</b> ,		2
59	Measurements of gamma rays above 3 MeV using 3D position-sensitive 202015 mm3 CdZnTe detectors <b>2011</b> ,		1
58	Event classification in 3D position sensitive pixelated CdZnTe detectors <b>2011</b> ,		2
57	Investigation of polarization effect with TlBr detectors at different operating temperatures <b>2010</b> ,		3
56	ASIC for High Rate 3D Position Sensitive Detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2010</b> , 57, 1536-1542	1.7	21
55	Efficiency measurement on 6.0 cm3 3-D CdZnTe detectors <b>2010</b> ,		2
54	Experimental limitations of coded aperture imaging using thick 3D-position-sensitive CdZnTe detectors <b>2010</b> ,		2
53	Model-based reconstruction of spectral and spatial source distribution from objects with known motion <b>2010</b> ,		3
52	Benefits of Position-Sensitive Detectors for Radioactive Source Detection. <i>IEEE Transactions on Signal Processing</i> , <b>2010</b> , 58, 4473-4483	4.8	7
51	3D Monte Carlo simulations of pixelated CdZnTe detectors under high photon fluxes <b>2010</b> ,		2

50	Calibration and operation of the polaris 18-detector CdZnTe array <b>2010</b> ,			5
49	Predicting ROC curves for source detection under model mismatch <b>2010</b> ,			1
48	Three-Dimensional Position-Sensitive Wide Bandgap Semiconductor Gamma-Ray Imaging Detectors <b>2010</b> , 321-329			
47	The stability of TlBr detectors at low temperature. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2010</b> , 623, 1024-1029	1,3		20
46	ASIC for high rate 3D position sensitive detectors <b>2009</b> ,			3
45	Performance of 3-D position sensitive CdZnTe detectors for gamma-ray energies above 1 MeV <b>2009</b> ,			3
44	Study on effect of charge sharing events in common-grid pixelated CdZnTe detectors <b>2009</b> ,			1
43	Experimental demonstration of coded aperture imaging using thick 3D-position-sensitive CdZnTe detectors <b>2009</b> ,			3
42	Point-source detection using energy and imaging information from 3D-position-sensitive semiconductor detectors <b>2009</b> ,			1
41	. <i>IEEE Transactions on Nuclear Science</i> , <b>2008</b> , 55, 1593-1603		1.7	31
40	TlBr Gamma-Ray Spectrometers Using the Depth Sensitive Single Polarity Charge Sensing Technique. <i>IEEE Transactions on Nuclear Science</i> , <b>2008</b> , 55, 1781-1784		1.7	20
39	Performance of five-or-more-pixel event sequence reconstruction for 3-D semiconductor gamma-ray-imaging spectrometers <b>2008</b> ,			4
38	Detecting shielded sources using 3-D CdZnTe detectors <b>2008</b> ,			5
37	Investigation of pixellated TlBr detectors using digital signal processing techniques <b>2008</b> ,			2
36	Coded aperture imaging using 3d position-sensitive CdZnTe detectors <b>2008</b> ,			2
35	Sensitivity of gamma-ray source detection using 3D-position-sensitive semiconductor detectors <b>2008</b> ,			4
34	A Prototype Three-Dimensional Position Sensitive CdZnTe Detector Array. <i>IEEE Transactions on Nuclear Science</i> , <b>2007</b> , 54, 843-848		1.7	61
33	Pixellated TlBr detectors with the depth sensing technique. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 578, 235-238		1.2	14

32	Gamma-ray source location by attenuation measurements <b>2007</b> ,		2
31	<b>2007</b> ,		5
30	Digital waveform analysis techniques for pixelated semiconductor detectors <b>2007</b> ,		1
29	3D position sensing on UltraPeRL CdZnTe detectors <b>2007</b> ,		1
28	Maximum likelihood estimation maximization deconvolution in spatial and combined spatial-energy domains for a detector array system <b>2007</b> ,		3
27	Sub-pixel position resolution in pixelated semiconductor detectors <b>2007</b> ,		10
26	Calibration strategy for 3-D position sensitive CdZnTe spectrometer arrays <b>2007</b> ,		1
25	Radial position sensing in a coplanar-grid high-pressure xenon gamma-ray spectrometer. <i>IEEE Transactions on Nuclear Science</i> , <b>2006</b> , 53, 1380-1384	1.7	1
24	Study of Detection Deficiency of 3D Position-Sensitive Pixellated CdZnTe Detectors <b>2006</b> ,		3
23	. <i>IEEE Transactions on Nuclear Science</i> , <b>2005</b> , 52, 2932-2939	1.7	12
22	Investigation of the asymmetric characteristics and temperature effects of CdZnTe detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2005</b> , 52, 2068-2075	1.7	19
21	Detection of gamma ray polarization using a 3-D position-sensitive CdZnTe detector. <i>IEEE Transactions on Nuclear Science</i> , <b>2005</b> , 52, 1160-1164	1.7	33
20	3-D position sensitive CdZnTe spectrometer performance using third generation VAS/TAT readout electronics. <i>IEEE Transactions on Nuclear Science</i> , <b>2005</b> , 52, 2009-2016	1.7	56
19	Long-term stability of 1-cm thick pixelated HgI/sub 2/ gamma-ray spectrometers operating at room temperature. <i>IEEE Transactions on Nuclear Science</i> , <b>2004</b> , 51, 1886-1894	1.7	5
18	4/spl pi/ Compton imaging using a 3-D position-sensitive CdZnTe detector via weighted list-mode maximum likelihood. <i>IEEE Transactions on Nuclear Science</i> , <b>2004</b> , 51, 1618-1624	1.7	80
17	Improved resolution for 3-D position sensitive CdZnTe spectrometers. <i>IEEE Transactions on Nuclear Science</i> , <b>2004</b> , 51, 2427-2431	1.7	38
16	Analysis of detector response using 3-D position-sensitive CZT gamma-ray spectrometers. <i>IEEE Transactions on Nuclear Science</i> , <b>2004</b> , 51, 3098-3104	1.7	13
15	3D position-sensitive CdZnTe gamma-ray spectrometers: improved performance with new ASICs <b>2004</b> ,		15

14	4- $\pi$ Compton imaging with single 3D position-sensitive CdZnTe detector <b>2004</b> ,			45
13	Development of a model for gamma-ray spectra generation using pixelated mercuric iodide detectors <b>2003</b> , 4784, 119			2
12	Comparison of 5 and 10mm thick HgI <sub>2</sub> pixelated $\gamma$ -ray spectrometers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2003</b> , 505, 191-194	1.2		19
11	. <i>IEEE Transactions on Nuclear Science</i> , <b>2003</b> , 50, 1090-1097	1.7		21
10	Spectroscopy on thick HgI <sub>2</sub> detectors: a comparison between planar and pixelated electrodes. <i>IEEE Transactions on Nuclear Science</i> , <b>2003</b> , 50, 1220-1224	1.7		12
9	Hand-Held Gamma-Ray Imaging Sensors Using Room-Temperature 3-Dimensional Position-Sensitive Semiconductor Spectrometers. <i>AIP Conference Proceedings</i> , <b>2002</b> ,	0		2
8	Investigation of pixelated $\gamma$ -ray spectrometers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2002</b> , 492, 387-401	1.2		21
7	Review of the Shockley-Ramo theorem and its application in semiconductor gamma-ray detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2001</b> , 463, 250-267	1.2		288
6	Stability and characteristics of large CZT coplanar electrode detectors. <i>IEEE Transactions on Nuclear Science</i> , <b>2001</b> , 48, 272-277	1.7		10
5	1-D position sensitive single carrier semiconductor detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1996</b> , 380, 228-231	1.2		94
4	VAS/spl 1.bar/UM/TAT4 ASIC readout systems for 3D CdZnTe/HgI <sub>2</sub> detector arrays			1
3	Analysis of detector response using 3-D position sensitive CZT gamma-ray spectrometers			3
2	Image artifacts resulting from gamma-ray tracking algorithms used with Compton imagers			1
1	Gamma-ray energy-imaging integrated deconvolution			3