
Gopal Balamurugan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11121558/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Fully spray-coated electrochromic devices containing octa-viologen substituted polyhedral oligomeric silsesquioxane. Thin Solid Films, 2022, 743, 139067.	1.8	2
2	Ratiometric photothermal detection of silver ions using diimmonium salts. Talanta, 2022, 242, 123296.	5.5	9
3	Enhanced solution processing and optical properties of perhalogenated zinc-phthalocyanines via anion-ï€ bonding. Dyes and Pigments, 2022, 201, 110199.	3.7	3
4	Near-infrared absorption and photothermal properties of heptamethine pyrylium dyes with bistriflimide anion. Dyes and Pigments, 2022, 203, 110321.	3.7	6
5	Metallo-terpyridine modified asymmetric viologen exhibiting remarkable optical memory effect in single-layered electrochromic devices. Electrochimica Acta, 2021, 382, 138308.	5.2	9
6	Enhanced electrochromic properties of terpyridine-attached asymmetric viologen with high transmittance and switching stability. Solar Energy Materials and Solar Cells, 2020, 216, 110714.	6.2	29
7	Nanomolar detection of sulfide ions using halo-substituted subphthalocyanines via anion-ï€ non-covalent interaction. Sensors and Actuators B: Chemical, 2020, 324, 128746.	7.8	7
8	Iron Phthalocyanine Incorporated Metallo-Supramolecular Polymer for Superior Electrochromic Performance with High Coloration Efficiency and Switching Stability. ACS Applied Energy Materials, 2019, 2, 8416-8424.	5.1	35
9	Effects of counter ions on electrochromic behaviors of asymmetrically substituted viologens. Solar Energy Materials and Solar Cells, 2019, 197, 25-31.	6.2	40
10	A triple action chemosensor for Cu2+ by chromogenic, Cr3+ by fluorogenic and CNâ^' by relay recognition methods with bio-imaging of HeLa cells. Photochemical and Photobiological Sciences, 2017, 16, 1441-1448.	2.9	22
11	Ninhydrinâ€Based Chemosensor for the Selective Detection and Scavenging of Mercury(II) Ions in Aqueous Solution. ChemistrySelect, 2017, 2, 10946-10950.	1.5	4
12	New phenazine based AIE probes for selective detection of aluminium(<scp>iii</scp>) ions in presence of other trivalent metal ions in living cells. Analyst, The, 2017, 142, 4721-4726.	3.5	39
13	Novel ratiometric turn-on fluorescent probe for selective sensing of cyanide ions, effect of substitution and bio-imaging studies. RSC Advances, 2016, 6, 24229-24235.	3.6	24
14	Novel chromogenic selective sensors for aqueous cyanide ions under high water content and real sample analysis. Analytical Methods, 2016, 8, 1705-1710.	2.7	32