

# Georgina Hotter

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1112354/publications.pdf>

Version: 2024-02-01

111  
papers

3,387  
citations

147801

31  
h-index

161849

54  
g-index

114  
all docs

114  
docs citations

114  
times ranked

3321  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mitochondrial Transplantation Enhances Phagocytic Function and Decreases Lipid Accumulation in Foam Cell Macrophages. <i>Biomedicines</i> , 2022, 10, 329.	3.2	6
2	NGAL release from peripheral blood mononuclear cells protects against acute kidney injury and prevents AKI induced fibrosis. <i>Biomedicine and Pharmacotherapy</i> , 2022, 153, 113415.	5.6	3
3	Infusion of Phagocytic Macrophages Overexpressing CPT1a Ameliorates Kidney Fibrosis in the UUO Model. <i>Cells</i> , 2021, 10, 1650.	4.1	6
4	The influenza virus NS1A binding protein gene modulates macrophages response to cytokines and phagocytic potential in inflammation. <i>Scientific Reports</i> , 2020, 10, 15302.	3.3	3
5	Macrophage Phenotype and Fibrosis in Diabetic Nephropathy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2806.	4.1	109
6	CPT1a downregulation protects against cholesterol-induced fibrosis in tubular epithelial cells by downregulating TGF $\beta$ 2-1 and inflammasome. <i>Biochemical and Biophysical Research Communications</i> , 2019, 517, 715-721.	2.1	3
7	Urinary Neuropilin-1: A Predictive Biomarker for Renal Outcome in Lupus Nephritis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4601.	4.1	21
8	CPT1a gene expression reverses the inflammatory and anti-phagocytic effect of 7-ketocholesterol in RAW264.7 macrophages. <i>Lipids in Health and Disease</i> , 2019, 18, 215.	3.0	19
9	Exploring macrophage cell therapy on Diabetic Kidney Disease. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 841-851.	3.6	25
10	Microencapsulated macrophages releases conditioned medium able to prevent epithelial to mesenchymal transition. <i>Drug Delivery</i> , 2018, 25, 91-101.	5.7	3
11	Cytoprotective Mechanisms in Fatty Liver Preservation against Cold Ischemia Injury: A Comparison between IGL-1 and HTK. <i>International Journal of Molecular Sciences</i> , 2018, 19, 348.	4.1	14
12	Lipocalin-2 abrogates epithelial cell cycle arrest by PPAR $\gamma$ 3 inhibition. <i>Laboratory Investigation</i> , 2018, 98, 1408-1422.	3.7	12
13	Macrophage Overexpressing NGAL Ameliorated Kidney Fibrosis in the UUO Mice Model. <i>Cellular Physiology and Biochemistry</i> , 2017, 42, 1945-1960.	1.6	33
14	The Relevance of the UPS in Fatty Liver Graft Preservation: A New Approach for IGL-1 and HTK Solutions. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2287.	4.1	15
15	Macrophage-derived Lipocalin-2 contributes to ischemic resistance mechanisms by protecting from renal injury. <i>Scientific Reports</i> , 2016, 6, 21950.	3.3	30
16	Carbonic Anhydrase Protects Fatty Liver Grafts against Ischemic Reperfusion Damage. <i>PLoS ONE</i> , 2015, 10, e0134499.	2.5	8
17	FP293BONE MARROW M2 MACROPHAGE CELL THERAPY DOES NOT INDUCE RENOPROTECTION IN UUO MICE MODEL. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii165-iii165.	0.7	0
18	New Insights in Fatty Liver Preservation: A Role for Carbonic Anhydrase II.. <i>Transplantation</i> , 2014, 98, 372.	1.0	1

#	ARTICLE	IF	CITATIONS
19	miRNA let-7e targeting MMP9 is involved in adipose-derived stem cell differentiation toward epithelia. <i>Cell Death and Disease</i> , 2014, 5, e1048-e1048.	6.3	38
20	Prognostic Value of Serum Neutrophil Gelatinase-Associated Lipocalin in Metastatic and Nonmetastatic Colorectal Cancer. <i>World Journal of Surgery</i> , 2013, 37, 1103-1109.	1.6	29
21	miRNA let-7e Modulates the Wnt Pathway and Early Nephrogenic Markers in Mouse Embryonic Stem Cell Differentiation. <i>PLoS ONE</i> , 2013, 8, e60937.	2.5	25
22	Interleukin-10-Induced Neutrophil Gelatinase-Associated Lipocalin Production in Macrophages with Consequences for Tumor Growth. <i>Molecular and Cellular Biology</i> , 2012, 32, 3938-3948.	2.3	71
23	Infusion of IL-10-expressing cells protects against renal ischemia through induction of lipocalin-2. <i>Kidney International</i> , 2012, 81, 969-982.	5.2	93
24	IGL-1 solution reduces endoplasmic reticulum stress and apoptosis in rat liver transplantation. <i>Cell Death and Disease</i> , 2012, 3, e279-e279.	6.3	31
25	Epidemiology of Shiga toxin-producing <i>Escherichia coli</i> O157 in very young calves in the North Island of New Zealand. <i>New Zealand Veterinary Journal</i> , 2012, 60, 21-26.	0.9	13
26	Newly attenuated <i>Mycobacterium bovis</i> mutants as vaccines against bovine tuberculosis, particularly for possums. <i>Veterinary Microbiology</i> , 2011, 151, 99-103.	1.9	3
27	Sphingosine-1-phosphate signalling induces the production of Lcn by macrophages to promote kidney regeneration. <i>Journal of Pathology</i> , 2011, 225, 597-608.	4.5	63
28	Inhibitory action of Wnt target gene osteopontin on mitochondrial cytochrome c release determines renal ischemic resistance. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F234-F242.	2.7	14
29	Cisplatin upregulates mitochondrial nitric oxide synthase and peroxynitrite formation to promote renal injury. <i>Toxicology and Applied Pharmacology</i> , 2009, 234, 236-246.	2.8	49
30	Tubular Epithelial Cells Transfected With hHGF Counteracts Monocyte Chemotactic Protein-1 Up-regulation After Hypoxia/Reoxygenation Insult. <i>Transplantation Proceedings</i> , 2009, 41, 2069-2072.	0.6	8
31	Caspase-3 activity, response to chemotherapy and clinical outcome in patients with colon cancer. <i>International Journal of Colorectal Disease</i> , 2008, 23, 21-27.	2.2	23
32	Macrophage involvement in the kidney repair phase after ischaemia/reperfusion injury. <i>Journal of Pathology</i> , 2008, 214, 104-113.	4.5	113
33	Lipocalin-2-induced renal regeneration depends on cytokines. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F1554-F1562.	2.7	41
34	Role of peroxynitrite on cytoskeleton alterations and apoptosis in renal ischemia-reperfusion. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F1673-F1680.	2.7	14
35	Ischemic Pre-conditioning in Deceased Donor Liver Transplantation: A Prospective Randomized Clinical Trial. <i>American Journal of Transplantation</i> , 2007, 7, 2180-2189.	4.7	121
36	Mitochondrial NOS upregulation during renal I/R causes apoptosis in a peroxynitrite-dependent manner. <i>Kidney International</i> , 2006, 69, 1403-1409.	5.2	38

#	ARTICLE	IF	CITATIONS
37	A SiC microdevice for the minimally invasive monitoring of ischemia in living tissues. <i>Biomedical Microdevices</i> , 2006, 8, 43-49.	2.8	23
38	Actin cytoskeleton derangement induces apoptosis in renal ischemia/reperfusion. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006, 11, 563-571.	4.9	37
39	NO and NOS isoforms in the development of apoptosis in renal ischemia/reperfusion. <i>Free Radical Biology and Medicine</i> , 2006, 40, 992-1003.	2.9	81
40	Apoptosis inhibition during preservation by fructose-1,6-diphosphate and theophylline in rat intestinal transplantation. <i>Critical Care Medicine</i> , 2005, 33, 827-834.	0.9	9
41	Electrical bioimpedance measurement during hypothermic rat kidney preservation for assessing ischemic injury. <i>Biosensors and Bioelectronics</i> , 2005, 20, 1866-1871.	10.1	17
42	Apoptosis inhibition plays a greater role than necrosis inhibition in decreasing bacterial translocation in experimental intestinal transplantation. <i>Surgery</i> , 2005, 137, 85-91.	1.9	20
43	Bioimpedance dispersion width as a parameter to monitor living tissues. <i>Physiological Measurement</i> , 2005, 26, S165-S173.	2.1	53
44	Low O <sub>2</sub> and high CO <sub>2</sub> in LLC-PK1 cells culture mimics renal ischemia-induced apoptosis. <i>Laboratory Investigation</i> , 2004, 84, 213-220.	3.7	35
45	Protective effects of exogenous fructose-1,6-biphosphate during small bowel transplantation in rats. <i>Surgery</i> , 2004, 135, 518-526.	1.9	13
46	Exogenous adenosine enhances caspase-3 activity in warm renal ischaemia. <i>Pflugers Archiv European Journal of Physiology</i> , 2004, 447, 387-391.	2.8	7
47	Intestinal ischemic preconditioning: Less xanthine accumulation relates with less apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2004, 9, 353-361.	4.9	20
48	Administration of nitric oxide with caspase inhibitors minimizes bacterial translocation in experimental intestinal transplantation. <i>Transplantation</i> , 2004, 77, 177-183.	1.0	6
49	Minimally invasive silicon probe for electrical impedance measurements in small animals. <i>Biosensors and Bioelectronics</i> , 2003, 19, 391-399.	10.1	60
50	Nucleotides modulate renal ischaemia-reperfusion injury by different effects on nitric oxide and superoxide. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 242-248.	1.9	15
51	Role of nitric oxide in apoptosis and cell necrosis for intestinal transplantation. <i>Transplantation Proceedings</i> , 2003, 35, 1931-1932.	0.6	8
52	Fructose-1,6-biphosphate and nucleoside pool modifications prevent neutrophil accumulation in the reperfused intestine. <i>Journal of Leukocyte Biology</i> , 2003, 73, 74-81.	3.3	12
53	Multiparametric monitoring of ischemia-reperfusion in rat kidney: effect of ischemic preconditioning. <i>Transplantation</i> , 2003, 75, 744-749.	1.0	32
54	Role of Changes in Tissular Nucleotides on the Development of Apoptosis during Ischemia/Reperfusion in Rat Small Bowel. <i>American Journal of Pathology</i> , 2002, 161, 1839-1847.	3.8	21

#	ARTICLE	IF	CITATIONS
55	Effects of adenosine on ischaemiaâ€“reperfusion injury associated with rat pancreas transplantation. British Journal of Surgery, 2002, 88, 1366-1375.	0.3	11
56	Production of avirulent mutants of Mycobacterium bovis with vaccine properties by the use of illegitimate recombination and screening of stationary-phase cultures. Microbiology (United Kingdom), 2001, 145, 697-704.	1.0	14
57	Protective Effect of Ischemic Preconditioning on Cold Preservation and Reperfusion Injury Associated With Rat Intestinal Transplantation. Annals of Surgery, 2001, 234, 98-106.	4.2	70
58	CO2 IN STATIC MESENTERIC VENOUS BLOOD DURING INTESTINAL ISCHEMIA AND ISCHEMIC PRECONDITIONING IN RATS. Shock, 2001, 16, 403-408.	2.1	7
59	Fructose-1,6-biphosphate in rat intestinal preconditioning: involvement of nitric oxide. Gut, 2001, 48, 168-175.	12.1	21
60	P-selectin expression and Kupffer cell activation in rat acute pancreatitis. Digestive Diseases and Sciences, 2000, 45, 1535-1544.	2.3	28
61	MODIFICATION OF OXIDATIVE STRESS IN RESPONSE TO INTESTINAL PRECONDITIONING1. Transplantation, 2000, 69, 767-772.	1.0	52
62	The protective role of adenosine in inducing nitric oxide synthesis in rat liver ischemia preconditioning is mediated by activation of adenosine A<sub>2</sub> receptors. Hepatology, 1999, 29, 126-132.	7.3	190
63	Role of nitric oxide in preconditioning for intestinal transplantation. Transplantation Proceedings, 1999, 31, 2573.	0.6	10
64	MODIFICATION OF GLYCERALDEHYDE-3-PHOSPHATE DEHYDROGENASE IN RESPONSE TO NITRIC OXIDE IN INTESTINAL PRECONDITIONING1. Transplantation, 1999, 67, 1446-1452.	1.0	28
65	Endothelin mediated nitric oxide effects in ischemia–reperfusion associated with pancreas transplantation. Digestive Diseases and Sciences, 1998, 43, 2627-2633.	2.3	7
66	Hepatic preconditioning in rats is defined by a balance of adenosine and xanthine. Hepatology, 1998, 28, 768-773.	7.3	101
67	Protective Effects of Lazaroid U74389G on Intestinal Graft after Heterotopic Small Bowel Transplantation in Rats. Journal of Surgical Research, 1998, 75, 18-23.	1.6	16
68	Nitric Oxide Enhances Endothelin Production in Pancreas Transplantation. Pancreas, 1997, 14, 369-372.	1.1	9
69	The Assessment of Biomarkers to Detect Nephrotoxicity Using an Integrated Database. Environmental Research, 1997, 75, 23-33.	7.5	55
70	Prostanoids and free radicals in Cl4C-induced hepatotoxicity in rats: effect of astilbin. Prostaglandins Leukotrienes and Essential Fatty Acids, 1997, 56, 331-334.	2.2	36
71	Free Radical Enhancement Promotes Leucocyte Recruitment Through a PAF and LTB4 Dependent Mechanism. Free Radical Biology and Medicine, 1997, 22, 947-954.	2.9	56
72	Differential effect of nitric oxide inhibition as a function of preservation period in pancreas transplantation. Digestive Diseases and Sciences, 1997, 42, 962-971.	2.3	11

#	ARTICLE	IF	CITATIONS
73	Protective effect of preconditioning on the injury associated to hepatic ischemia-reperfusion in the rat: Role of nitric oxide and adenosine. <i>Hepatology</i> , 1997, 25, 934-937.	7.3	306
74	Intestinal Preconditioning Is Mediated by a Transient Increase in Nitric Oxide. <i>Biochemical and Biophysical Research Communications</i> , 1996, 222, 27-32.	2.1	167
75	Liver Ischemic Preconditioning Is Mediated by the Inhibitory Action of Nitric Oxide on Endothelin. <i>Biochemical and Biophysical Research Communications</i> , 1996, 229, 264-270.	2.1	163
76	Hepatic involvement in pancreatitis-induced lung damage. <i>American Journal of Physiology - Renal Physiology</i> , 1996, 270, G6-G13.	3.4	26
77	Calcium Channel Blockers in Experimental Acute Pancreatitis. <i>Pancreas</i> , 1996, 12, 178-182.	1.1	4
78	Nitric oxide enhances 12-HETE versus LTB4 generation in pancreatic transplantation. <i>Inflammation</i> , 1996, 20, 23-31.	3.8	7
79	Role of xanthine oxidase and eicosanoids in development of pancreatic ischemia-reperfusion injury. <i>Inflammation</i> , 1995, 19, 469-478.	3.8	12
80	Prostanoids and cyclosporin-mediated nephrotoxicity in rats: A critical appraisal. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1995, 52, 49-53.	2.2	2
81	A bradykinin antagonist inhibited nitric oxide generation and thromboxane biosynthesis in acute pancreatitis. <i>Prostaglandins</i> , 1995, 49, 285-294.	1.2	11
82	Altered levels of urinary prostanoids in lead-exposed workers. <i>Toxicology Letters</i> , 1995, 77, 309-312.	0.8	13
83	NITRIC OXIDE AND ARACHIDONATE METABOLISM IN ISCHEMIA-REPERFUSION ASSOCIATED WITH PANCREAS TRANSPLANTATION. <i>Transplantation</i> , 1995, 59, 417-421.	1.0	30
84	Nitric oxide and arachidonate metabolism in ischemia-reperfusion associated with pancreas transplantation. <i>Transplantation</i> , 1995, 59, 417-21.	1.0	9
85	NITRIC OXIDE AND ARACHIDONATE METABOLISM IN ISCHEMIA-REPERFUSION ASSOCIATED WITH PANCREAS TRANSPLANTATION. <i>Transplantation</i> , 1995, 59, 417-421.	1.0	3
86	Xanthine oxidase activation in cerulein-and taurocholate-induced acute pancreatitis in rats. <i>Archives Internationales De Physiologie, De Biochimie Et De Biophysique</i> , 1994, 102, 167-170.	0.1	20
87	Pancreas Lipoxygenase Arachidonic Acid Metabolites Production in Streptozotocin-Induced Diabetes in Rats. <i>Hormone and Metabolic Research</i> , 1994, 26, 387-388.	1.5	4
88	Prostanoid generation in early stages of acute pancreatitis: A role for nitric oxide. <i>Inflammation</i> , 1994, 18, 469-480.	3.8	23
89	Prostanoids and oxygen free radicals in early stages of experimental acute pancreatitis. <i>Digestive Diseases and Sciences</i> , 1994, 39, 1537-1543.	2.3	11
90	Liver lipoxygenase arachidonic acid metabolites in streptozotocin-induced diabetes in rats. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1994, 51, 411-413.	2.2	7

#	ARTICLE	IF	CITATIONS
91	THE IMPACT OF ARTERIALIZATION ON PROSTANOID GENERATION AFTER LIVER TRANSPLANTATION IN THE RAT1. Transplantation, 1994, 58, 140-143.	1.0	0
92	EFFECT OF A PLATELET-ACTIVATING FACTOR ANTAGONIST AND DESFERRIOXAMINE ADMINISTRATION ON EICOSANOID PRODUCTION IN RAT PANCREAS TRANSPLANTATION. Transplantation, 1994, 57, 12-16.	1.0	8
93	Nephron target sites in chronic exposure to lead. Nephrology Dialysis Transplantation, 1994, 9, 1740-6.	0.7	11
94	Arachidonate metabolism in ischemia-reperfusion associated with pancreas transplantation. Journal of Lipid Mediators and Cell Signalling, 1994, 9, 135-43.	0.9	7
95	Application of totally automated on-line sample clean up system for extraction and high-performance liquid chromatography separation of peptide leukotrienes. Journal of Pharmaceutical and Biomedical Analysis, 1993, 11, 1135-1139.	2.8	7
96	Changes of systemic prostacyclin and thromboxane A2 in sodium taurocholate-and cerulein-induced acute pancreatitis in rats. Digestive Diseases and Sciences, 1993, 38, 33-38.	2.3	15
97	Application of totally automated on-line sample clean up for prostanoid extraction and HPLC separation. Chromatographia, 1993, 36, 33-38.	1.3	7
98	Altered leukotriene B4 levels by HL-60 cells after monocytic/macrophage differentiation. Agents and Actions, 1993, 40, 72-77.	0.7	3
99	Liquid chromatography and radioimmunoassay method for the determination of prostaglandins E1 and E2 in rat embryo incubates. Journal of Chromatography A, 1993, 655, 85-88.	3.7	10
100	Cyclooxygenase and lipoxygenase metabolism in sodium taurocholate induced acute hemorrhagic pancreatitis in rats. Prostaglandins, 1993, 45, 315-322.	1.2	16
101	Markers of early renal changes induced by industrial pollutants. I. Application to workers exposed to mercury vapour.. Occupational and Environmental Medicine, 1993, 50, 17-27.	2.8	45
102	Altered systemic and tissue prostacyclin in cerulein induced acute pancreatitis in rats. Prostaglandins Leukotrienes and Essential Fatty Acids, 1992, 46, 261-264.	2.2	1
103	Pancreas prostanoid production in ischemia and reperfusion. Prostaglandins, 1992, 43, 497-501.	1.2	3
104	Solid-phase extraction of prostanoids using an automatic sample preparation system. Journal of Chromatography A, 1992, 607, 239-243.	3.7	5
105	Human and experimental studies on renal eicosanoid response to long-term cadmium exposure. Toxicology and Applied Pharmacology, 1992, 116, 155-160.	2.8	5
106	Altered levels of tissue and urinary prostacyclin in rats subjected to pancreas transplantation. Prostaglandins, 1991, 41, 529-536.	1.2	4
107	TISSULAR PROSTANOID RELEASE, PHOSPHOLIPASE A2 ACTIVITY, AND LIPID PEROXIDATION IN PANCREAS TRANSPLANTATION. Transplantation, 1991, 51, 987-989.	1.0	34
108	Protaglandin E2 and thromboxane B2 levels in rats subjected to pancreas transplantation. Prostaglandins, 1990, 39, 53-60.	1.2	17

#	ARTICLE	IF	CITATIONS
109	Free radical ablation prevents ischemic injury after long periods of cold storage in rat pancreas transplantation. <i>Transplantation Proceedings</i> , 1990, 22, 2241-2.	0.6	2
110	Modern high-performance liquid chromatographic-radioimmunoassay strategies for the study of eicosanoids in biological samples. <i>Biomedical Applications</i> , 1989, 492, 223-250.	1.7	39
111	Instrumentation system for in vivo organ studies. , 0, , .		6