

Rdk Misra

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11125635/rdk-misra-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

9,020
citations

49
h-index

93
g-index

124
ext. papers

9,753
ext. citations

6
avg, IF

6.4
L-index

#	Paper	IF	Citations
124	Competing deformation mechanisms in an austenite-ferrite medium-Mn steel at different strain rates. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 818, 141357	5.3	5
123	Hydrogen diffusivity in different microstructural components in martensite matrix with retained austenite. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 8269-8284	6.7	2
122	On the structure-property relationship in a novel 1000MPa hot-rolled TRIP steel with strain-assisted ferrite transformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 821, 141594	5.3	2
121	Structure-property relationship in novel low carbon hot-rolled TRIP steels via thermo-mechanical controlled processing and coiling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 771, 138643	5.3	7
120	Microstructural evolution and mechanical properties of 9Mn steel during warm/cold rolling and subsequent intercritical annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 796, 140051	5.3	2
119	The significant impact of phase fraction and austenite stability on the mechanical properties of a low-alloyed TRIP-aided steel: An insight into experimental analysis and predictions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 759, 40-46	5.3	15
118	Effect of Ti variation on microstructure evolution and mechanical properties of low carbon medium Mn heavy plate steel. <i>Materials Characterization</i> , 2019 , 152, 21-35	3.9	27
117	Combining a novel cyclic pre-quenching and two-stage heat treatment in a low-alloyed TRIP-aided steel to significantly enhance mechanical properties through microstructural refinement. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 764, 138231	5.3	7
116	Effect of prior austenite on reversed austenite stability and mechanical properties of low carbon medium manganese steel heavy plate. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2019 , 50, 1221-1231	0.9	
115	On the dynamic behavior and relationship to mechanical properties of cold-rolled Fe-0.2C-15Mn-3Al steel at intermediate strain rate. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 742, 423-431	5.3	4
114	The impact of intercritical annealing in conjunction with warm deformation process on microstructure, mechanical properties and TRIP effect in medium-Mn TRIP steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 746, 363-371	5.3	31
113	The influence of microstructural characteristics on yield point elongation phenomenon in Fe-0.2C-11Mn-2Al steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 739, 17-25	5.3	19
112	Influence of annealing temperature on microstructure and tensile property of cold-rolled Fe-0.2C-11Mn-6Al steel. <i>Materials Characterization</i> , 2018 , 137, 256-262	3.9	24
111	Effect of intercritical rolling temperature on microstructure-mechanical property relationship in a medium Mn-TRIP steel containing δ -ferrite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 720, 1-10	5.3	19
110	Austenite stability and mechanical properties of a low-alloyed ECAPed TRIP-aided steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 724, 95-102	5.3	16
109	Multiphase bainite - martensite steels: The significant impact of niobium microalloying on structure and mechanical behavior. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 730, 262-269	5.3	5
108	Effect of hot rolling temperature on the microstructure and mechanical properties of ultra-low carbon medium manganese steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 731, 149-155	5.3	14

107	Effect of inorganic nanofillers on the impact behavior and fracture probability of industrial high-density polyethylene nanocomposite. <i>Journal of Composite Materials</i> , 2018 , 52, 2431-2442	2.7	8
106	Structure-property relationships in heat-affected zone of gas-shielded arc-welded V-N microalloyed steel. <i>Journal of Iron and Steel Research International</i> , 2018 , 25, 1244-1254	1.2	5
105	Effect of two-step intercritical annealing on microstructure and mechanical properties of hot-rolled medium manganese TRIP steel containing δ -ferrite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 688, 40-55	5.3	40
104	Correlation between deformation behavior and austenite characteristics in a Mn-Al type TRIP steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 698, 126-135	5.3	32
103	Effect of heat input on microstructure and properties of hybrid fiber laser-arc weld joints of the 800 MPa hot-rolled Nb-Ti-Mo microalloyed steels. <i>Optics and Lasers in Engineering</i> , 2017 , 91, 86-96	4.6	24
102	Evolution of crystal structure of Cu precipitates in a low carbon steel. <i>Materials and Design</i> , 2017 , 135, 92-101	8.1	55
101	Interplay between reversed austenite and plastic deformation in a directly quenched and intercritically annealed 0.04C-5Mn low-Al steel. <i>Journal of Alloys and Compounds</i> , 2017 , 695, 2072-2082	5.7	29
100	Austenite stability and its effect on the toughness of a high strength ultra-low carbon medium manganese steel plate. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 675, 153-163	5.3	86
99	On the determining role of acicular ferrite in V-N microalloyed steel in increasing strength-toughness combination. <i>Materials Characterization</i> , 2016 , 118, 446-453	3.9	30
98	Determination of the mechanical, thermal and physical properties of nano-CaCO ₃ filled high-density polyethylene nanocomposites produced in an industrial scale. <i>Journal of Composite Materials</i> , 2016 , 50, 3445-3456	2.7	17
97	The potential significance of microalloying with niobium in governing very high cycle fatigue behavior of bainite/martensite multiphase steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 650, 438-444	5.3	29
96	Interplay between deformation behavior and mechanical properties of intercritically annealed and tempered medium-manganese transformation-induced plasticity steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 654, 359-367	5.3	30
95	Influence of grain structure on the deformation mechanism in martensitic shear reversion-induced Fe-16Cr-10Ni model austenitic alloy with low interstitial content: Coarse-grained versus nano-grained/ultrafine-grained structure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 661, 51-60	5.3	22
94	Investigation of mechanical, thermal and surface properties of nanoclay/HDPE nanocomposites produced industrially by melt mixing approach. <i>Journal of Composite Materials</i> , 2016 , 50, 3105-3116	2.7	27
93	Strain hardening behavior of nanograined/ultrafine-grained (NG/UFG) austenitic 16Cr-10Ni stainless steel and its relationship to austenite stability and deformation behavior. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 649, 153-157	5.3	25
92	A comparative study of the microstructure and properties of 800 MPa microalloyed C-Mn steel welded joints by laser and gas metal arc welding. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 669, 150-158	5.3	33
91	The determining impact of coiling temperature on the microstructure and mechanical properties of a titanium-niobium ultrahigh strength microalloyed steel: Competing effects of precipitation and bainite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 665, 1-9	5.3	12
90	Microstructure and deformation behavior of the hot-rolled medium manganese steels with varying aluminum-content. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 676, 263-270	5.3	21

89	Effect of microalloying with molybdenum and boron on the microstructure and mechanical properties of ultra-low-C Ti bearing steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 640, 259-266	5.3	14
88	Austenite stability and deformation behavior in a cold-rolled transformation-induced plasticity steel with medium manganese content. <i>Acta Materialia</i> , 2015 , 84, 229-236	8.4	255
87	Interplay between grain structure, deformation mechanisms and austenite stability in phase-reversion-induced nanogained/ultrafine-grained austenitic ferrous alloy. <i>Acta Materialia</i> , 2015 , 84, 339-348	8.4	112
86	Influence of cooling rate on the precipitation behavior in TiNbMo microalloyed steels during continuous cooling and relationship to strength. <i>Materials Characterization</i> , 2015 , 102, 146-155	3.9	46
85	Relationship of grain size and deformation mechanism to the fracture behavior in high strength-high ductility nanostructured austenitic stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 626, 41-50	5.3	40
84	The effect of coiling temperature on the microstructure and mechanical properties of a niobium-titanium microalloyed steel processed via thin slab casting. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 595, 143-153	5.3	28
83	Unique impact of ferrite in influencing austenite stability and deformation behavior in a hot-rolled FeMnAlC steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 595, 86-91	5.3	53
82	Unique serrated flow dependence of critical stress in a hot-rolled FeMnAlC steel. <i>Scripta Materialia</i> , 2014 , 71, 5-8	5.6	49
81	Structure-property relationship in a 960 MPa grade ultrahigh strength low carbon niobium-vanadium microalloyed steel: The significance of high frequency induction tempering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 618, 112-117	5.3	32
80	Microstructure and mechanical properties of a novel 1000MPa grade TMCP low carbon microalloyed steel with combination of high strength and excellent toughness. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 612, 123-130	5.3	43
79	Strain hardening behavior of phase reversion-induced nanogained/ultrafine-grained (NG/UFG) austenitic stainless steel and relationship with grain size and deformation mechanism. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 613, 60-70	5.3	56
78	Copper precipitation and its impact on mechanical properties in a low carbon microalloyed steel processed by a three-step heat treatment. <i>Materials & Design</i> , 2014 , 63, 42-49		28
77	Effect of weld peak temperature on the microstructure, hardness, and transformation kinetics of simulated heat affected zone of hot rolled ultra-low carbon high strength TiMo ferritic steel. <i>Materials & Design</i> , 2014 , 60, 302-309		29
76	Significance of interplay between austenite stability and deformation mechanisms in governing three-stage work hardening behavior of phase-reversion induced nanogained/ultrafine-grained (NG/UFG) stainless steels with high strength-high ductility combination. <i>Scripta Materialia</i> , 2014 , 84, 68-73	5.6	69
75	Nanoscale elastic-plastic deformation in clay-reinforced nanostructured materials: The response of phase and structural morphology. <i>Journal of Composite Materials</i> , 2014 , 48, 385-405	2.7	8
74	Structure-mechanical property relationship in a high strength microalloyed steel with low yield ratio: The effect of tempering temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 609, 209-216	5.3	24
73	Structure-mechanical property relationship in low carbon microalloyed steel plate processed using controlled rolling and two-stage continuous cooling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 585, 197-204	5.3	53
72	Microstructural evolution and mechanical properties of high strength microalloyed steels: Ultra Fast Cooling (UFC) versus Accelerated Cooling (ACC). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 580, 257-265	5.3	53

71	Degradation mechanism and increased stability of chitosan-based hybrid scaffolds cross-linked with nanostructured carbon: Process-structure-functional property relationship. <i>Polymer Degradation and Stability</i> , 2013 , 98, 2331-2339	4.7	48
70	Significance of control of austenite stability and three-stage work-hardening behavior of an ultrahigh strength-high ductility combination transformation-induced plasticity steel. <i>Scripta Materialia</i> , 2013 , 68, 865-868	5.6	75
69	The interplay between nanostructured carbon-grafted chitosan scaffolds and protein adsorption on the cellular response of osteoblasts: structure-function property relationship. <i>Acta Biomaterialia</i> , 2013 , 9, 6084-94	10.8	95
68	The influence of grain size on the strain-induced martensite formation in tensile straining of an austenitic 15Cr9Mn2NiCu stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 578, 408-416	5.3	106
67	Mechanics of nanoscale surface deformation in polypropylene-clay nanocomposite. <i>Mechanics of Materials</i> , 2012 , 45, 103-116	3.3	10
66	Hybrid nanostructured drug carrier with tunable and controlled drug release. <i>Materials Science and Engineering C</i> , 2012 , 32, 1704-9	8.3	19
65	Controlled release of drug from folate-decorated and graphene mediated drug delivery system: Synthesis, loading efficiency, and drug release response. <i>Materials Science and Engineering C</i> , 2011 , 31, 1305-1312	8.3	324
64	A new family of folate-decorated and carbon nanotube-mediated drug delivery system: synthesis and drug delivery response. <i>Advanced Drug Delivery Reviews</i> , 2011 , 63, 1332-9	18.5	139
63	Organic/inorganic hybrid network structure nanocomposite scaffolds based on grafted chitosan for tissue engineering. <i>Acta Biomaterialia</i> , 2011 , 7, 2163-75	10.8	107
62	Structure-process-property relationship of the polar graphene oxide-mediated cellular response and stimulated growth of osteoblasts on hybrid chitosan network structure nanocomposite scaffolds. <i>Acta Biomaterialia</i> , 2011 , 7, 3432-45	10.8	328
61	The role of nanocrystalline titania coating on nanostructured austenitic stainless steel in enhancing osteoblasts functions for regeneration of tissue. <i>Materials Science and Engineering C</i> , 2011 , 31, 458-471	8.3	11
60	Micromechanism of surface and sub-surface deformation behavior of high density polyethylene containing dispersion of nanoparticles: An electron microscopy study and indenter-substrate interaction. <i>Mechanics of Materials</i> , 2011 , 43, 254-268	3.3	8
59	Structure-property relationship in impact modified nanoclay-reinforced polypropylene. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 1857-1863	5.3	14
58	The effect of nitrogen on the formation of phase reversion-induced nanogained/ultrafine-grained structure and mechanical behavior of a CrNi steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 1889-1896	5.3	17
57	Controlled and extended drug release behavior of chitosan-based nanoparticle carrier. <i>Acta Biomaterialia</i> , 2010 , 6, 1140-8	10.8	227
56	Cellular activity of bioactive nanogained/ultrafine-grained materials. <i>Acta Biomaterialia</i> , 2010 , 6, 2826-35	5.8	26
55	Hierarchical structures and phase nucleation and growth during pressure-induced crystallization of polypropylene containing dispersion of nanoclay: The impact on physical and mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 2163-2181	5.3	16
54	Nanogained/Ultrafine-Grained Structure and Tensile Deformation Behavior of Shear Phase Reversion-Induced 301 Austenitic Stainless Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010 , 41, 2162-2174	2.3	85

53	The effect of crystallization pressure on macromolecular structure, phase evolution, and fracture resistance of nano-calcium carbonate-reinforced high density polyethylene. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6699-6713	5.3	14
52	Nanoparticle interface driven microstructural evolution and crystalline phases of polypropylene: The effect of nanoclay content on structure and physical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6002-6011	5.3	14
51	Martensite shear phase reversion-induced nanograined/ultrafine-grained Fe-16Cr-10Ni alloy: The effect of interstitial alloying elements and degree of austenite stability on phase reversion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7779-7792	5.3	73
50	New generation of chitosan-encapsulated ZnO quantum dots loaded with drug: synthesis, characterization and in vitro drug delivery response. <i>Acta Biomaterialia</i> , 2010 , 6, 2732-9	10.8	289
49	Biological significance of nanograined/ultrafine-grained structures: Interaction with fibroblasts. <i>Acta Biomaterialia</i> , 2010 , 6, 3339-48	10.8	34
48	Favorable Modulation of Pre-Osteoblast Response to Nanograined/Ultrafine-grained Structures in Austenitic Stainless Steel. <i>Advanced Materials</i> , 2009 , 21, 1280-1285	24	37
47	Chitosan-gelatin scaffolds for tissue engineering: physico-chemical properties and biological response of buffalo embryonic stem cells and transfectant of GFP-buffalo embryonic stem cells. <i>Acta Biomaterialia</i> , 2009 , 5, 3453-66	10.8	174
46	Microstructure and Deformation Behavior of Phase-Reversion-Induced Nanograined/Ultrafine-Grained Austenitic Stainless Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2009 , 40, 2498-2509	2.3	74
45	Synthesis, structure and properties of a novel hybrid bimodal network elastomer with inorganic cross-links: The case of silicone/nanocrystalline titania. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 523, 199-206	5.3	22
44	Biomimetic nanostructured coatings on nano-grained/ultrafine-grained substrate: Microstructure, surface adhesion strength, and biosolubility. <i>Materials Science and Engineering C</i> , 2009 , 29, 2417-2427	8.3	19
43	Biomimetic chitosan-nanohydroxyapatite composite scaffolds for bone tissue engineering. <i>Acta Biomaterialia</i> , 2009 , 5, 1182-97	10.8	545
42	Cellular response of preosteoblasts to nanograined/ultrafine-grained structures. <i>Acta Biomaterialia</i> , 2009 , 5, 1455-67	10.8	53
41	Superior in vitro biological response and mechanical properties of an implantable nanostructured biomaterial: Nanohydroxyapatite-silicone rubber composite. <i>Acta Biomaterialia</i> , 2009 , 5, 2668-79	10.8	35
40	Deformation processes during tensile straining of ultrafine/nanograined structures formed by reversion in metastable austenitic steels. <i>Scripta Materialia</i> , 2008 , 59, 79-82	5.6	114
39	On the chemical synthesis and drug delivery response of folate receptor-activated, polyethylene glycol-functionalized magnetite nanoparticles. <i>Acta Biomaterialia</i> , 2008 , 4, 40-8	10.8	225
38	Nanoscale near-surface deformation in polymer nanocomposites. <i>Acta Materialia</i> , 2008 , 56, 2089-2100	8.4	33
37	Enhanced antibactericidal function of W ⁴⁺ -doped titania-coated nickel ferrite composite nanoparticles: a biomaterial system. <i>Acta Biomaterialia</i> , 2008 , 4, 273-83	10.8	166
36	A stimulus-responsive magnetic nanoparticle drug carrier: magnetite encapsulated by chitosan-grafted-copolymer. <i>Acta Biomaterialia</i> , 2008 , 4, 1024-37	10.8	214

35	Nanoparticle effects during pressure-induced crystallization of polypropylene. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008 , 153, 88-95	3.1	21
34	Nanoparticle effects on spherulitic structure and phase formation in polypropylene crystallized at moderately elevated pressures: The influence on fracture resistance. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 480, 181-188	5.3	32
33	Nanoparticle effects on the crystallization of polyethylene at elevated pressures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 492, 434-442	5.3	15
32	Magnetic drug-targeting carrier encapsulated with thermosensitive smart polymer: core-shell nanoparticle carrier and drug release response. <i>Acta Biomaterialia</i> , 2007 , 3, 838-50	10.8	389
31	On striking variation in impact toughness of polyethylene/clay and polypropylene/clay nanocomposite systems: The effect of clay/polymer interaction. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 458, 150-157	5.3	90
30	On the fracture characteristics of impact tested high density polyethylene/calcium carbonate nanocomposites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 452-453, 592-601	5.3	42
29	The determining role of scratch indenter radius on surface deformation of high density polyethylene and calcium carbonate-reinforced composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 456, 218-229	5.3	19
28	High strength/toughness combination of melt intercalated nanoclay-reinforced thermoplastic olefins. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 460-461, 277-287	5.3	36
27	On the suitability of nanocrystalline ferrites as a magnetic carrier for drug delivery: functionalization, conjugation and drug release kinetics. <i>Acta Biomaterialia</i> , 2007 , 3, 233-42	10.8	247
26	On significant retention of impact strength in clay-reinforced high-density polyethylene (HDPE) nanocomposites. <i>Polymer</i> , 2006 , 47, 2133-2146	3.9	163
25	Antimicrobial function of Nd ³⁺ -doped anatase titania-coated nickel ferrite composite nanoparticles: a biomaterial system. <i>Acta Biomaterialia</i> , 2006 , 2, 421-32	10.8	197
24	On surface deformation of melt-intercalated polyethylene/clay nanocomposites during scratching. <i>Polymer Engineering and Science</i> , 2006 , 46, 1625-1634	2.3	29
23	On stress whitening during surface deformation in clay-containing polymer nanocomposites: A microstructural approach. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 418, 268-281	5.3	45
22	Impact fracture behavior of clay-reinforced polypropylene nanocomposites. <i>Polymer</i> , 2006 , 47, 4421-4433	3.9	192
21	Near surface deformation associated with the scratch in polypropylene/clay nanocomposite: A microscopic study. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 418, 292-302	5.3	30
20	On enhanced impact strength of calcium carbonate-reinforced high-density polyethylene composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 405, 178-193	5.3	58
19	Synthesis and characterization of nanoparticles with magnetic core and photocatalytic shell: Anatase TiO ₂ /NiFe ₂ O ₄ system. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2005 , 119, 144-151	3.1	195
18	Magnetic behavior of nanocrystalline nickel ferrite. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2005 , 121, 126-136	3.1	84

17	Anti-microbial active composite nanoparticles with magnetic core and photocatalytic shell: TiO ₂ -NiFe ₂ O ₄ biomaterial system. <i>Acta Biomaterialia</i> , 2005 , 1, 691-703	10.8	201
16	Microstructural evolution in a new 770MPa hot rolled NbTi microalloyed steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 394, 339-352	5.3	193
15	The determining role of calcium carbonate on surface deformation during scratching of calcium carbonate-reinforced polyethylene composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 404, 208-220	5.3	36
14	Superparamagnetic behaviour of nanocrystalline Ni _{1-x} Zn _x , Zn _{1-x} Mn _x and Ni _{1-x} Mn _x ferrites processed by reverse micelle method. <i>Materials Science and Technology</i> , 2004 , 20, 999-1005	1.5	10
13	Strain rate sensitivity of homopolymer polypropylenes and micrometric wollastonite-filled polypropylene composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 368, 191-204	5.3	40
12	The influence of loading rate and concurrent microstructural evolution in micrometric talc- and wollastonite-reinforced high isotactic polypropylene composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 374, 374-389	5.3	52
11	On the scratch deformation of micrometric wollastonite reinforced polypropylene composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 364, 357-369	5.3	67
10	Susceptibility to scratch surface damage of wollastonite- and talc-containing polypropylene micrometric composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 380, 326-339	5.3	55
9	A comparison of the magnetic characteristics of nanocrystalline nickel, zinc, and manganese ferrites synthesized by reverse micelle technique. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2004 , 111, 164-174	3.1	159
8	Magnetic properties of nanocrystalline Ni _{1-x} Zn _x , Zn _{1-x} Mn _x , and Ni _{1-x} Mn _x ferrites synthesized by reverse micelle technique. <i>Physica B: Condensed Matter</i> , 2004 , 348, 317-328	2.8	150
7	Magnetic behavior of nanocrystalline nickel ferrite synthesized by the reverse micelle technique. <i>Journal of Magnetism and Magnetic Materials</i> , 2004 , 277, 350-358	2.8	253
6	Magnetic behavior of nickel ferrite/polyethylene nanocomposites synthesized by mechanical milling process. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2004 , 111, 95-100	3.1	43
5	The role of micrometric wollastonite particles on stress whitening behavior of polypropylene composites. <i>Acta Materialia</i> , 2004 , 52, 1683-1697	8.4	70
4	On the reduced susceptibility to stress whitening behavior of melt intercalated polybutene ₂ /clay nanocomposites during tensile straining. <i>Acta Materialia</i> , 2004 , 52, 3217-3227	8.4	74
3	Surface damage behavior during scratch deformation of mineral reinforced polymer composites. <i>Acta Materialia</i> , 2004 , 52, 4363-4376	8.4	103
2	Some aspects of surface deformation and fracture of 50% calcium carbonate-reinforced polyethylene composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 384, 284-298	5.3	41
1	Ultrahigh strength hot rolled microalloyed steels: microstructural aspects of development. <i>Materials Science and Technology</i> , 2001 , 17, 1119-1129	1.5	83