## Lucile Musset

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11132689/publications.pdf

Version: 2024-02-01

76 papers 8,510 citations

39 h-index 71532 76 g-index

78 all docs 78 docs citations

78 times ranked 10183 citing authors

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Guillain-Barré Syndrome outbreak associated with Zika virus infection in French Polynesia: a case-control study. Lancet, The, 2016, 387, 1531-1539.   | 6.3 | 1,913     |
| 2  | Extrahepatic Manifestations Associated with Hepatitis C Virus Infection: A Prospective Multicenter Study of 321 Patients. Medicine (United States), 2000, 79, 47-56.  | 0.4 | 483       |
| 3  | Cryoglobulinemia in chronic liver diseases: Role of hepatitis C virus and liver damage.<br>Gastroenterology, 1994, 106, 1291-1300.  | 0.6 | 433       |
| 4  | Development of a New Classification System for Idiopathic Inflammatory Myopathies Based on Clinical Manifestations and Myositis-Specific Autoantibodies. JAMA Neurology, 2018, 75, 1528.  | 4.5 | 301       |
| 5  | Human FoxP3+ regulatory T cells in systemic autoimmune diseases. Autoimmunity Reviews, 2011, 10, 744-755.   | 2.5 | 298       |
| 6  | Detection of interferon alpha protein reveals differential levels and cellular sources in disease. Journal of Experimental Medicine, 2017, 214, 1547-1555.  | 4.2 | 288       |
| 7  | Low blood concentration of hydroxychloroquine is a marker for and predictor of disease exacerbations in patients with systemic lupus erythematosus. Arthritis and Rheumatism, 2006, 54, 3284-3290.  | 6.7 | 274       |
| 8  | Rituximab plus Peg-interferon-α/ribavirin compared with Peg-interferon-α/ribavirin in hepatitis C–related mixed cryoglobulinemia. Blood, 2010, 116, 326-334.  | 0.6 | 248       |
| 9  | Presence of antinucleosome autoantibodies in a restricted set of connective tissue diseases:<br>Antinucleosome antibodies of the IgG3 subclass are markers of renal pathogenicity in systemic lupus erythematosus. Arthritis and Rheumatism, 2000, 43, 76-84. | 6.7 | 237       |
| 10 | Anti-HMGCR Autoantibodies in European Patients With Autoimmune Necrotizing Myopathies. Medicine (United States), 2014, 93, 150-157.   | 0.4 | 235       |
| 11 | Hierarchical cluster and survival analyses of antisynthetase syndrome: Phenotype and outcome are correlated with anti-tRNA synthetase antibody specificity. Autoimmunity Reviews, 2012, 12, 210-217.  | 2.5 | 233       |
| 12 | Mixed cryoglobulinemia and hepatitis C virus. American Journal of Medicine, 1994, 96, 124-132.  | 0.6 | 226       |
| 13 | High risk of cancer in autoimmune necrotizing myopathies: usefulness of myositis specific antibody. Brain, 2016, 139, 2131-2135.  | 3.7 | 202       |
| 14 | Critical role of IL-21 in modulating TH17 and regulatory TÂcells in Behçet disease. Journal of Allergy and Clinical Immunology, 2011, 128, 655-664.   | 1.5 | 196       |
| 15 | Correlation of anti-signal recognition particle autoantibody levels with creatine kinase activity in patients with necrotizing myopathy. Arthritis and Rheumatism, 2011, 63, 1961-1971.   | 6.7 | 168       |
| 16 | Placebo-controlled trial of rituximab in IgM anti-myelin–associated glycoprotein neuropathy. Neurology, 2013, 80, 2217-2225.  | 1.5 | 167       |
| 17 | Hydroxychloroquine in systemic lupus erythematosus: results of a French multicentre controlled trial (PLUS Study). Annals of the Rheumatic Diseases, 2013, 72, 1786-1792.   | 0.5 | 160       |
| 18 | Restoration of regulatory and effector T cell balance and B cell homeostasis in systemic lupus erythematosus patients through vitamin D supplementation. Arthritis Research and Therapy, 2012, 14, R221.  | 1.6 | 156       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Interleukinâ€21 modulates Th1 and Th17 responses in giant cell arteritis. Arthritis and Rheumatism, 2012, 64, 2001-2011.   | 6.7 | 147       |
| 20 | Sofosbuvir plus ribavirin for hepatitis C virus-associated cryoglobulinaemia vasculitis: VASCUVALDIC study. Annals of the Rheumatic Diseases, 2016, 75, 1777-1782.   | 0.5 | 136       |
| 21 | Rituximab may form a complex with iGml̂º mixed cryoglobulin and induce severe systemic reactions in patients with hepatitis C virus–induced vasculitis. Arthritis and Rheumatism, 2009, 60, 3848-3855.       | 6.7 | 129       |
| 22 | Efficacy and Safety of Sofosbuvir Plus Daclatasvir for Treatment of HCV-Associated Cryoglobulinemia Vasculitis. Gastroenterology, 2017, 153, 49-52.e5.   | 0.6 | 125       |
| 23 | Anti-HMGCR antibodies as a biomarker for immune-mediated necrotizing myopathies: A history of statins and experience from a large international multi-center study. Autoimmunity Reviews, 2016, 15, 983-993. | 2.5 | 105       |
| 24 | PegIFNα/ribavirin/protease inhibitor combination in severe hepatitis C virus-associated mixed cryoglobulinemia vasculitis. Journal of Hepatology, 2015, 62, 24-30.   | 1.8 | 86        |
| 25 | Efficacy of Rituximab in Refractory Inflammatory Myopathies Associated with Anti- Synthetase Auto-Antibodies: An Open-Label, Phase II Trial. PLoS ONE, 2015, 10, e0133702.                                   | 1.1 | 84        |
| 26 | Direct-Acting Antiviral Therapy Restores Immune Tolerance to Patients With Hepatitis C Virus–Induced Cryoglobulinemia Vasculitis. Gastroenterology, 2017, 152, 2052-2062.e2.                                 | 0.6 | 81        |
| 27 | Dermatomyositis With or Without Anti-Melanoma Differentiation-Associated Gene 5 Antibodies.<br>American Journal of Pathology, 2016, 186, 691-700.  | 1.9 | 78        |
| 28 | Role of Regulatory T Cells in a New Mouse Model of Experimental Autoimmune Myositis. American Journal of Pathology, 2009, 174, 989-998.  | 1.9 | 74        |
| 29 | Hepatitis C virus genotypes and subtypes in patients with hepatitis C, with and without cryoglobulinemia. Journal of Hepatology, 1996, 25, 427-432.  | 1.8 | 69        |
| 30 | Clinical Phenotypes of Patients with Anti-DFS70/LEDGF Antibodies in a Routine ANA Referral Cohort. Clinical and Developmental Immunology, 2013, 2013, 1-8.   | 3.3 | 65        |
| 31 | Th1 Response and Systemic Treg Deficiency in Inclusion Body Myositis. PLoS ONE, 2014, 9, e88788.   | 1.1 | 65        |
| 32 | Anti-endothelial cell auto-antibodies in hepatitis C virus mixed cryoglobulinemia. Journal of Hepatology, 1999, 31, 598-603.   | 1.8 | 60        |
| 33 | Exploring necrotizing autoimmune myopathies with a novel immunoassay for anti-3-hydroxy-3-methyl-glutaryl-CoA reductase autoantibodies. Arthritis Research and Therapy, 2014, 16, R39.                       | 1.6 | 57        |
| 34 | Lower vitamin D levels are associated with higher systemic lupus erythematosus activity, but not predictive of disease flare-up. Lupus Science and Medicine, 2014, 1, e000027.                               | 1.1 | 54        |
| 35 | Antisynthetase Syndrome with Anti-Jo1 Antibodies in 48 Patients: Pulmonary Involvement Predicts Disease-modifying Antirheumatic Drug Use. Journal of Rheumatology, 2012, 39, 1835-1839.                      | 1.0 | 48        |
| 36 | Heterogeneous spectrum of neuropathies in Waldenström's macroglobulinemia: a diagnostic strategy to optimize their management. Journal of the Peripheral Nervous System, 2012, 17, 90-101.                   | 1.4 | 47        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Relevance of diagnostic investigations in patients with uveitis: Retrospective cohort study on 300 patients. Autoimmunity Reviews, 2017, 16, 504-511.  | 2.5 | 46        |
| 38 | Serum-free light chain elevation is associated with a shorter time to treatment in Waldenstrom's macroglobulinemia. Haematologica, 2008, 93, 793-794.  | 1.7 | 42        |
| 39 | Analysis of Autoantibodies to 3-Hydroxy-3-methylglutaryl-coenzyme A Reductase Using Different Technologies. Journal of Immunology Research, 2014, 2014, 1-8.   | 0.9 | 41        |
| 40 | Hepatitis C virus infection and cryoglobulinemia. Journal of Hepatology, 1998, 29, 848-855.  | 1.8 | 37        |
| 41 | Regulatory T Cell Responses to High-Dose Methylprednisolone in Active Systemic Lupus Erythematosus. PLoS ONE, 2015, 10, e0143689.  | 1.1 | 37        |
| 42 | Frequent Joining of Bcl-2 to a JH6 Gene in Hepatitis C Virus-Associated t(14;18). Journal of Immunology, 2004, 173, 3549-3556.   | 0.4 | 35        |
| 43 | How to report the antinuclear antibodies (anti-cell antibodies) test on HEp-2 cells: guidelines from the ICAP initiative. Immunologic Research, 2021, 69, 594-608.   | 1.3 | 34        |
| 44 | The International Consensus on ANA Patterns (ICAP) in 2021â€"The 6th Workshop and Current Perspectives. journal of applied laboratory medicine, The, 2022, 7, 322-330.   | 0.6 | 31        |
| 45 | Immunotherapy-based regimen in anti-MAG neuropathy: results in 45 patients. Haematologica, 2013, 98, e155-e157.  | 1.7 | 30        |
| 46 | Presentation and outcome of gastrointestinal involvement in hepatitis C virus-related systemic vasculitis: a case–control study from a single-centre cohort of 163 patients. Gut, 2010, 59, 1709-1715.           | 6.1 | 28        |
| 47 | Anti-MDA5 juvenile idiopathic inflammatory myopathy: a specific subgroup defined by differentially enhanced interferon-α signalling. Rheumatology, 2020, 59, 1927-1937.  | 0.9 | 26        |
| 48 | Longâ€term efficacy of rituximab in IgM antiâ€myelinâ€associated glycoprotein neuropathy: RIMAG followâ€up study. Journal of the Peripheral Nervous System, 2016, 21, 10-14.                                     | 1.4 | 25        |
| 49 | Risk factors for hydroxychloroquine retinopathy in systemic lupus erythematosus: a case–control study with hydroxychloroquine blood-level analysis. Rheumatology, 2020, 59, 3807-3816.                           | 0.9 | 24        |
| 50 | Systemic Vasculitis in Patients with Hepatitis C Virus Infection with and without Detectable Mixed Cryoglobulinemia. Journal of Rheumatology, 2011, 38, 104-110.   | 1.0 | 23        |
| 51 | Cryoglobulinemia after the era of chronic hepatitis C infection. Seminars in Arthritis and Rheumatism, 2020, 50, 695-700.  | 1.6 | 23        |
| 52 | Pattern of HCV antibodies with special reference to NS5A reactivity in HCV-infected patients: relation to viral genotype, cryoglobulinemia and response to interferon. Journal of Hepatology, 1998, 28, 538-543. | 1.8 | 21        |
| 53 | Vasculopathy-related clinical and pathological features are associated with severe juvenile dermatomyositis. Rheumatology, 2016, 55, kev359.   | 0.9 | 21        |
| 54 | Rituximab-associated Vasculitis Flare: Incidence, Predictors, and Outcome. Journal of Rheumatology, 2020, 47, 896-902.   | 1.0 | 21        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | From ANA-screening to antigen-specificity: an EASI-survey on the daily practice in European countries. Clinical and Experimental Rheumatology, 2014, 32, 539-46.                               | 0.4 | 21        |
| 56 | Guillain–Barre syndrome: First description of a snake envenomation aetiology. Journal of Neuroimmunology, 2012, 242, 72-77.  | 1.1 | 20        |
| 57 | Serum biomarker signature identifies patients with B-cell non-Hodgkin lymphoma associated with cryoglobulinemia vasculitis in chronic HCV infection. Autoimmunity Reviews, 2014, 13, 319-326.  | 2.5 | 20        |
| 58 | Surrogate markers of B cell non-Hodgkin's lymphoma in patients with hepatitis C virus-related cryoglobulinaemia vasculitis. Annals of the Rheumatic Diseases, 2010, 69, 2177-2180.             | 0.5 | 19        |
| 59 | Hydroxychloroquine levels in patients with systemic lupus erythematosus: whole blood is preferable but serum levels also detect non-adherence. Arthritis Research and Therapy, 2020, 22, 223.  | 1.6 | 18        |
| 60 | Parvovirus B19 infection, hepatitis C virus infection, and mixed cryoglobulinaemia. Annals of the Rheumatic Diseases, 1998, 57, 422-424.   | 0.5 | 17        |
| 61 | Thrombophilia Associated with Anti-DFS70 Autoantibodies. PLoS ONE, 2015, 10, e0138671.   | 1.1 | 17        |
| 62 | Quality and best practice in medical laboratories: specific requests for autoimmunity testing. Autoimmunity Highlights, 2020, 11, 12.  | 3.9 | 16        |
| 63 | Anti-mitochondrial antibodies are not a hallmark of severity in idiopathic inflammatory myopathies. Joint Bone Spine, 2018, 85, 375-376.   | 0.8 | 14        |
| 64 | Increased serum immunoglobulin G1 levels in hepatitis C virus infection. Hepatology, 1995, 21, 1755-1757.  | 3.6 | 12        |
| 65 | Detection in whole blood of autoantibodies for the diagnosis of connective tissue diseases in near patient testing condition. PLoS ONE, 2018, 13, e0202736.                                    | 1.1 | 12        |
| 66 | Testing anti-neutrophil cytoplasmic antibodies (ANCA): analysis of the European EASI survey on the daily practice of the French laboratories. Annales De Biologie Clinique, 2017, 75, 531-541. | 0.2 | 6         |
| 67 | Precision of autoantibody assays in clinical diagnostic laboratories: What is the reality?. Clinical Biochemistry, 2020, 83, 57-64.  | 0.8 | 6         |
| 68 | Severe Acute Flaccid Myelitis Associated With Enterovirus in Children: Two Phenotypes for Two Evolution Profiles?. Frontiers in Neurology, 2020, 11, 343.                                      | 1.1 | 6         |
| 69 | Immunochemotherapy versus rituximab in antiâ€myelinâ€associated glycoprotein neuropathy: A report of 64 patients. British Journal of Haematology, 2022, , .                                    | 1.2 | 6         |
| 70 | Variations of serum IgG subclass levels in hepatitis C virus infection during interferon- $\hat{l}_{\pm}$ therapy. Immunology Letters, 1997, 55, 41-45.  | 1.1 | 5         |
| 71 | Making the Diagnosis of Myositis: Laboratory Testing in Myositis. , 2020, , 161-166.   |     | 3         |
| 72 | Hevylite, a Novel M-Component Based Biomarkers of Response to Therapy and Survival in Waldenstrom Macroglobulinemia. Blood, 2011, 118, 2667-2667.  | 0.6 | 2         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Systemic Diseases. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 1912-1915.  | 2.2 | 1         |
| 74 | Absence of HCV RNA in serum and cryoprecipitate of patients with persisting mixed cryoglobulinaemia vasculitis after directâ€acting antiviral agents. GastroHep, 2019, 1, 134-137. | 0.3 | 1         |
| 75 | Repository of intra- and inter-run variations of quantitative autoantibody assays: a European multicenter study. Clinical Chemistry and Laboratory Medicine, 2022, 60, 1373-1383.  | 1.4 | 1         |
| 76 | Anti-MAG Neuropathy: a Single Center Retrospective Study In 61 Patients. Blood, 2010, 116, 3951-3951.  | 0.6 | 0         |