

# Abolfazl Hosseini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11139538/publications.pdf>

Version: 2024-02-01

68  
papers

2,157  
citations

279487

23  
h-index

233125

45  
g-index

68  
all docs

68  
docs citations

68  
times ranked

1695  
citing authors

#	ARTICLE	IF	CITATIONS
1	Robot-Assisted Radical Cystectomy with Intracorporeal Urinary Diversion in Patients with Transitional Cell Carcinoma of the Bladder. <i>European Urology</i> , 2011, 60, 1066-1073.	0.9	183
2	Outcomes of Intracorporeal Urinary Diversion after Robot-Assisted Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. <i>Journal of Urology</i> , 2018, 199, 1302-1311.	0.2	154
3	Oncologic, Functional, and Complications Outcomes of Robot-assisted Radical Cystectomy with Totally Intracorporeal Neobladder Diversion. <i>European Urology</i> , 2013, 64, 734-741.	0.9	153
4	Long-term Oncologic Outcomes Following Robot-assisted Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. <i>European Urology</i> , 2015, 68, 721-728.	0.9	143
5	Enhanced Recovery After Robot-assisted Radical Cystectomy: EAU Robotic Urology Section Scientific Working Group Consensus View. <i>European Urology</i> , 2016, 70, 649-660.	0.9	114
6	Robotic Intracorporeal Orthotopic Neobladder during Radical Cystectomy in 132 Patients. <i>Journal of Urology</i> , 2014, 192, 1734-1740.	0.2	107
7	Robot-assisted Radical Cystectomy: Description of an Evolved Approach to Radical Cystectomy. <i>European Urology</i> , 2013, 64, 654-663.	0.9	93
8	Robot-assisted radical cystectomy (<scp>RARC</scp>) with intracorporeal neobladder – what is the effect of the learning curve on outcomes?. <i>BJU International</i> , 2014, 113, 100-107.	1.3	90
9	Biochemical Recurrence After Robot-assisted Radical Prostatectomy in a European Single-centre Cohort with a Minimum Follow-up Time of 5 Years. <i>European Urology</i> , 2012, 62, 768-774.	0.9	85
10	Surgery-related Complications of Robot-assisted Radical Cystectomy With Intracorporeal Urinary Diversion. <i>Urology</i> , 2011, 77, 871-876.	0.5	68
11	Introducing an enhanced recovery programme to an established totally intracorporeal robot-assisted radical cystectomy service. <i>Scandinavian Journal of Urology</i> , 2016, 50, 39-46.	0.6	60
12	The impact of length and location of positive margins in predicting biochemical recurrence after robot-assisted radical prostatectomy with a minimum follow-up of 5 years. <i>BJU International</i> , 2015, 115, 106-113.	1.3	56
13	NITRIC OXIDE AS AN OBJECTIVE MARKER FOR EVALUATION OF TREATMENT RESPONSE IN PATIENTS WITH CLASSIC INTERSTITIAL CYSTITIS. <i>Journal of Urology</i> , 2004, 172, 2261-2265.	0.2	52
14	Early Recurrence Patterns Following Totally Intracorporeal Robot-assisted Radical Cystectomy: Results from the EAU Robotic Urology Section (ERUS) Scientific Working Group. <i>European Urology</i> , 2017, 71, 723-726.	0.9	51
15	Early Oncologic Failure after Robot-Assisted Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. <i>Journal of Urology</i> , 2017, 197, 1427-1436.	0.2	47
16	Cohort profile: The Swedish National Register of Urinary Bladder Cancer (SNRUBC) and the Bladder Cancer Data Base Sweden (BladderBaSe). <i>BMJ Open</i> , 2017, 7, e016606.	0.8	44
17	Ten-Year Oncologic Outcomes Following Robot-Assisted Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. <i>Journal of Urology</i> , 2019, 202, 927-935.	0.2	44
18	NITRIC OXIDE: A USEFUL GAS IN THE DETECTION OF LOWER URINARY TRACT INFLAMMATION. <i>Journal of Urology</i> , 1999, 162, 327-329.	0.2	36

#	ARTICLE	IF	CITATIONS
19	Oncologic Outcomes After Robot-assisted Radical Prostatectomy: A Large European Single-centre Cohort with Median 10-Year Follow-up. <i>European Urology Focus</i> , 2018, 4, 351-359.	1.6	32
20	Robotic cystectomy: surgical technique. <i>BJU International</i> , 2011, 108, 962-968.	1.3	31
21	Gender-related differences in urothelial carcinoma of the bladder: a population-based study from the Swedish National Registry of Urinary Bladder Cancer. <i>Scandinavian Journal of Urology</i> , 2016, 50, 292-297.	0.6	31
22	Urinary bladder cancer treated with radical cystectomy: Perioperative parameters and early complications prospectively registered in a national population-based database. <i>Scandinavian Journal of Urology</i> , 2014, 48, 334-340.	0.6	25
23	Measurement of luminal nitric oxide in bladder inflammation using a silicon balloon catheter: a novel minimally invasive method. <i>Urology</i> , 1999, 54, 264-267.	0.5	24
24	Ureteric stricture rates and management after robot-assisted radical cystectomy: a single-centre observational study. <i>Scandinavian Journal of Urology</i> , 2018, 52, 244-248.	0.6	22
25	Oncological outcomes, quality of life outcomes and complications of partial cystectomy for selected cases of muscle-invasive bladder cancer. <i>Scientific Reports</i> , 2018, 8, 8360.	1.6	22
26	Definition of a Structured Training Curriculum for Robot-assisted Radical Cystectomy with Intracorporeal Ileal Conduit in Male Patients: A Delphi Consensus Study Led by the ERUS Educational Board. <i>European Urology Focus</i> , 2022, 8, 160-164.	1.6	21
27	Enhanced formation of nitric oxide in bladder carcinoma in situ and in BCG treated bladder cancer. <i>Nitric Oxide - Biology and Chemistry</i> , 2006, 15, 337-343.	1.2	20
28	Enhanced Recovery Protocols (ERP) in Robotic Cystectomy Surgery. Review of Current Status and Trends. <i>Current Urology Reports</i> , 2015, 16, 32.	1.0	20
29	Impact of suboptimal neoadjuvant chemotherapy on perioperative outcomes and survival after robot-assisted radical cystectomy: a multicentre multinational study. <i>BJU International</i> , 2017, 119, 605-611.	1.3	20
30	Robot-Assisted Intracorporeal Formation of the Ileal Neobladder. <i>Journal of Endourology</i> , 2012, 26, 1570-1575.	1.1	19
31	Evolution of cystectomy care over an 11-year period in a high-volume tertiary referral centre. <i>BJU International</i> , 2018, 121, 752-757.	1.3	17
32	No increased risk of short-term complications after radical cystectomy for muscle-invasive bladder cancer among patients treated with preoperative chemotherapy: a nation-wide register-based study. <i>World Journal of Urology</i> , 2020, 38, 381-388.	1.2	17
33	Morbidity and mortality after robot-assisted radical cystectomy with intracorporeal urinary diversion in octogenarians: results from the European Association of Urology Robotic Urology Section Scientific Working Group. <i>BJU International</i> , 2021, 127, 585-595.	1.3	17
34	Learning Curve Analysis for Intracorporeal Robot-assisted Radical Cystectomy: Results from the EAU Robotic Urology Section Scientific Working Group. <i>European Urology Open Science</i> , 2022, 39, 55-61.	0.2	17
35	Port-site Metastases After Robot-assisted Radical Cystectomy: Is There a Publication Bias?. <i>European Urology</i> , 2018, 73, 641-642.	0.9	16
36	Second-look resection for primary stage T1 bladder cancer: a population-based study. <i>Scandinavian Journal of Urology</i> , 2017, 51, 301-307.	0.6	15

#	ARTICLE	IF	CITATIONS
37	Robot-assisted intracorporeal orthotopic bladder substitution after radical cystectomy: perioperative morbidity and oncological outcomes – a single-institution experience. <i>BJU International</i> , 2020, 126, 464-471.	1.3	15
38	Association of Open vs Robot-Assisted Radical Cystectomy With Mortality and Perioperative Outcomes Among Patients With Bladder Cancer in Sweden. <i>JAMA Network Open</i> , 2022, 5, e228959.	2.8	15
39	Development of a patient and institutional-based model for estimation of operative times for robot-assisted radical cystectomy: results from the International Robotic Cystectomy Consortium. <i>BJU International</i> , 2017, 120, 695-701.	1.3	14
40	Development and validation of surgical training tool: cystectomy assessment and surgical evaluation (CASE) for robot-assisted radical cystectomy for men. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 4458-4464.	1.3	12
41	Survival after radiotherapy versus radical cystectomy for primary muscle-invasive bladder cancer: A Swedish nationwide population-based cohort study. <i>Cancer Medicine</i> , 2019, 8, 2196-2204.	1.3	12
42	Use of bacillus Calmette-Guérin in stage T1 bladder cancer: Long-term observation of a population-based cohort. <i>Scandinavian Journal of Urology</i> , 2015, 49, 127-132.	0.6	11
43	Clinical outcomes of robot-assisted radical cystectomy and continent urinary diversion. <i>Scandinavian Journal of Urology</i> , 2019, 53, 81-88.	0.6	11
44	Posterior reconstruction during robotic-assisted radical cystectomy with intracorporeal orthotopic ileal neobladder: description and outcomes of a simple step. <i>Journal of Robotic Surgery</i> , 2021, 15, 355-361.	1.0	11
45	Period-specific mean annual hospital volume of radical cystectomy is associated with outcome and perioperative quality of care: a nationwide population-based study. <i>BJU International</i> , 2019, 124, 449-456.	1.3	10
46	Measurement of nitric oxide may differentiate between inflammatory and non-inflammatory prostatitis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 125-130.	1.4	9
47	BCG-induced cytokine release in bladder cancer cells is regulated by Ca <sup>2+</sup> signaling. <i>Molecular Oncology</i> , 2019, 13, 202-211.	2.1	9
48	Cumulative incidence of ureteroenteric strictures after radical cystectomy in a population-based Swedish cohort. <i>Scandinavian Journal of Urology</i> , 2021, 55, 361-365.	0.6	8
49	Management and outcome of muscle-invasive bladder cancer with clinical lymph node metastases. A nationwide population-based study in the bladder cancer data base Sweden (BladderBaSe). <i>Scandinavian Journal of Urology</i> , 2019, 53, 332-338.	0.6	7
50	Functional and Oncological Outcomes of Female Pelvic Organ-preserving Robot-assisted Radical Cystectomy. <i>European Urology Open Science</i> , 2022, 36, 34-40.	0.2	7
51	Bladder Cancer (NMIBC) in a population-based cohort from Stockholm County with long-term follow-up; A comparative analysis of prediction models for recurrence and progression, including external validation of the updated 2021 E.A.U. model. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, ...	0.8	6
52	Radical surgery for treatment of primary localized bladder amyloidosis: Could prostate-sparing robot-assisted cystectomy with intracorporeal urinary diversion be an option?. <i>Scandinavian Journal of Urology</i> , 2013, 47, 72-75.	0.6	5
53	Perioperative and Functional Outcomes of Robot-assisted Ureteroenteric Reimplantation: A Multicenter Study of Seven Referral Institutions. <i>European Urology Open Science</i> , 2022, 35, 47-53.	0.2	5
54	Upstaging and Survival Outcomes for Non-Muscle Invasive Bladder Cancer After Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. <i>Journal of Endourology</i> , 2021, 35, 1541-1547.	1.1	4

#	ARTICLE	IF	CITATIONS
55	Implications for Efficacy and Safety of Total Dose and Dose-Intensity of Neoadjuvant Gemcitabine-Cisplatin in Muscle-Invasive Bladder Cancer: Three-Week Versus Four-Week Regimen. <i>Bladder Cancer</i> , 2022, 8, 71-80.	0.2	4
56	Treatment and prognosis of patients with urinary bladder cancer with other primary cancers: a nationwide population-based study in the Bladder Cancer Data Base Sweden (BladderBaSe). <i>BJU International</i> , 2020, 126, 625-632.	1.3	3
57	Neobladder creation in patients with chronic kidney disease: A viable diversion strategy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 168.e21-168.e27.	0.8	3
58	Impact of neoadjuvant chemotherapy on survival and recurrence patterns after robot-assisted radical cystectomy for muscle-invasive bladder cancer: Results from the International Robotic Cystectomy Consortium. <i>International Journal of Urology</i> , 2022, 29, 197-205.	0.5	3
59	Survival after radical cystectomy during holiday periods. <i>Scandinavian Journal of Urology</i> , 2021, 55, 276-280.	0.6	2
60	Higher preoperative eGFR is a predictor of worse renal function decline after robotic assisted radical cystectomy: Implications for postoperative management. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 275.e11-275.e18.	0.8	2
61	Corrigendum re: "Early Recurrence Patterns Following Totally Intracorporeal Robot-assisted Radical Cystectomy: Results from the EAU Robotic Urology Section (ERUS) Scientific Working Group" [ <i>Eur Urol</i> 2017;71:723-6]. <i>European Urology</i> , 2017, 72, e80.	0.9	1
62	Posterior Reconstruction During Robot-Assisted Radical Cystectomy with Intracorporeal Orthotopic Ileal Neobladder. <i>Videourology (New Rochelle, N Y)</i> , 2019, 33, .	0.1	1
63	Thromboembolism in Muscle-Invasive Bladder Cancer. A Population-based Nationwide Study. <i>Bladder Cancer</i> , 2021, 7, 161-171.	0.2	1
64	Robotic-Assisted Radical Cystectomy for Bladder Cancer in the Female. , 2013, , 133-144.		0
65	Robotic-Assisted Pelvic Lymph Node Dissection. , 2013, , 95-98.		0
66	Management and outcome of TaG3 tumours of the urinary bladder in the nationwide, population-based bladder cancer database Sweden (BladderBaSe). <i>Scandinavian Journal of Urology</i> , 2019, 53, 200-205.	0.6	0
67	Robot-Assisted Intracorporeal Neobladder and Ileal Conduit Urinary Diversion: Technique, Current Status, and Outcomes. , 2018, , 765-777.		0
68	Quality of surgical care can impact survival in patients with bladder cancer after robot-assisted radical cystectomy: results from the International Robotic Cystectomy Consortium. <i>African Journal of Urology</i> , 2020, 26, .	0.1	0