

Victor D Vacquier

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11140666/victor-d-vacquier-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

7,704
citations

43
h-index

83
g-index

147
ext. papers

8,211
ext. citations

7.7
avg, IF

5.87
L-index

#	Paper	IF	Citations
146	The rapid evolution of reproductive proteins. <i>Nature Reviews Genetics</i> , 2002 , 3, 137-44	30.1	1012
145	The genome of the sea urchin <i>Strongylocentrotus purpuratus</i> . <i>Science</i> , 2006 , 314, 941-52	33.3	886
144	The isolation of intact cortical granules from sea urchin eggs: calcium ions trigger granule discharge. <i>Developmental Biology</i> , 1975 , 43, 62-74	3.1	324
143	Maximum-likelihood analysis of molecular adaptation in abalone sperm lysin reveals variable selective pressures among lineages and sites. <i>Molecular Biology and Evolution</i> , 2000 , 17, 1446-55	8.3	203
142	Dynamic changes of the egg cortex. <i>Developmental Biology</i> , 1981 , 84, 1-26	3.1	179
141	Reproductive Protein Evolution. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2002 , 33, 161-179		155
140	Concerted evolution in an egg receptor for a rapidly evolving abalone sperm protein. <i>Science</i> , 1998 , 281, 710-2	33.3	151
139	Exploring the phylogenetic utility of ITS sequences for animals: a test case for abalone (<i>Haliotis</i>). <i>Journal of Molecular Evolution</i> , 2002 , 54, 246-57	3.1	147
138	The fucose sulfate polymer of egg jelly binds to sperm REJ and is the inducer of the sea urchin sperm acrosome reaction. <i>Developmental Biology</i> , 1997 , 192, 125-35	3.1	138
137	Positive selection in the egg receptor for abalone sperm lysin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 4639-43	11.5	126
136	Species specific agglutination of eggs by bindin isolated from sea urchin sperm. <i>Nature</i> , 1977 , 267, 836-8	50.4	122
135	A protein from abalone sperm dissolves the egg vitelline layer by a nonenzymatic mechanism. <i>Developmental Biology</i> , 1982 , 92, 227-39	3.1	121
134	Sea urchin eggs release protease activity at fertilization. <i>Nature</i> , 1972 , 237, 34-6	50.4	111
133	Protease activity establishes the block against polyspermy in sea urchin eggs. <i>Nature</i> , 1972 , 240, 352-3	50.4	110
132	What have we learned about sea urchin sperm bindin?. <i>Development Growth and Differentiation</i> , 1995 , 37, 1-10	3	98
131	Monoclonal antibody to a membrane glycoprotein inhibits the acrosome reaction and associated Ca ²⁺ and H ⁺ fluxes of sea urchin sperm. <i>Cell</i> , 1985 , 40, 697-703	56.2	97
130	Positive Darwinian selection on two homologous fertilization proteins: what is the selective pressure driving their divergence?. <i>Journal of Molecular Evolution</i> , 1997 , 44 Suppl 1, S15-22	3.1	93

129	Activation of sea urchin gametes. <i>Annual Review of Cell Biology</i> , 1986 , 2, 1-26		93
128	Glycobiology of sperm-egg interactions in deuterostomes. <i>Glycobiology</i> , 2001 , 11, 37R-43R	5.8	81
127	A flagellar K(+)-dependent Na(+)/Ca(2+) exchanger keeps Ca(2+) low in sea urchin spermatozoa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 6743-8	11.5	81
126	Polymorphism in abalone fertilization proteins is consistent with the neutral evolution of the egg β receptor for lysin (VERL) and positive darwinian selection of sperm lysin. <i>Molecular Biology and Evolution</i> , 2001 , 18, 376-83	8.3	80
125	Selection in the rapid evolution of gamete recognition proteins in marine invertebrates. <i>Cold Spring Harbor Perspectives in Biology</i> , 2011 , 3, a002931	10.2	79
124	Immunoperoxidase localization of bindin during the adhesion of sperm to sea urchin eggs. <i>Current Topics in Developmental Biology</i> , 1979 , 13 Pt 1, 31-44	5.3	77
123	suREJ3, a polycystin-1 protein, is cleaved at the GPS domain and localizes to the acrosomal region of sea urchin sperm. <i>Journal of Biological Chemistry</i> , 2002 , 277, 943-8	5.4	75
122	Ligands and receptors mediating signal transduction in sea urchin spermatozoa. <i>Reproduction</i> , 2004 , 127, 141-9	3.8	74
121	Abalone sperm lysin: unusual mode of evolution of a gamete recognition protein. <i>Zygote</i> , 1993 , 1, 181-96.6		72
120	Amassin, an olfactomedin protein, mediates the massive intercellular adhesion of sea urchin coelomocytes. <i>Journal of Cell Biology</i> , 2003 , 160, 597-604	7.3	65
119	The apical lamina of the sea urchin embryo: major glycoproteins associated with the hyaline layer. <i>Developmental Biology</i> , 1982 , 89, 168-78	3.1	64
118	Full-length sequence of VERL, the egg vitelline envelope receptor for abalone sperm lysin. <i>Gene</i> , 2002 , 288, 111-7	3.8	61
117	Polycystin-2 associates with the polycystin-1 homolog, suREJ3, and localizes to the acrosomal region of sea urchin spermatozoa. <i>Molecular Reproduction and Development</i> , 2004 , 67, 472-7	2.6	57
116	Positive selection and propeptide repeats promote rapid interspecific divergence of a gastropod sperm protein. <i>Molecular Biology and Evolution</i> , 2000 , 17, 458-66	8.3	57
115	The rise and fall of intracellular pH of sea urchin eggs after fertilisation. <i>Nature</i> , 1977 , 269, 590-2	50.4	57
114	DNA synthesis in unfertilized sea urchin eggs can be turned on and turned off by the addition and removal of procaine hydrochloride. <i>Developmental Biology</i> , 1975 , 47, 12-31	3.1	54
113	Morphology of abalone spermatozoa before and after the acrosome reaction. <i>Journal of Ultrastructure Research</i> , 1980 , 72, 39-46		53
112	A functional genomic and proteomic perspective of sea urchin calcium signaling and egg activation. <i>Developmental Biology</i> , 2006 , 300, 416-33	3.1	51

111	ZP domain proteins in the abalone egg coat include a paralog of VERL under positive selection that binds lysin and 18-kDa sperm proteins. <i>Molecular Biology and Evolution</i> , 2010 , 27, 193-203	8.3	48
110	Sp-tetraKCNG: A novel cyclic nucleotide gated K(+) channel. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 354, 668-75	3.4	48
109	Interspecies chimeric sperm lysins identify regions mediating species-specific recognition of the abalone egg vitelline envelope. <i>Developmental Biology</i> , 1999 , 214, 151-9	3.1	47
108	Fusion of liposomes induced by a cationic protein from the acrosome granule of abalone spermatozoa. <i>Biochemistry</i> , 1986 , 25, 543-9	3.2	47
107	The isolation of acrosome-reaction-inducing glycoproteins from sea urchin egg jelly. <i>Developmental Biology</i> , 1994 , 162, 304-12	3.1	46
106	A perforin-like protein from a marine mollusk. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 316, 468-75	3.4	44
105	Positive selection in the carbohydrate recognition domains of sea urchin sperm receptor for egg jelly (suREJ) proteins. <i>Molecular Biology and Evolution</i> , 2005 , 22, 533-41	8.3	44
104	Abalone lysin: the dissolving and evolving sperm protein. <i>BioEssays</i> , 2001 , 23, 95-103	4.1	44
103	Particulate and soluble adenylyl cyclases participate in the sperm acrosome reaction. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 358, 1128-35	3.4	43
102	Flagelliasialin: a novel sulfated alpha2,9-linked polysialic acid glycoprotein of sea urchin sperm flagella. <i>Glycobiology</i> , 2006 , 16, 1229-41	5.8	42
101	Increased association of synaptosome-associated protein of 25 kDa with syntaxin and vesicle-associated membrane protein following acrosomal exocytosis of sea urchin sperm. <i>Journal of Biological Chemistry</i> , 1998 , 273, 24355-9	5.4	42
100	Egg sialoglycans increase intracellular pH and potentiate the acrosome reaction of sea urchin sperm. <i>Journal of Biological Chemistry</i> , 2002 , 277, 8041-7	5.4	41
99	Co-localization of receptor and transducer proteins in the glycosphingolipid-enriched, low density, detergent-insoluble membrane fraction of sea urchin sperm. <i>Glycoconjugate Journal</i> , 2000 , 17, 205-14	3	41
98	THE FERTILIZING CAPACITY OF SEA URCHIN SPERM RAPIDLY DECREASES AFTER INDUCTION OF THE ACROSOME REACTION*. <i>Development Growth and Differentiation</i> , 1979 , 21, 61-69	3	41
97	Proteins associated with soluble adenylyl cyclase in sea urchin sperm flagella. <i>Cytoskeleton</i> , 2006 , 63, 582-90		39
96	Calcium-mediated release of glucanase activity from cortical granules of sea urchin eggs. <i>Developmental Biology</i> , 1983 , 100, 267-74	3.1	39
95	The quest for the sea urchin egg receptor for sperm. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 425, 583-7	3.4	38
94	The molecular basis of sex: linking yeast to human. <i>Molecular Biology and Evolution</i> , 2011 , 28, 1963-6	8.3	38

93	A soluble adenylyl cyclase from sea urchin spermatozoa. <i>Gene</i> , 2005 , 353, 231-8	3.8	38
92	Store-operated calcium channels trigger exocytosis of the sea urchin sperm acrosomal vesicle. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 304, 285-92	3.4	38
91	High molecular mass egg fucose sulfate polymer is required for opening both Ca ²⁺ channels involved in triggering the sea urchin sperm acrosome reaction. <i>Journal of Biological Chemistry</i> , 2002 , 277, 1182-9	5.4	38
90	Antibody to a sperm surface glycoprotein inhibits the egg jelly-induced acrosome reaction of sea urchin sperm. <i>Developmental Biology</i> , 1980 , 79, 325-33	3.1	37
89	The cytolytic isolation of the cortex of the sea urchin egg. <i>Developmental Biology</i> , 1980 , 77, 178-90	3.1	37
88	Isolation of sperm bindin from the oyster (<i>Crassostrea gigas</i>). <i>Gamete Research</i> , 1978 , 1, 89-99		37
87	Oyster sperm bindin is a combinatorial fucose lectin with remarkable intra-species diversity. <i>International Journal of Developmental Biology</i> , 2008 , 52, 759-68	1.9	37
86	Liposome fusion induced by a M(r) 18,000 protein localized to the acrosomal region of acrosome-reacted abalone spermatozoa. <i>Biochemistry</i> , 1995 , 34, 14202-8	3.2	36
85	Structural requirements for species-specific induction of the sperm acrosome reaction by sea urchin egg sulfated fucan. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 298, 403-7	3.4	35
84	Activation of sea urchin spermatozoa during fertilization. <i>Trends in Biochemical Sciences</i> , 1986 , 11, 77-81	10.3	35
83	Chromosomal abnormalities resulting from ethidium bromide treatment. <i>Nature</i> , 1969 , 222, 193-5	50.4	35
82	Handling, labeling, and fractionating sea urchin spermatozoa. <i>Methods in Cell Biology</i> , 1986 , 27, 15-40	1.8	34
81	Cyclic GMP-specific phosphodiesterase-5 regulates motility of sea urchin spermatozoa. <i>Molecular Biology of the Cell</i> , 2006 , 17, 114-21	3.5	33
80	A new hyperpolarization-activated, cyclic nucleotide-gated channel from sea urchin sperm flagella. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 334, 96-101	3.4	33
79	Isolation and characterization of a plasma membrane fraction from sea urchin sperm exhibiting species specific recognition of the egg surface. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1984 , 778, 25-37	3.8	33
78	Bindin genes of the Pacific oyster <i>Crassostrea gigas</i> . <i>Gene</i> , 2008 , 423, 215-20	3.8	32
77	The increased phosphorylation of ribosomal protein S6 in <i>Arbacia punctulata</i> is not a universal event in the activation of sea urchin eggs. <i>Developmental Biology</i> , 1983 , 95, 360-71	3.1	32
76	Tandem mass spectrometry identifies proteins phosphorylated by cyclic AMP-dependent protein kinase when sea urchin sperm undergo the acrosome reaction. <i>Developmental Biology</i> , 2005 , 285, 116-25	3.1	31

75	Isolated cortical granules: a model system for studying membrane fusion and calcium-mediated exocytosis. <i>Journal of Supramolecular Structure</i> , 1976 , 5, 27-35		30
74	The appearance of -1,3-glucanohydrolase activity during the differentiation of the gut of sand dollar plutei. <i>Developmental Biology</i> , 1971 , 26, 1-10	3.1	30
73	Egg fucose sulfate polymer, sialoglycan, and speract all trigger the sea urchin sperm acrosome reaction. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 296, 833-9	3.4	28
72	The 10 sea urchin receptor for egg jelly proteins (SpREJ) are members of the polycystic kidney disease-1 (PKD1) family. <i>BMC Genomics</i> , 2007 , 8, 235	4.5	27
71	Anion channels in the sea urchin sperm plasma membrane. <i>Molecular Reproduction and Development</i> , 1993 , 36, 174-82	2.6	26
70	Stoichiometry of phosphate loss from sea urchin sperm guanylate cyclase during fertilization. <i>Biochemical and Biophysical Research Communications</i> , 1986 , 137, 1148-52	3.4	26
69	Radioiodination and characterization of the plasma membrane of sea urchin sperm. <i>Developmental Biology</i> , 1980 , 76, 15-25	3.1	26
68	Molecular characterization of a novel intracellular ADP-ribosyl cyclase. <i>PLoS ONE</i> , 2007 , 2, e797	3.7	26
67	Phosphorylation of sperm histone H1 is induced by the egg jelly layer in the sea urchin <i>Strongylocentrotus purpuratus</i> . <i>Developmental Biology</i> , 1986 , 116, 203-12	3.1	25
66	Characterization and comparison of "bindin" isolated from sperm of two species of sea urchins. <i>Biochemical and Biophysical Research Communications</i> , 1977 , 79, 159-65	3.4	25
65	Structural features of the abalone egg extracellular matrix and its role in gamete interaction during fertilization. <i>Molecular Reproduction and Development</i> , 1995 , 41, 493-502	2.6	24
64	Inhibition of sea urchin sperm acrosome reaction by antibodies directed against two sperm membrane proteins. Characterization and mechanism of action. <i>Experimental Cell Research</i> , 1984 , 155, 467-76	4.2	24
63	THE EFFECT OF SOLUBLE EGG JELLY ON THE FERTILIZABILITY OF ACID-DEJELLIED SEA URCHIN EGGS*. <i>Development Growth and Differentiation</i> , 1979 , 21, 47-60	3	23
62	The high resolution crystal structure of green abalone sperm lysin: implications for species-specific binding of the egg receptor. <i>Journal of Molecular Biology</i> , 2000 , 296, 1225-34	6.5	22
61	Laboratory on sea urchin fertilization. <i>Molecular Reproduction and Development</i> , 2011 , 78, 553-64	2.6	21
60	Plasma membrane calcium ATPase is concentrated in the head of sea urchin spermatozoa. <i>Journal of Cellular Physiology</i> , 2006 , 207, 413-9	7	21
59	Evidence for a secretory pathway Ca ²⁺ -ATPase in sea urchin spermatozoa. <i>FEBS Letters</i> , 2006 , 580, 3900-48	3.4	21
58	Sea urchin spermatozoa. <i>Methods in Cell Biology</i> , 2004 , 74, 523-44	1.8	21

57	The species-specificity and structure of abalone sperm lysin. <i>Seminars in Developmental Biology</i> , 1994 , 5, 209-215		20
56	Soluble adenylyl cyclase of sea urchin spermatozoa. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014 , 1842, 2621-8	6.9	19
55	The crystal structure of a fusagenic sperm protein reveals extreme surface properties. <i>Biochemistry</i> , 2001 , 40, 5407-13	3.2	19
54	Abalone lysin: the dissolving and evolving sperm protein 2001 , 23, 95		18
53	Purification of sea urchin sperm bindin by DEAE-cellulose chromatography. <i>Analytical Biochemistry</i> , 1983 , 129, 497-501	3.1	17
52	A sea urchin sperm flagellar adenylate kinase with triplicated catalytic domains. <i>Journal of Biological Chemistry</i> , 2007 , 282, 2947-55	5.4	16
51	A third sea urchin sperm receptor for egg jelly module protein, suREJ2, concentrates in the plasma membrane over the sperm mitochondrion. <i>Development Growth and Differentiation</i> , 2004 , 46, 53-60	3	16
50	1.35 and 2.07 Å resolution structures of the red abalone sperm lysin monomer and dimer reveal features involved in receptor binding. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2000 , 56, 34-41		16
49	Reusable cDNA libraries coupled to magnetic beads. <i>Analytical Biochemistry</i> , 1992 , 206, 206-7	3.1	16
48	Monoclonal antibodies induce the translocation, patching, and shedding of surface antigens of sea urchin spermatozoa. <i>Experimental Cell Research</i> , 1988 , 175, 37-51	4.2	16
47	Regulation of abalone sperm cyclic AMP concentrations and the acrosome reaction by calcium and methylxanthines. <i>Developmental Biology</i> , 1983 , 98, 28-36	3.1	15
46	Monoclonal antibodies to the sea urchin egg vitelline layer inhibit fertilization by blocking sperm adhesion. <i>Experimental Cell Research</i> , 1983 , 147, 75-84	4.2	15
45	The Interactions of Sea Urchin Gametes During Fertilization. <i>American Zoologist</i> , 1979 , 19, 839-849		15
44	Molecular characterization of a novel cell surface ADP-ribosyl cyclase from the sea urchin. <i>Cellular Signalling</i> , 2008 , 20, 2347-55	4.9	14
43	Cloning of a sea urchin sarco/endoplasmic reticulum Ca ²⁺ ATPase. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 339, 443-9	3.4	14
42	An ATP-binding cassette transporter is a major glycoprotein of sea urchin sperm membranes. <i>Journal of Biological Chemistry</i> , 2002 , 277, 40729-34	5.4	14
41	Methylxanthines stimulate calcium transport and inhibit cyclic nucleotide phosphodiesterases in abalone sperm. <i>Developmental Biology</i> , 1983 , 99, 115-20	3.1	14
40	The appearance of α -amylase activity during gut differentiation in sand dollar plutei. <i>Developmental Biology</i> , 1971 , 26, 393-9	3.1	14

39	suREJ proteins: new signalling molecules in sea urchin spermatozoa. <i>Zygote</i> , 1999 , 8, S28-S30	1.6	13
38	Sperm-specific surface antigenicity common to seven animal phyla. <i>Nature</i> , 1980 , 288, 397-9	50.4	13
37	Sequence, annotation and developmental expression of the sea urchin Ca(2+) -ATPase family. <i>Gene</i> , 2007 , 397, 67-75	3.8	12
36	Diversity of olfactomedin proteins in the sea urchin. <i>Genomics</i> , 2007 , 89, 721-30	4.3	11
35	Isolation of organelles and components from sea urchin eggs and embryos. <i>Methods in Cell Biology</i> , 2004 , 74, 491-522	1.8	11
34	N-Linked Oligosaccharides of Sea Urchin Egg Jelly Induce the Sperm Acrosome Reaction. <i>Development Growth and Differentiation</i> , 1994 , 36, 551-556	3	11
33	Egg jelly induces the phosphorylation of histone H3 in spermatozoa of the sea urchin <i>Arbacia punctulata</i> . <i>Developmental Biology</i> , 1989 , 133, 111-8	3.1	11
32	Dephosphorylation of sea urchin sperm guanylate cyclase during fertilization. <i>Advances in Experimental Medicine and Biology</i> , 1986 , 207, 359-82	3.6	11
31	A single residue in a novel ADP-ribosyl cyclase controls production of the calcium-mobilizing messengers cyclic ADP-ribose and nicotinic acid adenine dinucleotide phosphate. <i>Journal of Biological Chemistry</i> , 2010 , 285, 19900-9	5.4	10
30	Structural features and functional domains of amassin-1, a cell-binding olfactomedin protein. <i>Biochemistry and Cell Biology</i> , 2007 , 85, 552-62	3.6	10
29	In vitro phosphorylation of sea urchin sperm adenylate cyclase by cyclic adenosine monophosphate-dependent protein kinase. <i>Molecular Reproduction and Development</i> , 1991 , 28, 150-7	2.6	10
28	Changing localizations of site-specific surface antigens during sea urchin spermiogenesis. <i>Experimental Cell Research</i> , 1987 , 173, 606-16	4.2	10
27	Dispersal of sperm surface antigens in the plasma membranes of polyspermically fertilized sea urchin eggs. <i>Experimental Cell Research</i> , 1987 , 173, 628-32	4.2	10
26	The effects of glucose and lithium chloride on the appearance of -1,3-glucanohydrolase activity in sand dollar plutei. <i>Developmental Biology</i> , 1971 , 26, 11-6	3.1	10
25	Acrosomal Proteins of Abalone Spermatozoa. <i>Advances in Developmental Biochemistry</i> , 1999 , 49-81		9
24	A sodium bicarbonate transporter from sea urchin spermatozoa. <i>Gene</i> , 2006 , 375, 37-43	3.8	8
23	Sea urchin gametes in the teaching laboratory: good experiments and good experiences. <i>Methods in Cell Biology</i> , 2004 , 74, 797-823	1.8	8
22	Phorbol Myristate Acetate Induces the Phosphorylation of Plasma Membrane-Associated Proteins in Sea Urchin Eggs. <i>Development Growth and Differentiation</i> , 1988 , 30, 49-59	3	8

21	Sperm-egg binding events during sea urchin fertilization. <i>Annals of the New York Academy of Sciences</i> , 1982 , 383, 405-25	6.5	8
20	Adenylate kinase in sea urchin embryonic cilia. <i>Cytoskeleton</i> , 2007 , 64, 310-9		7
19	Extraction of phosphorylated sperm specific histone H1 from sea urchin eggs: analysis of phosphopeptide maps. <i>Biochemical and Biophysical Research Communications</i> , 1988 , 151, 1200-4	3.4	7
18	Rapid immunoassays for the acrosome reaction of sea urchin sperm utilizing antibody to bindin. <i>Experimental Cell Research</i> , 1984 , 153, 281-6	4.2	7
17	Ion channel activity of membrane vesicles released from sea urchin sperm during the acrosome reaction. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 321, 88-93	3.4	5
16	Further studies on the glucose inhibition of beta-1,3-glucanohydrolase increase during gut differentiation of sand dollar larvae. <i>Developmental Biology</i> , 1974 , 36, 1-7	3.1	5
15	Expression, purification, crystallization and preliminary X-ray analysis of the olfactomedin domain from the sea urchin cell-adhesion protein amassin. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2006 , 62, 16-9		4
14	Isolation of sea urchin sperm plasma membranes. <i>Methods in Molecular Biology</i> , 2004 , 253, 141-50	1.4	4
13	The amino terminal sequence of sea urchin sperm histone H1 and its phosphorylation by egg cytosol. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1989 , 92, 381-4		4
12	Transport of methionine in sea-urchin sperm by a neutral amino-acid carrier. <i>FEBS Journal</i> , 1983 , 133, 341-7		4
11	The Adhesion of Sperm to Sea Urchin Eggs 1980 , 151-168		4
10	Gamete Interaction in the Sea Urchin A Model for Understanding the Molecular Details of Animal Fertilization 1981 , 199-232		4
9	Recombinant sea urchin flagellar adenylate kinase. <i>Journal of Biochemistry</i> , 2007 , 142, 501-6	3.1	3
8	Lipid raft on gametic cells as a functional domain for sperm-egg interaction coupled with signal transduction. <i>Zygote</i> , 1999 , 8, S63-S63	1.6	3
7	Biochemical Consequences of Ethidium Bromide Treatment of Sea Urchin Embryos. <i>Nature</i> , 1969 , 224, 706-707	50.4	3
6	Sea urchin embryonic cilia. <i>Methods in Cell Biology</i> , 2019 , 150, 235-250	1.8	2
5	My research career on (mainly) sea urchins. <i>Methods in Cell Biology</i> , 2019 , 151, 21-26	1.8	1
4	A unique expression pattern for a sperm membrane protein during sea urchin spermatogenesis. <i>Zygote</i> , 1994 , 2, 159-65	1.6	1

3	MACROMOLECULES MEDIATING SPERM-EGG RECOGNITION AND ADHESION DURING SEA URCHIN FERTILIZATION 1978 , 379-389	1
2	NH ₄ Cl and other weak bases in the activation of sea urchin eggs (reply). <i>Nature</i> , 1978 , 274, 190-190	50.4
1	New techniques for creating parthenogenetic larvae of the sea urchin <i>Lytechinus pictus</i> for gene expression studies. <i>Developmental Dynamics</i> , 2021 , 250, 1828-1833	2.9