

Paul J Whalen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11141866/paul-j-whelen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

15,777
citations

45
h-index

73
g-index

73
ext. papers

16,878
ext. citations

5.6
avg, IF

6.24
L-index

#	Paper	IF	Citations
69	Preliminary report on the association between pulvinar volume and the ability to detect backward-masked facial features. <i>Neuropsychologia</i> , 2019 , 128, 73-77	3.2	
68	Intolerance of uncertainty predicts increased striatal volume. <i>Emotion</i> , 2017 , 17, 895-899	4.1	15
67	A Mathematical Model Captures the Structure of Subjective Affect. <i>Perspectives on Psychological Science</i> , 2017 , 12, 508-526	9.8	33
66	Human Amygdala Tracks a Feature-Based Valence Signal Embedded within the Facial Expression of Surprise. <i>Journal of Neuroscience</i> , 2017 , 37, 9510-9518	6.6	14
65	A face versus non-face context influences amygdala responses to masked fearful eye whites. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 1933-1941	4	6
64	Interpreting ambiguous social cues in unpredictable contexts. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 775-82	4	28
63	Parcellation of Human Amygdala Subfields Using Orientation Distribution Function and Spectral K-means Clustering. <i>Mathematics and Visualization</i> , 2016 , 2016, 123-132	0.6	1
62	The Inverse Relationship between the Microstructural Variability of Amygdala-Prefrontal Pathways and Trait Anxiety Is Moderated by Sex. <i>Frontiers in Systems Neuroscience</i> , 2016 , 10, 93	3.5	17
61	Differential effects of cognitive load on subjective versus motor responses to ambiguously valenced facial expressions. <i>Emotion</i> , 2016 , 16, 929-36	4.1	12
60	BRAIN REWARD ACTIVITY TO MASKED IN-GROUP SMILING FACES PREDICTS FRIENDSHIP DEVELOPMENT. <i>Social Psychological and Personality Science</i> , 2015 , 8, 415-421	4.3	7
59	Neuroimaging and Anxiety: the Neural Substrates of Pathological and Non-pathological Anxiety. <i>Current Psychiatry Reports</i> , 2015 , 17, 49	9.1	37
58	Fearful, but not angry, expressions diffuse attention to peripheral targets in an attentional blink paradigm. <i>Emotion</i> , 2014 , 14, 462-8	4.1	15
57	To apply yourself is human, to reapply divine. <i>Neuron</i> , 2014 , 83, 1227-8	13.9	
56	Botulinum toxin-induced facial muscle paralysis affects amygdala responses to the perception of emotional expressions: preliminary findings from an A-B-A design. <i>Biology of Mood & Anxiety Disorders</i> , 2014 , 4, 11		26
55	Neural responses to ambiguity involve domain-general and domain-specific emotion processing systems. <i>Journal of Cognitive Neuroscience</i> , 2013 , 25, 547-57	3.1	38
54	Interactions between transient and sustained neural signals support the generation and regulation of anxious emotion. <i>Cerebral Cortex</i> , 2013 , 23, 49-60	5.1	131
53	Neuroscience and Facial Expressions of Emotion: The Role of Amygdala-Prefrontal Interactions. <i>Emotion Review</i> , 2013 , 5, 78-83	4.6	46

52	Amygdala responses to averted vs direct gaze fear vary as a function of presentation speed. <i>Social Cognitive and Affective Neuroscience</i> , 2012 , 7, 568-77	4	55
51	Individual differences in neural activity during a facial expression vs. identity working memory task. <i>NeuroImage</i> , 2011 , 56, 1685-92	7.9	34
50	Differentially tuned responses to restricted versus prolonged awareness of threat: a preliminary fMRI investigation. <i>Brain and Cognition</i> , 2011 , 77, 113-9	2.7	11
49	The structural and functional connectivity of the amygdala: from normal emotion to pathological anxiety. <i>Behavioural Brain Research</i> , 2011 , 223, 403-10	3.4	623
48	Anxiety dissociates dorsal and ventral medial prefrontal cortex functional connectivity with the amygdala at rest. <i>Cerebral Cortex</i> , 2011 , 21, 1667-73	5.1	283
47	Valence resolution of ambiguous facial expressions using an emotional oddball task. <i>Emotion</i> , 2011 , 11, 1425-33	4.1	48
46	The amygdala: inside and out. <i>F1000 Biology Reports</i> , 2011 , 3, 2		34
45	A tale of two negatives: differential memory modulation by threat-related facial expressions. <i>Emotion</i> , 2011 , 11, 647-55	4.1	49
44	Regional response differences across the human amygdaloid complex during social conditioning. <i>Cerebral Cortex</i> , 2010 , 20, 612-21	5.1	80
43	Behind the mask: the influence of mask-type on amygdala response to fearful faces. <i>Social Cognitive and Affective Neuroscience</i> , 2010 , 5, 363-8	4	47
42	The primacy of negative interpretations when resolving the valence of ambiguous facial expressions. <i>Psychological Science</i> , 2010 , 21, 901-7	7.9	69
41	Human bed nucleus of the stria terminalis indexes hypervigilant threat monitoring. <i>Biological Psychiatry</i> , 2010 , 68, 416-24	7.9	260
40	The structural integrity of an amygdala-prefrontal pathway predicts trait anxiety. <i>Journal of Neuroscience</i> , 2009 , 29, 11614-8	6.6	341
39	Anticipatory activation in the amygdala and anterior cingulate in generalized anxiety disorder and prediction of treatment response. <i>American Journal of Psychiatry</i> , 2009 , 166, 302-10	11.9	270
38	Corrugator muscle responses are associated with individual differences in positivity-negativity bias. <i>Emotion</i> , 2009 , 9, 640-8	4.1	80
37	A functional magnetic resonance imaging predictor of treatment response to venlafaxine in generalized anxiety disorder. <i>Biological Psychiatry</i> , 2008 , 63, 858-63	7.9	173
36	Are attractive people rewarding? Sex differences in the neural substrates of facial attractiveness. <i>Journal of Cognitive Neuroscience</i> , 2008 , 20, 941-51	3.1	226
35	Dorsal anterior cingulate function in posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2007 , 20, 701-12	3.8	60

34	The uncertainty of it all. <i>Trends in Cognitive Sciences</i> , 2007 , 11, 499-500	14	193
33	Prior experience as a stimulus category confound: an example using facial expressions of emotion. <i>Social Cognitive and Affective Neuroscience</i> , 2006 , 1, 271-4	4	32
32	Dissociable medial temporal lobe contributions to social memory. <i>Journal of Cognitive Neuroscience</i> , 2006 , 18, 1253-65	3.1	43
31	Functional MRI Responses of the Human Dorsal Amygdala/Substantia Innominata Region to Facial Expressions of Emotion. <i>Annals of the New York Academy of Sciences</i> , 2006 , 985, 533-535	6.5	5
30	The counting Stroop: a cognitive interference task. <i>Nature Protocols</i> , 2006 , 1, 230-3	18.8	45
29	The emotional counting Stroop: a task for assessing emotional interference during brain imaging. <i>Nature Protocols</i> , 2006 , 1, 293-6	18.8	48
28	Stability of amygdala BOLD response to fearful faces over multiple scan sessions. <i>NeuroImage</i> , 2005 , 25, 1112-23	7.9	131
27	A functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder. <i>Archives of General Psychiatry</i> , 2005 , 62, 273-81		736
26	Contextual modulation of amygdala responsivity to surprised faces. <i>Journal of Cognitive Neuroscience</i> , 2004 , 16, 1730-45	3.1	310
25	Human amygdala responsivity to masked fearful eye whites. <i>Science</i> , 2004 , 306, 2061	33.3	534
24	Human amygdala responses during presentation of happy and neutral faces: correlations with state anxiety. <i>Biological Psychiatry</i> , 2004 , 55, 897-903	7.9	217
23	Selectively reduced regional cortical volumes in post-traumatic stress disorder. <i>NeuroReport</i> , 2003 , 14, 913-916	1.7	217
22	Inverse amygdala and medial prefrontal cortex responses to surprised faces. <i>NeuroReport</i> , 2003 , 14, 2317-22	1.7	289
21	Differential amygdalar response to novel versus newly familiar neutral faces: a functional MRI probe developed for studying inhibited temperament. <i>Biological Psychiatry</i> , 2003 , 53, 854-62	7.9	236
20	Brain habituation during repeated exposure to fearful and neutral faces: a functional MRI study. <i>Brain Research Bulletin</i> , 2003 , 59, 387-92	3.9	230
19	Selectively reduced regional cortical volumes in post-traumatic stress disorder. <i>NeuroReport</i> , 2003 , 14, 913-6	1.7	133
18	Remembering people: neuroimaging takes on the real world. <i>Learning and Memory</i> , 2003 , 10, 240-1	2.8	
17	Functional neuroimaging studies of the amygdala in depression. <i>Seminars in Clinical Neuropsychiatry</i> , 2002 , 7, 234-42		122

16	Amygdala response to facial expressions in children and adults. <i>Biological Psychiatry</i> , 2001 , 49, 309-16	7.9	416
15	An fMRI study of anterior cingulate function in posttraumatic stress disorder. <i>Biological Psychiatry</i> , 2001 , 50, 932-42	7.9	499
14	A functional MRI study of human amygdala responses to facial expressions of fear versus anger. <i>Emotion</i> , 2001 , 1, 70-83	4.1	539
13	Differential prefrontal cortex and amygdala habituation to repeatedly presented emotional stimuli. <i>NeuroReport</i> , 2001 , 12, 379-83	1.7	440
12	Differential response in the human amygdala to racial outgroup vs ingroup face stimuli. <i>NeuroReport</i> , 2000 , 11, 2351-5	1.7	336
11	Exaggerated amygdala response to masked facial stimuli in posttraumatic stress disorder: a functional MRI study. <i>Biological Psychiatry</i> , 2000 , 47, 769-76	7.9	923
10	Anterior cingulate cortex dysfunction in attention-deficit/hyperactivity disorder revealed by fMRI and the Counting Stroop. <i>Biological Psychiatry</i> , 1999 , 45, 1542-52	7.9	673
9	The counting Stroop: an interference task specialized for functional neuroimaging--validation study with functional MRI. <i>Human Brain Mapping</i> , 1998 , 6, 270-82	5.9	512
8	The emotional counting Stroop paradigm: a functional magnetic resonance imaging probe of the anterior cingulate affective division. <i>Biological Psychiatry</i> , 1998 , 44, 1219-28	7.9	561
7	Fear, Vigilance, and Ambiguity: Initial Neuroimaging Studies of the Human Amygdala. <i>Current Directions in Psychological Science</i> , 1998 , 7, 177-188	6.5	691
6	Masked presentations of emotional facial expressions modulate amygdala activity without explicit knowledge. <i>Journal of Neuroscience</i> , 1998 , 18, 411-8	6.6	1807
5	Neuroimaging and the Neuroanatomy of Posttraumatic Stress Disorder. <i>CNS Spectrums</i> , 1998 , 3, 30-41	1.8	73
4	Response and habituation of the human amygdala during visual processing of facial expression. <i>Neuron</i> , 1996 , 17, 875-87	13.9	1424
3	Effects of electrical stimulation of the amygdaloid central nucleus on neocortical arousal in the rabbit.. <i>Behavioral Neuroscience</i> , 1994 , 108, 81-93	2.1	108
2	Contributions of the amygdaloid central nucleus to the modulation of the nictitating membrane reflex in the rabbit.. <i>Behavioral Neuroscience</i> , 1991 , 105, 141-153	2.1	62
1	Memory effect of DL-threo-3,4-dihydroxyphenylserine (DOPS) in human Korsakoff's disease. <i>Psychopharmacology</i> , 1988 , 95, 250-4	4.7	11